




THE INDONESIAN JOURNAL OF PUBLIC HEALTH

 UNIVERSITAS AIRLANGGA

☀ P-ISSN : 18297005 <> E-ISSN : 25408836 🏷 Subject Area : Health



1.58333

Impact



3879

Google Citations



Sinta 1

Current Accreditation

Volume 19, Issue 3, December 2024

p-ISSN : 1829-7005

e-ISSN : 2540-8836

The Indonesian JOURNAL *of* PUBLIC HEALTH

Scientific Journal of Public Health



The Indon. J of PH	Vol. 19	Issue. 3	Page 390-589	Surabaya December 2024	p-ISSN : 1829-7005 e-ISSN : 2540-8836
-----------------------	---------	----------	-----------------	---------------------------	--



Stanford University School of Medicine, Stanford, United States of America

Interests: Epidemiology, Tuberculosis, Diabetes

0000-0003-0962-0348

Argita Dyah Salindri

57193687955



Dr. Wan Ismahanisa Ismail, MLT, MSC Tran
Editorial Board

Department of Medical Laboratory Technology Faculty of Health Sciences Universiti Teknologi MARA (Pilau Pinang) Bertam Campus, Malaysia

Interests: Pharmacoepidemiology

0000-0002-2711-0547

wan ismahanisa

57193530481



Associate Professor Dr. Muhammad Aziz Rahman, MBBS, MPH, CertGTC, GCHECTL, PhD

Editorial Board

Federation University Australia, Australia

Interests: Public Health, Tobacco, Health and Wellbeing, Disadvantaged Population, Non-Communicable Diseases

0000-0003-1665-7966

Associate Professor Dr Muhammad Aziz Rahman

55327627600



Associate Professor. Dr. Rajesh Ramasamy
Editorial Board

Department of Pathology, Faculty of Medicine & Health Science, Universiti Putra Malaysia, Malaysia

Interests: Mesenchymal Stem Cell, Immuno-modulation - Diabetes - Herbal Research

0000-0003-4227-0458

Rajesh Ramasamy

26024442700



Associate Professor Dr Nor Afiah Mohd Zulkefli
Editorial Board

Department of Community Health, Faculty of Medicine and Health Sciences, Universiti Putra Malaysia, Malaysia

Interests: Family Health

-

-

25724547000



Associate Professor. Dr. Normala Ibrahim MV BcH BAQ, MMed (Psych), PhD
Editorial Board

Departement of Psychiatry, Faculty of Medicine & Health Science, Universiti Putra Malaysia, Malaysia

Interests: Psychiatric Epidemiology

0000-0003-2868-9834

Normala Ibrahim

54414227000



Professor C. A. Kalpana, M.Sc., Bed., M.Phil., Ph.D
Editorial Board

Avinashilingam Institute for Home Science and Higher Education for Women, India

Interests: Obesity, Vitamin D, and Precision Nutrition, Digital Health Intervention, Machine Learning &

Artificial Intelligence in Nutrition

-

Prof. C. A. Kalpana


-



Dr. Dian Kusuma, Scd., MPH
Editorial Board

Imperial College Business School, South Kensington Campus, London, United Kingdom

Interests: Global Health, Health Systems, Health Policy, Health Economics, Non-Communicable Diseases



Instruction For Author

[Guide for Authors](#)

[Online Submission](#)

[Document Template](#)

[Copyright Transfer Agreement](#)

Journal Policy

[Focus and Scope](#)

[Publications Ethics](#)

[Contact](#)

[Peer Review Process](#)

[Plagiarism Screening](#)

[Open Access Policy](#)

[Archiving](#)

[Editorial Team](#)

[Old Website](#)

[Article Processing Charge](#)

[Copyright Notice](#)

[Section Policy](#)

[Peer Reviewers](#)

Meet Our Editorial Team



Prof. Kuntoro D
Dr.PH
Chief Editor
Universitas Airl
Indonesia



Dian Kusuma

57190047530

**Yuniar Wardhani, S.KM., M.PH., Ph.D****Editorial Board**

School of Public Health, Taipei Medical University, Taiwan, Province of China

Interests: Maternal and Child Health, Reproductive Health



Yuniar Wardani

-

**Yashwant Pathak M.Pharm., EMBA, MS CM., Ph.D****Editorial Board**

Faculty Affairs Collage of Pharmacy, University of South Florida, United States

Interests: Drug Delivery Systems and Nanotechnology



Yashwant Pathak

7004822104

**Tito Yustiawan, MDD., MPH****Editorial Board**

Departement of Health System, Faculty of Medical and Health Science, School of Population Health, University of Auckland, New Zealand

Interests: Health Administration and Policy, Hospital Administration, Hospital Management, Healthcare Management Information System



tito yustiawan

57210234979



6021142

**Assoc. Prof. Dr. Supapron Chaigarun****Editorial Board**

Ubon Ratchathani Rajabhat University, Thailand

Interests: Environmental Toxicology, Ecological Toxicology



-

50861236000

**Dr. Agung Dwi Laksono, S.KM, M.Kes****Editorial Board**

Center for Humanities, Health Policy, and Community Empowerment Research and Development Agency, Ministry of Health of the Republic of Indonesia, Indonesia

Interests: Healthcare Access, Health Disparities, Health Policy



0000-0002-9056-0399

Agung Dwi Laksono

56429657100



6082273

**Prof. Dr. Sri Sumarmi, SKM., M.Si****Editorial Board**

Perhimpunan Sarjana Kesehatan Masyarakat (Society of Public Health Scholars), Indonesia

Interests: Nutrition, Public Health Nutrition, Nutrigenomic



0000-0002-7890-9578

Sri Sumarmi

55973957100



6004531

**Prof. Trias Mahmudiono, S.KM., M.PH (Nutr.), GCAS, P.hD****Editorial Board**

World Public Health Nutrition Association, Indonesia

Interests: Nutrition, Public Health Nutrition, Nutrition Education, Nutritional Epidemiology, Double Burden



0000-0002-3128-2173

Trias Mahmudiono

57189899256



5988526

740



Dr. Lucia Yovita
S.KM., M.Kes
Managing Editor
Universitas Airlangga
Indonesia

572



Dr. Nurul Fitriy
M.PH
Managing Editor
Universitas Airlangga
Indonesia

572

**In Collaboration With****Tools****Visitors****Visitors**

FLAG Count

00226673

View My Stats

Download Here

Template
English
Version

Indexed In

**Dr. Joni Haryanto, S.Kp., M.Si****Editorial Board**

Faculty of Nursing, Airlangga University, Indonesia

Interests: Gerontology of Nursing



-

Joni Haryanto

57201187273



-

5995607

**Devi Aqilla Hastya Putri, S.KM****Administrative Assistant**

Administration Staff of The Indonesian Journal of Public Health Universitas Airlangga, Indonesia



0009-0007-0345-4162



-



-



-

**Farrah Febriastuti, S.Hum.****Administrative Assistant**

Administration Staff Of The Indonesian Journal of Public Health Universitas Airlangga, Indonesia



0009-0001-3019-813X

Farrah Febriastuti



-



-

AddressFaculty of Public Health, Universitas Airlangga Kampus C Jl.
Mulyorejo Surabaya-60115**Contact Info:**

Phone: +62 82299854486

E-mail: ijph@fkm.unair.ac.id**Information**

For Readers

For Authors

For Librarians

Keywords



Search



Reg

Logi

Home

Archives

Vol. 19 No. 3 (2024): THE INDONESIAN JOURNAL OF PUBLIC HEALTH

Vol. 19 No. 3 (2024): THE INDONESIAN JOURNAL OF PUBLIC HEALTH



Published: 29-11-2024

Editorial

HEALTHY LIVING AMIDST INFECTIOUS DISEASES

✉ Nurul Fitriyah ⁽¹⁾

(1) Department of Epidemiology, Biostatistics, Population Studies and Health Promotion, Public Health Faculty, Universitas Airlangga, Indonesia, Indonesia

📄 390-391

📄 Abstract : 108


📄 PDF : 508 XML : 55

doi DOI : 10.20473/ijph.v19i3.2024.390-391

📄 PDF

📄 XML

Articles



EFFECT OF EDUCATIONAL INTERVENTION ON PERCEPTIONS OF HPV VACCINATION AMONG UNDERGRADUATE FEMALE STUDENTS

✉ Shahul Hameed ⁽¹⁾, Chethana K ⁽²⁾, Asif Khan ⁽³⁾

(1) Professor & HOD, Department of Community Medicine, Kanachur Institute of Medical Sciences, Mangalore, India, India,

(2) Professor, Department of Community Medicine, Kanachur Institute of Medical Sciences, Mangalore, India, India,

(3) Professor & HOD, Department of Community Medicine, Sri Siddhartha Medical College, Tumkur, India, India

📄 392-405

📄 Abstract : 384

📄 PDF : 651 XML : 51

doi DOI : 10.20473/ijph.v19i3.2024.392-405

📄 PDF

📄 XML

DENGUE PREVENTION AND PUBLIC PERCEPTION OF BARRIERS TO ELIMINATE MOSQUITO BREEDING SITES AMONG MALAYSIANS



Noorlaile Jasman⁽¹⁾, Siti Nur Farhana⁽²⁾, Kamarul Zaman Saleh⁽³⁾, Norrafizah Jaafar⁽⁴⁾, Zanariah Zaini⁽⁵⁾, Manimaran Krishnan Kaundan⁽⁶⁾, Albeny Joslyn Panting⁽⁷⁾

(1) Institute for Health Behavioural Research, National Institute of Health, Ministry of Health Malaysia, Setia Alam, Selangor, Malaysia, Malaysia,

(2) Institute for Health Behavioural Research, National Institute of Health, Ministry of Health Malaysia, Setia Alam, Selangor, Malaysia, Malaysia,

(3) Hospital Sultanah Nur Zahirah, Ministry of Health, Malaysia, Malaysia,

(4) Institute for Health Behavioural Research, National Institute of Health, Ministry of Health Malaysia, Setia Alam, Selangor, Malaysia, Malaysia,

(5) Institute for Health Behavioural Research, National Institute of Health, Ministry of Health Malaysia, Setia Alam, Selangor, Malaysia, Malaysia,

(6) Institute for Health Behavioural Research, National Institute of Health, Ministry of Health Malaysia, Setia Alam, Selangor, Malaysia, Malaysia,

(7) Institute for Health Behavioural Research, National Institute of Health, Ministry of Health Malaysia, Setia Alam, Selangor, Malaysia, Malaysia

406-418

Abstract : 300

PDF : 620 XML : 36



DOI : 10.20473/ijph.v19i3.2024.406-418



EPIDEMIOLOGICAL ASPECTS OF HIV-TB CO-INFECTION IN PEOPLE WITH HIV/AIDS (PLWHA): A HOSPITAL-BASED STUDY

Rico januar Sitorus⁽¹⁾, Jaka Murinata⁽²⁾, Nyoman Yudi Antara⁽³⁾, Reymart V. Sangalang⁽⁴⁾, Merry Natalia Panjaitan⁽⁵⁾

(1) Department of Epidemiology Public Health Faculty Sriwijaya University, Palembang, Indonesia, Indonesia,

(2) Department of Epidemiology Public Health Faculty Sriwijaya University, Palembang, Indonesia, Indonesia,

(3) Biotechnology Program, Faculty of Mathematics and Natural Sciences, Universitas Halu Oleo, Indonesia,

(4) De La Salle University, Manila, Philippines, Philippines,

(5) Port Health Office, Palembang, Indonesia, Indonesia


419-429

Abstract : 311

PDF : 628 XML : 40



DOI : 10.20473/ijph.v19i3.2024.419-429



SOCIODEMOGRAPHIC, KNOWLEDGE AND ATTITUDE TOWARD COVID-19 PREVENTION MEASURE IN GIRI AGUNG VILLAGE, EAST KALIMANTAN, INDONESIA: A CROSS-SECTIONAL STUDY

Sulistiyawati Sulistiyawati⁽¹⁾, Tri Mustanginah⁽²⁾, Muchsin Maulana⁽³⁾

(1) Faculty of Public Health, Universitas Ahmad Dahlan, Yogyakarta, Indonesia, Indonesia,

(2) Faculty of Public Health, Universitas Ahmad Dahlan, Yogyakarta, Indonesia, Indonesia,

(3) Faculty of Medicine, National Yang Ming Chiao Tung University, Taiwan and Faculty of Public Health, Universitas Ahmad Dahlan, Yogyakarta, Indonesia, Taiwan, Province of China


430-441

Abstract : 271

PDF : 447 XML : 26



DOI : 10.20473/ijph.v19i3.2024.430-441



ENHANCING KNOWLEDGE AND AWARENESS FOR MEASLES AND RUBELLA ELIMINATION TO PREVENT CONGENITAL RUBELLA SYNDROME IN KULON PROGO AND GUNUNGKIDUL REGENCIES

Login

Username *

Password *

Forgot your password?

☒ Keep me logged in

[Login](#) [Register](#)

Accreditation Certificat

The Indonesian Journal of Public Health has been indexed by

Scopus

Sinta

Citedness

Scopus
CiteScoreTracker 202

Elisabeth Siti Herini ⁽¹⁾, Agung Triono ⁽²⁾, Kristy Iskandar ⁽³⁾, Ratni Indrawanti ⁽⁴⁾, Mei Neni Sitaesmi ⁽⁵⁾, Albaaza Nuady ⁽⁶⁾, Ashadi Prasetyo ⁽⁷⁾, Avianti Paramastuti ⁽⁸⁾, Andika Priamas Nugrahanto ⁽⁹⁾, Khansadhia Hasmaradana Mooiindie ⁽¹⁰⁾, Rais Aliffandy Damroni ⁽¹¹⁾, Joshua Timoti ⁽¹²⁾

(1) Department of Child Heath, Faculty of Medicine, Public Health and Nursing, Universitas Gadjah Mada/Sardjito Hospital, Sleman Regency, Special Region of Yogyakarta, Indonesia, Indonesia,

(2) Department of Child Heath, Faculty of Medicine, Public Health and Nursing, Universitas Gadjah Mada/Sardjito Hospital, Sleman Regency, Special Region of Yogyakarta, Indonesia, Indonesia,

(3) Department of Child Heath, Faculty of Medicine, Public Health and Nursing, Universitas Gadjah Mada/Sardjito Hospital, Sleman Regency, Special Region of Yogyakarta, Indonesia, Indonesia,

(4) Department of Child Heath, Faculty of Medicine, Public Health and Nursing, Universitas Gadjah Mada/Sardjito Hospital, Sleman Regency, Special Region of Yogyakarta, Indonesia, Indonesia,

(5) Department of Child Heath, Faculty of Medicine, Public Health and Nursing, Universitas Gadjah Mada/Sardjito Hospital, Sleman Regency, Special Region of Yogyakarta, Indonesia, Indonesia,

(6) Department of Ophthalmology, Faculty of Medicine, Public Health and Nursing, Universitas Gadjah Mada/Sardjito Hospital, Sleman Regency, Special Region of Yogyakarta, Indonesia, Indonesia,

(7) Department of Ear, Nose, and Throat (ENT), Faculty of Medicine, Public Health and Nursing, Universitas Gadjah Mada/Sardjito Hospital, Sleman Regency, Special Region of Yogyakarta, Indonesia, Indonesia,

(8) Department of Child Heath, Faculty of Medicine, Public Health and Nursing, Universitas Gadjah Mada/Sardjito Hospital, Sleman Regency, Special Region of Yogyakarta, Indonesia, Indonesia,


(9) Department of Child Heath, Faculty of Medicine, Public Health and Nursing, Universitas Gadjah Mada/Sardjito Hospital, Sleman Regency, Special Region of Yogyakarta, Indonesia, Indonesia,

(10) Department of Child Heath, Faculty of Medicine, Public Health and Nursing, Universitas Gadjah Mada/Sardjito Hospital, Sleman Regency, Special Region of Yogyakarta, Indonesia, Indonesia,

(11) Department of Child Heath, Faculty of Medicine, Public Health and Nursing, Universitas Gadjah Mada/Sardjito Hospital, Sleman Regency, Special Region of Yogyakarta, Indonesia, Indonesia,

(12) Department of Child Heath, Faculty of Medicine, Public Health and Nursing, Universitas Gadjah Mada/Sardjito Hospital, Sleman Regency, Special Region of Yogyakarta, Indonesia, Indonesia

 Abstract : 167

 PDF : 354 XML : 32

 DOI : 10.20473/ijph.v19i3.2024.442-452

 PDF

 XML



KNOWLEDGE, PERCEPTION, AND STIGMA IN THE JAKARTA COMMUNITY TOWARD TUBERCULOSIS PREVENTION

Apriana Rahmawati ⁽¹⁾, Shenda Maulina Wulandari ⁽²⁾, Ariesta Milanti ⁽³⁾, Ferry Efendi ⁽⁴⁾, Maryuni Maryuni ⁽⁵⁾, Jeihan Mutia ⁽⁶⁾, Nur Ravica Aprilia ⁽⁷⁾

(1) Faculty of Nursing and Midwifery, Universitas Binawan, Indonesia, Indonesia,

(2) Faculty of Nursing and Midwifery, Universitas Binawan, Indonesia , Indonesia,

(3) Faculty of Nursing and Midwifery, Universitas Binawan, Indonesia , Indonesia,

(4) Faculty of Nursing, Universitas Airlangga, Indonesia, Indonesia,

(5) Faculty of Nursing and Midwifery, Universitas Binawan, Indonesia , Indonesia,

(6) Faculty of Nursing and Midwifery, Universitas Binawan, Indonesia , Indonesia,

(7) Faculty of Nursing and Midwifery, Universitas Binawan, Indonesia , Indonesia

 Abstract : 205

 PDF : 490 XML : 44

 DOI : 10.20473/ijph.v19i3.2024.453-465

 PDF

 XML



OVERVIEW OF PATIENTS WITH CHRONIC RHINOSINUSITIS UNDERGOING SURGERY IN PADANG, WEST SUMATRA, 2018-2022

Dolly Irfandy ⁽¹⁾, Tuti Handayani ⁽²⁾, Bestari Jaka Budiman ⁽³⁾, Cahaya Megananda ⁽⁴⁾

(1) IDepartment of Otorhinolaryngology - Head & Neck Surgery, Faculty of Medicine, Universitas Andalas/RSUP Dr. M. Djamil, Padang, Indonesia, Indonesia,

(2) Department of Medicine Study Program, Faculty of Medicine Andalas University, Padang, Indonesia, Indonesia,

(3) Department of Otorhinolaryngology - Head & Neck Surgery, Faculty of Medicine, Universitas Andalas/RSUP Dr. M. Djamil, Padang, Indonesia , Indonesia,

(4) Faculty of Medicine, Universitas Andalas, Padang, Indonesia, Indonesia

 Abstract : 137

 PDF : 266 XML : 23

 DOI : 10.20473/ijph.v19i3.2024.466-478

 PDF

 XML

QUALITY OF LIFE OF COVID-19 SURVIVORS IN THE CITY OF BOGOR

104 Citations

0.7 = 152 Documents

Last updated on 05 September, 2025 • Up

Scimagojr.com

Indonesian Journal of Public Health

Q4 Epidemiology best qu

SJR 2024 0.13

powered by scimagojr


Google Scholar

All

Citations 4425

h-index 32

i10-index 93



Instruction For Author

Guide for Authors

Online Submission

Document Template

Copyright Transfer Agreement

Journal Policy

Focus and Scope

Publications Ethics

Contact

Peer Review Process

Plagiarism Screening


Open Access Policy

Archiving

Editorial Team

Old Website

Article Processing Charge



Laras Arsyi Insani ⁽¹⁾, Atik Choirul Hidayah ⁽²⁾

(1) Department of Epidemiology, Biostatistics, Population Studies and Health Promotion, Faculty of Public Health, Airlangga University, Surabaya, East Java, Indonesia, Indonesia,

(2) Department of Epidemiology, Biostatistics, Population Studies and Health Promotion, Faculty of Public Health, Airlangga University, Surabaya, East Java, Indonesia, Indonesia

479-493

Abstract : 183

PDF : 319 XML : 22

PDF XML

DOI : 10.20473/ijph.v19i3.2024.479-493



CLEAN AND HEALTHY LIVING BEHAVIOUR AND INFECTIOUS DISEASES (COVID-19) DIFFERENCES BETWEEN DORMITORY AND HOME DURING THE COVID-19 PANDEMIC

Lia Awwalia Majida ⁽¹⁾, Martha Irene Kartasurya ⁽²⁾, Sri Achadi Nugraheni ⁽³⁾, Ani Margawati ⁽⁴⁾, Etika Noer ⁽⁵⁾

(1) Student of Nutrition Science Department, Faculty of Medicine, Diponegoro University, Jln Prof. Mr. Sunario, Tembalang, Semarang 50275, Indonesia, Indonesia,

(2) Public Health Nutrition Department, Faculty of Public Health, Diponegoro University, Jl. Prof. Jacob Rais, Tembalang, Semarang 50275, Indonesia, Indonesia,

(3) Public Health Nutrition Department, Faculty of Public Health, Diponegoro University, Jl. Prof. Jacob Rais, Tembalang Semarang 50275 Indonesia Indonesia

(5) Nutrition Science Department, Faculty of Medicine, Diponegoro University, Jln Prof. Mr. Sunario, Tembalang, Semarang Semarang 50275, Indonesia, Indonesia

494-506

PDF : 272 XML : 25

DOI : 10.20473/ijph.v19i3.2024.494-506



ANALYSIS OF DIRECTLY OBSERVED TREATMENT SHORTCOURSE IMPLEMENTATION AS AN EFFORT TO CONTROL TUBERCULOSIS IN YOGYAKARTA

Liena Sofiana ⁽¹⁾, Tis'a Salma Muthiah ⁽²⁾, Nawwara Putri ⁽³⁾

(1) Department of Public Health, Faculty of Public Health, Universitas Ahmad Dahlan, Indonesia, Indonesia,

(2) Department of Nutrition, Faculty of Public Health, Universitas Ahmad Dahlan, Indonesia, Indonesia,


(3) Department of Public Health, Faculty of Public Health, Universitas Ahmad Dahlan, Indonesia, Indonesia

507-519

Abstract : 144

PDF : 306 XML : 36

DOI : 10.20473/ijph.v19i3.2024.507-519



BLASTOCYSTIS HOMINIS INFECTION IN CHILDREN WITH HIV/AIDS DURING COVID-19 RELATED DISRUPTION ERA: A CROSS-SECTIONAL STUDY

Made Bayu Permasutha ⁽¹⁾, Ajib Diptyanusa ⁽²⁾

(1) Parasitology Division, Department of Biomedical Sciences, Faculty of Medicine, Universitas Pendidikan Ganesha, Indonesia, Indonesia,

(2) Department of Parasitology, Faculty of Medicine, Public Health, and Nursing, Universitas Gadjah Mada, Indonesia, Indonesia

520-533

PDF : 265 XML : 29

DOI : 10.20473/ijph.v19i3.2024.520-533



ENHANCING TUBERCULOSIS CASE FINDING THROUGH SULI SIMULATOR APP: A CASE STUDY IN LUBUKLINGGAU CITY, SOUTH SUMATERA PROVINCE, INDONESIA

Depit Kurniawan ⁽¹⁾, Rizma Adlia Syakurah ⁽²⁾

(1) Magister Student of Public Health Sciences, Faculty of Public Health, Universitas Sriwijaya, Indonesia, Indonesia,

(2) Program Study of Public Health Sciences, Faculty of Public Health, Universitas Sriwijaya, Indonesia, Indonesia

534-548

PDF : 258 XML : 33

DOI : 10.20473/ijph.v19i3.2024.534-548

Abstract : 109

PDF XML

Copyright Notice

Section Policy

Peer Reviewers

Meet Our Editorial T



Prof. Kuntoro d
Dr.PH
Chief Editor
Universitas Airl
Indonesia

740



Dr. Lucia Yovita
S.KM., M.Kes

Online ISSN : 2540-8836

Print ISSN :

Indonesia

572



Dr. Nurul Fitriy:
M.PH
Managing Editc
Universitas Airl
Indonesia

572



In Collaboration With



Tools



Visitors

Visitors	
	1,11M
	118,688
	54,104
	29,500
	22,250
	19,50
	8,544
	6,713
	5,676
	5,663

FLAG Count

00226672



ANALYSIS OF THE RELATIONSHIP BETWEEN EDUCATION AND LEVEL OF ORAL HEALTH KNOWLEDGE IN POSYANDU CADRES

✉ Tiarma Talenta Theresia ⁽¹⁾, Alifia Adinda Cikagri ⁽²⁾, Tri Erri Astoeti ⁽³⁾, Goalbertus ⁽⁴⁾

(1) Department of Dental Public Health and Preventive Dentistry, Faculty of Dentistry, Universitas Trisakti, Indonesia, Indonesia,

(2) Undergraduate Program, Faculty of Dentistry, Universitas Trisakti, Indonesia, Indonesia,

(3) Department of Dental Public Health and Preventive Dentistry, Faculty of Dentistry, Universitas Trisakti, Indonesia, Indonesia,

(4) Department of Dental Public Health and Preventive Dentistry, Faculty of Dentistry, Universitas Trisakti, Indonesia, Indonesia

📄 549-561

📄 PDF : 277 XML : 30

DOI : 10.20473/ijph.v19i3.2024.549-561

📄 Abstract : 112

📄 PDF

📄 XML



HEALTH-SEEKING BEHAVIOR OF TUBERCULOSIS PATIENTS IN BHUBANESWAR, ODISHA, INDIA

✉ Saumyasree Pradhan ⁽¹⁾, Barsha Rani Mohapatra ⁽²⁾, Monika Jena ⁽³⁾, Nitushree Kund ⁽⁴⁾, Nihar Nalini Senapathy ⁽⁵⁾, Amarendra Mohapatra ⁽⁶⁾

(1) Department of Public Health, Utkal University, Bhubaneswar, Odisha, India, India,

(2) Department of Public Health, Utkal University, Bhubaneswar, Odisha, India, India,

(3) Department of Public Health, Utkal University, Bhubaneswar, Odisha, India, India,

(4) Department of Public Health, Utkal University, Bhubaneswar, Odisha, India, India,

(5) PGIMER, Capital Hospital, Bhubaneswar, India,

(6) Regional Medical Research Centre (ICMR), Bhubaneswar Odisha, India, India

📄 562-574

📄 PDF : 266 XML : 21


DOI : 10.20473/ijph.v19i3.2024.562-574

📄 Abstract : 130

📄 PDF

📄 XML

Literature Review



RISK FACTORS FOR LEPROSY: A SYSTEMATIC REVIEW

✉ Aisyah Noer Auliyah Madani Pertiwi ⁽¹⁾, Fariani Syahrul ⁽²⁾

(1) Master of Epidemiology Program, Faculty of Public Health, Universitas Airlangga, Surabaya, Indonesia, Indonesia,

(2) Departement of Epidemiology, Faculty of Public Health, Universitas Airlangga, Surabaya, Indonesia, Indonesia

📄 575-589

📄 PDF : 1144 XML : 22

DOI : 10.20473/ijph.v19i3.2024.575-589

📄 Abstract : 270

📄 PDF

📄 XML

Address

Faculty of Public Health, Universitas Airlangga Kampus C Jl. Mulyorejo Surabaya-60115

Contact Info:

Phone: +62 82299854486

E-mail: ijph@fkm.unair.ac.id



Lembaga Inovasi, Pengembangan, Penerbitan dan Hak Kekayaan
LIPJPI
Gedung AUP, Kampus C, Universitas Airlangga, Kota Surabaya

View My Stats

Download Here



Template
English
Version

Indexed In



Information

For Readers

For Authors

For Librarians

Keywords



ANALYSIS OF THE RELATIONSHIP BETWEEN EDUCATION AND LEVEL OF ORAL HEALTH KNOWLEDGE IN POSYANDU CADRES

Tiarma Talenta Theresia^{1*}, Alifia Adinda Cikagri², Tri Erri Astoeti³, Goalbertus⁴

¹Department of Dental Public Health and Preventive Dentistry, Faculty of Dentistry, Universitas Trisakti, Indonesia

²Undergraduate Program, Faculty of Dentistry, Universitas Trisakti, Indonesia

³Department of Dental Public Health and Preventive Dentistry, Faculty of Dentistry, Universitas Trisakti, Indonesia

⁴Department of Dental Public Health and Preventive Dentistry, Faculty of Dentistry, Universitas Trisakti, Indonesia

Corresponding author: tiarma@trisakti.ac.id

ABSTRACT

Introduction: The prevalence of dental caries in West Jakarta was 44.24%, and one of the prevention efforts that could be taken was health promotion. Posyandu cadres are health volunteers selected from the community who voluntarily contribute to improving community health. Posyandu cadres are important as oral health educators in the community; as extension workers, Posyandu cadres must have the necessary knowledge, skills, and experience to be trusted as a source of information; one of the factors that influence participation is knowledge. **Aims:** This research examines the relationship between education and oral health knowledge among Posyandu Cadres in Kemanggisan District. **Method:** Analytical observational research was conducted using a cross-sectional design method involving 73 Posyandu cadres. The research was conducted by taking data from the results of questionnaires filled in directly from August – September 2023. **Result:** Of the 73 respondents, 41.1% had high knowledge, and 58.9% had low knowledge. Subjects who had a high level of education had higher odds of having good knowledge (adjusted OR: 147.93; 95% CI: 3.52 - 6218.85, P = 0.009). **Conclusion:** The higher the cadre's education, the better their oral health knowledge will be.

Keywords: education, oral health knowledge, posyandu cadres

INTRODUCTION

RISKESDAS 2018 shows that the most common oral diseases in Indonesia are damaged, cavities or diseased teeth with a prevalence of 45.3%, (Indonesian Ministry of Health, 2018) while in West Jakarta City, it is 44.24%. One way to prevent tooth decay is through primary prevention through health promotion, which posyandu cadres can carry out. Posyandu cadres are members of the community who are willing and able to carry out posyandu activities voluntarily (Fariani & Paramastri, 2015).

Cadres' duties as health instructors to the community can play an important role in implementing oral health promotion (Indonesian Ministry of Health, 2019). As instructors, cadres must have the necessary knowledge, skills, and experience to be

trusted as a source of information (Winaryanto et al., 2004). Three factors influence cadre activity: predisposing factors, enabling factors, and influencing factors. The predisposing factors include cadres' knowledge, education, employment status, motivation, attitudes, cultural values, beliefs, and socio-economic conditions. Behavior based on knowledge is known to be more lasting than behavior based on ignorance. According to Notoatmodjo, the factor that has the most influence on knowledge is education (Notoatmodjo, 2003). Individuals with a high level of education tend to have a more critical attitude when receiving information.

Good knowledge will influence positive behaviour regarding oral health, while lack of knowledge can be one of the many factors that arise in oral health

Cite this as: Theresia, T.T., Cikagri, A.A., Astoeti, T.E and Goalbertus, (2024). Analysis Of The Relationship Between Education And Level Of Oral Health Knowledge In Posyandu Cadres. The Indonesian Journal of Public Health, 19(3), 549-561. <https://doi.org/10.20473/ijph.v19i3.2023.549-561>

©2023 IJPH. Open access under CC BY NC-SA. License doi: 10.20473/ijph.v19i3.2024.549-561
Received 7 March 2023, received in revised form 11 November 2024, Accepted 18 November 2024, Published online: December 2024. Publisher by Universitas Airlangga

problems. Oral health knowledge includes an understanding of tooth growth in toddlers, oral diseases, efforts to maintain oral health and oral health in pregnant women. Cadres' knowledge of dental and oral health is important because it is in accordance with the cadre's role, namely as a health instructor, one of which is dental and oral health. Many aspects influence knowledge, including education (Damayanti & Sofyan, 2022),

Education is an effort and process that has the aim of changing a person's attitudes and behaviour through teaching and coaching (Nurkholis, 2013). Cadres' knowledge of oral health will influence their motivation and behaviour when carrying out outreach activities. Research by ;(2016) in Tampak Siring Gianyar District shows that there is a relationship between education and oral health knowledge among teachers with a Spearman correlation test value of 0.0376. Himmawan's research states that there is a significant relationship between education and the level of cadre knowledge regarding the 1000 HPK with a p-value of 0.017. Dharmawati et al,'s research did not involve posyandu cadres as research respondents, while Himmawan's research did not examine knowledge about dental and oral health among cadres (Dharmawati, 2016; Himmawan, 2020).

Based on this background, researchers are interested in seeing the effect of education on knowledge about oral health among posyandu cadres in Kemanggisan District.

METHODS

This research is an observational analytic with a cross-sectional design. The research population was all posyandu cadres in Kemanggisan District. The minimum sample size is 73, and sampling was carried out using consecutive sampling techniques. The inclusion criteria for this study were posyandu cadres who were willing to be respondents and filled

out informed consent and a complete questionnaire. In contrast, the exclusion criterion for this study were posyandu cadres who were not present when the research was carried out.

The independent variable is education, while the dependent variable is knowledge, which is measured using a questionnaire consisting of 13 questions regarding four topics: tooth growth in toddlers, efforts to maintain dental health, dental and oral diseases, and dental and oral health in pregnant women. Confounding variables are age, occupation, length of time as a cadre, counselling, and specialization.

The independent variable in this research is the education possessed by posyandu cadres. Education level is the difference in the degree of formal education the respondent completed until the final diploma was obtained. Educational measurement can be categorized into three levels. Low education levels include not/never been to school, not finished/finished elementary school/MI, and finished junior high school/MTS. The secondary education level consists of graduating from high school/MA. A high level of education consists of completing D1/D2/D3 and graduating from college. The measuring scale uses an ordinal scale.

Knowledge is information obtained through one's own experience or the experience of other individuals. The measurement of oral health knowledge can be categorized as high or low. The accumulated score that can be obtained ranges from 0 to 13. The total score will be divided by the number of questions and then converted into a percentage. Knowledge is divided based on the average value (mean) into two levels, namely high (≤ 65.9) and low (> 65.9). A nominal scale is used to measure these results. Knowledge was categorized into good and bad based on the mean value.

Confounding variables in this study are age, occupation, length of time as a

cadre, and counselling. Age is the time span from the birth of the respondent until the time the research was carried out. The measuring scale applied is an interval scale. Work is the main activity carried out by respondents, where respondents earn income as a result, which they continue to carry out until the research takes place. The measuring scale used is the nominal scale. Length of time as a cadre is the duration of the respondent's activities or work period, which is calculated from the first time the respondent became a posyandu cadre until the research took place. The scale used is an interval scale. Counselling is dental and oral health material that has already been obtained or not until research is carried out. The scale used is nominal.

The validity test aims to evaluate whether an instrument is valid in measuring research variables. A questionnaire is declared valid if it can be measured accurately. Validity can be interpreted as the level of accuracy of an instrument as a measuring tool. The reliability test is an indicator that shows whether a measurement instrument can be trusted or not. Reliability testing aims to evaluate the suitability of a measuring instrument and whether the measuring instrument used is reliable and consistent when measurements are carried out repeatedly.

The first validity and reliability test was carried out in July 2023 with a sample of 50 posyandu cadres in the Kemanggisan sub-district. The results of the validity and reliability tests can be seen in Table 1. Of the 23 questions, 16 were invalid, and seven were valid. The results of the reliability test in the Kemanggisan sub-district are said to be reliable, with a value of 0,6797. The validity and reliability test was carried out in August 2023 with a sample of 50 posyandu cadres in the Jatipulo sub-district. The results of the validity and reliability tests can be seen in Table 2. Of the 20 questions, there werenine invalid questions and 11 valid

questions. The results of the reliability test in Jatipulo Village are said to be reliable, with a value of 0.6553. This study used a questionnaire consisting of 13 questions, consisting of two questions for the first validity and reliability test and 11 questions for the second validity and reliability test. This questionnaire contains five questions about tooth growth in toddlers, three questions about efforts to maintain dental and oral health, four questions about dental and oral diseases, and one question about dental and oral health in pregnant women.

Data were analyzed using multivariate analysis, namely causal model logistic regression, to see the effect of education on knowledge after being controlled by confounding variables. Ethical clearance was obtained from the Ethical and Research Advisory Committee, Faculty of Dentistry, Universitas Trisakti (653A/S1/KEPK/FKG/9/2023). Informed consent was obtained from all participants.

RESULT

Table 3 shows subject distributions based on socio-demographic characteristics and other variables. The data show all respondents were female. The education level in this study was divided into three groups. Low education level consists of never/never being to school, not finishing elementary school/MI, finishing elementary school/MI, and finishing junior high school/MTS. The secondary education level consists of graduating from high school/MA. The higher education level consists of completing D1/D2/D3/PT. The data show more than half of the research subjects (63%) had a secondary education level.

The majority age of research subjects (83.6%) were less than 60 years old. Jobs in this study were divided into two groups, namely, working and not working. The working group consists of private employees, entrepreneurs, workers/

drivers/household helpers. The non-working group consists of respondents who do not work (housewives). Table 3 shows that eight people are in the working group, while 65 people (89%) are in the non-working group.

Based on Table 3, the average length of time as a posyandu cadre is 12.47 years. In this study, there were variations in the length of time being a cadre, where the oldest was 35 years while the newest was one year. In the Kemanggisan Subdistrict, 44 respondents had never received counselling regarding dental and oral health. Counselling for posyandu cadres is carried out by community health centre officers, namely dental and oral therapists, once or twice a year. The last time dental and oral counselling was given was six months before the research was carried out. Cadres who have received oral health education were 39.7%, and those who were interested in becoming oral healthcare were 43.8%. The oral health knowledge questionnaire in this study was divided into 4 topics, namely tooth growth in toddlers (questions 1, 2, 3, 4, and 5); maintaining oral health (questions 6, 7, and 8); oral diseases (questions 9, 10, 11 and 12); and question 13 regarding the oral health of pregnant women. The results of respondents' questionnaire answers can be seen in Table 2.

Questions on the topic of knowledge regarding efforts to maintain dental and oral health are in questions 6, 7, and 8. The results show that the majority of posyandu cadres already know about how to maintain dental and oral health. Questions on the topic of knowledge of dental and oral diseases in questions 9, 10, 11, and 12, on average, show that posyandu cadres already know about dental and oral diseases. Questions on the topic of dental and oral health for pregnant women, question 13 (70% wrong answer), most posyandu cadres do not know what pregnant women should do when experiencing morning sickness (vomiting). Posyandu cadres in this study already

know the topic about maintaining oral health and oral diseases; posyandu cadres in this study do not know much about tooth growth in toddlers, question 4 (wrong answer 79%), and oral health in pregnant women question 13 (wrong answer 70%). Oral health knowledge in this study is categorized based on the average score (mean), namely 65.9. Knowledge is high if the score is >65.9 , while knowledge is low if the score is ≤ 65.9 .

The number of respondents who got a score of more than 65.9 with a high level was 43 people, while the number of respondents who got a score of less than 65.9 with a low level was 30 people. Table 5 shows the complete results of the bivariate analysis. There is a relationship between good knowledge and level of education, length of time as a cadre, and already received oral health education. Next, variables that had a p-value <0.25 were included in the multivariate analysis. The variables education, length of time as a cadre, already received oral health education, and interest in becoming oral healthcare were included in the initial modelling. Because the variable of interest in becoming oral healthcare shows a p-value >0.05 , this variable is then removed from the model.

The final model consists of education, length of time as a cadre, and already received oral health education. There was no difference in the level of knowledge between subjects with a medium education level compared to those with a low education level ($P = 0.078$). However, subjects who had a high level of education had higher odds of having good knowledge (adjusted OR: 147.93; 95% CI: 3.52 - 6218.85, $P = 0.009$). Apart from that, subjects who are cadres ≥ 20 years old and subjects who have received oral health education also have higher odds of having good knowledge (Table 6).

DISCUSSION

Community Resources Health Efforts (UKBM) is a mechanism to

empower communities in the health sector. UKBM was formed based on the needs felt by the community and managed by, from, for, and with the community by involving the health sector, cross-sectors, and other relevant stakeholders in the guidance and development of health programs that actively involve the community. UKBM, as written in Article 4, paragraph 2 of Minister of Health Regulation No. 8 of 2019, prioritizes promotive and preventive approaches. UKBM includes various facilities such as Posyandu (Integrated Service Post), Polindes (Village Maternity Center), and Alert Village. The success of UKBM is very dependent on the active role of the community as implementers and recipients of health services (Indonesian Ministry of Health, 2019).

The community has an important role in the sustainability of the posyandu, one of which is the posyandu cadre. Posyandu cadres are community members who live in the surrounding area and have the will and ability to become community mobilizers. Cadres are a group of individuals who have been educated and trained and have the skills needed to carry out a program with the aim of achieving

the expected results (Mujiyati & Syahniati, 2021).

The role of cadres is one of the factors determining the success of health services in the community, so the Health Service collaborates with the implementing agency to provide training for each cadre at sub-district and village levels. This training aims to increase cadres' knowledge, including in dental and oral health (Siregar, 2021). In the context of posyandu activities, the duties of posyandu cadres are to register, weigh, and record maternal and child services in the Maternal and Child Health Book (KIA) and use the KIA book in conducting counselling (Wirata et al., 2019).

In this study, all 73 respondents were female. This is in line with research conducted by Neno, Mau, and Rua, which shows that 100% of posyandu cadres are female (Neno et al., 2021). According to Herlinawati and Pujiati (2019), one requirement for prospective cadres is that women have the availability of time to carry out the assigned cadre duties, where activities posyandu are carried out on working days and hours. The average age of posyandu cadres in Kemanggis District is 51.20 years.

Table 1. Results of reliability and validity test

No	Questions	Correlation coefficient	P
1.	How do you maintain proper dental health and oral health?	1	<0.05 (not valid)
2.	How many times is the right time to brush your teeth a day?	1	<0.05 (not valid)
3.	When is the right time to brush your teeth?	0.0063	<0.05 (valid)
4.	What is the minimum time needed to brush your teeth?	0.2872	<0.05 (not valid)
5.	What are the requirements for good toothbrush bristles?	0.2932	<0.05 (not valid)
6.	When does a toothbrush need to be replaced?	0.2320	<0.05 (not valid)
7.	What size toothpaste should you use when brushing your teeth?	0.2178	<0.05 (not valid)
8.	What ingredients should be in toothpaste?	0.1653	<0.05 (not valid)

No	Questions	Correlation coefficient	P
9.	If food residues are left between your teeth, how do you clean them?	0.0628	<0.05 (not valid)
10.	How to clean tartar?	0.2079	<0.05 (not valid)
11.	The correct brushing movement is?	0.0618	<0.05 (not valid)
12.	How do you brush the back teeth or molars on the chewing surface?	0.1226	<0.05 (not valid)
13.	How do you brush the front or front surface of your teeth?	0.0512	<0.05 (valid)
14.	What causes bleeding gums?	0.0113	<0.05 (valid)
15.	What does bleeding gums mean?	0.5688	<0.05 (valid)
16.	What is a sign of healthy gums?	0.0063	<0.05 (valid)
17.	What effect does retention of sweet foods have on teeth?	0.9093	<0.05 (not valid)
18.	What causes cavities?	0.0105	<0.05 (valid)
19.	Where does the process of cavities begin?	0.0147	<0.05 (valid)
20.	What are examples of foods that can damage teeth?	0.8954	<0.05 (not valid)
21.	If a tooth has a cavity, what treatment should be done?	0.6055	<0.05 (not valid)
22.	What is meant by damage to the hard tissue of the teeth?	0.1282	<0.05 (not valid)
23.	How often do you check your oral and dental health at the dentist?	1	<0.05 (not valid)
Reliability test (<i>Cronbach's alpha</i>)		0.6797	

Table 2. Results of reliability and validity test on Jatipulo sub-district

No	Questions	Correlation coefficient	P
1.	When do baby teeth start to grow in toddlers?	0.0580	<0.05 (valid)
2.	How many milk teeth do toddlers have?	0.0015	<0.05 (valid)
3.	What can be used to clean the gums in a baby's mouth?	0.8566	<0.05 (not valid)
4.	When do children's permanent teeth start to grow?	0.0104	<0.05 (valid)
5.	Are the first permanent teeth to grow first in children?	0.0020	<0.05 (valid)
6.	What will happen if your child gets used to drinking milk while sleeping all night?	0.0235	<0.05 (valid)

No	Questions	Correlation coefficient	P
7.	What bad habits can cause a child's teeth to become crooked?	0.4507	<0.05 (not valid)
8.	What are the criteria for a good toothbrush?	0.0999	<0.05 (not valid)
9.	How long does it take to replace a toothbrush?	0.000	<0.05 (valid)
10.	When is the right time to brush your teeth?	0.0893	<0.05 (not valid)
11.	How do you brush the front teeth or front surface?	0.0024	<0.05 (valid)
12.	How long does it take to brush your teeth?	0.1408	<0.05 (not valid)
13.	What tools are recommended for cleaning the spaces between teeth / between teeth?	0.0037	<0.05 (valid)
14.	What causes cavities?	0.3739	<0.05 (not valid)
15.	What is the name of the layer of teeth that is first damaged when a cavity occurs?	0.7119	<0.05 (not valid)
16.	What is a sign of healthy gums?	0.0058	<0.05 (valid)
17.	What is meant by gingivitis?	0.0535	<0.05 (valid)
18.	What should pregnant women do when experiencing morning sickness (vomiting)?	0.0003	<0.05 (valid)
19.	What difficulties will occur if missing teeth are not replaced immediately?	0.2869	<0.05 (not valid)
20.	What should be done to maintain the cleanliness of removable dentures?	0.8566	<0.05 (not valid)
Reliability test (<i>Cronbach's alpha</i>)		0.6553	

Table 3. Socio-demographic characteristics

Variables	N (%)
Gender	
Female	73 (100)
Male	0 (0)
Level of education	
Low	13 (17.8)
Middle	46 (63.0)
High	14 (19.2)
Age (year). mean (SD)	51.2 (10.2)
<60 year	61 (83.6)
≥60 year	12 (16.4)
Job	
Working	8 (11.0)

Variables	N (%)
Not working	65 (89.0)
Length of time as a cadre	
1-10 year	41 (56.2)
11-20 year	16 (21.9)
≥20 year	16 (21.9)
Have received oral health education	
No	44 (60.3)
Yes	29 (39.7)
Interested in becoming an oral health cadre	
Yes	32 (43.8)
No	41 (56.2)

Table 4. Distribution of Questionnaire Questions

No	Questions	True	False
1	When do baby teeth start to grow in toddlers?	57(78%)	16(22%)
2	How many milk teeth do toddlers have?	36(49%)	37(51%)
3	When do children's permanent teeth start to grow?	46(63%)	27(37%)
4	Are the first permanent teeth to grow first in children?	15(21%)	58(79%)
5	What will happen if your child gets used to drinking milk while sleeping all night?	51(70%)	22(30%)
6	How long does it take to replace a toothbrush?	62(85%)	11(15%)
7	How do you brush the front or front surface of your teeth?	47(64%)	26(36%)
8	What tools are recommended for cleaning the spaces between teeth/between teeth?	47(64%)	26(36%)
9	What is one sign of healthy gums?	70(96%)	3(4%)
10	What is meant by gingivitis?	65(89%)	8(11%)
11	What causes cavities?	51(70%)	22(30%)
12	Where does the process of cavities begin?	56(77%)	17(23%)
13	What should pregnant women do when experiencing morning sickness (vomiting)?	22(30%)	51(70%)

Table 5. Bivariate Analysis

Variable	n (%)		Unadjusted OR	95% CI	P
	Low	High			
Level of education					
Low	10 (33.3)	3 (7.0)	Ref	Ref	Ref
Middle	19 (63.3)	27 (62.8)	4.74	1.15 - 19.55	0.031
High	1 (3.4)	13 (30.2)	43.33	3.90 - 481.81	0.002
Age					
<60 year	25 (83.3)	36 (83.7)	Ref	Ref	Ref
≥60 year	5 (16.7)	7 (16.3)	0.97	0.28 - 3.41	0.965
Job					
Working	2 (6.7)	6 (13.9)	2.27	0.42 - 12.10	0.337

Variable	n (%)		Unadjusted OR	95% CI	P
	Low	High			
Not working	28 (93.3)	37 (86.1)	Ref	Ref	Ref
Length of time as a cadre					
1-10 year	22 (73.3)	19 (44.2)	Ref	Ref	Ref
11-20 year	6 (20.0)	10 (23.3)	1.93	0.59 - 6.30	0.276
≥20 year	2 (6.7)	14 (32.5)	8.10	1.63 - 40.29	0.011
Have received oral health education					
No	29 (96.7)	15 (34.9)	Ref	Ref	Ref
Yes	1 (3.3)	28 (65.1)	54.13	6.70 - 437.57	0.038
Interested in becoming an oral health cadre					
Yes	20 (66.7)	21 (48.8)	2.10	0.80 - 5.51	0.134
No	10 (33.3)	22 (51.2)	Ref	Ref	Ref

Table 6. Multivariate Analysis

	First model			Final Model		
	Adjusted OR	95% CI	P	Adjusted OR	95% CI	P
Education						
Low	Ref	Ref	Ref	Ref	Ref	Ref
Middle	13.02	0.84 - 202.76	0.067	11.75	0.76 - 181.98	0.078
High	139.14	3.38 - 5727.17	0.009	147.93	3.52 - 6218.85	0.009
Length of time as a cadre						
1-10 year	Ref	Ref	Ref	Ref	Ref	Ref
11-20 year	3.40	0.52 - 22.14	0.200	4.04	0.68 - 24.02	0.125
≥20 year	17.22	1.84 - 161.37	0.013	18.49	1.95 - 175.09	0.011
Received oral health education						
No	Ref	Ref	Ref	Ref	Ref	Ref
Yes	103.37	8.77 - 1217.59	<0.001	102.01	8.98 - 1158.29	0.008
Interested in becoming oral health cadre						
Yes	1.64	0.32 - 8.25	0.551			
No	Ref	Ref	Ref			

Based on an interview with the head of the posyandu cadre in Kemanggisan District, recruitment of posyandu cadres is usually carried out

when there are cadres who have retired or moved their residence so that the majority of respondents are cadres who have been

with the Kemanggisan District for a long time.

The work experience or length of time as a posyandu cadre in this study was an average of 12.47 years with a range of length of work of 1 - 35 years. There are 13 posyandus in Kemanggisan District; each posyandu has a different recruitment time for posyandu cadres; based on information from the head of each posyandu, cadre recruitment in Kemanggisan District ranged from 1 - 5 years ago. In this study, most of the participants had a high school education level. This is in line with research by Azizah et al. (2021) that the majority of respondents have an average level of secondary education, namely SMA. Kemanggisan District does not have provisions regarding education to become a posyandu cadre.

In this study, 65 respondents did not work, while eight respondents worked. This is not in line with research conducted by Bur, Septianty, and Yusriani; of the total respondents, namely 14 cadres, 10 respondents had other jobs, namely self-employed, while four respondents did not have another job (Bur et al., 2022). Kelurahan Kemanggisan does not have a requirement for whether a posyandu cadre must be unemployed or working. Suppose there is someone who wants to become a posyandu cadre but has another job apart from being a cadre, according to the head of the posyandu cadre in Kemanggisan District. In that case, that person is allowed to register if that person can allocate their time to posyandu activities. Based on information from the cadre head, most of the posyandu cadres in Kemanggisan District are housewives who have free time and can divide their time into posyandu activities. In general, the leader of the PKK Kemanggisan sub-district plays a role in recruiting cadres in his area.

In this study, only 29 out of 73 respondents received oral health education from Puskesmas officers, while those who had not received oral health education

were 44 respondents. In Kemanggisan District, the last time oral health education was given was six months ago before the research was carried out and not all posyandu cadres attended that program. Oral health education is carried out only at one posyandu out of 13 posyandu and is carried out after the posyandu activities. If a posyandu cadre at the local posyandu cannot attend the posyandu activities, then that person does not receive counselling from the local Puskesmas officers.

Based on the questionnaire results, posyandu cadres do not know much about tooth growth in toddlers (question 4) or oral health in pregnant women (question 13). Posyandu cadres in Kemanggisan Village do not yet know about the first permanent teeth to grow, namely the first molars (first molars); 15 respondents answered correctly (21%), and 58 respondents answered incorrectly (79%). This is in line with research conducted by Octiara and Felmi (2023), where the level of knowledge of mothers and prospective mothers regarding the growth of permanent teeth was in the good category, namely 18 respondents out of 100 respondents answered correctly (18%), the sufficient category is 34 respondents (34%), and 48 respondents (48%) answered incorrectly.

Posyandu cadres in Kemanggisan Village do not yet know what pregnant women should do when experiencing morning sickness (vomiting) related to dental and oral health. Only 22 people (30%) answered correctly, while 51 others answered incorrectly (70%). Pregnant women are recommended to brush their teeth one hour after vomiting to avoid caries due to vomiting during pregnancy because pregnant women have a high potential for experiencing dental and oral health problems due to frequent vomiting during pregnancy. 40,51 Research conducted by Kaunang, Wowor, and Arisanty is not in line, namely that 29 respondents (58%) out of 50 respondents already knew that gargling after vomiting can reduce the risk of tooth decay by

neutralizing the acid in the mouth. In contrast, 21 respondents (42%) did not know about gargling after vomiting. (Arisanty, 2013, Rohmah and Yulian, 2023)

Based on information from the head of the posyandu cadres, there has been no oral health education on these topics. Generally, the education received was about maintaining oral hygiene in toddlers, such as how to clean the oral cavity and gums using gauze.

Multivariate analysis shows that education influences oral health knowledge. Respondents with a high level of education have high odds of having good knowledge (adjusted OR: 147.93; 95% CI: 3.52 - 6218.85, $P = 0.009$). This is in line with research conducted by Damayanti and Sofyan, which found a relationship between education and knowledge, where the close relationship between variables was in the medium category with a correlation coefficient value of 0.413. The higher the level of education, the higher the knowledge a person has because there is an influence on a person's perspective in receiving the information obtained. Education is the largest component of the level of knowledge because individuals with higher education tend to provide a more rational response to the knowledge gained and are able to think critically about the benefits one person can provide to the development of others in achieving goals (Damayanti and Sofyan, 2022).

There is no relationship between age and knowledge. This is in line with Dharmawati (2016) and Wirata et al.'s (2019) research that there is no significant relationship between age and knowledge, which has a p-value of 0.618. According to Verner and Davison, there are physical factors that can hinder the learning process in adults, resulting in a decline over time in the power to think and work (Dharmawati, 2016).

Apart from that, there is the influence of being a cadre with knowledge

for a long time. Respondents who have been cadres for more than 20 years have high odds of having good knowledge (adjusted OR: 18.49; 95% CI: 1.95-175.09, $P=0.011$). This is in line with research conducted by Sepang, Gunawan, and Pateda; there is a significant relationship between the length of work and the level of knowledge of Manado Health Center health workers (Sesrianty, 2018), Length of work can influence knowledge because continuous use can increase a person's brain's performance and ability to store information (memory) (Sari, 2016; Sitepu et al., 2024);

Having received oral health education also affected education (adjusted OR: 102.01; 95% CI: 8.98-1158.29, $P=0.008$). This phenomenon is comparable to research conducted by Markus, Yudiernawati, and Sutriningsih, which found that counselling influenced mothers' knowledge at Posyandu Dermo Malang (Sari, 2016). Research by Hidayat, Nura'eny, and Wahyuni stated that posyandu cadres increased their knowledge after counselling was carried out, and they had a good relationship. This knowledge is meaningful to kesgilut knowledge with a strong level of correlation (Hidayat, 2019). Providing counseling is one of the actions by providing information aimed at increasing one's knowledge (Giena et al., 2020).

A limitation of this research is recall bias, namely the respondent's ability to remember information related to questions in the questionnaire. To prevent this bias, a cohort or case-control research design can be used in future research.

CONCLUSIONS

Based on this research, the higher the cadres' education, the better their knowledge will be. The results of this research can be given to the PKK team leader when recruiting posyandu cadres; they need to consider their level of education.

REFERENCES

- Arisanty, A. D. 2013. Perilaku Pemeliharaan Kesehatan Gigi dan Mulut Ibu Hamil di Puskesmas Bahu Manado. *e-GiGi*, 1. <https://doi.org/10.35790/eg.1.2.2013.3206>
- Azizah, D. N. 2021. *FAKTOR-FAKTOR YANG BERHUBUNGAN DENGAN PENGETAHUAN KADER POSYANDU TENTANG GOLDEN PERIOD PADA ANAK BATITA DI POSYANDU DESA GARAJATI KECAMATAN CIWARU TAHUN 2021*. STIKes Kuningan. <https://doi.org/10.34305/jmc.v2i01.352>
- Bur, N., Septiyanty, S. & Yusriani, Y. 2022. Program Kemitraan Masyarakat Kelompok Kader dalam Pencegahan Stunting Melalui Promosi Puding Daun Kelor Sebagai Alternatif Makanan Sehat. *KREATIF: Jurnal Pengabdian Masyarakat Nusantara*, 2, 79-89. <https://doi.org/10.55606/kreatif.v2i4.753>
- Damayanti, M. & Sofyan, O. 2022. Hubungan Tingkat Pendidikan Terhadap Tingkat Pengetahuan Masyarakat di Dusun Sumberan Sedayu Bantul Tentang Pencegahan Covid-19 Bulan Januari 2021. *Majalah Farmaseutik*, 18, 220-226. <https://doi.org/10.22146/farmaseutik.v18i2.70171>
- Dharmawati, I. 2016. Hubungan tingkat pendidikan, umur, dan masa kerja dengan tingkat pengetahuan kesehatan gigi dan mulut pada guru penjaskes sd di Kecamatan Tampak Siring Gianyar. *Jurnal Kesehatan Gigi (Dental Health Journal)*, 4, 1-5.
- Fariani, A. & Paramastri, I. 2015. Kader Posyandu sebagai Agen Pencegahan Primer Tindakan Kekerasan Seksual pada Anak. *Gadjah Mada Journal of Professional Psychology (GamaJPP)*, 1, 138-149.
- Giena, V. P., Riyani, O. & Effendi, E. 2020. Pengaruh Penyuluhan Kesehatan terhadap Tingkat Pengetahuan Masyarakat Tentang Demam Berdarah Dengue di Wilayah Kerja Puskesmas Basuki Rahmad Kota Bengkulu. *Al-Asalmiya Nursing: Jurnal Ilmu Keperawatan (Journal of Nursing Sciences)*, 9, 69-79. <https://doi.org/10.35328/keperawat-an.v9i1.611>
- Indonesian Ministry of Health, 2018. *Laporan Nasional RISKESDAS 2018*. Jakarta: Lembaga Penerbit Badan Penelitian dan Pengembangan Kesehatan (LPB).
- Indonesian Ministry of Health. 2019. *Peraturan Menteri Kesehatan Nomor 8 Tahun 2019 tentang Pemberdayaan Masyarakat Bidang Kesehatan*. Jakarta: Kementerian Kesehatan.
- Herlinawati, H. & Pujiati, P. 2019. Faktor-Faktor Yang Berhubungan Dengan Keaktifan Kader Posyandu. *Jurnal Kesehatan*, 10, 51-58. <https://doi.org/10.38165/jk.v10i1.8>
- Hidayat, W. 2019. Gambaran pre dan post test kegiatan penyuluhan kesehatan terhadap kader posyandu di Puskesmas Babatan Bandung. *Dharmakarya: Jurnal Aplikasi Ipteks untuk Masyarakat*, 8, 225-226. <https://doi.org/10.24198/dharmakarya.v8i4.20058>
- Himmawan, L. S. 2020. Faktor Yang Berhubungan Dengan Pengetahuan Kader Posyandu Tentang 1000 Hari Pertama Kehidupan (Hpk). *Jurnal Kesehatan*, 11, 23-30. <https://doi.org/10.38165/jk.v11i1.194>
- Mujiyati, M. & Syahniati, T. 2021. Analisis Peran Kader Posyandu dalam Upaya Pemasaran Sosial

- Kesehatan Gigi dan Mulut di Kelurahan Bukit Lama Kecamatan Ilir Barat I Palembang Tahun 2020. *Journal of Oral Health Care*, 9. <https://doi.org/10.36729/bi.v14i1.817>
- Neno, S. G. N., Mau, D. T. & Rua, Y. M. 2021. Gambaran Pengetahuan Dan Peran Kader Dalam Posyandu Di Wilayah Kerja Puskesmas Halilulik Desa Naitimu Kecamatan Tasifeto Barat Kabupaten Belu. *Jurnal Sahabat Keperawatan*, 3, 23-27. <https://doi.org/10.32938/jsk.v3i01.915>
- Notoatmodjo, S. 2003. Pendidikan dan perilaku kesehatan.
- Nurkholis, N. 2013. Pendidikan dalam upaya memajukan teknologi. *Jurnal Kependidikan*, 1, 24-44. <https://doi.org/10.24090/jk.v1i1.530>
- Octiara, E. & Felmi, S. 2023. PENGETAHUAN IBU MENGENAI PERTUMBUHAN GIGI ANAK DI KECAMATAN SALAPIAN, LANGKAT. *Cakradonya Dental Journal*, 15, 32-39. <https://doi.org/10.24815/cdj.v15i1.28314>
- Rohmah, D. N. & Yulian, V. 2023. Gambaran Tingkat Pengetahuan Ibu Hamil tentang Kesehatan Gigi Dan Mulut. Universitas Muhammadiyah Surakarta.
- Sari, S. A. 2016. Pengaruh penyuluhan gizi terhadap pengetahuan ibu tentang pola makan balita di Desa Sambirejo kecamatan Mantingan kabupaten Ngawi.
- Sesrianty, V. 2018. Hubungan pendidikan dan masa kerja dengan keterampilan perawat melakukan tindakan bantuan hidup dasar. *Jurnal Kesehatan Perintis*, 5, 139-144. <https://doi.org/10.33653/jkp.v5i2.143>
- Siregar, E. Z. 2021. Peran Kader Posyandu (Pos Pelayanan Terpadu) Sebagai Upaya Peningkatan Kesejahteraan Ibu dan Anak. *Jurnal at-Taghyir: Jurnal Dakwah dan Pengembangan Masyarakat Desa*, 3, 171-186. <https://doi.org/10.24952/taghyir.v3i2.3930>
- Sitepu, D. E., Primadiamanti, A. & Safitri, E. I. 2024. Hubungan Usia, Pekerjaan dan Pendidikan Pasien Terhadap Tingkat Pengetahuan DAGUSIBU di Puskesmas Wilayah Lampung Tengah. *Jurnal Ilmiah Wahana Pendidikan*, 10, 196-204.
- Winaryanto, S., Yunasaf, U. & Rusmana, A. 2004. Profesionalisme Penyuluh Dan Hubungannya Dengan Peran Penyuluh Sebagai Agen Pembaharu (Kasus Pada Penyuluh Bidang Peternakan). *Sosiohumaniora*, 6, 24.
- Wirata, I. N., Ratmini, N. K., Arini, N. W. & Sirat, N. M. 2019. Pemberdayaan Kader Posyandu Dalam Mencegah Penyakit Gigi dan Mulut Balita Di Desa Kukuh Kecamatan Marga Kabupaten Tabanan Tahun 2018.

ANALYSIS OF THE RELATIONSHIP BETWEEN EDUCATION AND LEVEL OF ORAL HEALTH KNOWLEDGE IN POSYANDU CADRES

Tiarma Talenta Theresia^{1*}, Alifia Adinda Cikagri², Tri Erri Astoeti³, Goalbertus⁴

¹Department of Dental Public Health and Preventive Dentistry, Faculty of Dentistry, Universitas Trisakti, Indonesia

²Undergraduate Program, Faculty of Dentistry, Universitas Trisakti, Indonesia

³Department of Dental Public Health and Preventive Dentistry, Faculty of Dentistry, Universitas Trisakti, Indonesia

⁴Department of Dental Public Health and Preventive Dentistry, Faculty of Dentistry, Universitas Trisakti, Indonesia

Corresponding author: tiarma@trisakti.ac.id

ABSTRACT

Introduction: The prevalence of dental caries in West Jakarta was 44.24%, and one of the prevention efforts that could be taken was health promotion. Posyandu cadres are health volunteers selected from the community who voluntarily contribute to improving community health. Posyandu cadres are important as oral health educators in the community; as extension workers, Posyandu cadres must have the necessary knowledge, skills, and experience to be trusted as a source of information; one of the factors that influence participation is knowledge. **Aims:** This research examines the relationship between education and oral health knowledge among Posyandu Cadres in Kemanggis District. **Method:** Analytical observational research was conducted using a cross-sectional design method involving 73 Posyandu cadres. The research was conducted by taking data from the results of questionnaires filled in directly from August – September 2023. **Result:** Of the 73 respondents, 41.1% had high knowledge, and 58.9% had low knowledge. Subjects who had a high level of education had higher odds of having good knowledge (adjusted OR: 147.93; 95% CI: 3.52 - 6218.85, P = 0.009). **Conclusion:** The higher the cadre's education, the better their oral health knowledge will be.

Keywords: education, oral health knowledge, posyandu cadres

INTRODUCTION

RISKESDAS 2018 shows that the most common oral diseases in Indonesia are damaged, cavities or diseased teeth with a prevalence of 45.3%, (Indonesian Ministry of Health, 2018) while in West Jakarta City, it is 44.24%. One way to prevent tooth decay is through primary prevention through health promotion, which posyandu cadres can carry out. Posyandu cadres are members of the community who are willing and able to carry out posyandu activities voluntarily (Fariani & Paramastri, 2015).

Cadres' duties as health instructors to the community can play an important role in implementing oral health promotion (Indonesian Ministry of Health, 2019). As instructors, cadres must have the necessary knowledge, skills, and experience to be

trusted as a source of information (Winaryanto et al., 2004). Three factors influence cadre activity: predisposing factors, enabling factors, and influencing factors. The predisposing factors include cadres' knowledge, education, employment status, motivation, attitudes, cultural values, beliefs, and socio-economic conditions. Behavior based on knowledge is known to be more lasting than behavior based on ignorance. According to Notoatmodjo, the factor that has the most influence on knowledge is education (Notoatmodjo, 2003). Individuals with a high level of education tend to have a more critical attitude when receiving information.

Good knowledge will influence positive behaviour regarding oral health, while lack of knowledge can be one of the many factors that arise in oral health

Cite this as: Theresia, T.T., Cikagri, A.A., Astoeti, T.E and Goalbertus, (2024). Analysis Of The Relationship Between Education And Level Of Oral Health Knowledge In Posyandu Cadres. The Indonesian Journal of Public Health, 19(3), 549-561. <http://doi.org/10.20473/ijph.v19i3.2023.549-561>

©2023 IJPH. Open access under CC BY-NC-SA. License doi: 10.20473/ijph.v19i3.2024.549-561
Received 7 March 2023, received in revised form 11 November 2024, Accepted 18 November 2024, Published online: December 2024. Publisher by Universitas Airlangga

problems. Oral health knowledge includes an understanding of tooth growth in toddlers, oral diseases, efforts to maintain oral health and oral health in pregnant women. Cadres' knowledge of dental and oral health is important because it is in accordance with the cadre's role, namely as a health instructor, one of which is dental and oral health. Many aspects influence knowledge, including education (Damayanti & Sofyan, 2022).

Education is an effort and process that has the aim of changing a person's attitudes and behaviour through teaching and coaching (Nurkholis, 2013). Cadres' knowledge of oral health will influence their motivation and behaviour when carrying out outreach activities. Research by ;(2016) in Tampak Siring Gianyar District shows that there is a relationship between education and oral health knowledge among teachers with a Spearman correlation test value of 0.0376. Himmawan's research states that there is a significant relationship between education and the level of cadre knowledge regarding the 1000 HPK with a p-value of 0.017. Dharmawati et al.'s research did not involve posyandu cadres as research respondents, while Himmawan's research did not examine knowledge about dental and oral health among cadres (Dharmawati, 2016; Himmawan, 2020).

Based on this background, researchers are interested in seeing the effect of education on knowledge about oral health among posyandu cadres in Kemanggis District.

METHODS

This research is an observational analytic with a cross-sectional design. The research population was all posyandu cadres in Kemanggis District. The minimum sample size is 73, and sampling was carried out using consecutive sampling techniques. The inclusion criteria for this study were posyandu cadres who were willing to be respondents and filled

out informed consent and a complete questionnaire. In contrast, the exclusion criterion for this study were posyandu cadres who were not present when the research was carried out.

The independent variable is education, while the dependent variable is knowledge, which is measured using a questionnaire consisting of 13 questions regarding four topics: tooth growth in toddlers, efforts to maintain dental health, dental and oral diseases, and dental and oral health in pregnant women. Confounding variables are age, occupation, length of time as a cadre, counselling, and specialization.

The independent variable in this research is the education possessed by posyandu cadres. Education level is the difference in the degree of formal education the respondent completed until the final diploma was obtained. Educational measurement can be categorized into three levels. Low education levels include not/never been to school, not finished/finished elementary school/MI, and finished junior high school/MTS. The secondary education level consists of graduating from high school/MA. A high level of education consists of completing D1/D2/D3 and graduating from college. The measuring scale uses an ordinal scale.

Knowledge is information obtained through one's own experience or the experience of other individuals. The measurement of oral health knowledge can be categorized as high or low. The accumulated score that can be obtained ranges from 0 to 13. The total score will be divided by the number of questions and then converted into a percentage. Knowledge is divided based on the average value (mean) into two levels, namely high (≤ 65.9) and low (> 65.9). A nominal scale is used to measure these results. Knowledge was categorized into good and bad based on the mean value.

Confounding variables in this study are age, occupation, length of time as a

cadre, and counselling. Age is the time span from the birth of the respondent until the time the research was carried out. The measuring scale applied is an interval scale. Work is the main activity carried out by respondents, where respondents earn income as a result, which they continue to carry out until the research takes place. The measuring scale used is the nominal scale. Length of time as a cadre is the duration of the respondent's activities or work period, which is calculated from the first time the respondent became a posyandu cadre until the research took place. The scale used is an interval scale. Counselling is dental and oral health material that has already been obtained or not until research is carried out. The scale used is nominal.

The validity test aims to evaluate whether an instrument is valid in measuring research variables. A questionnaire is declared valid if it can be measured accurately. Validity can be interpreted as the level of accuracy of an instrument as a measuring tool. The reliability test is an indicator that shows whether a measurement instrument can be trusted or not. Reliability testing aims to evaluate the suitability of a measuring instrument and whether the measuring instrument used is reliable and consistent when measurements are carried out repeatedly.

The first validity and reliability test was carried out in July 2023 with a sample of 50 posyandu cadres in the Kemanggisan sub-district. The results of the validity and reliability tests can be seen in Table 1. Of the 23 questions, 16 were invalid, and seven were valid. The results of the reliability test in the Kemanggisan sub-district are said to be reliable, with a value of 0,6797. The validity and reliability test was carried out in August 2023 with a sample of 50 posyandu cadres in the Jatipulo sub-district. The results of the validity and reliability tests can be seen in Table 2. Of the 20 questions, there were nine invalid questions and 11 valid

questions. The results of the reliability test in Jatipulo Village are said to be reliable, with a value of 0.6553. This study used a questionnaire consisting of 13 questions, consisting of two questions for the first validity and reliability test and 11 questions for the second validity and reliability test. This questionnaire contains five questions about tooth growth in toddlers, three questions about efforts to maintain dental and oral health, four questions about dental and oral diseases, and one question about dental and oral health in pregnant women.

Data were analyzed using multivariate analysis, namely causal model logistic regression, to see the effect of education on knowledge after being controlled by confounding variables. Ethical clearance was obtained from the Ethical and Research Advisory Committee, Faculty of Dentistry, Universitas Trisakti (653A/S1/KEPK/FG/9/2023). Informed consent was obtained from all participants.

RESULT

Table 3 shows subject distributions based on socio-demographic characteristics and other variables. The data show all respondents were female. The education level in this study was divided into three groups. Low education level consists of never/never being to school, not finishing elementary school/MI, finishing elementary school/MI, and finishing junior high school/MTS. The secondary education level consists of graduating from high school/MA. The higher education level consists of completing D1/D2/D3/PT. The data show more than half of the research subjects (63%) had a secondary education level.

The majority age of research subjects (83.6%) were less than 60 years old. Jobs in this study were divided into two groups, namely, working and not working. The working group consists of private employees, entrepreneurs, workers/

drivers/household helpers. The non-working group consists of respondents who do not work (housewives). Table 3 shows that eight people are in the working group, while 65 people (89%) are in the non-working group.

Based on Table 3, the average length of time as a posyandu cadre is 12.47 years. In this study, there were variations in the length of time being a cadre, where the oldest was 35 years while the newest was one year. In the Kemanggisan Subdistrict, 44 respondents had never received counselling regarding dental and oral health. Counselling for posyandu cadres is carried out by community health centre officers, namely dental and oral therapists, once or twice a year. The last time dental and oral counselling was given was six months before the research was carried out. Cadres who have received oral health education were 39.7%, and those who were interested in becoming oral healthcare were 43.8%. The oral health knowledge questionnaire in this study was divided into 4 topics, namely tooth growth in toddlers (questions 1, 2, 3, 4, and 5); maintaining oral health (questions 6, 7, and 8); oral diseases (questions 9, 10, 11 and 12); and question 13 regarding the oral health of pregnant women. The results of respondents' questionnaire answers can be seen in Table 2.

Questions on the topic of knowledge regarding efforts to maintain dental and oral health are in questions 6, 7, and 8. The results show that the majority of posyandu cadres already know about how to maintain dental and oral health. Questions on the topic of knowledge of dental and oral diseases in questions 9, 10, 11, and 12, on average, show that posyandu cadres already know about dental and oral diseases. Questions on the topic of dental and oral health for pregnant women, question 13 (70% wrong answer), most posyandu cadres do not know what pregnant women should do when experiencing morning sickness (vomiting). Posyandu cadres in this study already

know the topic about maintaining oral health and oral diseases; posyandu cadres in this study do not know much about tooth growth in toddlers, question 4 (wrong answer 79%), and oral health in pregnant women question 13 (wrong answer 70%). Oral health knowledge in this study is categorized based on the average score (mean), namely 65.9. Knowledge is high if the score is >65.9 , while knowledge is low if the score is ≤ 65.9 .

The number of respondents who got a score of more than 65.9 with a high level was 43 people, while the number of respondents who got a score of less than 65.9 with a low level was 30 people. Table 5 shows the complete results of the bivariate analysis. There is a relationship between good knowledge and level of education, length of time as a cadre, and already received oral health education. Next, variables that had a p-value <0.25 were included in the multivariate analysis. The variables education, length of time as a cadre, already received oral health education, and interest in becoming oral healthcare were included in the initial modelling. Because the variable of interest in becoming oral healthcare shows a p-value >0.05 , this variable is then removed from the model.

The final model consists of education, length of time as a cadre, and already received oral health education. There was no difference in the level of knowledge between subjects with a medium education level compared to those with a low education level ($P = 0.078$). However, subjects who had a high level of education had higher odds of having good knowledge (adjusted OR: 147.93; 95% CI: 3.52 - 6218.85, $P = 0.009$). Apart from that, subjects who are cadres ≥ 20 years old and subjects who have received oral health education also have higher odds of having good knowledge (Table 6).

DISCUSSION

Community Resources Health Efforts (UKBM) is a mechanism to

empower communities in the health sector. UKBM was formed based on the needs felt by the community and managed by, from, for, and with the community by involving the health sector, cross-sectors, and other relevant stakeholders in the guidance and development of health programs that actively involve the community. UKBM, as written in Article 4, paragraph 2 of Minister of Health Regulation No. 8 of 2019, prioritizes promotive and preventive approaches. UKBM includes various facilities such as Posyandu (Integrated Service Post), Polindes (Village Maternity Center), and Alert Village. The success of UKBM is very dependent on the active role of the community as implementers and recipients of health services (Indonesian Ministry of Health, 2019).

The community has an important role in the sustainability of the posyandu, one of which is the posyandu cadre. Posyandu cadres are community members who live in the surrounding area and have the will and ability to become community mobilizers. Cadres are a group of individuals who have been educated and trained and have the skills needed to carry out a program with the aim of achieving

the expected results (Mujiyati & Syahnati, 2021).

The role of cadres is one of the factors determining the success of health services in the community, so the Health Service collaborates with the implementing agency to provide training for each cadre at sub-district and village levels. This training aims to increase cadres' knowledge, including in dental and oral health (Siregar, 2021). In the context of posyandu activities, the duties of posyandu cadres are to register, weigh, and record maternal and child services in the Maternal and Child Health Book (KIA) and use the KIA book in conducting counselling (Wirata et al., 2019).

In this study, all 73 respondents were female. This is in line with research conducted by Neno, Mau, and Rua, which shows that 100% of posyandu cadres are female (Neno et al., 2021). According to Herlinawati and Pujiati (2019), one requirement for prospective cadres is that women have the availability of time to carry out the assigned cadre duties, where activities posyandu are carried out on working days and hours. The average age of posyandu cadres in Kemanggis District is 51.20 years.

Table 1. Results of reliability and validity test

No	Questions	Correlation coefficient	P
1.	How do you maintain proper dental health and oral health?	1	<0.05 (not valid)
2.	How many times is the right time to brush your teeth a day?	1	<0.05 (not valid)
3.	When is the right time to brush your teeth?	0.0063	<0.05 (valid)
4.	What is the minimum time needed to brush your teeth?	0.2872	<0.05 (not valid)
5.	What are the requirements for good toothbrush bristles?	0.2932	<0.05 (not valid)
6.	When does a toothbrush need to be replaced?	0.2320	<0.05 (not valid)
7.	What size toothpaste should you use when brushing your teeth?	0.2178	<0.05 (not valid)
8.	What ingredients should be in toothpaste?	0.1653	<0.05 (not valid)

No	Questions	Correlation coefficient	P
9.	If food residues are left between your teeth, how do you clean them?	0.0628	<0.05 (not valid)
10.	How to clean tartar?	0.2079	<0.05 (not valid)
11.	The correct brushing movement is?	0.0618	<0.05 (not valid)
12.	How do you brush the back teeth or molars on the chewing surface?	0.1226	<0.05 (not valid)
13.	How do you brush the front or front surface of your teeth?	0.0512	<0.05 (valid)
14.	What causes bleeding gums?	0.0113	<0.05 (valid)
15.	What does bleeding gums mean?	0.5688	<0.05 (valid)
16.	What is a sign of healthy gums?	0.0063	<0.05 (valid)
17.	What effect does retention of sweet foods have on teeth?	0.9093	<0.05 (not valid)
18.	What causes cavities?	0.0105	<0.05 (valid)
19.	Where does the process of cavities begin?	0.0147	<0.05 (valid)
20.	What are examples of foods that can damage teeth?	0.8954	<0.05 (not valid)
21.	If a tooth has a cavity, what treatment should be done?	0.6055	<0.05 (not valid)
22.	What is meant by damage to the hard tissue of the teeth?	0.1282	<0.05 (not valid)
23.	How often do you check your oral and dental health at the dentist?	1	<0.05 (not valid)
Reliability test (<i>Cronbach's alpha</i>)		0.6797	

Table 2. Results of reliability and validity test on Jatipulo sub-district

No	Questions	Correlation coefficient	P
1.	When do baby teeth start to grow in toddlers?	0.0580	<0.05 (valid)
2.	How many milk teeth do toddlers have?	0.0015	<0.05 (valid)
3.	What can be used to clean the gums in a baby's mouth?	0.8566	<0.05 (not valid)
4.	When do children's permanent teeth start to grow?	0.0104	<0.05 (valid)
5.	Are the first permanent teeth to grow first in children?	0.0020	<0.05 (valid)
6.	What will happen if your child gets used to drinking milk while sleeping all night?	0.0235	<0.05 (valid)

No	Questions	Correlation coefficient	P
7.	What bad habits can cause a child's teeth to become crooked?	0.4507	<0.05 (not valid)
8.	What are the criteria for a good toothbrush?	0.0999	<0.05 (not valid)
9.	How long does it take to replace a toothbrush?	0.000	<0.05 (valid)
10.	When is the right time to brush your teeth?	0.0893	<0.05 (not valid)
11.	How do you brush the front teeth or front surface?	0.0024	<0.05 (valid)
12.	How long does it take to brush your teeth?	0.1408	<0.05 (not valid)
13.	What tools are recommended for cleaning the spaces between teeth / between teeth?	0.0037	<0.05 (valid)
14.	What causes cavities?	0.3739	<0.05 (not valid)
15.	What is the name of the layer of teeth that is first damaged when a cavity occurs?	0.7119	<0.05 (not valid)
16.	What is a sign of healthy gums?	0.0058	<0.05 (valid)
17.	What is meant by gingivitis?	0.0535	<0.05 (valid)
18.	What should pregnant women do when experiencing morning sickness (vomiting)?	0.0003	<0.05 (valid)
19.	What difficulties will occur if missing teeth are not replaced immediately?	0.2869	<0.05 (not valid)
20.	What should be done to maintain the cleanliness of removable dentures?	0.8566	<0.05 (not valid)
Reliability test (<i>Cronbach's alpha</i>)		0.6553	

Table 3. Socio-demographic characteristics

Variables	N (%)
Gender	
Female	73 (100)
Male	0 (0)
Level of education	
Low	13 (17.8)
Middle	46 (63.0)
High	14 (19.2)
Age (year). mean (SD)	51.2 (10.2)
<60 year	61 (83.6)
≥60 year	12 (16.4)
Job	
Working	8 (11.0)

Variables	N (%)
Not working	65 (89.0)
Length of time as a cadre	
1-10 year	41 (56.2)
11-20 year	16 (21.9)
≥20 year	16 (21.9)
Have received oral health education	
No	44 (60.3)
Yes	29 (39.7)
Interested in becoming an oral health cadre	
Yes	32 (43.8)
No	41 (56.2)

Table 4. Distribution of Questionnaire Questions

No	Questions	True	False
1	When do baby teeth start to grow in toddlers?	57(78%)	16(22%)
2	How many milk teeth do toddlers have?	36(49%)	37(51%)
3	When do children's permanent teeth start to grow?	46(63%)	27(37%)
4	Are the first permanent teeth to grow first in children?	15(21%)	58(79%)
5	What will happen if your child gets used to drinking milk while sleeping all night?	51(70%)	22(30%)
6	How long does it take to replace a toothbrush?	62(85%)	11(15%)
7	How do you brush the front or front surface of your teeth?	47(64%)	26(36%)
8	What tools are recommended for cleaning the spaces between teeth/between teeth?	47(64%)	26(36%)
9	What is one sign of healthy gums?	70(96%)	3(4%)
10	What is meant by gingivitis?	65(89%)	8(11%)
11	What causes cavities?	51(70%)	22(30%)
12	Where does the process of cavities begin?	56(77%)	17(23%)
13	What should pregnant women do when experiencing morning sickness (vomiting)?	22(30%)	51(70%)

Table 5. Bivariate Analysis

Variable	n (%)		Unadjusted OR	95% CI	P
	Low	High			
Level of education					
Low	10 (33.3)	3 (7.0)	Ref	Ref	Ref
Middle	19 (63.3)	27 (62.8)	4.74	1.15 - 19.55	0.031
High	1 (3.4)	13 (30.2)	43.33	3.90 - 481.81	0.002
Age					
<60 year	25 (83.3)	36 (83.7)	Ref	Ref	Ref
≥60 year	5 (16.7)	7 (16.3)	0.97	0.28 - 3.41	0.965
Job					
Working	2 (6.7)	6 (13.9)	2.27	0.42 - 12.10	0.337

Variable	n (%)		Unadjusted OR	95% CI	P
	Low	High			
Not working	28 (93.3)	37 (86.1)	Ref	Ref	Ref
Length of time as a cadre					
1-10 year	22 (73.3)	19 (44.2)	Ref	Ref	Ref
11-20 year	6 (20.0)	10 (23.3)	1.93	0.59 - 6.30	0.276
≥20 year	2 (6.7)	14 (32.5)	8.10	1.63 - 40.29	0.011
Have received oral health education					
No	29 (96.7)	15 (34.9)	Ref	Ref	Ref
Yes	1 (3.3)	28 (65.1)	54.13	6.70 - 437.57	0.038
Interested in becoming an oral health cadre					
Yes	20 (66.7)	21 (48.8)	2.10	0.80 - 5.51	0.134
No	10 (33.3)	22 (51.2)	Ref	Ref	Ref

Table 6. Multivariate Analysis

	First model			Final Model		
	Adjusted OR	95% CI	P	Adjusted OR	95% CI	P
Education						
Low	Ref	Ref	Ref	Ref	Ref	Ref
Middle	13.02	0.84 - 202.76	0.067	11.75	0.76 - 181.98	0.078
High	139.14	3.38 - 5727.17	0.009	147.93	3.52 - 6218.85	0.009
Length of time as a cadre						
1-10 year	Ref	Ref	Ref	Ref	Ref	Ref
11-20 year	3.40	0.52 - 22.14	0.200	4.04	0.68 - 24.02	0.125
≥20 year	17.22	1.84 - 161.37	0.013	18.49	1.95 - 175.09	0.011
Received oral health education						
No	Ref	Ref	Ref	Ref	Ref	Ref
Yes	103.37	8.77 - 1217.59	<0.001	102.01	8.98 - 1158.29	0.008
Interested in becoming oral health cadre						
Yes	1.64	0.32 - 8.25	0.551			
No	Ref	Ref	Ref			

Based on an interview with the head of the posyandu cadre in Kemanggis District, recruitment of posyandu cadres is usually carried out

when there are cadres who have retired or moved their residence so that the majority of respondents are cadres who have been

with the Kemanggisan District for a long time.

The work experience or length of time as a posyandu cadre in this study was an average of 12.47 years with a range of length of work of 1 - 35 years. There are 13 posyandus in Kemanggisan District; each posyandu has a different recruitment time for posyandu cadres; based on information from the head of each posyandu, cadre recruitment in Kemanggisan District ranged from 1 - 5 years ago. In this study, most of the participants had a high school education level. This is in line with research by Azizah et al. (2021) that the majority of respondents have an average level of secondary education, namely SMA. Kemanggisan District does not have provisions regarding education to become a posyandu cadre.

In this study, 65 respondents did not work, while eight respondents worked. This is not in line with research conducted by Bur, Septianty, and Yusriani; of the total respondents, namely 14 cadres, 10 respondents had other jobs, namely self-employed, while four respondents did not have another job (Bur et al., 2022). Kelurahan Kemanggisan does not have a requirement for whether a posyandu cadre must be unemployed or working. Suppose there is someone who wants to become a posyandu cadre but has another job apart from being a cadre, according to the head of the posyandu cadre in Kemanggisan District. In that case, that person is allowed to register if that person can allocate their time to posyandu activities. Based on information from the cadre head, most of the posyandu cadres in Kemanggisan District are housewives who have free time and can divide their time into posyandu activities. In general, the leader of the PKK Kemanggisan sub-district plays a role in recruiting cadres in his area.

In this study, only 29 out of 73 respondents received oral health education from Puskesmas officers, while those who had not received oral health education

were 44 respondents. In Kemanggisan District, the last time oral health education was given was six months ago before the research was carried out and not all posyandu cadres attended that program. Oral health education is carried out only at one posyandu out of 13 posyandu and is carried out after the posyandu activities. If a posyandu cadre at the local posyandu cannot attend the posyandu activities, then that person does not receive counselling from the local Puskesmas officers.

Based on the questionnaire results, posyandu cadres do not know much about tooth growth in toddlers (question 4) or oral health in pregnant women (question 13). Posyandu cadres in Kemanggisan Village do not yet know about the first permanent teeth to grow, namely the first molars (first molars); 15 respondents answered correctly (21%), and 58 respondents answered incorrectly (79%). This is in line with research conducted by Octiara and Felmi (2023), where the level of knowledge of mothers and prospective mothers regarding the growth of permanent teeth was in the good category, namely 18 respondents out of 100 respondents answered correctly (18%), the sufficient category is 34 respondents (34%), and 48 respondents (48%) answered incorrectly.

Posyandu cadres in Kemanggisan Village do not yet know what pregnant women should do when experiencing morning sickness (vomiting) related to dental and oral health. Only 22 people (30%) answered correctly, while 51 others answered incorrectly (70%). Pregnant women are recommended to brush their teeth one hour after vomiting to avoid caries due to vomiting during pregnancy because pregnant women have a high potential for experiencing dental and oral health problems due to frequent vomiting during pregnancy. 40.51 Research conducted by Kaunang, Wowor, and Arisanty is not in line, namely that 29 respondents (58%) out of 50 respondents already knew that gargling after vomiting can reduce the risk of tooth decay by

neutralizing the acid in the mouth. In contrast, 21 respondents (42%) did not know about gargling after vomiting. (Arisanty, 2013, Rohmah and Yulian, 2023)

Based on information from the head of the posyandu cadres, there has been no oral health education on these topics. Generally, the education received was about maintaining oral hygiene in toddlers, such as how to clean the oral cavity and gums using gauze.

Multivariate analysis shows that education influences oral health knowledge. Respondents with a high level of education have high odds of having good knowledge (adjusted OR: 147.93; 95% CI: 3.52 - 6218.85, $P=0.009$). This is in line with research conducted by Damayanti and Sofyan, which found a relationship between education and knowledge, where the close relationship between variables was in the medium category with a correlation coefficient value of 0.413. The higher the level of education, the higher the knowledge a person has because there is an influence on a person's perspective in receiving the information obtained. Education is the largest component of the level of knowledge because individuals with higher education tend to provide a more rational response to the knowledge gained and are able to think critically about the benefits one person can provide to the development of others in achieving goals (Damayanti and Sofyan, 2022).

There is no relationship between age and knowledge. This is in line with Dharmawati (2016) and Wirata et al.'s (2019) research that there is no significant relationship between age and knowledge, which has a p-value of 0.618. According to Verner and Davison, there are physical factors that can hinder the learning process in adults, resulting in a decline over time in the power to think and work (Dharmawati, 2016).

Apart from that, there is the influence of being a cadre with knowledge

for a long time. Respondents who have been cadres for more than 20 years have high odds of having good knowledge (adjusted OR: 18.49; 95% CI: 1.95-175.09, $P=0.011$). This is in line with research conducted by Sepang, Gunawan, and Pateda; there is a significant relationship between the length of work and the level of knowledge of Manado Health Center health workers (Sesrianty, 2018). Length of work can influence knowledge because continuous use can increase a person's brain's performance and ability to store information (memory) (Sari, 2016; Sitepu et al., 2024);

Having received oral health education also affected education (adjusted OR: 102.01; 95% CI: 8.98-1158.29, $P=0.008$). This phenomenon is comparable to research conducted by Markus, Yudiernawati, and Sutriningsih, which found that counselling influenced mothers' knowledge at Posyandu Dermo Malang (Sari, 2016). Research by Hidayat, Nura'eny, and Wahyuni stated that posyandu cadres increased their knowledge after counselling was carried out, and they had a good relationship. This knowledge is meaningful to kesgilut knowledge with a strong level of correlation (Hidayat, 2019). Providing counseling is one of the actions by providing information aimed at increasing one's knowledge (Giena et al., 2020).

A limitation of this research is recall bias, namely the respondent's ability to remember information related to questions in the questionnaire. To prevent this bias, a cohort or case-control research design can be used in future research.

CONCLUSIONS

Based on this research, the higher the cadres' education, the better their knowledge will be. The results of this research can be given to the PKK team leader when recruiting posyandu cadres; they need to consider their level of education.

REFERENCES

- Arisanty, A. D. 2013. Perilaku Pemeliharaan Kesehatan Gigi dan Mulut Ibu Hamil di Puskesmas Bahu Manado. *e-Gigi*, 1. <https://doi.org/10.35790/eg.1.2.2013.3206>
- Azizah, D. N. 2021. FAKTOR-FAKTOR YANG BERHUBUNGAN DENGAN PENGETAHUAN KADER POSYANDU TENTANG GOLDEN PERIOD PADA ANAK BATITA DI POSYANDU DESA GARAJATI KECAMATAN CIWARU TAHUN 2021. STIKes Kuningan. <https://doi.org/10.34305/jmc.v2i01.352>
- Bur, N., Septiyanty, S. & Yusriani, Y. 2022. Program Kemitraan Masyarakat Kelompok Kader dalam Pencegahan Stunting Melalui Promosi Puding Daun Kelor Sebagai Alternatif Makanan Sehat. *KREATIF: Jurnal Pengabdian Masyarakat Nusantara*, 2, 79-89. <https://doi.org/10.55606/kreatif.v2i4.753>
- Damayanti, M. & Sofyan, O. 2022. Hubungan Tingkat Pendidikan Terhadap Tingkat Pengetahuan Masyarakat di Dusun Sumberan Sedayu Bantul Tentang Pencegahan Covid-19 Bulan Januari 2021. *Majalah Farmaseutik*, 18, 220-226. <https://doi.org/10.22146/farmascuti.k.v18i2.70171>
- Dharmawati, I. 2016. Hubungan tingkat pendidikan, umur, dan masa kerja dengan tingkat pengetahuan kesehatan gigi dan mulut pada guru penjaskes sd di Kecamatan Tampak Siring Gianyar. *Jurnal Kesehatan Gigi (Dental Health Journal)*, 4, 1-5.
- Fariani, A. & Paramastri, I. 2015. Kader Posyandu sebagai Agen Pencegahan Primer Tindakan Kekerasan Seksual pada Anak. *Gadjah Mada Journal of Professional Psychology (GamaJPP)*, 1, 138-149.
- Gien, V. P., Riyani, O. & Effendi, E. 2020. Pengaruh Penyuluhan Kesehatan terhadap Tingkat Pengetahuan Masyarakat Tentang Demam Berdarah Dengue di Wilayah Kerja Puskesmas Basuki Rahmad Kota Bengkulu. *Al-Asalmiya Nursing: Jurnal Ilmu Keperawatan (Journal of Nursing Sciences)*, 9, 69-79. <https://doi.org/10.35328/keperawatan.v9i1.611>
- Indonesian Ministry of Health. 2018. *Laporan Nasional RISKESDAS 2018*. Jakarta: Lembaga Penerbit Badan Penelitian dan Pengembangan Kesehatan (LPB).
- Indonesian Ministry of Health. 2019. *Peraturan Menteri Kesehatan Nomor 8 Tahun 2019 tentang Pemberdayaan Masyarakat Bidang Kesehatan*. Jakarta: Kementerian Kesehatan.
- Herlinawati, H. & Pujiati, P. 2019. Faktor-Faktor Yang Berhubungan Dengan Keaktifan Kader Posyandu. *Jurnal Kesehatan*, 10, 51-58. <https://doi.org/10.38165/jk.v10i1.8>
- Hidayat, W. 2019. Gambaran pre dan post test kegiatan penyuluhan kesehatan terhadap kader posyandu di Puskesmas Babatan Bandung. *Dharmakarya: Jurnal Aplikasi Ipteks untuk Masyarakat*, 8, 225-226. <https://doi.org/10.24198/dharmakarya.v8i4.20058>
- Himmawan, L. S. 2020. Faktor Yang Berhubungan Dengan Pengetahuan Kader Posyandu Tentang 1000 Hari Pertama Kehidupan (HpK). *Jurnal Kesehatan*, 11, 23-30. <https://doi.org/10.38165/jk.v11i1.194>
- Mujiyati, M. & Syahniati, T. 2021. Analisis Peran Kader Posyandu dalam Upaya Pemasaran Sosial

- Kesehatan Gigi dan Mulut di Kelurahan Bukit Lama Kecamatan Ilir Barat I Palembang Tahun 2020. *Journal of Oral Health Care*, 9. <https://doi.org/10.36729/bi.v1i4i1.817>
- Neno, S. G. N., Mau, D. T. & Rua, Y. M. 2021. Gambaran Pengetahuan Dan Peran Kader Dalam Posyandu Di Wilayah Kerja Puskesmas Halilulik Desa Naitimu Kecamatan Tasifeto Barat Kabupaten Belu. *Jurnal Sahabat Keperawatan*, 3, 23-27. <https://doi.org/10.32938/jsk.v3i01.915>
- Notoatmodjo, S. 2003. Pendidikan dan perilaku kesehatan.
- Nurkholis, N. 2013. Pendidikan dalam upaya memajukan teknologi. *Jurnal Kependidikan*, 1, 24-44. <https://doi.org/10.24090/jk.v1i1.530>
- Octiara, E. & Felmi, S. 2023. PENGETAHUAN IBU MENGENAI PERTUMBUHAN GIGI ANAK DI KECAMATAN SALAPIAN, LANGKAT. *Cakradonya Dental Journal*, 15, 32-39. <https://doi.org/10.24815/cdj.v15i1.28314>
- Rohmah, D. N. & Yulian, V. 2023. Gambaran Tingkat Pengetahuan Ibu Hamil tentang Kesehatan Gigi Dan Mulut. Universitas Muhammadiyah Surakarta.
- Sari, S. A. 2016. Pengaruh penyuluhan gizi terhadap pengetahuan ibu tentang pola makan balita di Desa Sambirejo kecamatan Mantingan kabupaten Ngawi.
- Sesrianty, V. 2018. Hubungan pendidikan dan masa kerja dengan keterampilan perawat melakukan tindakan bantuan hidup dasar. *Jurnal Kesehatan Perintis*, 5, 139-144. <https://doi.org/10.33653/jkp.v5i2.143>
- Siregar, E. Z. 2021. Peran Kader Posyandu (Pos Pelayanan Terpadu) Sebagai Upaya Peningkatan Kesejahteraan Ibu dan Anak. *Jurnal at-Taghyir: Jurnal Dakwah dan Pengembangan Masyarakat Desa*, 3, 171-186. <https://doi.org/10.24952/taghyir.v3i2.3930>
- Sitepu, D. E., Primadimanti, A. & Safitri, E. I. 2024. Hubungan Usia, Pekerjaan dan Pendidikan Pasien Terhadap Tingkat Pengetahuan DAGUSIBU di Puskesmas Wilayah Lampung Tengah. *Jurnal Ilmiah Wahana Pendidikan*, 10, 196-204.
- Winaryanto, S., Yunasaf, U. & Rusmana, A. 2004. Profesionalisme Penyuluh Dan Hubungannya Dengan Peran Penyuluh Sebagai Agen Pembaharu (Kasus Pada Penyuluh Bidang Peternakan). *Sosiohumaniora*, 6, 24.
- Wirata, I. N., Ratmini, N. K., Arini, N. W. & Sirat, N. M. 2019. Pemberdayaan Kader Posyandu Dalam Mencegah Penyakit Gigi dan Mulut Balita Di Desa Kukuh Kecamatan Marga Kabupaten Tabanan Tahun 2018.

ANALYSIS OF THE RELATIONSHIP BETWEEN EDUCATION AND LEVEL OF ORAL HEALTH KNOWLEDGE IN POSYANDU CADRES

ORIGINALITY REPORT

10%

SIMILARITY INDEX

9%

INTERNET SOURCES

7%

PUBLICATIONS

2%

STUDENT PAPERS

PRIMARY SOURCES

1

www.repository.trisakti.ac.id

Internet Source

2%

2

repository.unar.ac.id

Internet Source

1%

3

repository.moestopo.ac.id

Internet Source

1%

4

jurnal.globalhealthsciencegroup.com

Internet Source

1%

5

midwifery.iocspublisher.org

Internet Source

1%

6

jidc.org

Internet Source

1%

7

www.journalmpci.com

Internet Source

<1%

8

Liena Sofiana, Tis'a Salma Muthiah, Nawwara Putri. "ANALYSIS OF DIRECTLY OBSERVED TREATMENT SHORTCOURSE IMPLEMENTATION AS AN EFFORT TO CONTROL TUBERCULOSIS IN YOGYAKARTA", The Indonesian Journal of Public Health, 2024

Publication

<1%

9

Febriana Setiawati, Risqa Rina Darwita, Fatiany Fadillah, Mellisa Adiatman, Sri Angky Soekanto, Gita Ariffa Sjarkawi. "Effectiveness of Dental Health Education Intervention Using

<1%

the 16-Surface Tooth Brushing Program
Among 7-9-Year-Old Schoolchildren in
Indonesia", Pesquisa Brasileira em
Odontopediatria e Clínica Integrada, 2020

Publication

10	eprints.ums.ac.id	<1 %
----	-------------------	------

Internet Source

11	ejournal.stikku.ac.id	<1 %
----	-----------------------	------

Internet Source

12	Agnes Lia Renata, Suharyono Suharyono, Furaida Khasanah. "The Correlation Of Standard Precautions Knowledge Level With Covid-19 Cases That Have Occurred In Dental And Oral Therapists", Jurnal Kesehatan Prima, 2023	<1 %
----	---	------

Publication

13	Atika Ayu Kriswijayanti, Mulyono Mulyono. "The Relationship of Employee Characteristics towards Knowledge of the Evacuation Route Utilization", The Indonesian Journal Of Occupational Safety and Health, 2021	<1 %
----	--	------

Publication

14	Azahra Nur Adela, Jusuf Kristianto, Syifa Yulia Lestari. "Dental and oral health e-book on knowledge of debris index for elementary school students", Journal Center of Excellent : Health Assistive Technology, 2024	<1 %
----	---	------

Publication

15	ejournal.radenintan.ac.id	<1 %
----	---------------------------	------

Internet Source

16	Submitted to IAIN Purwokerto	<1 %
----	------------------------------	------

Student Paper
