
ISSN | 2614-8404





Ditterbitkon oleh :


Program Studi Teknik Informatika UNIVERSITAS TRILOGI











Get More with
SINTA Insight
Go to Insight

The DeLone and McLean Model for Measuring Success Hospital Management

Information System Case Study: Praya Regional Hospital

■ 0 cited

Authors: AM Kartini, S Fadli, H Fahmi & JISA (Jurnal Informatika dan Sains) 8 (1), 66-73, 2025

<u>□ 2025</u> <u>□ 0 cited</u>

<u>Hybrid Feature Combination of TF-IDF and BERT for Enhanced Information</u> <u>Retrieval Accuracy</u>

Authors: P Aprilio, M Felix, PS Nugraha, H Fahmi & JISA (Jurnal Informatika dan Sains) 8 (1), 8-15, 2025

<u>□ 2025</u> <u>□ 0 cited</u>

<u>Development of Smart Plant Watering System Application Based on Internet of Things</u>

<u>Authors : AN Bachtiar, M Faisal, M Darwis</u> & <u>JISA (Jurnal Informatika dan Sains) 8 (1), 74-80, 2025</u>

□ 2025 **□** 1 cited

<u>Information System for Calculating Daily Sugar Limits in Consuming Web-Based</u> <u>Packaged Drinks Using the Prototype Method</u>

<u>Authors : GP Wirasa, NC Azhar</u> & <u>JISA (Jurnal Informatika dan Sains) 8 (1), 57-65, 2025</u>

<u>□ 2025</u> <u>□ 0 cited</u>

UI/UX Design Using Design Thinking Method Based on Website Unload Repair

Authors: AHB Bonari, FA Putra & JISA (Jurnal Informatika dan Sains) 8 (1), 107-111, 2025

<u>□ 2025</u> <u>□ 0 cited</u>

UI/UX Using Design Thinking Method in Clarient Hotel Application Design


<u>Authors : D Setiawan, MRSAR Dalhats</u> & <u>JISA (Jurnal Informatika dan Sains) 8 (1), 92-97, 2025</u>

<u>□ 2025</u> <u>□ 0 cited</u>

<u>Literacy Review Study on the Implementation of Convolutional Neural Network Architecture in Segmentation and Classification of Lung Medical Images</u>

Authors: J Riyono, S Supriyadi, CE Pujiastuti, SD Puspa, ALR Putri & JISA (Jurna Informatika dan Sains) 8 (1), 1-7, 2025

□ 2025 **□** 0 cited



Journ	nal By Google So	cholar
	All	Since 2020
Citation	635	630
h-index	12	12
i10-index	18	18

HOME



JISA(Jurnal Informatika dan Sains)

Journal of Informatics and Science

p-ISSN: 2776-3234

ABOUT LOGIN

REGISTER

CATEGORIES

SEARCH CURRENT

ARCHIVES

ANNOUNCEMENTS

PUBLICATION ETHICS

INDEXING

HARDCOPY

Home > Vol 8, No 1 (2025)

JISA(Jurnal Informatika dan Sains)

IISA (Jurnal Informatika dan Sains) is an electronic publication media which publishes research articles in the field of Informatics and Sciences, which encompasses software engineering, Multimedia, Networking, and soft computing. Journal published by Program Studi Teknik Informatika Universitas Trilogi and in collaboration with the Indonesian Artificial Intelligent Ecosystem (IAIE) aims to give knowledge that can be used as a reference for researchers and can be useful for society. Accredited "SINTA 4" (Vol 5,No 1, June 2022 -Vol 9 No 2, December 2026) by The Ministry of Research-Technology and Higher Education Republic of Indonesia (SK No. 230/M/KPT/2022), Article Processing Charge will be applied when the article has been declared accepted before payment is made by the author. JISA (Jurnal Informatika dan Sains) is scheduled for publication in June and December (2 issue a year). This Journal accepts research articles in these following fields:

- 1. Software Engineering: Web Development, Mobile Apps Development, Database Management System
- 2. Multimedia: Augmented Reality, Virtual Reality, Game Development
- 3. Networking: Cloud Computing, Internet of Things, Wireless Sensor Network, Mobile Computing
- 4. Soft Computing: Data Mining, Data Warehouse, Data Science, Artificial Intelligence, Decision Support System



Iournal Profile

Last update: 10 March 2023 Number of documents: 91 Total citations (all years) = **109** h-Index: 5, i10-Index: 2

Google Scholar URL: Click Here

Submit an Article

Article Processing Charge

Focus and Scope

Author Guidelines

Article Templates

Peer Review Process

Publication Frequency

Open Access Policy

Authors are invited to submit articles that have not been published previously and should follow the Author Guideline [here]


[Make a Submission]

[Download Author Guideline] [Download Article Template]

SCOPUS Citation Analysis [Click Here]

Research Field from Dimensions [Click Here]

number of publications in each research category. (Criteria: see below)



Source: https://app.dimensions.ai Exported: January 05, 2023

Criteria: 'JISA(Jurnal Informatika dan Sains)' in full data; Source Title is JISA(Jurnal Informatika dan Sains).

Copyright Agreement

Editorial Team

Peer-Reviewers

Collaboration

Statistics

Indexing

Scopus Citation Analysis













© 2023 Digital Science and Research Solutions Inc. All rights reserved. Non-commercial redistribution / external re-use of this work is permitted subject to appropriate acknowledgement. This work is sourced from Dimensions® at www.dimensions.ai.

Announcements

Article Processing Charges

From Vol 5 no 1, June 2022 Edition. This journal charges the following author fees.

Article Submission: 0.00 (IDR)

Authors are not required to pay an Article Submission Fee as part of the submission process to contribute to review costs.

Article Processing Charges: 400.000 (IDR) for Foreign Authors 50 USD

This fee includes peer-reviewing, editing, and publishing and is charge after the article is accepted.

Fast Track Review (Optional): 1.000.000 (IDR) for Indonesian Author, 100 USD for foreign Author

Posted: 2022-01-31

Publication Timeline June & December

Article Submission Deadline (June Issue): 15 May

Article Submission Deadline (December Issue): 15 November

Posted: 2021-06-08 More...

More Announcements...

Vol 8, No 1 (2025): JISA(Jurnal Informatika dan Sains)

JISA(Jurnal Informatika dan Sains) Volume 8 Issue 1 Year 2025 (June 2025) has been officially published on June 2025. This issue









In Collaboration With:





Plagiarism Tool



Grammar Tool



contains 14 articles from various autrnor countries which are indonesia and Malaysia.

Full Issue

View or download the full issue

Table of Contents

Articles

Articles	
Literacy Review Study on the Implementation of Convolutional Neural Network Architecture in Segmentation and Classification of Lung Medical Images Joko Riyono, Supriyadi Supriyadi, Christina Eni Pujiastuti, Sofia Debi Puspa, Aina Latifa Riyana Putri	PDF 1-7
Hybrid Feature Combination of TF-IDF and BERT for Enhanced Information Retrieval Accuracy Pajri Aprilio, Michael Felix, Putu Surya Nugraha, Hasanul Fahmi	PDF 8-15
Air Quality Classification Using Naive Bayes Algorithm With SMOTE Technique Based on ISPU Data Alya Febriyanti Fadhilah, Ayu Ratna Juwita, Yusuf Eka Wicaksana, Tohirin Al Mudzakir	PDF 16-22
The Implementation of VANET Routing Protocol for Vehicular Communication Using NS3 and SUMO Iswar Sukarman, Ketut Bayu Yogha Bintoro	PDF 23-30
Overview of Vehicle-to-Everything Communication: Technological Advancements, Applications, and Future Prospects in Intelligent Transportation Systems Ketut Bayu Yogha Bintoro	PDF 31-41
The Effect of Online Adminduk Service Applications on the Number of Population Administration Applications faidlul ilahi, saikin saikin, maulana ashari, sofiansyah fadli	PDF 42-47
Implementation of a Website-Based Proposal Seminar Registration System Using the Waterfall Method at Sheikh Abdul Halim Hasan Binjai Institute Pizka Pizka Fitra Hidayat Lubis Asro Hayati Berutu Sanring Putri Utama Pitonga M Khalil Gibran	PDF 48-56



Information System for Calculating Daily Sugar Limits in Consuming Web-Based Packaged Drinks Using the Prototype Method Galuh Panca Wirasa, Nur Chalik Azhar	PDF 57-65
The DeLone and McLean Model for Measuring Success Hospital Management Information System Case Study: Praya Regional Hospital Ajeng Mastuti Kartini, Sofiansyah Fadli, Hairul Fahmi, saikin saikin	PDF 66-73
Development of Smart Plant Watering System Application Based on Internet of Things Adnan Nuur Bachtiar, Mochammad Faisal, Muhammad Darwis	PDF 74-80
IoT Implementation for Hydroponic Water Monitoring Using Web-Based pH and TDS Sensors with Node-Red Mochammad Faisal, Adnan Nuur Bachtiar, Muhammad Darwis	PDF 81-91
UI/UX Using Design Thinking Method in Clarient Hotel Application Design Dimas Setiawan, Muhammad Ragil Shafa Abdur Rafi Dalhats	PDF 92-97
Ethereal Lenscraft Company Profile UI/UX Design Using Design Thinking Approach Zulkifli Azis, Rulliansyah Sugianto	PDF 98-106
UI/UX Design Using Design Thinking Method Based on Website Unload Repair Anggiet Harjo Baskoro Bonari, Fajar Ariya Putra	PDF 107-111

JOURNAL IDENTITY

Journal Name: JISA (Jurnal Informatika dan Sains)

e-ISSN: 2614-8404, **p-ISSN:** 2776-3234

Publisher: Program Studi Teknik Informatika Universitas Trilogi

Publication Schedule: June and December

Language: English

APC: The Journal Charges Fees for Publishing

Indexing: EBSCO, DOAJ, Google Scholar, Arsip Relawan Jurnal Indonesia, Directory of Research Journals Indexing, Index

Copernicus International, PKP Index, Science and Technology Index (SINTA, S4), Garuda Index

OAI address: http://trilogi.ac.id/journal/ks/index.php/JISA/oai

Contact: jisa@trilogi.ac.id

Sponsored by: DOI – Digital Object Identifier Crossref, Universitas Trilogi

In Collaboration With: Indonesian Artificial Intelligent Ecosystem(IAIE), Relawan Jurnal Indonesia, Jurnal Teknologi dan Sistem

Komputer (JTSiskom)



Editorial Board 15/10/25, 20.37



JISA(Jurnal Informatika dan Sains)

Journal of Informatics and Science

p-ISSN: 2776-3234

LOGIN

REGISTER CATEGORIES

SEARCH CURRENT ARCHIVES

ANNOUNCEMENTS

PUBLICATION ETHICS

INDEXING

HARDCOPY

Home > Editorial Board

ABOUT

Editorial Board

Editor in Chief

номе

Assoc.Prof.Budi Arifitama.,Ph.D (Universitas Trilogi, Indonesia | SCOPUS H-Index: 2, Google Scholar H-Index: 6)

Editorial Board

- 1. Assoc.Prof. Ir. Yaddarabullah, M.Kom, IPM,ASEAN.Eng (Universitas Trilogi, Indonesia | SCOPUS H-Index: 1, Google Scholar H-Index: 5)
- 2. Dr. Ketut Bayu Yogha Bintoro (Universitas Trilogi, Indonesia | SCOPUS H-Index: 1| Google Scholar)
- 3. Ninuk Wiliani, Ph.D (Universitas Pancasila, Indonesia | SCOPUS H-Index : 1, Google Scholar H-Index : 7)
- 4. Maya Cendana, S.T., M.Cs (Universitas Bunda Mulia, Indonesia | SCOPUS H-Index :1, Google Scholar H-Index :3)
- 5. Dwi Pebrianti, Ph.D (International Islamic University Malaysia, Malaysia | SCOPUS H-Index: 8. Google Scholar H-Index: 11)
- 6. Dr. Wahyu Caesarendra (Opole university, **Poland**) | SCOPUS, H-Index:24 | Google Scholar H-Index:54)
- 7. Muhammad Lahandi Baskoro (Conventry University, United Kingdom) | SCOPUS, H-Index :1 | Google Scholar H-Index :4)

Section Editor

- 1. Assoc.Prof.Silvester Dian Handy Permana,Ph.D (Universitas Trilogi, Indonesia | SCOPUS H-Index: 3, Google Scholar H-Index :8)
- 2. Ade Syahputra, S.T., M.Inf.Comm.Tech.Mgmt (Universitas Trilogi, Indonesia | SCOPUS H-Index :1, Google Scholar H-Index :5)
- 3. Erneza Dewi Krishnasari., S.Ds., M.Ds (Universitas Trilogi, Indonesia | SCOPUS H-Index: 1, Google Scholar H-Index: 3
- 4. Gatot Tri Pranoto., S.Kom., M.Kom (Universitas Trilogi, Indonesia | Scopus H-Index: 1, Google Scholar)

JOURNAL IDENTITY

Journal Name: JISA (Jurnal Informatika dan Sains)

e-ISSN: 2614-8404, p-ISSN: 2776-3234

Publisher: Program Studi Teknik Informatika Universitas Trilogi

Publication Schedule: June and December

Language: English

APC: The Journal Charges Fees for Publishing

Indexing: EBSCO, DOAJ, Google Scholar, Arsip Relawan Jurnal Indonesia, Directory of Research Journals Indexing, Index

Copernicus International, PKP Index, Science and Technology Index (SINTA, S4), Garuda Index

OAI address: http://trilogi.ac.id/journal/ks/index.php/JISA/oai

Contact: jisa@trilogi.ac.id

Sponsored by: DOI - Digital Object Identifier Crossref, Universitas Trilogi

In Collaboration With: Indonesian Artificial Intelligent Ecosystem(IAIE), Relawan Jurnal Indonesia, Jurnal Teknologi dan Sistem Komputer (JTSiskom)



JISA (Jurnal Informatika dan Sains) is Published by Program Studi Teknik Informatika, Universitas Trilogi under Creative Commons Attribution-ShareAlike 4.0 International License.

Journal Profile

Last update: 10 March 2023 Number of documents: 91 Total citations (all years) = 109 h-Index: 5, i10-Index: 2 Google Scholar URL: Click Here

Submit an Article

Article Processing Charge

Focus and Scope

Author Guidelines

Article Templates

Peer Review Process

Publication Frequency

Open Access Policy

Copyright Agreement

Editorial Team

Peer-Reviewers

Collaboration

Statistics

Indexing

Scopus Citation Analysis









#2172 Review 15/10/25, 20.39



JISA(Jurnal Informatika dan Sains)

Journal of Informatics and Science

SEARCH

p-ISSN: 2776-3234

CATEGORIES

ANNOUNCEMENTS

PUBLICATION ETHICS

ARCHIVES

Home > User > Author > Submissions > #2172 > Review

USER HOME

#2172 Review

ABOUT

номе

Submission

Authors Joko Riyono, Supriyadi Supriyadi, Christina Eni Pujiastuti, Sofia Debi Puspa, Aina Latifa Riyana Putri 🕮

CURRENT

Literacy Review Study on the Implementation of Convolutional Neural Network Architecture in Title

Segmentation and Classification of Lung Medical Images

Articles Section

Budi Arifitama 🕮 Editor

Peer Review

Round 1

Review Version 2172-5580-1-RV.DOCX 2025-04-22

Initiated 2025-05-14 Last modified 2025-05-21

Uploaded file Reviewer A 2172-5703-1-RV.DOCX 2025-05-21

Reviewer B 2172-5704-1-RV.DOCX 2025-05-21

Editor Decision

Accept Submission 2025-05-26

Editor/Author Email Record 3 2025-06-24 Notify Editor

Editor Version

Author Version 2172-5730-1-ED DOCX 2025-05-24 DELETE

Upload Author Version

Choose File no file selected

Upload

JOURNAL IDENTITY

Journal Name: JISA (Jurnal Informatika dan Sains)

e-ISSN: 2614-8404, p-ISSN: 2776-3234

Publisher: Program Studi Teknik Informatika Universitas Trilogi

Publication Schedule: June and December

Language: English

APC: The Journal Charges Fees for Publishing

Indexing: EBSCO, DOAJ, Google Scholar, Arsip Relawan Jurnal Indonesia, Directory of Research Journals Indexing, Index

Copernicus International, PKP Index, Science and Technology Index (SINTA, S4), Garuda Index

OAI address: http://trilogi.ac.id/journal/ks/index.php/JISA/oai

Contact: jisa@trilogi.ac.id

Sponsored by: DOI - Digital Object Identifier Crossref, Universitas Trilogi

In Collaboration With: Indonesian Artificial Intelligent Ecosystem(IAIE), Relawan Jurnal Indonesia, Jurnal Teknologi dan Sistem Komputer (JTSiskom)



JISA (Jurnal Informatika dan Sains) is Published by Program Studi Teknik Informatika, Universitas Trilogi under Creative Commons Attribution-ShareAlike 4.0 International License.

Journal Profile

INDEXING

Last update: 10 March 2023 Number of documents: 91 Total citations (all years) = 109 h-Index: 5, i10-Index: 2 Google Scholar URL: Click Here

HARDCOPY

Submit an Article

Article Processing Charge

Focus and Scope

Author Guidelines

Article Templates

Peer Review Process

Publication Frequency

Open Access Policy

Copyright Agreement

Editorial Team

Peer-Reviewers

Collaboration **Statistics**

Indexing

Scopus Citation Analysis











Literature Review Study on the Implementation of Convolutional Neural Network for Lung Medical Images Segmentation and Classification

Joko Riyono^{1*)}, Supriyadi², Christina Eni Pujiastuti³, Sofia Debi Puspa⁴, Aina Latifa Riyana Putri⁵

1.2,3,4Program Studi Teknik Mesin, Fakultas Teknologi Industri, Universitas Trisakti

⁵Program Studi Sains Data, Fakultas Informatika, Telkom University

Email: 1jokoriyono@trisakti.ac.id, 2supri@trisakti.ac.id, 3christina.eni@trisakti.ac.id, 4sofia.debi.puspa@trisakti.ac.id, 5ainaqp@telkomuniversity.ac.id

Abstract – Medical image processing has become an essential aspect of healthcare, enabling accurate disease diagnosis and monitoring through advanced technologies. One of the most widely used methods in this domain is the Convolutional Neural Network (CNN), which has demonstrated high effectiveness in segmentation and classification tasks, particularly for chest X-ray images used in diagnosing lung-related diseases. This study aims to evaluate and analyze various CNN architectures implemented in lung X-ray imaging through a Systematic Literature Review (SLR) approach. The research explores the application, accuracy, challenges, and future opportunities of CNN-based models such as VGG, ResNet, AlexNet, and GoogLeNet. A total of 15 relevant studies published between 2019 and 2023 were selected after applying rigorous inclusion and exclusion criteria. The findings indicate that CNN architectures significantly enhance the accuracy of lung disease detection and support both segmentation and classification tasks. However, challenges such as dataset variability, model generalization, and ethical implications remain. This review provides comprehensive insights into CNN applications in medical imaging, emphasizing their potential and highlighting areas for further research.

Keywords - CNN architecture, CNN, medical imaging, lung

I. INTRODUCTION

Imagery is a visual representation of objects in the real world in the form of two dimensions. Mathematically, the image or Image. It can be described as a two-dimensional function (x,y), where x and y represent the coordinates in dimensional space, and the amplitude (f) on each coordinate pair (x,y) depicts the intensity in the image. In a digital image, a number of elements are composed of what are known as pixels or grayness values. Each pixel has a different position (coordinates) as a representation of the brightness or color level at that location. Pixel intensity can be expressed in the form of discrete values that typically range from 0 to 255. This value represents different levels of brightness or color in the image, where 0 represents black and 255 represents white. These pixel intensities are stored in digital images and processed in various image processing processes, such as contrast enhancement, quality improvement, object segmentation, and image analysis.

Digital image processing is concerned with converting images into digital formats and processing them using digital computers. Digital image analysis is related to the description and introduction of the content of the digital image. The input of an image analysis process is the digital image and as an output, the digital image produces a description of the image in symbolic form. Image processing is of course carried out for various purposes such as increasing contrast, increasing brightness, image rotation, image fading, and removal [1]. *Noise*, segmentation or separation of objects from their background, extraction of features for the sake of analysis,

and artistic effects such as giving the effect as if an image was drawn with a pencil.

e-ISSN: 2614-8404

p-ISSN: 2776-3234

Image processing has been applied in various studies which identified rice diseases with one of the methods in digital image processing, namely CNN-BiGRU. Another study was also conducted for the detection of fire smoke in wild forests from synthetic smoke imagery using the Faster R-CNN method [2][3],[4].

Image processing can be used in various fields such as research on fire smoke, license plate detection, plant disease detection, and others. Image processing is also of course possible to be applied in the medical world because image in the medical world itself is a fundamental need used in monitoring and determining disease diagnosis. As in lung disease, which generally has similar symptoms, a supporting procedure is usually needed in determining the diagnosis which is usually done through a chest X-ray examination procedure.

Segmentation and Classification in digital image processing are two different things. Segmentation is a process in image processing to separate objects in an image into several regions based on the difference in the grayness value of an image without labeling a specific category. Meanwhile, image classification is the process of giving certain labels or categories to all images. Both play an equal role in image analysis to achieve certain goals such as object recognition.

One of the methods in digital image processing that can be used in segmentation and classification is Convolutional Neural Network (CNN). Convolutional Neural Network (CNN) has evolved in the analysis of medical images performed and provides greater opportunities for radiologists to perform detection and



diagnosis with a high degree of accuracy by adopting topological mapping that has been optimized within its convolutional layer to extract important features from medical images at each stage, ultimately improving the model's suitability with the expected results. With this concept, CNN has significantly improved the diagnostic and analytical capabilities of medical images [5].

Convolutional neural networks (CNNs) are a type of classification algorithm in the deep learning domain that is capable of receiving images as input [6]. CNN is a good method to identify elements or objects in an image so that computers can learn and distinguish the images from each other. The structure of CNN consists of several main architectures, namely *Input*, *feature learning* and *classification* [7]. *Convolutional Neural Network (CNN)* has different types of architectures such as VGG-16 CNN, Res-Net CNN, Alex-Net CNN, Google-Net, COVID-Nets, and others [8].

The implementation of the CNN architecture has been tested in several studies related to the medical world, especially the implementation of lung medical imaging. An example of a study that has been conducted by for the detection of Covid-19 from an X-ray image using nine CNN architectures namely AlexNet, GoogleNet, ResNet-50, Se-ResNet-50, DenseNet121, Inception V4, Inception ResNetV2, ResNeXt-50, and Se-ResNeXt-50 and results in a level of accuracy achieved on the model [9].pre-trained Se-ResNeXt-50 with the highest classification accuracy of 99.32% for binary class and 97.55% for multi-class among all models pre-trained. Another study was conducted to classify skin cancer with the VGG-16 architecture and produced an accuracy of 99.70%, [10]. Loss 0,0055, precision 0,9975, Recall 0,9975.

Since the accuracy and performance vary across different CNN architectures, this study employs a Systematic Literature Review (SLR) to examine and evaluate the implementation of various CNN architectures in processing lung X-ray images. The research aims to identify the role of CNN in segmentation and classification tasks related to lung diseases based on imaging data, as well as to analyze the challenges encountered in applying these CNN architectures.

II. RESEARCH METHODOLOGY

To conduct a literature review regarding the implementation of various Convolutional Neural Network (CNN) architectures for lung X-ray imaging, this study adopts a Systematic Literature Review (SLR) method. A good literature review requires a well-defined search strategy and selection criteria to ensure that the collected studies are relevant and of high quality. In this case, the SLR was carried out through several stages in the search strategy and selection criteria, as follows:

- Determine keywords appropriate to the topic, such as "CNN," "Convolutional Neural Network," "X-ray," "medical imaging," "radiology," "chest radiograph," "lung disease," and specific CNN architecture names such as "VGG," "ResNet," "AlexNet," and "GoogLeNet."
- 2. Selecting a research-appropriate database from relevant sources can include Science

Direct, IEEE Xplore, Google Scholar, Scopus, and Springer.

e-ISSN: 2614-8404

p-ISSN: 2776-3234

- Create a Search Query that includes the keywords that have been identified. For example, "(CNN OR Convolutional Neural Network) AND (X-ray OR medical imaging) AND (VGG OR ResNet OR AlexNet OR GoogLeNet) AND (lung disease OR pneumonia)."
- 4. Using search filters to narrow down search results based on research publications in the range of 2019 2023 with the type of journal and conference documents in Indonesian and English.
- 5. Use a search query on a predefined database and log the search results.

After following this search strategy and selection criteria, relevant literature was obtained regarding the implementation of various CNN architectures in chest X-ray images. From the entire search process, a total of 21 relevant articles were initially identified. This helps in evaluating the various approaches that have been used in previous research and compiling an informative literature review.

In this digital era, medical image processing has become one of the most important aspects in the field of medical science. Medical image processing technology allows healthcare professionals to diagnose diseases, monitor patient progress, and make informed medical decisions. In this context, the use of Convolutional Neural Network (CNN) architecture has become a growing focus of research. Relevant research questions in this area are of essence in an effort to understand and maximize the potential of CNN architecture in medical image processing. RQ1 : Can the application of the CNN architecture be used in segmentation as well as classification of medical images?

RQ2 : What is the level of accuracy that can be achieved by using the CNN architecture in the segmentation and/or classification tasks of a lung image?

RQ3: What are the obstacles and future research opportunities in the implementation of various CNN architectures in lung medical imaging research?

The RQ1 statement is important to uncover CNN's architectural capabilities in supporting two important tasks in medical image processing. RQ2 question highlights effectiveness of CNN in producing accurate results in recognizing or grouping various features in lung images. The RQ3 question aims to evaluate barriers that may arise, such as access to data and hardware complexity, as well as identify opportunities, such as the use of more advanced technologies and cooperation between researchers and medical practitioners, that could advance research in this area.

After applying inclusion and exclusion criteria such as relevance to the research questions, availability of full text, and avoidance of duplicate studies, a final set of 15 articles was selected for in-depth review. In order to answer these questions, this study will conduct a comprehensive literature review of recent works in the domain of medical image processing using the CNN architecture.



III. FINDING ANALYSIS AND DISCUSSION

In this literature analysis, a number of studies that have been conducted in the field of implementation of various types of architecture on CNN in lung imaging will be investigated to understand and answer the research questions that have been determined. This study aims to identify the use of architecture in segmentation and classification and evaluate the implementation of various CNN architectures in lung imagery. Understanding the existing literature is an important step in guiding our research and making a valuable contribution to scientific understanding. Table 1 contains Research Data found through search strategies and target criteria. The introduction of the entire article is summarized in a table with columns of Authors, Datasets Size, Year, CNN Architecture, and Application Deployments.

Table 1. Relevant Research Data

			ant Research Data	
Author	Datase	Year	CNN	Application
	t Size		Architecture	~ .
(Arvind et al., 2023) [11]	944	2023	U-Net	Segmentatio n
(Aslan, 2022) [12]	2905	2022	Alex-Net	Segmentatio n
(Ilhan et al., 2023)	100	2023	U-Net	Segmentatio n
(Chen et al., 2021) [13]	240	2021	Seg-Net	Segmentatio n
(Xu et al., 2019)	201	2019	CNN	Segmentatio n
(Salama & Aly, 2022) [14]	746	2022	AlexNet, GoogLeNet, ResNet, VGG16, VGG19, and U- Net	Segmentatio n and Classificatio n
(Hastomo et al., 2021) [15]	10300	2021	Res-Net 152	Segmentatio n and Classificatio n
(Hira et al., 2021)	8830	2021	AlexNet, GoogleNet, ResNet-50, Se- ResNet-50, DenseNet121, Inception V4, Inception ResNetV2, ResNeXt-50, and Se-ResNeXt-50)	Segmentatio n and Classificatio n
(Hastomo et al., 2021)	4000	2021	ResNet-152, InceptionResNet -V2, MobileNet- V2 CNN	Segmentatio n and Classificatio n
(Mohd Ashhar et al., 2021) [16]	1646	2021	GoogleNet, SqueezeNet, DenseNet, ShuffleNet and MobileNetV2 CNN	Segmentatio n and Classificatio n
(Alshazly et al., 2021) [17]	4173	2021	CovidResNet dan CovidDenseNet	Segmentatio n and Classificatio n
(Kusmaren i et al., 2022) [18]	566	2022	U-Net	Segmentatio n
(Astuti, 2021) [19]	135	2021	Mask R-CNN	Segmentatio n

(Khultsum et al., 2022) [20]	720	2022	Mobile-Net	Klasifikasi
(Yopento et al., 2022) [21]	2217	2022	CNN	Klasifikasi

e-ISSN: 2614-8404

p-ISSN: 2776-3234

Identified 15 articles related to the implementation of the CNN architecture for lung imaging. Please note, segmentation and classification are two different things and have been explained in the Introduction Section. In this case, the research data will be broken down into 3 tables, namely for the application of segmentation, classification, and segmentation as well as classification.

Table 2. Implementation of CNN Architecture for Image Segmentation

Writer	Dataset	Year	CNN	Application
	Size		Architecture	
(Arvind et al.,	944	2023	U-Net	Segmentation
2023)				
(Aslan, 2022)	2905	2022	Alex-Net	Segmentation
(Ilhan et al.,	100	2023	U-Net	Segmentation
2023)				
(Chen et al.,	240	2021	Seg-Net	Segmentation
2021)				
(Xu et al.,	201	2019	CNN	Segmentation
2019)				
(Kusmareni et	566	2022	U-Net	Segmentation
al., 2022)				_
(Astuti, 2021)	135	2021	Mask R-CNN	Segmentation

Table 3. Implementing the CNN Architecture for Classification

Writer	Dataset	Year	CNN	Application
	Size		Architecture	
(Khultsum et al., 2022)	720	2022	Mobile-Net	Klasifikasi
(Yopento et al., 2022)	2217	2022	CNN	Klasifikasi

Table 4. Implementation of CNN Architecture for Segmentation and Classification

Writer	Dataset	Year	CNN	Application
***************************************	Size	1 0411	Architecture	пррисиетон
(Salama & Aly, 2022)	746	2022	AlexNet, GoogLeNet, ResNet, VGG16, VGG19, and U- Net	Segmentation and Classification
(Hastomo et al., 2021)	10300	2021	Res-Net 152	Segmentation and Classification
(Hira et al., 2021)	8830	2020	AlexNet, GoogleNet, ResNet-50, Se- ResNet-50, DenseNet121, Inception V4, Inception ResNetV2, ResNeXt-50, and Se-ResNeXt-50)	Segmentation and Classification
(Agustina et al., 2022)	4000	2022	VGG-16	Segmentation and Classification
(Hastomo et al., 2021)	4000	2021	ResNet-152, InceptionResNet- V2, MobileNet- V2 CNN	Segmentation and Classification
(Mohd Ashhar et al., 2021)	1646	2021	GoogleNet, SqueezeNet, DenseNet, ShuffleNet and	Segmentation and Classification



			MobileNetV2 CNN	
(Alshazly et al., 2021)	4173	2021	CovidResNet dan CovidDenseNet	Segmentation and Classification

The literature analysis was followed by exploring additional components, namely the function and accuracy of the implementation of the CNN architecture on lung imagery. Previous research has provided insights into how Convolutional Neural Network (CNN) architecture has been applied to the task of segmentation or classification of lung images. At this stage, it will be further explored by exploring how CNN specifically contributes to the segmentation or classification function, as well as the extent of the accuracy of its implementation. Understanding how CNNs perform in the context of lung imagery is essential for evaluating its potential and limitations in broader medical applications, as well as providing a foundation for research in developing more sophisticated methods.

Table 5. Application and Accuracy of CNN Architecture for Image

Segmentation					
Writer	Datase	CNN	Application	Accuracy	
	t Size	Architectu			
(Arvind et al., 2023)	944	U-Net	Separating the lungs from the heart, ribs, diaphragm, sternum, and collarbone	The training accuracy is 92.71% and the generalization accuracy is outstanding at 93.87% Adam optimizer and underlying loss function is Dice coefficient.	
(Aslan, 2022)	2905	Alex-Net	Diagnostic COVID-19	As a result, 3 class data consisting of the Normal, Viral Pneumonia, and COVID-19 classes were classified with 99.8% success	
(Ilhan et al., 2023)	100	U-Net	Diagnostic COVID-19	The proposed system achieves an accuracy of 97.75%, 0.85, and 0.74, dice scores, and a Jaccard index	
(Chen et al., 2021)	240	Seg-Net	Lung Cancer Diagnosis	The SegNet model has a sensitivity of 98.33%, specificity of 86.67%,	

OV. 4 1	201	CNN		accuracy of 92.50%, and a total segmentatio n time of 30.42 seconds
(Xu et al., 2019)	201	CNN	Segmentasi parenkim paru	The CNN model obtained an average F-score of 0.9917
(Kusmare ni et al., 2022)	566	U-Net	Abnormaliti es of lung size	the average accuracy value is 0.9632, the sensitivity is 0.9586, and the specificity is 0.9675, the F1-Score is 0.9920, and the Jaccard coefficient is 0.9842
(Astuti, 2)	135	Mask R- CNN	Lung Cancer Malignancy	Rerata precision 0.852, sensitivity 0.958, specificity 0.82, dan Dice Similarity 0.894

e-ISSN: 2614-8404

p-ISSN: 2776-3234

Table 6. Application and Accuracy of CNN Architecture for Classification

	Classification						
Writer	Dataset	CNN	Application	Accuracy			
	Size	Architecture					
(Khultsum et al., 2022)	720	Mobile-Net	Lung Cancer	Accuracy of 96.70% and Validation accuracy of			
(Yopento	2217	CNN	Pneumonia	90.45% Precision is			
et al., 2022)	2217			91%, Recall is 92.8% and Accurasy is 91.54%. The accuracy level obtained based on the Epoch value is 50, the learning rate is 0.0001 and the batch value is 20.			

Table 7. Implementation and Accuracy of CNN Architecture for Segmentation and Classification



Writer	Datas et Size	CNN Architecture	Applicati	Accuracy
(Salama & Aly, 2022)	746	AlexNet, GoogLeNet, ResNet, VGG16, VGG19, and U-Net	On Covid-19	The classification results showed that the use of pre-processed lung CT images as inputs for the U-Net hybrid with ResNet50 achieved the best performance. The proposed classification model achieved an accuracy (ACC) of 98.98%, area under the ROC curve (AUC) of 98.89%, sensitivity (Se) of 98.89%, precision (Pr) of 97.99%, F1 score of 97.88%, and a computational time of 1.8974 seconds.
(Hasto mo et al., 2021)	10300	Res-Net 152	Covid-19, Lung Opacity, Pneumoni a	The results of the study with 50 epoch trainings obtained excellent scores for training and validation accuracy of 95.5% and 91.8%. The test test with a total of 19,300 test data images obtained 99% testing accuracy, with the precision of each class being Covid (99%), Lung Opacity (99%), Normal (98%) and Viral Pneumonia (98%)
(Hira et al., 2021)	8830	AlexNet, GoogleNet, ResNet-50, Se- ResNet-50, DenseNet121, Inception V4, Inception ResNetV2, ResNeXt-50, and Se- ResNeXt-50)	Covid-19	The experimental results showed that the Se-ResNeXt-50 pre-training model achieved the highest classification accuracy of 99.32% for the binary class

			~	and 97.55% for the plural class among all pre-training models.
(Hasto mo et al., 2021)	4000	ResNet-152, InceptionResN et-V2, MobileNet-V2 CNN	Covid-19, Lung Opacity, Pneumoni a	The test accuracy of ResNet-152 is 99%, higher than InceptionResN et-V2 with a 98% result, and MobileNet-V2 with a 93% result with the precision of each class isCovid (99%), Lung Opacity (97%), Normal (99%), Viral Pneumo nia (99%)
(Mohd Ashhar et al., 2021)	1646	GoogleNet, SqueezeNet, DenseNet, ShuffleNet and MobileNetV2 CNN	Tumor Paro-Paro	Accuracy 94.53%, specificity 99.06%, sensitivity 65.67% and AUC 86.84%.
(Alshazl y et al., 2021)	4173	CovidResNet dan CovidDenseN et	Covid-19	The CovidDenseN et model obtained the best performance with an accuracy of 81.77%, precision of 79.05%, sensitivity of 84.69%, specificity of 79.05%, F1 score of 81.77%, and an AUC score of 87.50%.

e-ISSN: 2614-8404

p-ISSN: 2776-3234

In conducting research, researchers often face various obstacles that can affect the smooth running of research. On the other hand, research also has the potential to present many opportunities in the future. Table 8 contains an explanation related to the barriers and future research opportunities of the researcher.

Table 8. Future Research Barriers and Opportunities

Tuoie o. Tut	u Opportuilities	
Research	Obstacles	Chance
(Arvind et al., 2023)	Difficulties in obtaining consent in data collection in the field of medical imaging	Optimization and equalization of the range of boundary boxes or organ edges
(Aslan, 2022)	Citra does not have real clinical data so it casts doubt on the results	Implementation of different hyper-parameter optimization techniques to give more optimal results



(III4 -1 2022)		
(Ilhan et al., 2023)	-	A more comprehensive system by considering pneumonia data in addition to the
		COVID-19 dataset.
(Chen et al., 2021)	-	-
(Xu et al., 2019)	The results of filling holes did not include the area of pleural effusion of the right lung and the pulmonary bular near the pulmonary field boundary	Propose a machine learning-based framework for finding and analyzing lung lesions
(Salama & Aly, 2022)	Data loses spatial information and is not reversible so that the fully connected layer is only implemented at the end of <i>the network</i> .	Future research can be carried out the process of classifying abnormalities in the lungs.
(Hastomo et al., 2021)	The system has not been able to detect and segment the area of malignant type cancer nodules.	Development of detection and segmentation techniques for areas with very low contrast
(Hira et al., 2021b)	-	-
(Hastomo et al., 2021)	The computational process takes up a lot of space so that the number of datasets used in the training process is affected	-
(Mohd Ashhar et al., 2021)	After the augmentation process, some important information in the CT image is lost	-
(Alshazly et al., 2021)	-	-
(Kusmareni et al., 2022)	-	Research with a larger dataset approach for medical problems of cancer, tumors, etc and other fields with the exploration of image data augmentation techniques to further improve accuracy while avoiding overfitting
(Astuti, 2021)	The accuracy of the train and the valid loss are still quite large (>40%) and need to be improved again so that the value becomes smaller	-
(Khultsum et al., 2022)	MobileNetV2 misclassified data into benign cancer type	Further studies on the GoogleNet network are needed to improve the accuracy of the classification of lung lesions in CT images.
(Yopento et al., 2022)	-	Collection of datasets from <i>larger</i> CT Scans

In the discussion stage, the findings from the literature analysis will be evaluated that discuss the function and accuracy of the implementation of

Convolutional Neural Network (CNN) architecture on lung imagery. The results of the literature analysis show that the use of CNN architecture in lung image processing has resulted in significant advances in this field. The main function of CNNs in the task of segmentation or classification of lung images is its ability to automatically extract important features from the image, which in turn allows the identification and separation of relevant structures in the image. This is important in the diagnosis and monitoring of lung diseases such as pneumonia, COVID-19, and lung cancer.

e-ISSN: 2614-8404

p-ISSN: 2776-3234

In addition, most of the studies evaluated showed that the implementation of CNN architecture on lung imagery achieved a satisfactory level of accuracy. This high accuracy gives confidence that this technique can be used as an aid in medical diagnosis. However, some studies also underscore the challenges of dealing with variations in human lung imagery and uncertainty in the datasets used.

Furthermore, our discussion also discusses potential future developments in applying CNN architecture to lung imagery. This includes improvements in more sophisticated methods, the use of larger and more representative datasets, and ethical considerations in the implementation of these technologies in medical decision-making. Additionally, it is important to continuously improve the accuracy and generalization of CNN models to improve their role in the medical world.

IV. CONCLUSION

This literature review study examines the application of Convolutional Neural Network (CNN) architecture in segmentation and classification of pulmonary medical images. The results of the literature analysis show that the use of CNN in lung imaging is a positive step in the advancement of medical technology. CNN's ability to segment and classify, as well as varying degrees of accuracy, has strengthened its role in supporting the diagnosis of lung disease. Nonetheless, it is worth noting the challenges faced, and more research should be conducted to maximize the benefits of this technology in health monitoring and patient diagnosis.

- 1. Answer to Question RQ1: This study confirms that the CNN architecture can be effectively used in segmentation as well as classification of lung medical images.
- Answer to Question RQ2: The results of the literature study show that the implementation of the CNN architecture on lung medical images for segmentation and classification generally achieves an adequate and satisfactory level of accuracy.
- 3. Answer to Question RQ3: The majority of studies face certain barriers and challenges in the implementation of CNN architecture on pulmonary medical imaging. However, future research opportunities are directed at the development of more appropriate methods and datasets to optimize research results in this field.

should only answer the objectives of the research. Tells how your work advances the field from the present state of knowledge. Without clear Conclusions, reviewers and



readers will find it difficult to judge the work, and whether or not it merits publication in the journal. Do not repeat the Abstract, or just list experimental results. Provide a clear scientific justification for your work, and indicate possible applications and extensions. This conclusion should be provided as a paragraph. You should also suggest future experiments and/or point out those that are underway.

REFERENCES

- [1] I. Pitas, "Digital image processing algorithms and applications," *A Wiley-Interscience publication*. 2000.
- [2] M. Xu *et al.*, "Segmentation of lung parenchyma in CT images using CNN trained with the clustering algorithm generated dataset," *Biomed. Eng. Online*, 2019, doi: 10.1186/s12938-018-0619-9.
- [3] Y. Lu, X. Wu, P. Liu, H. Li, and W. Liu, "Rice disease identification method based on improved CNN-BiGRU," *Artif. Intell. Agric.*, 2023, doi: 10.1016/j.aiia.2023.08.005.
- [4] Q. X. Zhang, G. H. Lin, Y. M. Zhang, G. Xu, and J. J. Wang, "Wildland Forest Fire Smoke Detection Based on Faster R-CNN using Synthetic Smoke Images," in *Procedia Engineering*, 2018. doi: 10.1016/j.proeng.2017.12.034.
- [5] Y. Singh *et al.*, "The Role of Geometry in Convolutional Neural Networks for Medical Imaging," *Mayo Clin. Proc. Digit. Heal.*, 2023, doi: 10.1016/j.mcpdig.2023.08.006.
- [6] R. Chauhan, K. K. Ghanshala, and R. C. Joshi, "Convolutional Neural Network (CNN) for Image Detection and Recognition," in *ICSCCC 2018 1st International Conference on Secure Cyber Computing and Communications*, 2018. doi: 10.1109/ICSCCC.2018.8703316.
- [7] N. IBRAHIM *et al.*, "Klasifikasi Tingkat Kematangan Pucuk Daun Teh menggunakan Metode Convolutional Neural Network," *ELKOMIKA J. Tek. Energi Elektr. Tek. Telekomun. Tek. Elektron.*, 2022, doi: 10.26760/elkomika.v10i1.162.
- [8] W. Setiawan, "PERBANDINGAN ARSITEKTUR CONVOLUTIONAL NEURAL NETWORK UNTUK KLASIFIKASI FUNDUS," *J. Simantec*, 2020, doi: 10.21107/simantec.v7i2.6551.
- [9] S. Hira, A. Bai, and S. Hira, "An automatic approach based on CNN architecture to detect Covid-19 disease from chest X-ray images," *Appl. Intell.*, 2021, doi: 10.1007/s10489-020-02010-w.
- [10] R. AGUSTINA, R. MAGDALENA, and N. K. C. PRATIWI, "Klasifikasi Kanker Kulit menggunakan Metode Convolutional Neural Network dengan Arsitektur VGG-16," *ELKOMIKA J. Tek. Energi Elektr. Tek. Telekomun. Tek. Elektron.*, 2022, doi: 10.26760/elkomika.v10i2.446.
- [11] S. Arvind, J. V. Tembhurne, T. Diwan, and P. Sahare, "Improvised light weight deep CNN based U-Net for the semantic segmentation of lungs from chest X-rays," *Results Eng.*, 2023, doi: 10.1016/j.rineng.2023.100929.
- [12] M. F. Aslan, "A robust semantic lung segmentation

study for CNN-based COVID-19 diagnosis," *Chemom. Intell. Lab. Syst.*, 2022, doi: 10.1016/j.chemolab.2022.104695.

e-ISSN: 2614-8404

p-ISSN: 2776-3234

- [13] X. Chen, Q. Duan, R. Wu, and Z. Yang, "Segmentation of lung computed tomography images based on SegNet in the diagnosis of lung cancer," *J. Radiat. Res. Appl. Sci.*, 2021, doi: 10.1080/16878507.2021.1981753.
- [14] W. M. Salama and M. H. Aly, "Framework for COVID-19 Segmentation and Classification Based on Deep Learning of Computed Tomography Lung Images," J. Electron. Sci. Technol., 2022, doi: 10.1016/j.jnlest.2022.100161.
- [15] W. Hastomo, E. Hadiyanto, and D. Sutarno, "Klasifikasi Covid-19 Chest X-Ray Dengan Tiga Arsitektur Cnn (Resnet-152, Inceptionresnet-V2, Mobilenet-V2)," Semin. Nas. Teknol. Inf. dan Komun. STI&K, vol. 5, no. 1, pp. 2581–2327, 2021.
- [16] S. M. Ashhar *et al.*, "Comparison of deep learning convolutional neural network (CNN) architectures for CT lung cancer classification," *Int. J. Adv. Technol. Eng. Explor.*, 2021, doi: 10.19101/IJATEE.2020.S1762126.
- [17] H. Alshazly, C. Linse, M. Abdalla, E. Barth, and T. Martinetz, "COVID-Nets: deep CNN architectures for detecting COVID-19 using chest CT scans," *PeerJ Comput. Sci.*, 2021, doi: 10.7717/peerjcs.655.
- [18] A. A. Kusmareni, A. Desiani, S. Yahdin, M. Saviera, A. I. Putri, and D. A. Zayanti, "Segmentasi Paru-Paru Pada Citra Thorax Dada Dengan Menggunakan Metode Cnn U-Net," *JSI J. Sist. Inf.*, vol. 14, no. 2, pp. 2666–2676, 2022, doi: 10.18495/jsi.v14i2.16771.
- [19] F. A. Hermawati and M. Imam Safii, "Sistem Deteksi Keganasan Kanker Paru-Paru pada CT Scan dengan Menggunakan Metode Mask Regionbased Convolutional Neural Network (Mask R-CNN)," Konf. Nas. Ilmu Komput., no. August, pp. 193–197, 2021.
- [20] U. Khultsum, F. Sarasati, and G. Taufik, "Penerapan Metode Mobile-Net Untuk Klasifikasi Citra Penyakit Kanker Paru-Paru," *JURIKOM* (*Jurnal Ris. Komputer*), 2022, doi: 10.30865/jurikom.v9i5.4918.
- [21] J. Yopento, E. Ernawati, and F. F. Coastera, "Identifikasi Pneumonia Pada Citra X-Ray Paru-Paru Menggunakan Metode Convolutional Neural Network (CNN) Berdasarkan Ekstraksi Fitur Sobel," *Rekursif J. Inform.*, 2022, doi: 10.33369/rekursif.v10i1.17247.



Literature Review Study on the Implementation of Conventional Neural Network for Lung Medical Images Segmentation and Classification

by Joko Riyanto

Submission date: 06-Nov-2025 03:10PM (UTC+0700)

Submission ID: 2805088658 **File name:** 5._JISA_1.pdf (2.88M)

Word count: 5175 Character count: 28016

Literature Review Study on the Implementation of Convolutional Neural Network for Lung Medical Images Segmentation and Classification

Joko Riyono^{1*}), Supriyadi², Christina Eni Pujiastuti², Sofia Debi Puspa⁴, Aina Latifa Riyana Putri⁵

1.23.4Program Studi Teknik Mesin, Fakultas Teknologi Industri, Universitas Trisakti

Sprogram Studi Sains Data, Fakultas Informatika, Telkom University

Email: 'jokoriyono@trisakti.ac.id, 'supri@trisakti.ac.id, 'christina.eni@trisakti.ac.id .

*sofia.debi.puspa@trisakti.ac.id, 'ainaqp@telkomuniversity.ac.id

Abstract — Medical image processing has become an essential aspect of healthcare, enabling accurate disease diagnosis and monitoring through advanced technologies. One of the most widely used methods in this domain is the Convolutional Neural Network (CNN), which has demonstrated high effectiveness in segmentation and classification tasks, particularly for chest X-ray images used in diagnosing lung-related diseases. This study aims to evaluate and analyze various CNN architectures implemented in lung X-ray imaging through a Systematic Literature Review (SLR) approach. The research explores the application, accuracy, challenges, and future opportunities of CNN-based models such as VGG, ResNet, AlexNet, and GoogLeNet. A total of 15 relevant studies published between 2019 and 2023 were selected after applying rigorous inclusion and exclusion criteria. The findings indicate that CNN architectures significantly enhance the accuracy of lung disease detection and support both segmentation and classification tasks. However, challenges such as dataset variability, model generalization, and ethical implications remain. This review provides comprehensive insights into CNN applications in medical imaging, emphasizing their potential and highlighting areas for further research.

Keywords - CNN architecture, CNN, medical imaging, hmg

I. INTRODUCTION

Imagery is a visual representation of objects in the real world in the form of two dimensions. Mathematically, the image or Image. It can be described as a two-dimensional function (x,y), where x and y represent the coordinates in dimensional space, and the amplitude (f) on each coordinate pair (x,y) depicts the intensity in the image. In a digital image, a number of elements are composed of what are known as pixels or grayness values. Each pixel has a different position (coordinates) as a representation of the brightness or color level at that location. Pixel intensity can be expressed in the form of discrete values that typically range from 0 to 255. This value represents different levels of brightness or color in the image, where 0 represents black and 255 represents white. These pixel intensities are stored in digital images and processed in various image processing processes, such as contrast enhancement, quality improvement, object segmentation, and image analysis.

Digital image processing is concerned with convetted images into digital formats and processing them using digital computers. Digital image analysis is related to the description and introduction of the content of the digital image. The input of an image analysis process is the digital image and as an output, the digital image produces a description of the image in symbolic form. Image processing is of course carried out for various purposes such as increasing contrast, increasing brightness, image rotation, image fading, and removal [1]. Noise, segmentation or separation of objects from their background, extraction of features for the sake of analysis,

and artistic effects such as giving the effect as if an image was drawn with a pencil.

Image processing has been applied in various studies which identified rice diseases with one of the methods in digital image processing, namely CNN-BiGRU. Another study was also conducted for the detection of fire smoke in wild forests from synthetic smoke imagery using the Faster R-CNN method [23/33.14].

Image processing can be used in various fields such as research on fire smoke, license plate detection, plant disease detection, and others. Image processing is also of course possible to be applied in the medical world because image in the medical world itself is a fundamental need used in monitoring and determining disease diagnosis. As in lung disease, which generally has similar symptoms, a supporting procedure is usually needed in determining the diagnosis which is usually done through a chest X-ray examination procedure.

Segmentation and Classification in digital image processing are two different things. Segmentation is a process in image processing to separate objects in an image into several regions based on the difference in the grayness value of an image without labeling a specific category. Meanwhile, image classification is the process of giving certain labels or categories to all images. Both play an equal role in image analysis to achieve certain goals such as object recognition.

One of the methods in digital image processing that is be used in segmentation and classification is Convolutional Neural Network (CNN). Convolutional Neural Network (CNN) has evolved in the analysis of medical images performed and provides greater opportunities for radiologists to perform detection and

JISA (Jurnal Informatika dan Sains) (e-ISSN: 2614-8404) is published by Program Studi Teknik Informatika, Universitas Trilog under Crentive Commons Attribution-ShareAlike 4.0 International License.



diagnosis with a high degree of accuracy by adopting topological mapping that has been optimized within its convolutional layer to extract important features from medical images at each stage, ultimately improving the model's suitability with the expected results. With this concept, CNN has significantly improved the diagnostic and affativities of medical images [5].

Convolutional neural networks (CNNs) are a type of classification algorithm in the deep learning domain that is capable of receiving images as input [6]. CNN is a good method to identify elements or objects in an image so that computers can learn and distinguish the images from each other. The structure of CNN consists of several main architectures, namely Input, feature learning and classification [7]. Convolutional Neural Network (CNN) has different types of architectures such as VGG-16 CNN, Res-Net CNN, Alex-Net CNN, Google-Net, COVID-Nets, and others [8].

The implementation of the CNN architecture has been tested in several studies related to the medical world, especially the implementation of lung medical imag¹⁶ An example of a study that has been conducted by for the detection of Covid-19 from an X-ray image using nine CNN architectures namely AlexNet, GoogleNet, ResNet-50, Se-ResNet-50, DenseNet121, Inception V4, Inception ResNetV2, ResNext-50 and Se-ResNeXt-50 arg results in a level of accuracy achieved on the model [9], pre-trained Se-ResNeXt-50 with the highest classification accuracy of 99.32% for binary class and 97.55% for multi-class among all models pre-trained. Another study was conducted to classify skin cancer with transportation of 99.70%, [10]. Loss 0,0055, precision 0,9975, Recall 0,9975.

Since the accuracy and performance vary across different CNN architectures, this study employs a Systematic Literature Review (SLR) to examine and evaluate the implementation of various CNN architectures in processing lung X-ray images. The research aims to identify the role of CNN in segmentation and classification tasks related to lung diseases based on imaging data, as well as to analyze the challenges encountered in applying these CNN architectures.

II. RESEARCH METHODOLOGY

To conduct a literature review regarding the implementation of various Convolutional Neural Network (CNN) architectures for lung X-ray imaging, this study adopts a Systematic Literature Review (SLR) method. A good literature review requires a well-defined search strategy and selection criteria to ensure that the collected studies are relevant and of high quality. In this case, the SLR was carried out through several stages in the search strategy and selection criteria, as follows:

- Determine keywords appropriate to the topic, such as "CDN," "Convolutional Neural Network," "X-ray," "medical imaging," "radiology," "chest radiograph," "lung disease," and specific CNN architecture names such as "VGG," "ResNet," "AlexNet," and "GoogLeNet."
- Scleeting a research-appropriate database from relevant sources can include Science

Direct, IEEE Xplore, Google Scholar, Scopus, and Springer.

e-ISSN: 2614-8404

p-ISSN: 2776-3234

- Create a Search Query that includes the keywords that have been identified. For example, "(CNN OR Convolutional Neural Network) AND (X-ray OR medical imaging) AND (VGG OR ResNet OR AlexNet OR GoogLeNet) AND (lung disease OR pneumonia)."
- Using search filters to narrow down search results based on research publications in the range of 2019 - 2023 with the type of journal and conference documents in Indonesian and English.
- Use a search query on a predefined database and log the search results.

After following this search strategy and selection criteria, relevant literature was obtained reading the implementation of various CNN architectures in chest X-ray images. From the entire search process, a total of 21 relevant articles were initially identified. This helps in evaluating the various approaches that have been used in previous research and compiling an informative literature review.

In this digital era, medical image processing has become one of the most important aspects in the field of medical science. Medical image processing technology allows healthcare professionals to diagnose diseases, monitor patient progress, and make informed medical decisions. In this context, the use of Convolutional Neural Network (CNN) architecture has become a growing focus of research. Relevant research questions in this area are of essence in an effort to understand and maximize the potential of CNN architecture in medical image processing. RQ1 : Can the application of the CNN architecture be used in segmentation as well as classification of medical images?

RQ2 : What is the level of accuracy that can be achieved by using the CNN architecture in the segmentation and/or classification tasks of a lung image?

RQ3 : What are the obstacles and future research opportunities in the implementation of various CNN architectures in lung medical imaging research?

The RQ1 statement is important to uncover CNN's architectural capabilities in supporting two important tasks in medical image processing. RQ2 question highlights effectiveness of CNN in producing accurate results in recognizing or grouping various features in lung images. The RQ3 question aims to evaluate barriers that may arise, such as access to data and hardware complexity, as well as identify opportunities, such as the use of more advanced technologies and cooperation between researchers and medical practitioners, that could advance research in this area.

After applying inclusion and exclusion criteria such as relevance to the research questions, availability of full text, and avoidance of duplicate studies, a final set of 15 articles was selected for in-depth review. In order to answer these questions, this study will conduct a comprehensive literature review of recent works in the domain of medical image processing using the CNN architecture.

JISA (Jurnal Informatika dan Sains) (e-ISSN: 2614-8404) is published by Program Studi Teknik Informatika, Universitas Trilogi under Creative Commons Attribution-ShareAlike 4.0 International License.



FINDING ANALYSIS AND DISCUSSION

In this literature analysis, a number of studies that have been conducted in the field of implementation of various types of architecture on CNN in lung imaging will be been conducted to the conducted to the implementation of various segmentation and evaluate the implementation and evaluate the implementation of various segmentation and evaluate the implementation classification and evaluate the implementation of various CNN architectures in lung imagery. Understanding the existing literature is an important step in guiding our research and making a valuable contribution to scientific understanding. Table 1 contains Research Data found through search strategies and target criteria. The introduction of the entire article is summarized in a table with columns of Authors, Datasets Size, Year, CNN Architecture, and Application Deployments.

Author	Datase	Year	CNN	Application
(Arvind et al., 2023)	t Size 944	2023	U-Net	Segmentatio n
[11] (Aslan,	2905	2022	Alex-Net	Segmentatio
2022) [12]	170%		77.77	n
(Ilhan et al., 2023)	100	2023	U-Net	Segmentatio n
(Chen et al., 2021) [13]	240	2021	Seg-Net	Segmentatio n
(Xu et al., 2019)	201	2019	CNN	Segmentatio n
(Salama & Aly, 2022) [14]	746	2022	AlexNet, GoogLeNet, ResNet, VGG16, VGG19, and U- Net	Segmentatio n and Classificatio n
(Hastomo et al., 2021) [15]	10300	2021	Res-Net 152	Segmentatio n and Classificatio n
(Hira et al., 2021)	8830	2021	AlexNet, GoogleNet, ResNet-50, Se- ResNet-50, DenseNet121, Inception V4, Inception ResNetV2, ResNeXt-50, and Se-ResNeXt-50,	Segmentatio n and Classificatio n
(Hastomo et al., 2021)	4000	2021	ResNet-152, InceptionResNet -V2, MobileNet- V2 CNN	Segmentatio n and Classificatio n
(Mohd Ashhar et al., 2021) [16]	1646	2021	GoogleNet, SqueezeNet, DenseNet, ShuffleNet and MobileNetV2 CNN	Segmentatio n and Classificatio n
(Alshazly et al., 2021) [17]	4173	2021	CovidResNet dan CovidDenseNet	Segmentatio n and Classificatio n
(Kusmaren i et al., 2022) [18]	566	2022	U-Net	Segmentatio n
(Astuti, 2021) [19]	135	2021	Mask R-CNN	Segmentatio n

(Khultsum et al., 2022) [20]	720	2022	Mobile-Net	Klasifikasi
(Yopento et al., 2022) [21]	2217	2022	CNN	Klasifikasi

e-ISSN: 2614-8404 p-ISSN: 2776-3234

have been explained in the Introduction Section. In this case, the research data will be broken down into 3 tables, namely for the application of segmentation, classification, and segmentation as well as classification.

Table 2. Implementation of CNN Architecture for Image Segmentation

Writer	Dataset Size	Year	CNN Architecture	Application
(Arvind et al., 2023)	944	2023	U-Net	Segmentation
(Aslan, 2022)	2905	2022	Alex-Net	Segmentation
(llhan et al., 2023)	100	2023	U-Net	Segmentation
(Chen et al., 2021)	240	2021	Seg-Net	Segmentation
(Xu et al., 2019)	201	2019	CNN	Segmentation
(Kusmareni et al., 2022)	566	2022	U-Net	Segmentation
(Astuti, 2021)	135	2021	Mask R-CNN	Segmentation

Table 3. Implementing the CNN Architecture for Classification

Writer	Dataset Size	Year	CNN Architecture	Application
(Khultsum et al., 2022)	720	2022	Mobile-Net	Klasifikasi
(Yopento et al., 2022)	2217	2022	CNN	Klasifikasi

Table 4. Implementation of CNN Architecture for Segmentation and

Writer	Dataset Size	Year	C'NN Architecture	Application
(Salama & Aly, 2022)	746	2022	AlexNet, GoogLeNet, ResNet, VGG16, VGG19, and U- Net	Segmentation and Classification
(Hastomo et al., 2021)	10300	2021	Res-Net 152	Segmentation and Classification
(Hira et al., 2021)	8830	2020	AlexNet, GoogleNet, ResNet-50, Se- ResNet-50, DenseNet121, Inception V4, Inception ResNetV2, ResNeXt-50, and Se-ResNeXt-50,	Segmentation and Classification
(Agustina et al., 2022)	4000	2022	VGG-16	Segmentation and Classification
(Hastomo et al., 2021)	4000	2021	ResNet-152, InceptionResNet- V2, MobileNet- V2 CNN	Segmentation and Classification
(Mohd Ashhar et al., 2021)	1646	2021	GoogleNet, SqueezeNet, DenseNet, ShuffleNet and	Segmentation and Classification

JISA (Jurnal Informatika dan Sains) (e-ISSN: 2614-8404) is published by Program Studi Teknik Informatika, Universitas Trilogi under Creative Commons Attribution-ShareAlike 4.0 International License.



,			MobileNetV2 CNN	
(Alshazly et al., 2021)	4173	2021	CovidResNet dan CovidDenseNet	Segmentation and Classification

The literature analysis was followed by exploring additional components, namely the function and accuracy of the implementation of the CNN architecture on lung imagery. Previous research has provided insights into how Convolutional Neural Network (CNN) architecture has been applied to the task of segmentation or classification of lung images. At this stage, it will be further explored by exploring how CNN specifically contributes to the segmentation or classification function, as well as the extent of the accuracy of its implementation. Understanding how CNNs perform in the context of lung imagery is essential for evaluating its potential and limitations in broader medical applications, as well as providing a foundation for research in developing more sophisticated methods.

Table 5. Application and Accuracy of CNN Architecture for Image

Writer	Datase	Segmental CNN	Application	Accuracy
10.000000	t Size	Architectu re	20 CO 12 CO	11
(Arvind et al., 2023)	944	U-Net	11 jurafing the langs from the heart, ribs, diaphragm, sternum, and collarbone	The training accuracy is a second the generalization ascuracy is outs. 7 ling at 93.87% Adam optimizer and underlying loss function is Dice coefficient.
(Aslan, 2022)	2905	Alex-Net	Diagnostic COVID-19	As a result, 3 class data consisting of the Normal, Viml Pacumonia, and COVID-19 classes were classified with 99.8% success
(Ilhan et al., 2023)	100	U-Net	Diagnostic COVID-19	The proposed system achieves an accuracy of 97.75%, 0.85, and 0.74, dice scores, and a Jaccard 4 lex
(Chen et al., 2021)	240	Seg-Net	Lung Cancer Diagnosis	The SegNet model has a sensitivity of 98.33%, specificity of 86.67%,

				accuracy of 92.50%, and a total segmentatio n time of 30.42
(Xu et al., 2019)	201	CNN	Segmentasi parenkim paru	The CNN model obtained an average F- score of 0.9917
(Kusmare ni et al., 2022)	566	U-Net	Abnormaliti es of lung size	the average accuracy value is 0.9632, the sensitivity is 0.9586, and the specificity is 0.9675, the F1-Score is 0.9920, and the Jaccard coefficient is 0.9842
(Astuti, 2)	135	Mask R- CNN	Lung Cancer Malignancy	14 hta precision 0.852, sensitivity 0.958, specificity 0.82, dan Dice Similarity 0.894

Table 6. Application and Accuracy of CNN Architecture for

Writer	Dataset Size	CNN Architecture	Application	Accuracy
(Khultsum et al., 2022)	720	Mobile-Net	Lung Cancer	Accuracy of 96.70% and Validation accuracy of 90.45%
(Yopento et al., 2022)	2217	CNN	Pneumonia	8 reision is 91%. Recall is 92.8% and Accuracy is 91.54%. The accuracy level obtained based or the Epoch value is 50 the learning rate in 0.0001 and the batch value is 20 val

Table 7. Implementation and Accuracy of CNN Architecture for Segmentation and Classification

JISA (Jurnal Informatika dan Sains) (e-ISSN: 2614-8404) is published by Program Studi Teknik Informatika, Universitas Trilogi under Creative Commons Attribution-ShareAlike 4.0 International License.



Writer	Datas	CNN	Applicati	Accuracy
(Salama & Aly, 2022)	et Size 746	Architecture AlexNet, GoogleNet, ResNet, VGG16, VGG19, and U-Net	on Covid-19	The classification results showed that the use of pre-processed lung. CT images a control of the U-Net hybrid with ResNet50 achieved the best performance. The proposed classification model accuracy (AUC) of 98.89%, area under the RCX curve (AUC) of 98.89%, precision (Pr) of 97.99%, Fl score of 97.889%, and a computational time of 1.8974 20 and 5.
(Hasto mo et al., 2021)	19300	Res-Net 152	Covid-19, Lung Opacity, Pneumoni	The results of the study with 50 epoch trainings obstained excellent scores for training availatation accuracy of 55% and 91.8%. The test test with a total of 19,300 test data images obtained 29 accuracy, with the precision of each class being Cowie (99%). Lung Opacity (99%), Normal (98%) and Virial Pneumonia (98%)
(Hira et al., 2021)	8830	AlexNet, GoogleNet, ResNet-50, Se- ResNet-50, DenseNet121, Inception V4, Inception ResNetV2, ResNeXt-50, and Se- ResNeXt-50)	Covid-19	The experimental results showed that the Se-ResNeXt-50 pre-training model achieved the highest classification accuracy of 99.32% for the

				and 97.55% for the plural class among all pre-training models.
(Hasto mo et al., 2021)	4000	ResNet-152, InceptionResN et-V2, MobileNet-V2 CNN	Covid-19, Lung Opacity, Preumoni a	The test accuracy of ResNet-152 is 99%, higher than InceptionResN et-V2 with a 98% result, and MobileNet-V2 with 2 93% result, with the precision of each class isCovid (99%), Lung Opacity (97%), Normal (99%), Viral Pneumonia (99%)
(Mohd Ashhar et al., 2021)	1646	GoogleNet, SqueezeNet, Dense Net, ShuffleNet and MobileNetV2 CNN	Tumor Paro-Paro	Accuracy 94.53% specificity 99.06%, sensitivity 05.67% and AUC 80.84%
(Alshazi y et al., 2021)	4173	CovidResNet dan CovidDenseN et	Covid-19	The CovidDenseN of model obtained the best performance with an accuracy of 81.77%, precision of 79.05%, sensitivity of 84.69%, specificity of 79.05%, and AUC score of 87.50%.

In conducting research, researchers often face various obstacles that can affect the smooth running of research. On the other hand, research also has the potential to present many opportunities in the future. Table 8 contains an explanation related to the barriers and future research opportunities of the researcher.

Table 8. Future Research Barriers and Opportunities

Research	Obstacles	Chance	
(Arvind et al., 2023)	Difficulties in obtaining consent in data collection in the field of medical imaging	Optimization and equalization of the range of boundary boxes or organ edges	
(Aslan, 2022)	Citra does not have real clinical data so it easts doubt on the results	Implementation of different hyper- parameter optimization techniques to give more optimal results	

JISA (Jurnal Informatika dan Sains) (e-ISSN: 2614-8404) is published by Program Studi Teknik Informatika, Universitas Trilogi under Creative Commons Attribution-ShareAlike 4.0 International License.



(Ilhan et al., 2023)		A more	
		comprehensive system by considering preumonia data in addition to the COVID-19 dataset.	
(Chen et al., 2021)		360	
(Xu et al., 2019)	The results of filling holes did not include the area of pleural effusion of the right lung and the pulmonary bular near the pulmonary field boundary	Propose a machine learning-bosed framework for finding and analyzing lung lesions	
(Salama & Aly, 2022)	Data loses spatial information and is not reversible so that the fully connected layer is only implemented at the end of the network.	Future research can be carried out the process of classifying abnormalities in the lungs.	
(Hastomo et al., 2021)	The system has not been able to detect and segment the area of malignant type cancer nodules.	Development of detection and segmentation techniques for area with very low contras	
(Hira et al., 2021b)	348	•	
(Hastomo et al., 2021)	The computational process takes up a lot of space so that the number of datasets used in the training process is affected	e	
(Mohd Ashhar et al., 2021)	After the augmentation process, some important information in the CT image is lost	1.52	
(Alshazly et al., 2021)	-	340	
(Kusmareni et al., 2022)	2	Research with a large dataset approach for medical problems of cancer, tumors, et and other fields with the exploration of image dat augmentation techniques to furthe improve accurae while avoidin overfitting	
(Assuti, 2021)	The accuracy of the train and the valid loss are still quite large (>40%) and need to be improved again so that the value becomes smaller	•	
(Khultsum et al., 2022)	MobileNetV2 misclassified data into benign cancer type	Further studies on the GoogleNet network are needed to improve the accuracy of the classification of lung lesions in CT images.	
(Yopento et al., 2022)		Collection of dataset from larger CT Scan	

In the discussion stage, the findings from the

Convolutional Neural Network (CNN) architecture on lung imagery. The results of the literature analysis show that the use of CNN architecture in lung image processing has resulted in significant advances in this field. The main function of CNNs in the task of segmentation or classification of lung images is its ability to automatically extract important features from the image, which in turn allows the identification and separation of relevant structures in the image. This is important in the diagnosis and monitoring of lung diseases such as pneumonia. COVID-19, and lung cancer.

In addition, most of the studies evaluated showed that the implementation of CNN architecture on lung imagery achieved a satisfactory level of accuracy. This high accuracy gives confidence that this technique can be used as an aid in medical diagnosis. However, some studies also underscore the challenges of dealing with variations in

human lung imagery and uncertainty in the datasets used. Furthermore, our discussion also discusses potential future developments in applying CNN architecture to lung imagery. This includes improvements in more sophisticated methods, the use of larger and more representative datasets, and ethical considerations in the implementation of these technologies in medical decisionmaking. Additionally, it is important to continuously improve the accuracy and generalization of CNN models to improve their role in the medical world.

IV. CONCLUSION

This literature review study examines the application of Convolutional Neural Network (CNN) architecture in segmentation and classification of pulmonary medical images. The results of the literature analysis show that the use of CNN in lung imaging is a positive step in the advancement of medical technology. CNN's ability to segment and classify, as well as varying degrees of accuracy, has strengthened its role in supporting the diagnosis of lung disease. Nonetheless, it is worth noting the challenges faced, and more research should be conducted to maximize the benefits of this technology in health monitoring and patient diagnosis.

- Answer to Question RQ1: This study confirms that the CNN architecture can be effectively used in segmentation as well as classification of lung medical images.
- Answer to Question RQ2: The results of the literature study show that the implementation of the CNN architecture on lung medical images for segmentation and classification generally achieves an adequate and satisfactory level of
- Answer to Question RQ3: The majority of studies face certain barriers and challenges in the implementation of CNN architecture on pulmonary medical imaging. However, future research opportunities are directed at the development of more appropriate methods and datasets to optimize research results in this field.

should only answer the objectives of the research. Tells literature analysis will be evaluated that discuss the how your work advances the field from the present state of function and accuracy of the implementation of knowledge. Without clear Conclusions, reviewers and how your work advances the field from the present state of

JISA (Jurnal Informatika dan Sains) (e-ISSN: 2614-8404) is published by Program Studi Teknik Informatika, Universitas Trilogi under Creative Commons Attribution-ShareAlike 4.0 International License.



readers will find it difficult to judge the work, and whether or not it merits publication in the journal. Do not repeat the Abstract, or just list experimental results. Provide a clear scientific justification for your work, and indicate possible applications and extensions. This conclusion should be provided as a paragraph. You should also suggest future experiments and/or point out those that are underway.

REFERENCES

- I. Pitas, "Digital image processing algorithms and applications," A Wiley-Interscience publication. 2000.
- [2] M. Xu et al., "Segmentation of lung parenchyma in CT images using CNN trained with the clustering algorithm generated dataset," Biomed. Eng. Online, 2019, doi: 10.1186/s12938-018-0619-9.
- [3] Y. Lu, X. Wu, P. Liu, H. Li, and W. Liu, "Rice disease identification method based on improved CNN-BiGRU," Artif. Intell. Agric., 2023, doi: [16] 10.1016/j.aiia.2023.08.005.
- [4] Q. X. Zhang, G. H. Lin, Y. M. Zhang, G. Xu, and J. J. Wang, "Wildland Forest Fire Smoke Detection Based on Faster R-CNN using Synthetic Smoke Images," in *Procedia Engineering*, 2018, doi: [17] 10.1016/j.proeng.2017.12.034.
- [5] Y. Singh et al., "The Role of Geometry in Convolutional Neural Networks for Medical Imaging," Mayo Clin. Proc. Digit. Heal., 2023, doi: 10.1016/j.mepdig.2023.08.006.
- [6] R. Chauhan, K. K. Ghanshala, and R. C. Joshi, "Convolutional Neural Network (CNN) for Image Detection and Recognition," in ICSCCC 2018 - 1st International Conference on Secure Cyber Computing and Communications, 2018. doi: 10.1109/ICSCCC.2018.8703316.
- [7] N. IBRAHIM et al., "Klasifikasi Tingkat Kematangan Pucuk Daun Teh menggunakan Metode Convolutional Neural Network," ELKOMIKA J. Tek. Energi Elektr. Tek. Telekomun. Tek. Elektron., 2022, doi: 10.26760/elkomika.y10i1.162.
- [8] W. Setiawan, "PERBANDINGAN ARSITEKTUR CONVOLUTIONAL NEURAL NETWORK UNTUK KLASIFIKASI FUNDUS," J. Simantee, 2020, doi: 10.21107/simantee, v7i2.6551.
- [9] S. Hira, A. Bai, and S. Hira, "An automatic approach based on CNN architecture to detect Covid-19 disease from chest X-ray images," Appl. Intell., 2021, doi: 10.1007/s10489-020-02010-w.
- [10] R. AGUSTINA, R. MAGDALENA, and N. K. C. PRATIWI, "Klasifikasi Kanker Kulit menggunakan Metode Convolutional Neural Network dengan Arsitektur VGG-16," ELKOMIKA J. Tek. Energi Elektr. Tek. Telekomun. Tek. Elektron., 2022, doi: 10.26760/elkomika.y10i2.446.
- [11] S. Arvind, J. V. Tembhurne, T. Diwan, and P. Sahare, "Improvised light weight deep CNN based U-Net for the semantic segmentation of lungs from chest X-rays," Results Eng., 2023, doi: 10.1016/j.rineng.2023.100929.
- [12] M. F. Aslan, "A robust semantic lung segmentation

- study for CNN-based COVID-19 diagnosis," Chemom. Intell. Lab. Syst., 2022, doi: 10.1016/j.chemolab.2022.104695.
- [13] X. Chen, Q. Duan, R. Wu, and Z. Yang, "Segmentation of lung computed tomography images based on SegNet in the diagnosis of lung cancer," J. Radiat. Res. Appl. Sci., 2021, doi: 10.1080/16878507.2021.1981753.
- [14] W. M. Salama and M. H. Aly, "Framework for COVID-19 Segmentation and Classification Based on Deep Learning of Computed Tomography Lung Images," J. Electron. Sci. Technol., 2022, doi: 10.1016/j.jnlest.2022.100161.
- [15] W. Hastomo, E. Hadiyanto, and D. Sutarno, "Klasifikasi Covid-19 Chest X-Ray Dengan Tiga Arsitektur Cnn (Resnet-152, Inceptionresnet-V2, Mobilenet-V2)," Semin. Nas. Teknol. Inf. dan Komun. STI&K, vol. 5, no. 1, pp. 2581–2327, 2021.
- Komun. STI&K, vol. 5, no. 1, pp. 2581–2327, 2021.
 6] S. M. Ashhar et al., "Comparison of deep learning convolutional neural network (CNN) architectures for CT lung cancer classification," Int. J. Adv. Technol. Eng. Explor., 2021, doi: 10.19101/JJATEE.2020.S1762126.
- [17] H. Alshazly, C. Linse, M. Abdalla, E. Barth, and T. Martinetz, "COVID-Nets: deep CNN architectures for detecting COVID-19 using chest CT scans," *PeerJ Comput. Sci.*, 2021, doi: 10.7717/peerjcs.655.
- [18] A. A. Kusmareni, A. Desiani, S. Yahdin, M. Saviera, A. I. Putri, and D. A. Zayanti, "Segmentasi Paru-Paru Pada Citra Thorax Dada Dengan Menggunakan Metode Cnn U-Net," JSI J. Sist. Inf., vol. 14, no. 2, pp. 2666–2676, 2022, doi: 10.18495/jsi.v14i2.16771.
- [19] F. A. Hermawati and M. Imam Safii, "Sistem Deteksi Keganasan Kanker Paru-Paru pada CT Sean dengan Menggunakan Metode Mask Regionbased Convolutional Neural Network (Mask R-CNN)," Konf. Nas. Ilmu Komput., no. August, pp. 193–197, 2021.
 - 0] U. Khultsum, F. Sarasati, and G. Taufik, "Penerapan Metode Mobile-Net Untuk Klasifikasi Citra Penyakit Kanker Paru-Paru," *JURIKOM (Jurnal Ris Komputer)*, 2022, doi: 10.30865/jurikom.v9i5.4918.
- [21] J. Yopento, E. Ernawati, and F. F. Coastera, "Identifikasi Pneumonia Pada Citra X-Ray Paru-Paru Menggunakan Metode Convolutional Neural Network (CNN) Berdasarkan Ekstraksi Fitur Sobel," Rekursif J. Inform., 2022, doi: 10.33369/rekursif.v10i1.17247.

JISA (Jurnal Informatika dan Sains) (c-ISSN: 2614-8404) is published by Program Studi Teknik Informatika, Universitas Trilogi under Creative Commons Attribution-ShareAlike 4.0 International License.



Literature Review Study on the Implementation of Conventional Neural Network for Lung Medical Images Segmentation and Classification

ORIGINALITY REPORT					
SIMILA	% ARITY INDEX	9% INTERNET SOURCES	9% PUBLICATIONS	6% STUDENT P	APERS
PRIMAR	Y SOURCES				
1	enginee Internet Source	ring.utm.my			2%
2	WWW.SCi	encegate.app			1%
3	IT Persp	etya Wibawa. "T ectives, Experie he COVID-19 Pa	nces, and App	olications	1%
4	WWW.res	searchgate.net			1%
5	Chaudh	D Patil, Gajanaı ari. "Computationd Video Proces	onal Intelligen	ce in	1%
6	WWW.NC Internet Source	bi.nlm.nih.gov			1%
7	doaj.org				1%
8	ejournal Internet Source	l.unib.ac.id			1%
9	Submitte Student Paper	ed to Intercolleg	ge		<1%
10	"Classifi	car Singh, Shash cation and Segn est CT image us	nentation of C	COVID-19	<1%

Journal of Advanced College of Engineering and Management, 2024 Publication

11	S. Arvind, Jitendra V. Tembhurne, Tausif Diwan, Parul Sahare. "Improvised light weight deep CNN based U-Net for the semantic segmentation of lungs from chest X-rays", Results in Engineering, 2023	<1%
12	Ishaan Dawar, Sumedha Bhardwaj. "chapter 11 Usage of Machine Learning and Deep Learning for Lung Cancer Detection", IGI Global, 2024 Publication	<1%
13	Submitted to Universiti Selangor Student Paper	<1%
14	Submitted to Universitas 17 Agustus 1945 Surabaya Student Paper	<1%
15	jurnal.iaii.or.id Internet Source	<1%
16	Anggi Muhammad Rifa'i, Ema Utami, Dhani Ariatmanto. "Analysis for Diagnosis of Pneumonia Symptoms Using Chest X-Ray Based on Resnet-50 Models With Different Epoch", 2022 6th International Conference on Information Technology, Information Systems and Electrical Engineering (ICITISEE), 2022 Publication	<1%
17	Inês Domingues, Gisèle Pereira, Pedro Martins, Hugo Duarte, João Santos, Pedro Henriques Abreu. "Using deep learning techniques in medical imaging: a systematic review of applications on CT and PET", Artificial Intelligence Review, 2019	<1%

18

Prasetya Widiharso, Wahyu Tri Handoko, Aji Prasetya Wibawa, Anik Nur Handayani, Ming Foey Teng. "Water quality identification based on remote sensing image in industrial waste disposal using convolutional neural networks", Science in Information Technology Letters, 2021

Publication

Exclude quotes

On On Exclude matches

< 10 words

<1%

Exclude bibliography

Literature Review Study on the Implementation of Conventional Neural Network for Lung Medical Images Segmentation and Classification

GRADEMARK REPORT	
FINAL GRADE	GENERAL COMMENTS
/100	
PAGE 1	
PAGE 2	
PAGE 3	
PAGE 4	
PAGE 5	
PAGE 6	
PAGE 7	