

## BUKTI KORESPONDENSI

### ARTIKEL JURNAL NASIONAL TERAKREDITASI

Judul Artikel : Multi-target potential of moringa oleifera-derived compounds against cariogenic and endodontic virulence proteins revealed by molecular docking: an in silico experimental study

Jurnal : Padjadjaran Journal of Dentistry, 2026, Volume 38 | No. 1 | March 2026.  
<https://doi.org/10.24198/pjd.vol38no1.68102>

Penulis : Meiny Faudah Amin<sup>1\*</sup>, Dikdik Kurnia<sup>2</sup>, Taufiq Ariwibowo<sup>1</sup>, Dicky Hardi<sup>1</sup>

No	Perihal	Tanggal
1	Bukti Submit Artikel	28 Juli 2025
2	Bukti Catatan Koreksi	2 Desember 2025 dan 2 Februari 2026
3	Bukti Respon Penulis	9 Desember 2025 dan 2 April 2026
4	Bukti Diterima	31 Maret 2026
5	Bukti Publikasi	31 Maret 2026

**1. BUKTI SUBMIT ARTIKEL**  
**28 JULI 2025**

## [PJD] Submission Acknowledgement

External

Inbox



Dr Anne Agustina Suwargiani, drg, MKM, <jurnal.fkg@unpad.ac.id>

Mon, 28  
Jul 2025,  
15:12

to Meiny

Dear:  
Meiny Faudah Amin

Thank you for submitting the manuscript entitled "Multi-Target Potential of Moringa oleifera-Derived Compounds against cariogenic and Endodontic Virulence Proteins by Molecular Docking Analysis Reveals" to Padjadjaran Journal of Dentistry. Thank you for choosing Padjadjaran Journal of Dentistry as scientific publication media for your article. With the online journal management system that we are using, you will be able to track its progress through the editorial process by logging in to the journal website (<http://jurnal.unpad.ac.id/pjd>) using the username and password below:  
Manuscript URL: <https://jurnal.unpad.ac.id/pjd/author/submission/65729>  
Username: meiny  
Password: pjdauthor

Prior to the Editorial Assessment process, it is necessary to fill out the Integrated Cover Letters and Fee Form attached to this email. The letter contained statements and data completion as a requirement for further publication process as follows:

1. Cover Letters, which contained metadata form of all authors and statements of article originality, the single publication process, and willingness for copyright transfer and payment ability.
2. Payment Ability Statement, which contained different charges applied regarding the article publication process: Article Publication Charge, and Translation/Proofread Charge.

Please fill and email the Cover Letters by all contributing authors with valid and complete metadata information to [jurnal.fkg@unpad.ac.id](mailto:jurnal.fkg@unpad.ac.id).

If you have any questions, please do not hesitate to contact us.

Thank you.  
Chief Editor  
Dr Anne Agustina Suwargiani, drg, MKM

Regards,  
Head of Scientific Publication Unit  
Prof. Dr. Nina Djustiana, drg, MKes


Integrated Cover Letters and Fee Form\_Padjadjaran Journal of Dentistry:  
<https://bit.ly/NewCovLetFeeFormPJD>

---

Padjadjaran Journal of Dentistry  
Faculty of Dentistry Universitas Padjadjaran, 3rd Floor, Building A  
Jalan Sekeloa Selatan 1, Bandung, Indonesia, 40132  
Mobile: +62 812-2432-0889. Phone Number: +62-22-2504985. Fax.:  
+62-22-2532805  
Email: [jurnal.fkg@unpad.ac.id](mailto:jurnal.fkg@unpad.ac.id)  
Website: <http://jurnal.unpad.ac.id/pjd>

**2. BUKTI CATATAN KOREKSI  
2 DESEMBER 2025 DAN 2 FEBRUARI 2026**

**[PJD] Editor Decision**

ID 280946  
Date December 2, 2025 - 01:01 PM  
Sender Prof. Dr. Nina Djustiana, drg, MKes   
From "Prof. Dr. Nina Djustiana, drg, MKes" <nina.djustiana@fkg.unpad.ac.id>  
To "Meiny Faudah Amin" <meiny.faudah@trisakti.ac.id>  
CC "Dikdik Kurnia" <dikdik.kurnia@unpad.ac.id>, "Taufiq Ariwibowo" <taufiq@trisakti.ac.id>, "Dicky Hardi" <Dickyhardi0@gmail.com>  
BCC  
Attachments [BLIND-MULTI-TARGET POTENTIAL OF MORINGA OLEIFERA-DERIVED \(R1R2\).DOCX](#)  
Subject [PJD] Editor Decision  
Body Dear Meiny Faudah Amin:

We have reached a decision regarding your submission to Padjadjaran Journal of Dentistry, "Multi-Target Potential of Moringa oleifera-Derived Compounds against cariogenic and Endodontic Virulence Proteins by Molecular Docking Analysis Reveals".

Our decision is to: Article Need Revision

In order to continue the publishing process of your article, please log into the journal website as soon as you get this email, and do the article correction precisely as instructed in the editorial assessment result attached to this email and upload it before December 7, 2025

Please revise the manuscript from the editorial assessment result version file, not from the original article version file.

State the answer in each comment box to show whether changes have been made, and also, please make all the corrections in the text highlighted in green.

The website is <http://jurnal.unpad.ac.id/pjd>  
Username: {susername}  
Password: {password}


Thank you for your attention and cooperation. Please do not hesitate to contact us for further information by emailing, visiting our editorial office, or contacting our journal administrator.

Thank you.  
Chief Editor  
Prof. Dr. Nina Djustiana, drg, MKes  
Scopus ID= 57189578833; Department of Dental Materials, Science, and Technology,  
Faculty of Dentistry Universitas Padjadjaran  
[nina.djustiana@fkg.unpad.ac.id](mailto:nina.djustiana@fkg.unpad.ac.id)

---

Padjadjaran Journal of Dentistry  
Faculty of Dentistry Universitas Padjadjaran, 3rd Floor, Building A  
Jalan Sekeloa Selatan 1, Bandung, Indonesia, 40132  
Mobile: +62 812-2432-0889. Phone Number: +62-22-2504985. Fax: +62-22-2532805  
Email: [jurnal.fkg@unpad.ac.id](mailto:jurnal.fkg@unpad.ac.id)  
Website: <http://jurnal.unpad.ac.id/pjd>

**[PJD] Editor Decision**

ID 289985  
Date February 2, 2026 - 01:56 PM  
Sender Prof. Dr. Nina Djustiana, drg, MKes   
From "Prof. Dr. Nina Djustiana, drg, MKes" <jurnal.fkg@unpad.ac.id>  
To "Dr. drg. Meiny Faudah Amin, Sp.KG., Subsp.KR (K)." <meiny.faudahl@trisakti.ac.id>  
CC "Meiny Faudah Amin" <meiny.faudah@trisakti.ac.id>, "Dikdik Kurnia" <dikdik.kurnia@unpad.ac.id>, "Taufiq Ariwibowo" <taufiq@trisakti.ac.id>, "Dicky Hardi" <Dickyhardi0@gmail.com>  
BCC  
Attachments [3.65729-271982-1-BD \(REV\).DOCX](#)  
Subject [PJD] Editor Decision  
Body Dear Dr. drg. Meiny Faudah Amin, Sp.KG., Subsp.KR (K):

We have reached a decision regarding your submission to Padjadjaran Journal of Dentistry, "Multi-Target Potential of Moringa oleifera-Derived Compounds against cariogenic and Endodontic Virulence Proteins by Molecular Docking Analysis Reveals".

Our decision is to: Article Need Revision

In order to continue the publishing process of your article, please log into the journal website as soon as you get this email, and do the article correction precisely as instructed in the editorial assessment result attached to this email and upload it before February 5, 2026

Please revise the manuscript from the editorial assessment result version file, not from the original article version file.

State the answer in each comment box to show whether changes have been made, and also, please make all the corrections in the text highlighted in green.

The website is <http://jurnal.unpad.ac.id/pjd>  
Username: {\$username}  
Password: {\$password}

Thank you for your attention and cooperation. Please do not hesitate to contact us for further information by emailing, visiting our editorial office, or contacting our journal administrator.


Thank you.  
Chief Editor  
Prof. Dr. Nina Djustiana, drg, MKes  
Scopus ID= 57189578833; Department of Dental Materials, Science, and Technology,  
Faculty of Dentistry Universitas Padjadjaran  
[jurnal.fkg@unpad.ac.id](mailto:jurnal.fkg@unpad.ac.id)

---

Padjadjaran Journal of Dentistry  
Faculty of Dentistry Universitas Padjadjaran, 3rd Floor, Building A  
Jalan Sekeloa Selatan 1, Bandung, Indonesia, 40132  
Mobile: +62 812-2432-0889. Phone Number: +62-22-2504985. Fax: +62-22-2532805  
Email: [jurnal.fkg@unpad.ac.id](mailto:jurnal.fkg@unpad.ac.id)  
Website: <http://jurnal.unpad.ac.id/pjd>

**3. BUKTI RESPON PENULIS  
9 DESEMBER 2025 DAN 2 APRIL 2026**

**[PJD] Revised Version Uploaded**

ID 282128  
Date December 9, 2025 - 09:11 PM  
Sender Dr. drg. Meiny Faudah Amin, Sp.KG., Subsp.KR (K).   
From "Meiny Faudah Amin" <meiny.faudah@trisakti.ac.id>  
To "drg. Muhammad Firdausy, M.Sc (DMS)" <dian\_firdausy@unissula.ac.id>  
CC  
BCC  
Subject [PJD] Revised Version Uploaded  
Body drg. Muhammad Firdausy, M.Sc (DMS):

A revised version of "Multi-Target Potential of Moringa oleifera-Derived Compounds against cariogenic and Endodontic Virulence Proteins by Molecular Docking Analysis Reveals" has been uploaded by the author Meiny Faudah Amin.


Submission URL: <https://jurnal.unpad.ac.id/pjd/sectionEditor/submissionReview/65729>

Prof. Dr. Nina Djustiana, drg, MKes,  
Padjadjaran Journal of Dentistry

---

Padjadjaran Journal of Dentistry  
Faculty of Dentistry Universitas Padjadjaran, 3rd Floor, Building A  
Jalan Sekeloa Selatan 1, Bandung, Indonesia, 40132  
Mobile: +62 812-2432-0889. Phone Number: +62-22-2504985. Fax.: +62-22-2532805  
Email: [jurnal.fkg@unpad.ac.id](mailto:jurnal.fkg@unpad.ac.id)  
Website: <http://jurnal.unpad.ac.id/pjd>

**[PJD] Revised Version Uploaded**

ID 295904  
Date April 2, 2026 - 03:41 PM  
Sender Dr. drg. Meiny Faudah Amin, Sp.KG., Subsp.KR (K).   
From "Dr. drg. Meiny Faudah Amin, Sp.KG., Subsp.KR (K)." <meiny.faudah1@trisakti.ac.id>  
To "Indah Wahyuni, drg., Sp.PM(K)" <indah.wahyuni@unpad.ac.id>, "drg. Muhammad Firdausy, M.Sc (DMS)" <dian\_firdausy@unissula.ac.id>  
CC  
BCC  
Subject [PJD] Revised Version Uploaded  
Body Indah Wahyuni, drg., Sp.PM(K):

A revised version of "Multi-Target Potential of Moringa oleifera-Derived Compounds against cariogenic and Endodontic Virulence Proteins by Molecular Docking Analysis Reveals" has been uploaded by the author Dr. drg. Meiny Faudah Amin, Sp.KG., Subsp.KR (K)..

Submission URL: <https://jurnal.unpad.ac.id/pjd/sectionEditor/submissionReview/65729>

Prof. Dr. Nina Djustiana, drg, MKes,  
Padjadjaran Journal of Dentistry

---

Padjadjaran Journal of Dentistry  
Faculty of Dentistry, Universitas Padjadjaran  
Faculty of Dentistry Library Building  
Jalan Sekeloa Selatan No. 1, Bandung 40132, Indonesia, 40132  
Mobile: +62 812-2432-0889. Phone Number: +62-22-2504985. Fax.: +62-22-2532805  
Email: [jurnal.fkg@unpad.ac.id](mailto:jurnal.fkg@unpad.ac.id)  
Website: <http://jurnal.unpad.ac.id/pjd>

**4. BUKTI DITERIMA**  
**31 MARET 2026**

# [PJD] Article Acceptance

External

Inbox



Jurnal FKG Unpad <jurnal.fkg@unpad.ac.id>

Fri 31  
Mar,  
14:22

to meiny.faudah, dikdik.kurnia, taufiq, Dickyhardi0

Dears,

**Meiny Faudah Amin, Dikdik Kurnia, Taufiq Ariwibowo, Dicky Hardi**

It's our pleasure to inform you that, after all of the review process and editorial decision, your paper entitled:

**Multi-target potential of moringa oleifera-derived compounds against cariogenic and endodontic virulence proteins revealed by molecular docking: an in silico experimental study**

has been ACCEPTED to be published in Padjadjaran Journal of Dentistry, March 2026; Volume 38 edition 1.

In order to fit into the publishing and printing schedule, please reply this acceptance email with signed Journal Publishing Agreement and Proof of Payment attached, as soon as possible, so we can make your article available online/print in our latest issue (the PDF version). If you failed to prepare your complete files on time, the publication of your article might be delayed.

Thank you for working with Padjadjaran Journal of Dentistry. We believe that our collaboration will help to accelerate the global knowledge creation and sharing one step further. Please do not hesitate to contact us for further information by sending email, visit our editorial office, or contact our journal administrator

**Scientific Publication & Intellectual Rights Unit**

*Faculty of Dentistry*

Universitas Padjadjaran

40132 Bandung, Indonesia

<https://fkg.unpad.ac.id/>



SMART AND GREEN DENTISTRY



One attachment • Scanned by Gmail ⓘ Add to Drive



**5. BUKTI PUBLIKASI**  
**31 MARET 2026**



## Multi-target potential of moringa oleifera-derived compounds against cariogenic and endodontic virulence proteins revealed by molecular docking: an in silico experimental study

Meiny Faudah Amin, Dikdik Kurnia, Taufiq Ariwibowo, Dicky Hardi

### Abstract

**Introduction:** Dental infections are multifactorial diseases involving bacterial biofilms and host immune responses. Natural compounds with antibacterial activity, such as *Moringa oleifera*, have been explored as alternatives to conventional antibiotics. This study aimed to evaluate the interaction profiles of four *Moringa oleifera*-derived compounds against multiple virulence-associated proteins of cariogenic and endodontic pathogens using in silico molecular docking. **Methods:** This study was an in silico experimental study using molecular docking simulations to evaluate the binding energy of four *M. oleifera*-derived compounds (eugenol, trans-anethole, arachidonic acid, and phytosphingosine) with five key virulence-associated proteins of cariogenic and endodontic pathogens (Cystalylin, SrpA, FimA, RadD, and Ddl). AutoDock 4.0 was used for the docking simulations. Docking results were analyzed based on binding energy ( $\Delta G$ ) and inhibition constant (Ki) values. The best binding conformations were selected according to the lowest binding energy and visualized to identify key ligand-protein interactions using Discovery Studio Visualizer. **Results:** The phytosphingosine-Ddl exhibited the lowest binding energy of -7.42 kcal/mol, followed by eugenol with three different receptors (Cystalylin, SrpA, and FimA) and arachidonic acid-RadD. The lowest inhibition constant was shown by the phytosphingosine-Ddl complex at 3.61  $\mu\text{M}$ . Each compound interacted with various targets, but phytosphingosine exhibited the most consistent and widespread predicted binding via hydrogen bonds with Glu222, Arg291, Glu306, Asp293, Lys251, and hydrophobic interactions of Phe295, Phe245, Phe175, and Leu145. **Conclusion:** This in silico molecular docking study demonstrated that *Moringa oleifera*-derived compounds, particularly phytosphingosine, exhibit strong binding affinity toward key virulence-associated proteins of cariogenic and endodontic pathogens. These findings highlight the potential of *M. oleifera* as a natural source of antibacterial agents and support further experimental validation of its therapeutic applications in oral infections.

### Keywords

Molecular docking, moringa oleifera, dental caries, cariogenic bacteria, virulence factors

### ABOUT THE AUTHORS

Meiny Faudah Amin   
<https://orcid.org/0000-0002-2572-0931>

Universitas Trisakti  
Indonesia

Department Conservative Dentistry,  
Faculty of Dentistry, Universitas  
Trisakti Jakarta Barat, Indonesia

Dikdik Kurnia   
<https://orcid.org/0000-0001-9789-9785>

Universitas Padjadjaran  
Indonesia

Department of Chemistry, Faculty of  
Mathematics, and Natural Sciences,  
Universitas Padjadjaran Sumedang,  
Indonesia

Taufiq Ariwibowo   
<https://orcid.org/0000-0003-3230-3623>

Universitas Trisakti  
Indonesia

Department Conservative Dentistry,  
Faculty of Dentistry, Universitas  
Trisakti Jakarta Barat, Indonesia

Dicky Hardi   
<https://orcid.org/0009-0004-2320-9891>

Universitas Trisakti  
Indonesia

Department Conservative Dentistry,  
Faculty of Dentistry, Universitas  
Trisakti Jakarta Barat, Indonesia



## PADJADJARAN JOURNAL OF DENTISTRY

UNIVERSITAS PADJADJARAN

P-ISSN : 19790201 < > E-ISSN : 25496212 Subject Area : Health, Science

 **0.629921**  
Impact

 **1927**  
Google Citations

 **Sinta 2**  
Current Accreditation

[Google Scholar](#) [Garuda](#) [Website](#) [Editor URL](#)

### History Accreditation

2018 2019 2020 2021 2022 2023 2024 2025 2026

[Garuda](#) [Google Scholar](#)

[The differences in quality of life between healthy and periodontal disease patients with SUD at lido rehabilitation center: an observational analytical study.](#)

Faculty of Dentistry Universitas Padjadjaran [Padjadjaran Journal of Dentistry Vol 37, No 1 \(2025\): March 2025 44-50](#)  
2025 [DOI: 10.24198/pjd.vol37no1.59202](#) [Accred : Sinta 2](#)

[Comparison of dental caries status among visually impaired children based on risk factors: a cross-sectional study.](#)

Faculty of Dentistry Universitas Padjadjaran [Padjadjaran Journal of Dentistry Vol 37, No 1 \(2025\): March 2025 9-17](#)  
2025 [DOI: 10.24198/pjd.vol37no1.58457](#) [Accred : Sinta 2](#)




[The effect of cassava starch and modified cassava starch on the setting time of alginate impression: a laboratory experiment](#)

Faculty of Dentistry Universitas Padjadjaran [Padjadjaran Journal of Dentistry Vol 37, No 1 \(2025\): March 2025 18-24](#)  
2025 [DOI: 10.24198/pjd.vol37no1.59194](#) [Accred : Sinta 2](#)




[Antifungal activities of auto-polymerized silicone soft denture liner material containing \*Origanum vulgare\* gel against \*Candida albicans\* over 14-day period: an in vitro study.](#)

Faculty of Dentistry Universitas Padjadjaran [Padjadjaran Journal of Dentistry Vol 37, No 1 \(2025\): March 2025 25-34](#)  
2025 [DOI: 10.24198/pjd.vol37no1.59200](#) [Accred : Sinta 2](#)




[Cocos nucifera L. \(coir\) fiber application as a filler and its effect on the volumetric shrinkage of flowable composite resin: an in vitro study.](#)

Faculty of Dentistry Universitas Padjadjaran  [Padjadjaran Journal of Dentistry Vol 37, No 1 \(2025\): March 2025 35-43](#)  
2025  [DOI: 10.24198/pjd.vol37no1.58864](#)  [Accred : Sinta 2](#)

[Correlation between dental caries with quality of life in people with substance use disorder \(SUD\) at the lido rehabilitation center: a cross-sectional study](#)

Faculty of Dentistry Universitas Padjadjaran  [Padjadjaran Journal of Dentistry Vol 37, No 1 \(2025\): March 2025 1-8](#)  
2025  [DOI: 10.24198/pjd.vol37no1.59203](#)  [Accred : Sinta 2](#)


[The relationship between tooth loss and cognitive function among elderly: a cross-sectional study](#)

Faculty of Dentistry Universitas Padjadjaran  [Padjadjaran Journal of Dentistry Vol 37, No 1 \(2025\): March 2025 69-77](#)  
2025  [DOI: 10.24198/pjd.vol37no1.58538](#)  [Accred : Sinta 2](#)

[Finding the pathognomonic clinical features, do we still need supporting examinations?: two case reports](#)

Faculty of Dentistry Universitas Padjadjaran  [Padjadjaran Journal of Dentistry Vol 37, No 1 \(2025\): March 2025 116-124](#)  
2025  [DOI: 10.24198/pjd.vol37no1.60580](#)  [Accred : Sinta 2](#)

[Comparison of formant scores between complete denture users and subjects with complete dentition: a preliminary study](#)

Faculty of Dentistry Universitas Padjadjaran  [Padjadjaran Journal of Dentistry Vol 37, No 1 \(2025\): March 2025 78-86](#)  
2025  [DOI: 10.24198/pjd.vol37no1.59201](#)  [Accred : Sinta 2](#)

[Age estimation of a skeletonized human remains using the mann and lamendin methods: a case report](#)

Faculty of Dentistry Universitas Padjadjaran  [Padjadjaran Journal of Dentistry Vol 37, No 1 \(2025\): March 2025 125-130](#)  
2025  [DOI: 10.24198/pjd.vol37no1.59297](#)  [Accred : Sinta 2](#)

[View more ...](#)

e ISSN 2549-6212  
p ISSN 1979-0201

# PADJADJARAN JOURNAL OF DENTISTRY

<http://jurnal.unpad.ac.id/pjd>



## Editorial Team

### Editor in Chief

- **Prof. Dr. Nina Djustiana, drg, MKes**, Scopus ID= 57189578833; Department of Dental Materials, Science, and Technology, Faculty of Dentistry Universitas Padjadjaran, Indonesia

### Co Editor in Chief

- **Prof. Dr. Anne Agustina Suwargiani, drg., MKM**, Scopus ID= 57203020093; Department of Community Dental Health, Faculty of Dentistry, Padjadjaran University, Indonesia

### Managing Editor

- **Robby Wahyu Akbar**, Orcid ID: 0009-0008-1554-6221; Administration Journal Scientific Publication Unit Faculty of Dentistry Universitas Padjadjaran Indonesia, Padjadjaran Journal of Dental Researchers and Students, Indonesia, Indonesia
- **Abidin Novia**, Orcid ID: 0009-0008-1661-8303. Proofreading dan Translator Journal Scientific Publication Unit Faculty of Dentistry Universitas Padjadjaran, Indonesia
- **Siti Mariam**, Orcid ID: 0000-0003-0304-6875, Administration Journal Scientific Publication Unit Faculty of Dentistry Universitas Padjadjaran Indonesia, Padjadjaran Journal of Dental Researchers and Students, Indonesia, Indonesia
- **Hari Muhdori**, Orcid ID: 0000-0001-8263-4637; Administration Officer Scientific Publication Unit Faculty of Dentistry Universitas Padjadjaran Indonesia, Padjadjaran Journal of Dental Researchers and Students, Indonesia

### Editorial Board

- **Prof. Kotaro Tanimoto**, Scopus ID= 57191990083; Graduate School of Biomedical and Health Sciences Dentistry & Oral Health Sciences, Hiroshima University, Japan
- **Prof. Dr. Mohammad Tariqur Rahman**, Scopus ID = 55457946600, Dean Office Faculty of Dentistry, universiti malaya, Malaysia
- **Prof. Mariko Naito**, Scopus ID= 57204325415; Department of Oral Epidemiology, Graduate School of Biomedical and Health Sciences Hiroshima University, Japan
- **Prof. Dr. Zamros Yuzadi Mohd Yusof**, Scopus ID = 22939737100, Department of Community Oral Health & Clinical Prevention Faculty of Dentistry, Universiti Malaya, Malaysia
- **Cortino Sukotjo, DDS, PhD, MMsC, FACP**, Scopus ID= 6508194317; Visiting Professor and Chair, Department of Prosthodontics, University of Pittsburgh School of Dental Medicine., United States
- **Dr Adi Idris**, Scopus ID= 26648572700, Faculty of Health, School of Biomedical Sciences, Queensland University of Technology (QUT), Australia, Australia
- **Dr. Rizky Indrameikha Sugianto, Ph.D.**, Scopus ID= 57201006215, Postdoctoral Researcher, Hannover Medical School., Germany
- **Prof. Mohamed Ebrahim Parker**, Scopus ID= 7403672513; Department of Diagnostic Sciences Radiology, Maxillofacial and Forensic Sciences, University of The Western Cape, South Africa
- **Dr. Ali Mohammed**, Scopus ID= 57652411300; Faculty of Medicine, Dentistry and Health Sciences, The University of Melbourne, Australia, Australia
- **Solachuddin Jauhari Arief Ichwan, DDS., PhD. Ichwan**, Scopus ID= 6504103591; PAPRSB Institute of Health Sciences, International Islamic University, Brunei Darussalam
- **Dr. Niekla Survia Andiesta, BDS, MDS, PhD**, Scopus ID= 57202599268; Department of Pediatric Dentistry, Inclusive Care Clinic, College of Dentistry, University of Illinois Chicago, United States
- **Associate Professor Dr Akram Hassan**, Scopus ID= 55832848700; Department of Periodontics, School of Dental Sciences Universiti Sains Malaysia, Malaysia
- **Dr. Netty Suryanti, drg, MARS.**, Scopus ID= 57210117266; Department of Community Dental Health, Faculty of Dentistry, Padjadjaran University, Indonesia
- **Felisha Febriane Balafif, drg., M.Kes.**, Scopus ID= 57220592980, Department of Oral Biology, Faculty of Dentistry, Padjadjaran University, Indonesia
- **Yunia Dwi Rakhmatia, drg., Ph.D.**, Scopus ID= 55532871500; Department of Prosthodontics, Faculty of Dentistry, Padjadjaran University, Indonesia
- **Prof. Dr. Arlette Suzy, drg., Sp.KGA, Subsp.AIBK(K), M.Psi., FSCDA, FIADH**, Scopus ID= 56044838600; Professor of Pediatric, Faculty of Dentistry Universitas Padjadjaran., Indonesia
- **Prof. Dr. Amaliya, drg., MSc., PhD**, Scopus ID= 56584444300; Department of Periodontics, Faculty of Dentistry, Padjadjaran University, Indonesia

People

Editorial Team

Contact

Polices

Citedness in Scopus

Journal History

Peer Review Process

Focus and Scope

Publication Frequency

Open Access Policy

Article Processing Charge

Publication Ethics and Misconduct

Screening for Plagiarism

Withdrawal of Manuscript

Correction and Retraction

Indexing and Abstracting

Revenue Sources

Artificial Intelligence Policy

Author, Reviewer and Editor Survey

Submissions

Author Guidelines

Reviewer Guidelines

Copyright Notice

Privacy Statement

Information

Online Submissions

For Readers

For Authors

For Librarians

Register for Reviewer

MANUSCRIPT TEMPLATE



Research  
Template

SYTEMATIC REVIEW TEMPLATE



Sytematic  
review  
Template

CASE REPORT TEMPLATE

- **Prof. Dr. Sri Susilawati, drg., M.Kes., FISDPH.FISPD**, Scopus ID= 57201867946; Department of Public Dental Health, Faculty of Dentistry, Padjadjaran University, Indonesia
- **Prof. Dr. Sri Tjahajawati, drg., M.Kes.AIFM.**, Scopus ID= 57197722254; Department of Oral Biology, Faculty of Dentistry Universitas Padjadjaran, Indonesia
- **Prof. Dr. Hendra Dian Adhita Dharsono, drg., Sp.KG., Subsp.KE.**, Scopus ID= 57204917449; Department of Dental Conservation, Faculty of Dentistry, Padjadjaran University, Indonesia
- **Prof. Fahmi Oscandar, drg., M.Kes., Sp.RKG., Sp.OF(K-OFK), Ph.D(Cr.Img).**, Scopus ID= 57199734614; Departmen Forensic Odontology, Faculty of Dentistry, Universitas Padjadjaran, Indonesia
- **Zulia Hasratningsih, drg, MDSc**, Scopus ID= 37045476800; Dental Materials Department of Dental Material Science and Technology Faculty of Dentistry Universitas Padjadjaran Indonesia, Indonesia
- **Dr. Endang Sjamsudin, drg, Sp.BMMF, Subsp.TMF-TMJ[K]**, Scopus ID= 57192257503; Department of Oral Surgery, Faculty of Dentistry, Padjadjaran University, Indonesia
- **Dr. Avi Laviana, drg., Sp.Ort., Subsp.DDTK(K).**, Scopus ID= 57211331865; Doctor of Orthodontics Department of Orthodontics Faculty of Dentistry, Padjadjaran University, Indonesia
- **Dr. Gilang Yubiliana, drg., M.Kes**, Scopus ID= 57191989314; Doctor of Hypnodontic and Therapeutic Communication Department of Dental Public Health Faculty of Dentistry Universitas Padjadjaran Indonesia, Indonesia
- **Dr. An-Nissa Kusumadewi, drg., Sp.Pros., Subsp.PMF.**, Scopus ID= 57224197704; Department of Prosthodontics, Faculty of Dentistry, Universitas Padjadjaran, Indonesia, Indonesia

## Reviewers

- **Prof. Jie Yang**, Scopus ID= 57051770100; Department of Oral and Maxillofacial Pathology, Medicine, and Surgery, Kornberg School of Dentistry Temple University, United States
- **Prof. Erry Mochamad Arief, BDS, MS**, Scopus ID= 6508283549; Department of Periodontics, School of Dental Sciences, Universiti Sains Malaysia, Malaysia
- **Prof Dileep De Silva**, Scopus ID= 58429272200; Department of Community Dental Health, Faculty of Dental Sciences, University of Peradeniya, Sri Lanka
- **Prof. Dr Jennifer Geraldine Doss**, Scopus ID= 14631803900 Department of Community Oral Health & Clinical Prevention Faculty of Dentistry,Universiti Malaya, Malaysia, Malaysia
- **Prof. Madya Dr Shahida Mohd Said**, Scopus ID= 57194239233; Profesor Madya & Pakar Periodontik / Associate Professor & Consultant in Periodontics, Universiti Kebangsaan Malaysia, Bangi, Malaysia
- **Profesor Dr Fathilah Abdul Razak**, Scopus ID = 16642630700 Department of Oral and Craniofacial Sciences Faculty of Dentistry,Universiti Malaya, Malaysia, Malaysia
- **Associate Prof. Dr. Zuraiza Binti Mohamad Zaini**, Scopus ID = 55585059900, Department of Oro-maxillofacial Surgical & Medical Sciences Faculty of Dentistry,Universiti Malaya, Malaysia
- **Assoc Prof Dr Norkhafizah Saddki**, Scopus ID= 24470096300; Department of Dental Public Health, Pusat Pengajian Sains Pergigian Universiti Sains Malaysia, Malaysia
- **Assoc Prof Dr. Awiruth Klaisiri**, Scopus ID= 57205684545, Associate Professor (Restorative Dentistry) Thammasat University Hospital: Khlong Nueng, Pathum Thani, TH, Thailand
- **Prof. Dr. Noor Azlin Yahya**, Scopus ID=3 6611095600 Department of Restorative Dentistry, Faculty of Dentistry, Universiti Malaya, malaysia, Malaysia
- **Assoc. Prof. Dr. Zurainie Binti Ablah**, Scopus ID=57208692561 Associate Professor IIUM Kuantan Campus, Medical And Health Sciences, Dentistry, Preventive Dentistry, Dental Public Health, Malaysia
- **Epita Sarah Pane, DDS, GradDipClinDent, MDSc, PhD**, Scopus ID= 6603159739; Department of Endodontics, Melbourne Dental School, University of Melbourne, Australia
- **Dr. Madhuri Pattamattha,Phd**, Scopus ID= 57200417389; Quality and Safety of Oral Health Care, Radboud University, Nijmegen, Netherlands, Netherlands
- **Dr. Norul Husna Binti Mohamad Hassan**, Scopus ID=57200364610, Department of Restorative Dentistry,Faculty of Dentistry,University of Malaya, Malaysia
- **Dr Mohamad Kamil**, Scopus ID=57226667863, Department of Oro-maxillofacial Surgical & Medical Sciences Faculty of Dentistry, Malaysia
- **Dr. Mohd. Haidil Akmal**, Scopus ID= 57223093682; Dental Materials - Adhesive dentistry, Cariology, Micromorphological analysis of tooth substrate, International Islamic University Malaysia, Malaysia
- **Dr. Cheong Joo Ming**, Scopus ID: 58045933700, Orthodontics. International Islamic University Malaysia, Kulliyah of Dentistry, Kuantan, Malaysia
- **Dr. Salwana Binti Supa'At**, Scopus ID: 57201897687 International Islamic University Malaysia, Kulliyah of Dentistry, Malaysia
- **Dr. Christopher John Nile**, Scopus ID= 6507923698; Institute of Infection Immunity & Inflammation, School of Medicine, Dentistry and Nursing University of Glasgow, United Kingdom
- **Prof. Dr. Endah Mardiaty, drg., Sp.Ort., Subsp.DDTK(K), MS.**, Scopus ID= 57217914378; Department of Orthodontics, Faculty of Dentistry, Padjadjaran University, Indonesia
- **Prof. Tania Saskianti, DDS., Ph.D., Sp.KGA., Subsp.AIBK(K)**, Scopus ID= 55766374000; Department of Pediatric Dentistry, Faculty of Dental Medicine - Universitas Airlangga, Indonesia
- **Prof. Dr. Eriska Riyanti, drg., Sp.KGA., Subsp.AIBK(K).**, Scopus ID= 57195358674; Department of Pediatric Dentistry, Faculty of Dentistry, Padjadjaran University, Indonesia
- **Prof. Dr. Risdiana, S.Si, M. Eng Silaka**, Scopus ID= 25633171800; Department of Physics, Faculty of Mathematics and Natural Sciences, Padjadjaran University., Indonesia
- **Prof. Dr. Harmas Yazid Yusuf, drg., SpBM**, Scopus ID= 57197229289; Department of Oral and Maxillofacial Surgery Faculty of Dentistry Universitas Padjadjaran, Indonesia
- **Prof. Dr. drg. Juni Handajani, M.Kes., Ph.D**, Scopus ID= 6506662904; Oral Biology Department, Faculty of Dentistry, Universitas Gadjah Mada, Indonesia
- **Prof. Dr. Agus Susanto, drg., Sp.Perio., Subsp. RPID(K), M.Kes.**, Scopus ID=57220399229 ; Department of Periodontics, Faculty of Dentistry, Padjadjaran University, Indonesia
- **Prof. Dr. Dewi Marhaeni Diah Herawati, drg, MSi**, Scopus ID= 57063296400, Department of Public Health Sciences, Faculty of Medicine, Padjadjaran University, Indonesia




ACCOLADE



VISITORS

MAPS



RECOMMENDED APPS



USER

Username

Password

Remember me

JOURNAL CONTENT

Search

Search Scope

All

Browse

- ▶ By Issue
- ▶ By Author
- ▶ By Title
- ▶ Other Journals
- ▶ Categories

- Prof. Dr. Irmaleny, drg., Sp.KG., Subsp.KR(K), Scopus ID= 57291776000; Department of Conservatie Dentistry, Faculty of Dentistry Universitas Padjadjaran, Bandung, Indonesia, Indonesia
- Prof. Anton Rahardjo, drg., MSc(PH). PhD, Scopus ID=8952045300, Department of Public Dental Health and Prevention, University of Indonesia, Indonesia
- Prof. drg. Risqa Rina Darwita, Ph.D., Scopus ID= 57193345779; Professor of Preventive and Community Dentistry Department of Preventive and Community Dentistry Faculty of Dentistry University of Indonesia, Indonesia
- Prof. Dr. Decky Joesiana Joesiana Indrani, drg., M.DSc., Scopus ID= 6602774472; Doctor of Dental Material Sciences Department of Dental Material Sciences Faculty of Dentistry University of Indonesia, Indonesia
- Prof. Dr. Euis Reni Yuslianti, drg., M.Kes., PBO., C.Herbs, Scopus ID= 56026262200; Department of Oral Biology, Faculty of Dentistry, University Jenderal Ahmad Yani, Indonesia
- Prof. Dr. R. Darmawan Setijanto, drg., M.Kes., FISDPH., FISPD, Scopus ID=55212583700; Department of Dental Public Health, Faculty of Dentistry, Universitas Airlangga, Indonesia
- Prof Sondang Pintaui, drg, PhD, Scopus ID= 57190970637; Department of Community and Preventive Dentistry, Faculty of Dentistry University of North Sumatra, Indonesia
- Dr. Nanan Nur'aeny, drg., Sp.PM., Subsp.Noninf(K), Scopus ID= 57222990248; Department Of Oral Medicine, Faculty of Dentistry, Padjadjaran University, Indonesia
- Dr. Hening Tjaturina Pramesti, dra, MS, Scopus ID= 55258696800; Department of Oral Biology, Faculty of Dentistry, Padjadjaran University, Indonesia
- Dr. Deby Fajar Mardhian, S.Si., M.T., Ph.D., Scopus ID= 57196040281, Department of Dental Materials Science and Technology, Faculty of Dentistry, Padjadjaran University, Indonesia
- Dr. Veni Takarini, drg., M.Kes, Scopus ID= 57189580491; Department of Dental Material Science and Technology Faculty Of Dentistry Universitas Padjadjaran Indonesia, Indonesia
- Dr. Rurie Ratna Shantiningasih, drg. MDSc, Scopus ID= 57208260812, Dentomaxillofacial Radiology Department, Gadjah Mada University, Indonesia
- Dr. Lisa Rinanda Amir, drg., Ph.D., Scopus ID= 14048047100, Departement of Oral Biology Faculty of Dentistry University of Indonesia, Indonesia
- Dr. Vera Julia, drg., Sp.B.M.M., Subsp.T.M.T.M.J. (K), Scopus ID= 57193343725; Doctor of Oral and Maxillofacial Surgery, Faculty of Dentistry University of Indonesia, Indonesia
- Dr. Jeffrey, drg., Sp.KGA, Scopus ID=57216825821, Department of Pediatric Dentistry Universitas Jendral Achmad Yani, Indonesia
- Dr. Gilang Rasuna Sabdho Wening, drg., M.Kes., FISDPH., FISPD, Scopus ID= 57204929262, Department of Public Dental Health, Faculty of Dentistry, Airlangga University, Indonesia
- Dr. Sri Utami, drg., MPH., Scopus ID=58606495000; Department of Public Dental Health, Faculty of Dentistry, Universitas Muhammadiyah Yogyakarta, Indonesia, Indonesia
- Dr. Munifah Abdat, drg. MARS, Scopus ID= 57219184375, Department public health, Syiah Kuala university, Indonesia
- Dr. Octarina drg. M.Si, Scopus ID= 57254962700, Department of Dental Material, Faculty of Dentistry, Universitas Trisakti, Indonesia, Indonesia
- Vita Mulya Passa Novianti, drg., Sp.Pros., Subsp.PKIKG., Scopus ID= 57217103247; Department of Prosthodontics, Faculty of Dentistry, Padjadjaran University, Indonesia
- Lusi Epsilawati, drg., Sp.RKG., Subsp.Rad.P(K), M.Kes., Scopus ID= 55523245700; Department of Radiology, Faculty of Dentistry, Padjadjaran University, Indonesia
- Yuti Malinda, drg., MM., M.Kes., Scopus ID= 57200731581; Department of Oral Biology, Faculty of Dentistry, Universitas Padjadjaran, Bandung, Indonesia, Indonesia
- Diani Prisinda, drg., Sp.KG., Subsp.KE(K), MARS., Scopus ID= 57197812277; Department of Dental Conservation, Faculty of Dentistry, Padjadjaran University, Indonesia
- Dewi Zakiawati, drg., Sp.PM., MSc., Scopus ID= 57204158372; Department of Oral Medicine, Faculty of Dentistry, Padjadjaran University, Indonesia
- Emma Rachmawati, drg., M.Kes, Scopus ID= 57222997684; Master of Oral Biology and Parasitology Department of Oral Biology, Faculty of Dentistry, Padjadjaran University, Indonesia
- Setyawan Bonifacius, drg., Sp. Pros., Scopus ID= 57205064146, Department of Prosthodontics Faculty of Dentistry, Padjadjaran University, Indonesia
- Maretaningtias Dwi Ariani, drg, MKes, PhD, SpPros, Scopus ID = 55642940200, Department of Prosthodontics, Faculty of Dental Medicine, Airlangga University, Indonesia
- Irfan Rasul, drg. Sp. BM. PhD, Scopus ID= 57210116288, Department of Oral and Maxillofacial Surgery, Faculty of Dentistry, Hasanuddin University, Indonesia
- Darmayanti Siregar, drg. M.KM, Scopus ID= 57226565170; Department of Sumatera Dental Health, Faculty of Dentistry, University Of Sumatera Utara, Indonesia
- Erik Idrus, drg, PhD, Scopus ID= 51763635000; Department of Oral Biology, Faculty of Dentistry University of Indonesia, Indonesia
- Lisdrianto Hanindriyo, drg., MPH., Ph.D., Scopus ID= 57200626400; Doctor of Preventive Dentistry Department of Preventive and Community Dentistry Faculty of Dentistry Gadjah Mada University, Indonesia
- Yufitri Mayasari, drg, M.kes, Scopus ID=58955229900 Department of Community Dental Health, Faculty of Dentistry, Prof Dr Moestopo Beragama University, Indonesia
- Indah Puti Rahmayani Sabirin, drg., M.Kes, Scopus ID= 57197709949, Oral Biology Department, Universitas Jenderal Achmad Yani, Indonesia
- drg. Wiina Widyastuti, Sp.KG., Subsp.KE(K), Scopus ID=57680170600, Department of Conservative Dentistry, Universitas Trisakti, Indonesia
- Iwan Dewanto, drg., MM., Ph.D, Scopus ID= 57216932348; Department of Prosthodontics, Faculty of Dentistry, Universitas Muhammadiyah Yogyakarta, Indonesia, Indonesia
- Sunarso, S.Si., M.Sc., Ph.D., Scopus ID : 55191249900; Department of Dental Material, Faculty of Dentistry, Universitas Indonesia, Indonesia

#### KEYWORDS

E. faecalis Lagerstroemia speciosa P. gingivalis Porphyromonas gingivalis S. mutans S. sanguinis Streptococcus mutans Streptococcus sanguinis aloe vera antibacterial activity bronchial asthma children dental hypnosis dental implant elderly motivation oral health periodontitis plaque index practice wound healing



HOME ABOUT LOGIN REGISTER CATEGORIES SEARCH CURRENT ARCHIVES

ANNOUNCEMENTS

Home > Archives > Vol 38, No 1 (2026)

# Vol 38, No 1 (2026)

March 2026

DOI: <https://doi.org/10.24198/pjd.vol38no1>

All articles in this issue were authored / co-authored by from 8 countries ( Indonesia, Malaysia, United States, Egypt, Japan, Thailand, Taiwan, Myanmar)

## Table of Contents

### Articles

<b>Effect of adhesive techniques and preheated composite resin types as luting agents on shear bond strength of lithium disilicate: an experimental study</b>	PDF 1-11
<i>Asri Damayanti, Raphael Tri Endra Untara, Andina Widyastuti</i>	
<b>Effectiveness of rambutan honey toothpaste on IL-6 gene expression during acute inflammatory phase of gingivitis in a Wistar rat model: an experimental study</b>	PDF 12-20
<i>Reika Yulia Putri, Euis Reni Yuslianti, Ramadhita Paramananda Prayudha, Wahyu Widowati, Indah Yuri Noviani</i>	
<b>Periodontal disease risk factors in elderly and older adults with diabetes mellitus comorbidity using the PRECEDE-PROCEED framework: a cross-sectional study</b>	PDF 21-34
<i>Gilang Rasuna Sabdho Wening, Yufitri Mayasari, Ainol Haniza Kherul Anuwar, M. Daffa Refasyah Putra, Rinta Giska Putri</i>	
<b>Effect of diabetes mellitus as a modifier with periodontitis severity and oral health-related quality of life in older adults: a cross-sectional study</b>	PDF 35-44
<i>Sri Utami, Hari Kusnanto, Dibyo Pramono, Novitasari Ratna Ratna Astuti, Afina Hasnasari Heningtyas, Nova Oktavia, Fannisa Afrilyana Ulzanah</i>	
<b>Cytotoxicity of <math>\beta</math>-tricalcium phosphate chitosan gelatin composite scaffold as a bone substitute: in vitro study</b>	PDF 45-52
<i>Tansza Setiana Putri, Eddy Eddy, Deviyanti Pratiwi, Florencia Livia Kurniawan, Thet Thet Swe</i>	
<b>Sensitivity and specificity of DentMA teledentistry in dental caries detection: screening in vulnerable communities</b>	PDF 53-61
<i>Munifah Abdat, Masduki Khamdan Muchamad, Nurul Husna, Farah Billah Fadholi</i>	
<b>Correlation of knowledge, dietary, and caries prevention behavior with dental caries experience among adolescents: a cross-sectional study</b>	PDF 62-76
<i>Jessica Juliana Subagio, Netty Suryanti, Asty Samiaty Setiawan, Niekla Survia Andiesta</i>	
<b>Effectiveness of the dento activity book on preschool children's dental health knowledge: a quasi-experimental study</b>	PDF 77-87
<i>Dwi Kurniawati, Della Kusumawati Lupianto, Morita Sari, Septriyani Kaswindiarti</i>	
<b>The effectiveness of nanotechnology toothbrush bristles in maintaining oral hygiene of children aged 9–12 years: a quasi-experimental</b>	PDF 88-98
<i>Juan Dion Parihala, Rina Putri Noer Fadilah, Hartanto Endrowahyudi, Andi Supriatna, Zahra Khairunnisa</i>	
<b>Antibacterial activity of mangosteen (garcinia mangostana linn.) leaf ethanol extract against oral pathogenic bacteria: a laboratory experimental study</b>	PDF 99-110
<i>Dicha Yuliadewi Rahmawati, Yabest Arron, Alexander Bitik, Michael Hadinata, Silvia Naliani, Prashyaneeeyasak Aiumdee, Vinna Kurniawati Sugiaman</i>	
<b>Role of cassava starch (Manihot esculenta Crantz) in reducing candida albicans adhesion on soft denture liners: an experimental study</b>	PDF 111-118
<i>Afif Surya Adena, Amiyatun Naini, FX Ady Soesetijo, Dewi Kristiana, Rahardyan Parnaadji, Ardhaning Hardita</i>	
<b>The effect of adrenaline concentration in lidocaine on prehypertension patients during tooth extraction: an observational analysis</b>	PDF 119-125
<i>Eddy Hermanto, Hanifah Arjanti, Fanny M. Laihad, Amelia Elizabeth Pranoto, Rima Parwati Sari, Indra Hadi Krisna</i>	

People

Editorial Team

Contact

Polices

Citedness in Scopus

Journal History

Peer Review Process

Focus and Scope

Publication Frequency

Open Access Policy

Article Processing Charge

Publication Ethics and Misconduct

Screening for Plagiarism

Withdrawal of Manuscript

Correction and Retraction

Indexing and Abstracting

Revenue Sources

Artificial Intelligence Policy

Author, Reviewer and Editor Survey

Submissions

Author Guidelines

Reviewer Guidelines

Copyright Notice

Privacy Statement

Information

Online Submissions

For Readers

For Authors

For Librarians

Register for Reviewer

MANUSCRIPT TEMPLATE



Research  
Template

SYTEMATIC REVIEW TEMPLATE



Sytematic  
review  
Template

CASE REPORT TEMPLATE

- Differences of oral health knowledge, attitude, and practice among orphan residents: a cross-sectional study** PDF 126-135  
*Sukaeni Ibrahim, Juliani Ibrahim, Marhaen Hardjo, Bob Wahyudin, Hanan Khasyrawi Abrar, Omar Marianito Maningo Rodis*
- Correlation between demographic and environmental factors and dental caries prevalence in a remote Indonesian coastal community: a cross-sectional study** PDF 136-144  
*Masyhudi Masyhudi, Krishna Purnawan Candra, Esti Handayani, Islamudin Ahmad, Kopli Bujang*
- Multi-target potential of moringa oleifera-derived compounds against cariogenic and endodontic virulence proteins revealed by molecular docking: an in silico experimental study** PDF 145-157  
*Meiny Faudah Amin, Dikdik Kurnia, Taufiq Ariwibowo, Dicky Hardi*
- Correlation between nutritional status values based on World Health Organization child growth standard values and serum albumin levels with wound healing: an observational study** PDF 158-170  
*Muhammad Adityo Imam Nugroho, Endang Sjamsudin, Indra Hadikrishna*



ACCOLADE



## Case Report

- Design modification of a porcelain-fused-to-metal (PFM) adhesive bridge for a mandibular molar with a short clinical crown: A case report** PDF 171-179  
*Amelia Amelia, Setyawan Bonifacius, Yunia Dwi Rakhmatia*
- Management of anterior crossbite in mixed dentition using sloped composite resin: a case report** PDF 180-186  
*Devita Sanjaya, Sri Kuswandari*

VISITORS

## Systematic Review

- Analysis of failure rates among calcium hydroxide, biodentine, and mineral trioxide aggregate in direct pulp capping procedures: a systematic review** PDF PDF 187-195  
*Amara Syifa Tifani, Yuli Nugraeni, Ranny Rachmawati, Haw-Ming Huang, Adam Fauzi*
- Augmented reality interventions in oral health promotion and education: a systematic review** PDF PDF 196-205  
*Ida Wahyuningsih, Lisdrianto Hanindriyo, Sri Widiati*

MAPS



All publications by the **Universitas Padjadjaran** [e-ISSN: **2549-6212**, p-ISSN: **1979-0201**] are licensed under a Creative Commons Attribution-NonCommercial 4.0 International License. This license requires that reusers give credit to the creator. It allows reusers to distribute, remix, adapt, and build upon the material in any medium or format, for noncommercial purposes only.

00840432

Visitor Stat

RECOMMENDED APPS



USER

Username   
 Password   
 Remember me

JOURNAL CONTENT

Search   
 Search Scope  
 All

Browse

- ▶ By Issue
- ▶ By Author
- ▶ By Title
- ▶ Other Journals
- ▶ Categories

## ORIGINAL ARTICLE

# Multi-target potential of *moringa oleifera*-derived compounds against cariogenic and endodontic virulence proteins revealed by molecular docking: an in *silico* experimental study

Meiny Faudah Amin<sup>1\*</sup>  
Dikdik Kurnia<sup>2</sup>  
Taufiq Ariwibowo<sup>1</sup>  
Dicky Hardi<sup>1</sup>

<sup>1</sup>Department Conservative Dentistry, Faculty of Dentistry, Universitas Trisakti Jakarta Barat, Indonesia

<sup>2</sup>Department of Chemistry, Faculty of Mathematics, and Natural Sciences, Universitas Padjadjaran Sumedang, Indonesia

\* Correspondence:  
[meiny.faudah@trisakti.ac.id](mailto:meiny.faudah@trisakti.ac.id)

Received: 27 January 2026

Revised: 26 Februari 2026

Accepted: 20 March 2026

Published: 31 March 2026

DOI: [10.24198/pjd.vol38no1.68102](https://doi.org/10.24198/pjd.vol38no1.68102)

p-ISSN [1979-0201](https://doi.org/10.24198/pjd.vol38no1.68102)

e-ISSN [2549-6212](https://doi.org/10.24198/pjd.vol38no1.68102)

## Citation:

Amin, MF, Kurnia, D, Ariwibowo, T, Hardi, D. Multi-target potential of *moringa oleifera*-derived compounds against cariogenic and endodontic virulence proteins revealed by molecular docking: an in *silico* experimental study. *Padjadjaran J. Dent.* March. 2026; 38(1): 145-157.

## ABSTRACT

**Introduction:** Dental infections are multifactorial diseases involving bacterial biofilms and host immune responses. Natural compounds with antibacterial activity, such as *Moringa oleifera*, have been explored as alternatives to conventional antibiotics. This study aimed to evaluate the interaction profiles of four *Moringa oleifera*-derived compounds against multiple virulence-associated proteins of cariogenic and endodontic pathogens using in silico molecular docking. **Methods:** This study was an in silico experimental study using molecular docking simulations to evaluate the binding energy of four *M. oleifera*-derived compounds (eugenol, trans-anethole, arachidonic acid, and phytosphingosine) with five key virulence-associated proteins of cariogenic and endodontic pathogens (Cystalysin, SrpA, FimA, RadD, and Ddl). AutoDock 4.0 was used for the docking simulations. Docking results were analyzed based on binding energy ( $\Delta G$ ) and inhibition constant ( $K_i$ ) values. The best binding conformations were selected according to the lowest binding energy and visualized to identify key ligand-protein interactions using Discovery Studio Visualizer. **Results:** The phytosphingosine-Ddl exhibited the lowest binding energy of -7.42 kcal/mol, followed by eugenol with three different receptors (Cystalysin, SrpA, and FimA) and arachidonic acid-RadD. The lowest inhibition constant was shown by the phytosphingosine-Ddl complex at 3.61  $\mu$ M. Each compound interacted with various targets, but phytosphingosine exhibited the most consistent and widespread predicted binding via hydrogen bonds with Glu222, Arg291, Glu306, Asp293, Lys251, and hydrophobic interactions of Phe295, Phe245, Phe175, and Leu145. **Conclusion:** This in silico molecular docking study demonstrated that *Moringa oleifera*-derived compounds, particularly phytosphingosine, exhibit strong binding affinity toward key virulence-associated proteins of cariogenic and endodontic pathogens. These findings highlight the potential of *M. oleifera* as a natural source of antibacterial agents and support further experimental validation of its therapeutic applications in oral infections.

## KEYWORDS

Molecular docking, *moringa oleifera*, dental caries, cariogenic bacteria, virulence factors

## INTRODUCTION

Various dental diseases in conservative dentistry, including cariogenic and endodontic infections, are inflammatory conditions caused by infection that affects both hard and soft dental tissues, such as enamel, dentin, pulp, and periapical tissues.<sup>1</sup> Furthermore, disease development, susceptibility, and progression are influenced by genetic, environmental, and behavioral factors. Multiple factors

contribute to the aetiology of periodontitis.<sup>2</sup> In a vulnerable host, subgingival dental biofilm triggers an inflammatory and immunological reaction that ultimately results in the irreversible destruction from dental tissue to the periodontium, which includes the alveolar bone and periodontal ligament.<sup>3</sup>


Subgingival bacteria, their virulence factors, and host immunological responses interact in a complex manner, leading to irreversible tissue damage, pulp necrosis and periodontitis, a multifactorial inflammatory disease. The formation of organized, multispecies biofilms and the coordination of diverse bacterial tactics to colonize, persist, and harm periodontal tissues are important aspects of disease progression.<sup>4</sup>

One such factor is the adhesin protein, which mediates the adhesion and coaggregation processes between bacterial species in microbial communities. In *Fusobacterium nucleatum* bacteria, adhesin proteins such as RadD play a role in connecting the early and late stages of bacterial colonization in the dental plaque matrix.<sup>5</sup> The serine-rich repeat adhesin SrpA, which is produced by *Streptococcus sanguinis*, binds salivary glycoproteins and facilitates early bacterial adhesion to tooth surfaces and other microorganisms, starting the formation of biofilms.<sup>6</sup> To adhere to host epithelial cells, invade oral tissues, and co-aggregate with other pathogenic bacteria to sustain mature biofilms, *Porphyromonas gingivalis* utilizes FimA, a key fimbrial protein.<sup>7</sup>

*Streptococcus mutans* D-alanine: D-alanine ligase (Ddl) is a key enzyme in the biosynthesis of peptidoglycans, preserving the integrity of the bacterial cell wall, allowing for survival in the oral cavity's acidic and immunologically demanding environment, and indirectly promoting biofilm stability by preserving bacterial viability.<sup>8</sup> Finally, the PLP-dependent L-cysteine desulfhydrase Cystalyisin, which is secreted by *Treponema denticola*, breaks down host cysteine to produce hydrogen sulfide and ammonia. These substances harm epithelial cells, disrupt tissue barriers, and trigger inflammatory responses that contribute to the degradation of dental and surrounding oral tissues.<sup>9</sup>

More research is being conducted on natural substances with broad-spectrum antimicrobial activities as potential substitutes for existing antibiotics, particularly those that target bacterial virulence rather than viability. Promising candidates include phytosphingosine, arachidonic acid, trans-anethole, and eugenol, bioactive compounds that have been demonstrated antibacterial, anti-inflammatory, and biofilm-disrupting qualities.<sup>10-13</sup>

The structures of these compounds are presented in Figures 1. These compounds are found in *Moringa oleifera*, a medicinal plant traditionally used to treat systemic and oral infections.<sup>14, 15</sup> All the compounds were found in the extract based on the data of the extract's LC-MS analysis. The application of compounds produced from *M. oleifera* is consistent with new approaches to managing periodontitis, which seek to reduce the development of antibiotic resistance while interfering with bacterial virulence factors and biofilm formation.<sup>16, 17</sup>



**Figure 1.** Structure of *Moringa oleifera* derived compounds

Comprehensive studies assessing the efficacy of natural compounds against key virulence factors involved in cariogenic and endodontic infections remain

limited, despite growing interest in these compounds as alternative antimicrobial agents. Four compounds derived from *M. oleifera*, eugenol, *trans*-anethole, arachidonic acid, and phytosphingosine, are evaluated simultaneously against a selected group of five virulence-associated proteins from major oral bacteria. These proteins of Cystalysin, FimA, Ddl, SrpA, and RadD represent various mechanisms of adhesion, biofilm formation, cell survival, and tissue destruction.

In particular, systematic *in silico* evaluation of several compounds derived from *Moringa oleifera* against key proteins that mediate adhesion, biofilm formation, bacterial survival, and tissue damage is still rare. Consequently, the comparative multi-target potential of these compounds and their mechanistic role in virulence inhibition remain poorly defined. The novelty of this study lies in the simultaneous multi-target evaluation of four *M. oleifera*-derived compounds against virulence-related proteins, an approach that has not been previously reported.

Therefore, this study aims to evaluate the interaction profiles of four *Moringa oleifera*-derived compounds against key virulence-associated proteins of cariogenic and endodontic pathogens using molecular docking simulations. The study further seeks to identify which compounds have the strongest potential to inhibit multiple virulence targets, providing computational evidence to support their possible use as adjuvant agents in the prevention and treatment of periodontitis.

## METHODS

This study was an *in silico* molecular docking study conducted to evaluate compound–protein interactions using molecular docking simulations to determine the molecular activity of each compound against specified receptors. The three-dimensional structures of each receptor were obtained from the RCSB Protein Data Bank (PDB) (<https://www.rcsb.org/>). This study used five receptors: Cystalysin (PDB ID: 1C7O), SrpA (PDB ID: 5EQ3), FimA (PDB ID: 6JZK), RadD (PDB ID: 7R7J), and Ddl (PDB ID: 7U9K). All receptors were prepared by removing native ligands and other bound molecules before docking simulations were performed, and then saved in pdb format.

Two reference ligands were used for each target protein: the native ligand and a positive control. The native ligand refers to the biological ligand that was crystallized together with the protein in the PDB structure, representing the natural binding conformation within the active site. The positive control refers to an inhibitor or compound that has been previously reported to interact with the corresponding target protein, and is included to provide a reference for comparison with the docking performance of the tested phytochemical compounds. L-arginine for RadD, D-glycoserine for Cystalysin and Ddl, Neu5Gc for SrpA and GalNAc for FimA were the three positive controls utilized in this study. All structures were obtained from PubChem (CIDs: 67427, 440001, 6234, and 35717). Four compounds (arachidonic acid, eugenol, phytosphingosine, and *trans*-anethole) derived from *M. oleifera* were examined for their capacity to interfere with virulence factors of periodontitis.

The structures of arachidonic acid, eugenol, phytosphingosine, and *trans*-anethole were obtained from the PubChem website (<https://pubchem.ncbi.nlm.nih.gov/>) with CIDs of 444899, 3314, 122121, and 637563, respectively. After downloading each ligand structure in SDF format, all structures were converted to PDB format and optimized using Chem3D Ultra 12.0's MM2 energy minimizer, and saved in pdb format.

To validate the docking protocol, each native ligand was re-docked to its respective protein binding site following receptor and ligand preparation. AutoDock 4.0 was used to perform molecular docking simulations. Each receptor and ligand in PDB format was converted to PDBQT format before the simulation

began. For each receptor, a grid box measuring 40 Å x 40 Å x 40 Å was applied, with specific x, y, and z coordinates for the grid center. The root mean square deviation (RMSD) between the docking pose and the crystallographic pose was calculated to assess the reliability of the docking setup.

RMSD values < 3.0 Å were considered acceptable, indicating that the selected docking parameters were able to accurately reproduce the experimentally observed bond conformations. Re-docking conformations were visualized using Discovery Studio 2024 software.


The compound docking process was performed using AutoDock 4.0 software, similar to the re-docking procedure. The bond energy and inhibition constant for each receptor-ligand complex were obtained from the test results, and the receptor-ligand interactions were analyzed and visualized using Discovery Studio 2024. Graphs were generated to illustrate hydrophobic interactions and hydrogen bonding within receptor-ligand complexes.

## RESULTS

Before evaluating the interactions of *Moringa oleifera*-derived compounds with target proteins, the docking protocol was first validated to ensure reliability. Re-docking of native ligands into their respective binding sites was performed, and the resulting root mean square deviation (RMSD) values were assessed. The re-docking RMSD values and conformations are presented in Table 1 and Figure 2.

**Table 1. Grid center coordinates for each receptor**

+name	PDB ID	Positive Control	Grid Center (coordinates)			RMSD
			x	y	z	
Cystalysin	1C7O	D-glycoserine	14.561	-4.847	20.75	2.167
SrpA	5EQ3	Neu5Gc	15.260	11.538	9.568	2.436
FimA	6JZK	GalNAc	1.287	-3.755	93.097	3.102
RadD	7R7J	L-Arginine	-6.627	-37.876	107.279	3.097
Ddl	7U9K	D-glycoserine	7.923	20.387	27.732	1.159




**Figure 2.** Re-docking conformation for a. Cystalysin, b. SrpA, c. FimA, d. RadD, and e. Ddl.


The molecular docking interactions between *Moringa oleifera*-derived compounds and bacterial virulence target proteins are presented in Table 2. The parameters analyzed included binding free energy ( $\Delta G$ ), inhibition constant ( $K_i$ ), amino acid residues involved in hydrogen bonding, and hydrophobic interactions that contribute to the stability of the ligand-receptor complex. Comparisons were made between test compounds, native ligands, and positive controls to evaluate relative binding affinity and potential biological activity. These results provide a basis for identifying compounds with the best affinity for target proteins involved in cariogenic processes and endodontic infections.

**Table 2. Molecular docking summary for all ligand–target pairs**


Target	Ligand	$\Delta G$	Ki	hydrogen bonds	hydrophobic interactions
<b>Cystalyisin</b>	Native	-6.78	10.76	Val98, Ala243, Tyr123, Ser237, Cys171, Lys238	-
	Positive control	-5.21	150.55	Arg369, Tyr124, Asp355, Ala39	-
	Comp. (1)	-5.13	174.80	Lys238, Tyr123	Cys171, Val99, Val98, Ala39, His206, Ile205, Val38, Ala243
	Comp. (2)	-5.64	72.98	Lys238, Tyr123, His206	Ala39, Ile205
	Comp. (3)	-3.81	1620	Ala39, Tyr123, Tyr124	Val99, Val98, Ile205, His206, Lys238, Ala235
<b>SrpA</b>	Comp. (4)	-5.17	161.76	Ala39, Tyr123, Asp355, Tyr124	Ala39, Cys171, Ile205, His206
	Native	-6.36	21.70	Thr346, Gln344, Pro335, Tyr368, Arg347	Pro337, Arg342
	Positive control	-5.82	53.74	Arg342, Arg347, Thr346, Gln344, Tyr368, Ala343	-
	Comp. (1)	-1.73	54.29x10 <sup>3</sup>	Arg342	Pro337, Phe294
	Comp. (2)	-4.22	802.41	Arg347, Thr346	Phe345, Gln344
<b>FimA</b>	Comp. (3)	-3.18	4.663x10 <sup>3</sup>	Gln344, Arg347, Thr346	Phe345, Pro347, Arg342
	Comp. (4)	-3.78	1.69x10 <sup>3</sup>	Thr346	Arg342, Gln344
	Native	-4.96	230.57	Lys59, Thr61, Ser75, Met103	-
	Positive control	-4.73	343.084	Gly101, Ala102, Met103, Leu105, Val106	-
	Comp. (1)	-3.97	1230	Lys59, Ser75	Lys108, Val106, Leu105
<b>RadD</b>	Comp. (2)	-4.19	843.62	Met103	Ile73, Leu105
	Comp. (3)	-1.74	53.30x10 <sup>3</sup>	Glu104, Val106	Ile73, Leu105
	Comp. (4)	-4.04	1090	Ser75	Leu105, Val106, Ile73
	Native	-8.27	0.89 x10 <sup>-3</sup>	Arg343, Arg6, Tyr195, Gly36, Gly34, Ala35, Thr33	Arg343, Leu344
	Positive control	-2.78	9230	Asp315, Tyr195, Gly34, Arg6	-
<b>Ddl</b>	Comp. (1)	-4.65	390.63	Lys37, Thr33	Lys68, Arg6, Leu39, Leu72
	Comp. (2)	-4.00	1170	Gly36, Lys37	Ala35
	Comp. (3)	-2.67	11.12x10 <sup>3</sup>	Gly34, Arg6, Tyr195, Leu344	Leu39, Leu72, Ala71, Lys37, Lys68
	Comp. (4)	-4.42	579.42	Gly34, Pro32	Leu39, Leu72, Lys68, Lys37, Ala35
	Native	-8.94	0.28 x10 <sup>-3</sup>	Lys130, Asn305, Glu213, Val216, Gln214, Glu220, Tyr246, Ser184, Gly182, Asn308, Ser183, Lys251	-
<b>SrpA</b>	Positive control	-6.09	34.60	Ile221, Phe294, Asn305, Glu222	-
	Comp. (1)	-6.52	16.49	Asn305	Leu145, Val216, Phe295, Phe175, Phe245, Ile187
	Comp. (2)	-5.40	109.80	Ala218, Ala244, Glu220	Phe295, Phe175, Leu145
	Comp. (3)	-7.42	3.61	Glu222, Arg291, Glu306, Asp293, Lys251	Phe295, Phe245, Phe175, Leu145
	Comp. (4)	-5.25	142.83	Phe245, Tyr246	Phe175, Phe295, Leu145




**Figure 3.** Conformations of the native ligand, *M. oleifera* compounds, and positive controls at SrpA A, ligand conformational positioning receptor, and B. close-up view.




**Figure 4.** Molecular interactions of SrpA receptor with A. Arachidonic acid, B. eugenol, C. native ligand, D. phytosphingosine, E. positive control, and F. *trans*-anethole.




**Figure 5.** Conformations of the native ligand, *M. oleifera* compounds, and positive controls at Cystalylin A, ligand conformational positioning receptor, and B. Close-up view.




**Figure 6.** Molecular interactions of Cystalylin receptor with A. Arachidonic acid, B. eugenol, C. native ligand, D. phytosphingosine, E. positive control, and F. *trans*-anethole.




**Figure 7.** Conformations of the native ligand, *M. oleifera* compounds, and positive controls at FimA, ligand conformational positioning receptor, and B. Close-up view.




**Figure 8.** Molecular interactions of FimA receptor with A. Arachidonic acid, B. eugenol, C. native ligand, D. phytosphingosine, E. positive control, and F. *trans*-anethole




**Figure 9.** Conformations of the native ligand, *M. oleifera* compounds, and positive controls at RadD A, ligand conformational positioning receptor, and B Close-up view.



**Figure 10.** Molecular interactions of RadD receptor with A. Arachidonic acid, B. eugenol, C. native ligand, D. phytosphingosine, E. positive control, and F. *trans*-anethole.



**Figure 11.** Conformations of the native ligand, *M. oleifera* compounds, and positive controls at Ddl A, ligand conformational positioning receptor, and B. Close-up view.



**Figure 12.** Molecular interactions of Ddl receptor with A. Arachidonic acid, B. eugenol, C. native ligand, D. phytosphingosine, E. positive control, and F. *trans*-anethole.

## DISCUSSION

This study explores *Moringa oleifera*-derived compounds as potential multi-target inhibitors of key proteins involved in various stages of cariogenic and endodontic pathogenesis. Previous studies have reported that *M. oleifera* possesses antibacterial and anti-biofilm activities against oral pathogens, primarily attributed to its rich phytochemical content, including phenolics and fatty acids.<sup>18</sup> Molecular docking, along with detailed analysis of hydrogen bonding and hydrophobic interactions, was performed to determine how these compounds might interfere with adhesion-related receptors, enzymes required for bacterial survival, and factors involved in host tissue damage. The results offer new insights into the ability of *M. oleifera* compounds to disrupt multiple virulence mechanisms relevant to dental infection progression, highlighting their potential as supplementary agents in comprehensive conservative dental therapy.<sup>18, 19</sup>

The interaction potential of four compounds derived from *Moringa oleifera* extract against key virulence-associated proteins of cariogenic and endodontic pathogens was evaluated using molecular docking simulations. Scoring functions are used by docking programs to estimate binding energy.<sup>20</sup> The four compounds derived from *M. oleifera* showed different affinities for the five target proteins according to molecular docking simulations. The lowest (i.e., strongest) binding energies were typically displayed by the native ligands, with RadD (-8.27 kcal/mol) and Ddl (-8.94 kcal/mol) being especially notable. Eugenol showed consistently favorable binding energies across the majority of targets among the investigated natural compounds (-5.64 to -3.46 kcal/mol), followed by *trans*-anethole (-5.17 to -3.61 kcal/mol) and arachidonic acid (-5.13 to -1.73 kcal/mol).

The weakest binding affinity was observed for phytosphingosine, particularly with FimA (-1.74 kcal/mol) and SpA (-2.68 kcal/mol), indicating a low interaction strength with these adhesin targets. Positive controls demonstrated varied binding, with RadD (-2.78 kcal/mol) showing least favorably and Ddl (-6.09 kcal/mol) performing the best. A similar trend was observed in the calculated inhibition constants ( $K_i$ ). Across all targets, the compounds showed  $K_i$  values in the nanomolar to millimolar range; native ligand binding to RadD ( $0.89 \times 10^{-3} \mu\text{M}$  or 890 nM) and Ddl ( $0.28 \times 10^{-3} \mu\text{M}$ ) had the lowest (strongest)  $K_i$  values, supporting their role as reference benchmarks for evaluating ligand performance.

These findings are consistent with previous docking studies, where binding energies stronger than -6.0 kcal/mol are generally considered indicative of moderate to strong ligand-protein interactions, particularly for enzymatic targets such as D-alanine:D-alanine ligase, whereas weaker interactions (above -4.0 kcal/mol) are typically associated with low binding stability or nonspecific interactions.<sup>22</sup>

A similar trend was observed in the calculated inhibition constants ( $K_i$ ), which ranged from nanomolar to millimolar levels across all targets. The native ligands for RadD ( $0.89 \times 10^{-3} \mu\text{M}$ , equivalent to 890 nM) and Ddl ( $0.28 \times 10^{-3} \mu\text{M}$ ) exhibited the lowest  $K_i$  values, reflecting their high binding affinity and biological

relevance. These results are in agreement with previous reports indicating that biologically active ligands typically display  $K_i$  values in the nanomolar to low micromolar range, while weaker inhibitors fall into the higher micromolar to millimolar range.<sup>23</sup>

However, the  $K_i$  values of the compounds were higher (weaker) than those of their respective positive controls for a number of targets, particularly SrpA and FimA.  $54.29 \times 10^3 \mu\text{M}$  or 54.29 mM for arachidonic acid binding to SrpA and  $53.30 \times 10^3 \mu\text{M}$  for phytosphingosine binding to FimA. This variation may be attributed to differences in how scoring functions account for hydrophobic and hydrogen bonding interactions. Higher binding affinities are generally indicated by lower (more negative) binding energies, which also imply a more stable and favorable interactions.<sup>21, 22</sup> According to the docking data, almost all test ligands form 2–4 hydrogen bonds, mainly with key residues such as Lys238, Tyr123, His206, Ala39, and Val99. These residues are part of the same binding pocket as the native ligand, so the interaction of the test ligand can be said to overlap with the physiological binding site. This overlap indicates that the ligand is able to inhibit the proteolytic activity of Cystalyisin (figure 5-6) through direct competition with the natural ligand. The greater the number of H-bonds, the more stable the interaction, and this is consistent with the relatively low  $\Delta G$  and  $K_i$  values.<sup>19</sup>

In SrpA (figure 3-4), the test ligands generally form 1–3 H-bonds, with important residues such as Lys340, Lys373, Asp434, Thr372, which are known to be located in the sialic-acid-binding groove of SrpA. Previous structural studies have demonstrated that these residues play a critical role in recognizing and stabilizing sialic acid during bacterial adhesion, particularly through electrostatic and hydrogen-bond interactions.<sup>26</sup> The interaction of the test ligands with these residues indicates that they occupy a similar binding region as the native sialic acid ligand, suggesting a competitive binding mode. This finding is consistent with earlier docking and crystallographic studies, where ligands capable of interacting with key lysine and aspartate residues exhibited effective inhibition of sialoglycan binding.<sup>27</sup>

Furthermore, ligands with lower binding free energy ( $\Delta G$ ), such as Compound 3 and Compound 4, showed a higher degree of overlap with the native ligand binding site, supporting their potential as competitive inhibitors of SrpAsialoglycan adhesion. Ligands to FimA (figure 7-8) show the formation of 2–3 H-bonds with residues such as Lys59, Ser75, Glu70, Val105, which are residues corresponding to the native ligand interaction site. These findings are in agreement with previous studies indicating that polar and charged residues in the FimA binding pocket are essential for ligand recognition and stabilization.<sup>28</sup>

The overlap between the test ligand interactions and the native binding site suggests a competitive inhibition mechanism, where the ligands may block the adhesion process by occupying the functional binding pocket.<sup>29</sup> Similar interaction patterns have been reported in other adhesin-targeted docking studies, where hydrogen bonding with key residues contributes significantly to binding specificity. In addition to hydrogen bonding, hydrophobic interactions involving residues such as Leu104 and Ile73 further enhance complex stability, which is consistent with previous reports highlighting the importance of hydrophobic contacts in maintaining ligand-protein interactions within adhesin domains.

In RadD (figure 9-10), the ligands exhibited a similar interaction pattern, forming 1-3 hydrogen bonds primarily with residues such as Gly36, Arg45, Tyr195, and Lys73, which are located within the predicted interaction domain of the protein. Previous studies have shown that RadD functions as an adhesin involved in interspecies bacterial aggregation, where charged residues such as arginine and lysine play a crucial role in mediating electrostatic interactions with partner cells.<sup>30</sup>

The interaction of the test ligands with Arg45 and Lys73 suggests that these compounds occupy regions critical for adhesion-related interactions, indicating a potential competitive binding mechanism. This observation is consistent with prior

computational and functional studies, where ligands targeting positively charged residues in adhesin domains were able to disrupt protein-protein interactions.

Furthermore, ligands with more negative binding free energy ( $\Delta G$ ) values demonstrated a greater degree of overlap with the predicted interaction interface, supporting their potential to competitively interfere with the RadD-mediated adhesion mechanism.<sup>31</sup> In Ddl (figure 11-12), the ligands formed 2-4 hydrogen bonds with key active-site residues, including Glu223, Asp293, Lys251, and Phe295. These residues are well documented as part of the catalytic pocket responsible for D-alanine activation and D-Ala-D-Ala dipeptide formation, a crucial step in bacterial peptidoglycan biosynthesis.<sup>32</sup>

The interaction of the test ligands with Glu223 and Lys251 is particularly significant, as these residues are directly involved in substrate binding and catalytic activity. Previous structural and inhibition studies have shown that compounds interacting with these residues can effectively block the enzymatic formation of D-Ala-D-Ala, thereby inhibiting bacterial cell wall synthesis.<sup>33</sup>

The observed overlap between the test ligands and the native substrate binding site indicates a competitive inhibition mechanism. Moreover, ligands exhibiting lower  $\Delta G$  values showed stronger and more stable interactions within the catalytic pocket, further supporting their potential as Ddl inhibitors, consistent with earlier docking and enzymatic inhibition studies.

The complexes stabilized ligand-receptor binding in active or binding sites by forming numerous hydrogen bonds across several targets with important catalytic or binding-site residues.<sup>34</sup> Lower (larger) binding energies and maybe stronger inhibitory effects are the outcome of compounds that can form hydrogen bonds. These compounds are thus more likely to stay anchored inside the active site. For instance, eugenol formed hydrogen bonds with Lys238 and Tyr123 in Cystalysin, important catalytic residues essential for PLP-dependent activity.

These interactions suggest a potential disruption of enzymatic function. Phytosphingosine presented the most hydrogen bonds compared to the other compounds, which generated an extensive hydrogen bond complex. Hydrogen bond networks consist of interactions connecting the side chains of numerous residues throughout the protein. Hydrogen bond networks stabilize the overall protein structure and have been shown to play a role in activation and allostery.<sup>35</sup> Eugenol also exhibited strong hydrogen bonding interactions, as indicated by the number of hydrogen bonds formed.

These polar interactions imply that these substances can successfully stabilize their binding to vital virulence proteins, which may interfere with the mechanisms of bacterial colonization or survival.<sup>36</sup> The conformations of all the ligands were illustrated in Figures 3, 5, 7, 19, and 11 followed by the molecular interactions of hydrogen bonds and hydrophobic interactions for each ligand in a specific receptor were demonstrated in Figures 4, 6, 9, 10, and 12. Ligands are color-coded for clarity: red (native ligand), blue (positive control), orange (arachidonic acid), purple (eugenol), grey (phytosphingosine), and yellow (trans-anethole).

Hydrophobic interactions, primarily driven by van der Waals forces with nonpolar residues, play an important role in stabilizing ligand-protein complexes. Previous studies have shown that hydrophobic contacts significantly contribute to binding affinity, especially when combined with hydrogen bonding.<sup>37</sup> In this study, phytosphingosine and arachidonic acid exhibited the most frequent hydrophobic interactions across targets, involving residues such as Phe295 and Leu145 in Ddl, Ile73 and Leu105 in FimA, and Ala39 and Ile205 in Cystalysin. Similar patterns have been reported, where residues like leucine, isoleucine, and phenylalanine play key roles in ligand stabilization.<sup>38, 39</sup>

However, despite extensive hydrophobic interactions, phytosphingosine showed relatively weak binding affinity, indicating that hydrophobic contacts alone are insufficient without complementary hydrogen bonding and electrostatic interactions. These interactions are particularly important for lipophilic

compounds, which rely on embedding within hydrophobic pockets to achieve effective binding. The moderate to strong binding energies observed for these compounds may be attributed to extensive hydrophobic interactions, sometimes complemented by hydrogen bonding. This supports the compounds' potential as multi-target inhibitors of oral bacterial virulence factors.<sup>40</sup>

The limitation of this study is that the findings are based solely on *in silico* molecular docking simulations, which may not fully represent the complexity of biological systems. Docking scores and predicted binding modes do not account for pharmacokinetic properties, compound solubility, membrane permeability, or metabolic stability, which may influence biological activity *in vivo*. Furthermore, protein flexibility and solvent effects were only partially considered, which may affect the accuracy of predicted ligand-receptor interactions. Therefore, the inhibitory potential of the investigated compounds should be interpreted as preliminary and hypothesis-generating rather than definitive evidence of biological efficacy.

## CONCLUSION

This *in silico* molecular docking study demonstrated that *Moringa oleifera*-derived compounds, particularly phytosphingosine, exhibit strong binding affinity toward key virulence-associated proteins of cariogenic and endodontic pathogens. These findings highlight the potential of *M. oleifera* as a natural source of antibacterial agents; however, further *in vitro* and *in vivo* studies are required to validate these findings.

The implications of this research suggest that *M. oleifera*-derived compounds could serve as promising lead molecules for the development of multi-target antibacterial agents and adjunctive therapeutics in conservative dental therapy, particularly for managing complex cariogenic and endodontic infections.

**Acknowledgement:** The authors would like to express their sincere gratitude to Universitas Trisakti for providing the facilities and support that enabled the completion of this research.

**Author Contributions:** Conceptualization, MFA, DK, TA, DH; methodology, MFA, DK, TA, DH; software, DK, DH; validation, MFA, DK, TA, DH; formal analysis, MFA, DK, TA, DH; investigation, MFA, DK, TA, DH; resources, MFA, DK, TA, DH; data curation, DK, DH; writing original draft preparation, MFA, DK, TA, DH; writing review and editing, MFA, DK, TA, DH; visualization, DK, DH; supervision, MFA, DK, TA, DH; All authors have read and agreed to the published version of the manuscript.

**Funding:** No funding was received for this study.

**Institutional Review Board Statement:** Ethical approval was waived because the study does not involve human subjects or animal experiments.

**Informed Consent Statement:** Not applicable.

**Data Availability Statement:** The data used to support the findings of this study are included within the article. Raw data that support the findings of this study are available from the author, upon reasonable request.

**Conflicts of Interest:** The authors declare no conflict of interest.

## REFERENCES

- Könönen E, Gursoy M, Gursoy UK. Periodontitis: a multifaceted disease of tooth-supporting tissues. *J Clin Med*. 2019;8(8):1135. <https://doi.org/10.3390/jcm8081135>
- Giambartolomei GH, Delpino MV. Immunopathogenesis of hepatic brucellosis. *Front Cell Infect Microbiol*. 2019;9:423. <https://doi.org/10.3389/fcimb.2019.00423>
- Kwon T, Lamster IB, Levin L. Current concepts in the management of periodontitis. *Int Dent J*. 2021;71(6):462–476. <https://doi.org/10.1111/idj.12630>
- Miller DP. Microbial biofilms and pathobiology of gingivitis and periodontitis. In: *Oral Biofilms in Health and Disease*. Cham: Springer; 2025. p. 275–309. <https://doi.org/10.1007/978-3-031-82202-510>
- GC B, Wu C. The CarSR two-component system directly controls radD expression as a global regulator that senses bacterial coaggregation in *Fusobacterium nucleatum*. *J Bacteriol*. 2025;207(6):e00529–24. <https://doi.org/10.1128/jb.00529-24>
- Zhu F, Zhang H, Yang T, Haslam SM, Dell A, Wu H. Engineering and dissecting the glycosylation pathway of a streptococcal serine-rich repeat adhesion. *J Biol Chem*. 2018;293(13):4952–4963. <https://doi.org/10.1074/jbc.AAC118.002681>
- Hasegawa Y, Nagano K. Porphyromonas gingivalis FimA and Mfa1 fimbriae: current insights on localization, function, biogenesis, and genotype. *Jpn Dent Sci Rev*. 2021;57:190–200. <https://doi.org/10.1016/j.jdsr.2021.09.003>
- Batson S, de Chiara C, Majce V, Lloyd AJ, Gobec S, Rea D, et al. Inhibition of D-Ala:D-Ala ligase through a phosphorylated form of the antibiotic D-cycloserine. *Nat Commun*. 2017;8(1):1939. <https://doi.org/10.1038/s41467-017-02118-7>

9. Şenel S. An overview of physical, microbiological and immune barriers of oral mucosa. *Int J Mol Sci.* 2021;22(15):7821. <https://doi.org/10.3390/ijms22157821>
10. Elbestawy MK, El-Sherbiny GM, Moghannem SA. Antibacterial, antibiofilm and anti-inflammatory activities of eugenol clove essential oil against resistant *Helicobacter pylori*. *Molecules.* 2023;28(6):2448. <https://doi.org/10.3390/molecules28062448>
11. Chamlagain M, Hu J, Sionov RV, Steinberg D. Anti-bacterial and anti-biofilm activities of arachidonic acid against the cariogenic bacterium *Streptococcus mutans*. *Front Microbiol.* 2024;15:1333274. <https://doi.org/10.3389/fmicb.2024.1333274>
12. Glenz R, Kaiping A, Göpfert D, Weber H, Lambour B, Sylvester M, et al. The major plant sphingolipid long-chain base phytosphingosine inhibits growth of bacterial and fungal plant pathogens. *Sci Rep.* 2022;12(1):1081. <https://doi.org/10.1038/s41598-022-05083-4>
13. Medeiros M, Alves M, Santos B, Silva E, Araújo F, Bezerra M, et al. Evaluation of the antibacterial activity of trans-anethole against *Enterococcus cloacae* and *Enterococcus faecalis* strains of food origin. *Braz J Biol.* 2023;83:e269245. <https://doi.org/10.1590/1519-6984.269245>
14. Dixit K, Chauhan B, Jain R. Anti-inflammatory potential of medicinal plants in the management of inflammatory diseases: a review of mechanisms and bioactive compounds. *J Drug Deliv Ther.* 2025;15(6). <https://doi.org/10.22270/jddt.v15i6.7203>
15. Ojewumi ME, Obanla OR, Atauba DM. A review on the efficacy of *Ocimum gratissimum*, *Mentha spicata*, and *Moringa oleifera* leaf extracts in repelling mosquito. *Beni-Suef Univ J Basic Appl Sci.* 2021;10(1):87. <https://doi.org/10.1186/s43088-021-00176-x>
16. Jaya FB, Syamsunarno MRAA, Sahiratmadja E. *Moringa oleifera* Lam. to accelerate wound healing: a review. *Berkala Ilmu Kedokteran.* 2023;55(3). <https://doi.org/10.19106/JMedSci005503202310>
17. Baky NAA, Fouad LM, Ahmed KA, Alzokaky AA. Mechanistic insight into the hepatoprotective effect of *Moringa oleifera* Lam leaf extract and telmisartan against carbon tetrachloride-induced liver fibrosis. *Drug Chem Toxicol.* 2025;48(1):84–97. <https://doi.org/10.1080/01480545.2024.2358066>
18. Vergara-Jimenez M, Almatrafi MM, Fernandez ML. Bioactive components in *Moringa oleifera* leaves protect against chronic disease. *Antioxidants.* 2017;6(4):91. <https://doi.org/10.3390/antiox6040091>
19. Yasir M, Park J, Han ET, Han JH, Park WS, Choe J, et al. Identification of marine compounds inhibiting NF- $\kappa$ B-inducing kinase through molecular docking and molecular dynamics simulations. *Biomolecules.* 2024;14(12):1490. <https://doi.org/10.3390/biom14121490>
20. Vikhar DA, Khan SW, Ali SA, Yasar Q. Network pharmacology combined with molecular docking and experimental verification to elucidate the effect of flavan-3-ols and aromatic resin on anxiety. *Sci Rep.* 2024;14(1):9799. <https://doi.org/10.1038/s41598-024-58877-z>
21. Fattouche M. Multi-combined drug-likeness, 3D-QSAR modeling, molecular docking and molecular dynamics analysis of several series of pharmaceutical compounds [dissertation]. Biskra: Université Mohamed Khider; 2024.
22. Meng XY, Zhang HX, Mezei M, Cui M. Molecular docking: a powerful approach for structure-based drug discovery. *Curr Comput Aided Drug Des.* 2011;7(2):146–157. <https://doi.org/10.2174/157340911795677602>
23. Gilson MK, Zhou HX. Calculation of protein–ligand binding affinities. *Annu Rev Biophys Biomol Struct.* 2007;36(1):21–42. <https://doi.org/10.1146/annurev.biophys.36.040306.132550>
24. Zothantluanga JH, Chetia D. A beginner's guide to molecular docking. *Sci Phytochem.* 2022;1(2):90–93. <https://doi.org/10.58920/sciphy01020037>
25. Pantsar T, Poso A. Binding affinity via docking: fact and fiction. *Molecules.* 2018;23(8):1899. <https://doi.org/10.3390/molecules23081899>
26. Plummer C, Wu H, Kerrigan SW, Meade G, Cox D, Ian Douglas CW. A serine-rich glycoprotein of *Streptococcus sanguis* mediates adhesion to platelets via GPIb. *Br J Haematol.* 2005;129(1):101–109. <https://doi.org/10.1111/j.1365-2141.2005.05421.x>
27. Buchanan CJ, Gaunt B, Harrison PJ, Yang Y, Liu J, Khan A, et al. Pathogen-sugar interactions revealed by universal saturation transfer analysis. *Science.* 2022;377(6604):eabm3125. <https://doi.org/10.1126/science.abm3125>
28. Mishra A, Devarajan B, Reardon ME, Dwivedi P, Krishnan V, Cisar JO, et al. Two autonomous structural modules in the fimbrial shaft adhesin FimA mediate Actinomycetes interactions with streptococci and host cells during oral biofilm development. *Mol Microbiol.* 2011;81(5):1205–1220. <https://doi.org/10.1111/j.1365-2958.2011.07745.x>
29. Skolnick J, Zhou H. Implications of the essential role of small molecule ligand binding pockets in protein–protein interactions. *J Phys Chem B.* 2022;126(36):6853–6867. <https://doi.org/10.1021/acs.jpcc.2c04525>
30. Kaplan CW, Lux R, Haake SK, Shi W. The *Fusobacterium nucleatum* outer membrane protein RadD is an arginine-inhibitible adhesin required for inter-species adherence and the structured architecture of multispecies biofilm. *Mol Microbiol.* 2009;71(1):35–47. <https://doi.org/10.1111/j.1365-2958.2008.06503.x>
31. Komarov IV, Bugrov VA, Cherednychenko A, Grygorenko OO. Insights into modeling approaches in chemistry: assessing ligand–protein binding thermodynamics based on rigid–flexible model molecules. *Chem Rec.* 2024;24(2):e202300276. <https://doi.org/10.1002/tcr.202300276>
32. Qin Y, Xu L, Teng Y, Wang Y, Ma P. Discovery of novel antibacterial agents: recent developments in D-alanyl-D-alanine ligase inhibitors. *Chem Biol Drug Des.* 2021;98(3):305–322. <https://doi.org/10.1111/cbdd.13899>
33. Nocentini A. D-alanine–D-alanine ligase. In: *Metalloenzymes.* 2024. p. 83–91. <https://doi.org/10.1016/B978-0-12-823974-2.00009-7>
34. Chen D, Oezguen N, Urvil P, Ferguson C, Dann SM, Savidge TC. Regulation of protein–ligand binding affinity by hydrogen bond pairing. *Sci Adv.* 2016;2(3):e1501240. <https://doi.org/10.1126/sciadv.1501240>
35. Bertalan É, Lešnik S, Bren U, Bondar AN. Protein–water hydrogen-bond networks of G protein-coupled receptors. *J Struct Biol.* 2020;212(3):107634. <https://doi.org/10.1016/j.jsb.2020.107634>
36. Zhao G, Liu X, Wang S, Bai Z, Zhang S, Wang Y, et al. Hydrogen bonding penalty used for virtual screening to discover potent inhibitors for papain-like cysteine proteases of SARS-CoV-2. *Chem Biol Drug Des.* 2022;100(4):502–514. <https://doi.org/10.1111/cbdd.14115>

37. Kawatkar SP, Keating TA, Olivier NB, Breen JN, Green OM, Guler SY, et al. Antibacterial inhibitors of gram-positive thymidylate kinase: structure–activity relationships and chiral preference of a new hydrophobic binding region. *J Med Chem.* 2014;57(11):4584–4597. <https://doi.org/10.1021/jm500463c>
38. Bitencourt-Ferreira G, Veit-Acosta M, de Azevedo WF Jr. Van der Waals potential in protein complexes. In: *Docking Screens for Drug Discovery*. Cham: Springer; 2019. p. 79–91. [https://doi.org/10.1007/978-1-4939-9752-7\\_6](https://doi.org/10.1007/978-1-4939-9752-7_6)
39. Li J, Ma X, Guo S, Hou C, Shi L, Zhang H, et al. A hydrophobic-interaction-based mechanism triggers docking between the SARS-CoV-2 spike and angiotensin-converting enzyme 2. *Glob Chall.* 2020;4(12):2000067. <https://doi.org/10.1002/qch2.202000067>
40. Du X, Li Y, Xia YL, Ai SM, Liang J, Sang P, et al. Insights into protein–ligand interactions: mechanisms, models, and methods. *Int J Mol Sci.* 2016;17(2):144. <https://doi.org/10.3390/ijms17020144>

# Meiny Faudah Amin FKG

## Multi-target potential of moringa oleifera-derived compounds against cariogenic and endodontic virulence proteins revealed...

Artikel 1

---

### Document Details

Submission ID

trn:oid::3618:136254108

Submission Date

Apr 23, 2026, 1:34 PM GMT+7

Download Date

Apr 23, 2026, 1:37 PM GMT+7

File Name

Multi-target potential of moringa oleifera-derived compounds against cariogenic and endodonti....pdf

File Size

1.6 MB

13 Pages

6,485 Words

38,375 Characters

# 4% Overall Similarity

The combined total of all matches, including overlapping sources, for each database.

## Filtered from the Report

- ▶ Bibliography
- ▶ Quoted Text
- ▶ Small Matches (less than 15 words)

## Match Groups

- 6 Not Cited or Quoted 3%**  
Matches with neither in-text citation nor quotation marks
- 1 Missing Quotations 0%**  
Matches that are still very similar to source material
- 0 Missing Citation 0%**  
Matches that have quotation marks, but no in-text citation
- 0 Cited and Quoted 0%**  
Matches with in-text citation present, but no quotation marks

## Top Sources

- 3% Internet sources
- 1% Publications
- 2% Submitted works (Student Papers)

## Integrity Flags

0 Integrity Flags for Review

Our system's algorithms look deeply at a document for any inconsistencies that would set it apart from a normal submission. If we notice something strange, we flag it for you to review.

A Flag is not necessarily an indicator of a problem. However, we'd recommend you focus your attention there for further review.

## Match Groups

- 6 Not Cited or Quoted** 3%  
Matches with neither in-text citation nor quotation marks
- 1 Missing Quotations** 0%  
Matches that are still very similar to source material
- 0 Missing Citation** 0%  
Matches that have quotation marks, but no in-text citation
- 0 Cited and Quoted** 0%  
Matches with in-text citation present, but no quotation marks

## Top Sources

- 3% Internet sources
- 1% Publications
- 2% Submitted works (Student Papers)

## Top Sources

The sources with the highest number of matches within the submission. Overlapping sources will not be displayed.

<b>1</b>	Internet	
journals.unpad.ac.id		2%
<b>2</b>	Internet	
www.mdpi.com		<1%
<b>3</b>	Student papers	
Fakultas Teknologi Kebumian dan Energi Universitas Trisakti on 2024-05-31		<1%
<b>4</b>	Internet	
www.frontiersin.org		<1%
<b>5</b>	Student papers	
King's College on 2023-07-29		<1%
<b>6</b>	Internet	
www.hindawi.com		<1%



## ORIGINAL ARTICLE

# Multi-target potential of *moringa oleifera*-derived compounds against cariogenic and endodontic virulence proteins revealed by molecular docking: an in *silico* experimental study

Meiny Faudah Amin<sup>1\*</sup>  
Dikdik Kurnia<sup>2</sup>  
Taufiq Ariwibowo<sup>1</sup>  
Dicky Hardi<sup>1</sup>

<sup>1</sup>Department Conservative Dentistry, Faculty of Dentistry, Universitas Trisakti Jakarta Barat, Indonesia

<sup>2</sup>Department of Chemistry, Faculty of Mathematics, and Natural Sciences, Universitas Padjadjaran Sumedang, Indonesia

\* Correspondence:  
[meiny.faudah@trisakti.ac.id](mailto:meiny.faudah@trisakti.ac.id)

Received: 27 January 2026

Revised: 26 Februari 2026

Accepted: 20 March 2026

Published: 31 March 2026

DOI: [10.24198/pjd.vol38no1.68102](https://doi.org/10.24198/pjd.vol38no1.68102)

p-ISSN [1979-0201](https://doi.org/10.24198/pjd.vol38no1.68102)

e-ISSN [2549-6212](https://doi.org/10.24198/pjd.vol38no1.68102)

## Citation:

Amin, MF, Kurnia, D, Ariwibowo, T, Hardi, D. Multi-target potential of *moringa oleifera*-derived compounds against cariogenic and endodontic virulence proteins revealed by molecular docking: an in *silico* experimental study. *Padjadjaran J. Dent.* March. 2026; 38(1): 145-157.

## ABSTRACT

**Introduction:** Dental infections are multifactorial diseases involving bacterial biofilms and host immune responses. Natural compounds with antibacterial activity, such as *Moringa oleifera*, have been explored as alternatives to conventional antibiotics. This study aimed to evaluate the interaction profiles of four *Moringa oleifera*-derived compounds against multiple virulence-associated proteins of cariogenic and endodontic pathogens using in silico molecular docking. **Methods:** This study was an in silico experimental study using molecular docking simulations to evaluate the binding energy of four *M. oleifera*-derived compounds (eugenol, trans-anethole, arachidonic acid, and phytosphingosine) with five key virulence-associated proteins of cariogenic and endodontic pathogens (Cystalysin, SrpA, FimA, RadD, and Ddl). AutoDock 4.0 was used for the docking simulations. Docking results were analyzed based on binding energy ( $\Delta G$ ) and inhibition constant ( $K_i$ ) values. The best binding conformations were selected according to the lowest binding energy and visualized to identify key ligand-protein interactions using Discovery Studio Visualizer. **Results:** The phytosphingosine-Ddl exhibited the lowest binding energy of -7.42 kcal/mol, followed by eugenol with three different receptors (Cystalysin, SrpA, and FimA) and arachidonic acid-RadD. The lowest inhibition constant was shown by the phytosphingosine-Ddl complex at 3.61  $\mu$ M. Each compound interacted with various targets, but phytosphingosine exhibited the most consistent and widespread predicted binding via hydrogen bonds with Glu222, Arg291, Glu306, Asp293, Lys251, and hydrophobic interactions of Phe295, Phe245, Phe175, and Leu145. **Conclusion:** This in silico molecular docking study demonstrated that *Moringa oleifera*-derived compounds, particularly phytosphingosine, exhibit strong binding affinity toward key virulence-associated proteins of cariogenic and endodontic pathogens. These findings highlight the potential of *M. oleifera* as a natural source of antibacterial agents and support further experimental validation of its therapeutic applications in oral infections.

## KEYWORDS

Molecular docking, *moringa oleifera*, dental caries, cariogenic bacteria, virulence factors

## INTRODUCTION

Various dental diseases in conservative dentistry, including cariogenic and endodontic infections, are inflammatory conditions caused by infection that affects both hard and soft dental tissues, such as enamel, dentin, pulp, and periapical tissues.<sup>1</sup> Furthermore, disease development, susceptibility, and progression are influenced by genetic, environmental, and behavioral factors. Multiple factors

contribute to the aetiology of periodontitis.<sup>2</sup> In a vulnerable host, subgingival dental biofilm triggers an inflammatory and immunological reaction that ultimately results in the irreversible destruction from dental tissue to the periodontium, which includes the alveolar bone and periodontal ligament.<sup>3</sup>


Subgingival bacteria, their virulence factors, and host immunological responses interact in a complex manner, leading to irreversible tissue damage, pulp necrosis and periodontitis, a multifactorial inflammatory disease. The formation of organized, multispecies biofilms and the coordination of diverse bacterial tactics to colonize, persist, and harm periodontal tissues are important aspects of disease progression.<sup>4</sup>

One such factor is the adhesin protein, which mediates the adhesion and coaggregation processes between bacterial species in microbial communities. In *Fusobacterium nucleatum* bacteria, adhesin proteins such as RadD play a role in connecting the early and late stages of bacterial colonization in the dental plaque matrix.<sup>5</sup> The serine-rich repeat adhesin SrpA, which is produced by *Streptococcus sanguinis*, binds salivary glycoproteins and facilitates early bacterial adhesion to tooth surfaces and other microorganisms, starting the formation of biofilms.<sup>6</sup> To adhere to host epithelial cells, invade oral tissues, and co-aggregate with other pathogenic bacteria to sustain mature biofilms, *Porphyromonas gingivalis* utilizes FimA, a key fimbrial protein.<sup>7</sup>

*Streptococcus mutans* D-alanine: D-alanine ligase (Ddl) is a key enzyme in the biosynthesis of peptidoglycans, preserving the integrity of the bacterial cell wall, allowing for survival in the oral cavity's acidic and immunologically demanding environment, and indirectly promoting biofilm stability by preserving bacterial viability.<sup>8</sup> Finally, the PLP-dependent L-cysteine desulfhydrase Cystalysin, which is secreted by *Treponema denticola*, breaks down host cysteine to produce hydrogen sulfide and ammonia. These substances harm epithelial cells, disrupt tissue barriers, and trigger inflammatory responses that contribute to the degradation of dental and surrounding oral tissues.<sup>9</sup>

More research is being conducted on natural substances with broad-spectrum antimicrobial activities as potential substitutes for existing antibiotics, particularly those that target bacterial virulence rather than viability. Promising candidates include phytosphingosine, arachidonic acid, trans-anethole, and eugenol, bioactive compounds that have been demonstrated antibacterial, anti-inflammatory, and biofilm-disrupting qualities.<sup>10-13</sup>

The structures of these compounds are presented in Figures 1. These compounds are found in *Moringa oleifera*, a medicinal plant traditionally used to treat systemic and oral infections.<sup>14, 15</sup> All the compounds were found in the extract based on the data of the extract's LC-MS analysis. The application of compounds produced from *M. oleifera* is consistent with new approaches to managing periodontitis, which seek to reduce the development of antibiotic resistance while interfering with bacterial virulence factors and biofilm formation.<sup>16, 17</sup>



**Figure 1.** Structure of *Moringa oleifera* derived compounds

Comprehensive studies assessing the efficacy of natural compounds against key virulence factors involved in cariogenic and endodontic infections remain

limited, despite growing interest in these compounds as alternative antimicrobial agents. Four compounds derived from *M. oleifera*, eugenol, *trans*-anethole, arachidonic acid, and phytosphingosine, are evaluated simultaneously against a selected group of five virulence-associated proteins from major oral bacteria. These proteins of Cystalysin, FimA, Ddl, SrpA, and RadD represent various mechanisms of adhesion, biofilm formation, cell survival, and tissue destruction.

In particular, systematic *in silico* evaluation of several compounds derived from *Moringa oleifera* against key proteins that mediate adhesion, biofilm formation, bacterial survival, and tissue damage is still rare. Consequently, the comparative multi-target potential of these compounds and their mechanistic role in virulence inhibition remain poorly defined. The novelty of this study lies in the simultaneous multi-target evaluation of four *M. oleifera*-derived compounds against virulence-related proteins, an approach that has not been previously reported.

Therefore, this study aims to evaluate the interaction profiles of four *Moringa oleifera*-derived compounds against key virulence-associated proteins of cariogenic and endodontic pathogens using molecular docking simulations. The study further seeks to identify which compounds have the strongest potential to inhibit multiple virulence targets, providing computational evidence to support their possible use as adjuvant agents in the prevention and treatment of periodontitis.

## METHODS

This study was an *in silico* molecular docking study conducted to evaluate compound–protein interactions using molecular docking simulations to determine the molecular activity of each compound against specified receptors. The three-dimensional structures of each receptor were obtained from the RCSB Protein Data Bank (PDB) (<https://www.rcsb.org/>). This study used five receptors: Cystalysin (PDB ID: 1C7O), SrpA (PDB ID: 5EQ3), FimA (PDB ID: 6JZK), RadD (PDB ID: 7R7J), and Ddl (PDB ID: 7U9K). All receptors were prepared by removing native ligands and other bound molecules before docking simulations were performed, and then saved in pdb format.

Two reference ligands were used for each target protein: the native ligand and a positive control. The native ligand refers to the biological ligand that was crystallized together with the protein in the PDB structure, representing the natural binding conformation within the active site. The positive control refers to an inhibitor or compound that has been previously reported to interact with the corresponding target protein, and is included to provide a reference for comparison with the docking performance of the tested phytochemical compounds. L-arginine for RadD, D-glycoserine for Cystalysin and Ddl, Neu5Gc for SrpA and GalNAc for FimA were the three positive controls utilized in this study. All structures were obtained from PubChem (CIDs: 67427, 440001, 6234, and 35717). Four compounds (arachidonic acid, eugenol, phytosphingosine, and *trans*-anethole) derived from *M. oleifera* were examined for their capacity to interfere with virulence factors of periodontitis.

The structures of arachidonic acid, eugenol, phytosphingosine, and *trans*-anethole were obtained from the PubChem website (<https://pubchem.ncbi.nlm.nih.gov/>) with CIDs of 444899, 3314, 122121, and 637563, respectively. After downloading each ligand structure in SDF format, all structures were converted to PDB format and optimized using Chem3D Ultra 12.0's MM2 energy minimizer, and saved in pdb format.

To validate the docking protocol, each native ligand was re-docked to its respective protein binding site following receptor and ligand preparation. AutoDock 4.0 was used to perform molecular docking simulations. Each receptor and ligand in PDB format was converted to PDBQT format before the simulation

4 began. For each receptor, a grid box measuring 40 Å x 40 Å x 40 Å was applied, with specific x, y, and z coordinates for the grid center. The root mean square deviation (RMSD) between the docking pose and the crystallographic pose was calculated to assess the reliability of the docking setup.

RMSD values < 3.0 Å were considered acceptable, indicating that the selected docking parameters were able to accurately reproduce the experimentally observed bond conformations. Re-docking conformations were visualized using Discovery Studio 2024 software.


The compound docking process was performed using AutoDock 4.0 software, similar to the re-docking procedure. The bond energy and inhibition constant for each receptor-ligand complex were obtained from the test results, and the receptor-ligand interactions were analyzed and visualized using Discovery Studio 2024. Graphs were generated to illustrate hydrophobic interactions and hydrogen bonding within receptor-ligand complexes.

## RESULTS

Before evaluating the interactions of *Moringa oleifera*-derived compounds with target proteins, the docking protocol was first validated to ensure reliability. Re-docking of native ligands into their respective binding sites was performed, and the resulting root mean square deviation (RMSD) values were assessed. The re-docking RMSD values and conformations are presented in Table 1 and Figure 2.

**Table 1. Grid center coordinates for each receptor**

+name	PDB ID	Positive Control	Grid Center (coordinates)			RMSD
			x	y	z	
Cystalysin	1C7O	D-glycoserine	14.561	-4.847	20.75	2.167
SrpA	5EQ3	Neu5Gc	15.260	11.538	9.568	2.436
FimA	6JZK	GalNAc	1.287	-3.755	93.097	3.102
RadD	7R7J	L-Arginine	-6.627	-37.876	107.279	3.097
Ddl	7U9K	D-glycoserine	7.923	20.387	27.732	1.159




**Figure 2.** Re-docking conformation for a. Cystalysin, b. SrpA, c. FimA, d. RadD, and e. Ddl.


6 The molecular docking interactions between *Moringa oleifera*-derived compounds and bacterial virulence target proteins are presented in Table 2. The parameters analyzed included binding free energy ( $\Delta G$ ), inhibition constant ( $K_i$ ), amino acid residues involved in hydrogen bonding, and hydrophobic interactions that contribute to the stability of the ligand-receptor complex. Comparisons were made between test compounds, native ligands, and positive controls to evaluate relative binding affinity and potential biological activity. These results provide a basis for identifying compounds with the best affinity for target proteins involved in cariogenic processes and endodontic infections.

**Table 2. Molecular docking summary for all ligand–target pairs**


Target	Ligand	ΔG	Ki	hydrogen bonds	hydrophobic interactions
<b>Cystalyisin</b>	Native	-6.78	10.76	Val98, Ala243, Tyr123, Ser237, Cys171, Lys238	-
	Positive control	-5.21	150.55	Arg369, Tyr124, Asp355, Ala39	-
	Comp. (1)	-5.13	174.80	Lys238, Tyr123	Cys171, Val99, Val98, Ala39, His206, Ile205, Val38, Ala243
	Comp. (2)	-5.64	72.98	Lys238, Tyr123, His206	Ala39, Ile205
	Comp. (3)	-3.81	1620	Ala39, Tyr123, Tyr124	Val99, Val98, Ile205, His206, Lys238, Ala235
<b>SrpA</b>	Comp. (4)	-5.17	161.76	Ala39, Tyr123, Asp355, Tyr124	Ala39, Cys171, Ile205, His206
	Native	-6.36	21.70	Thr346, Gln344, Pro335, Tyr368, Arg347	Pro337, Arg342
	Positive control	-5.82	53.74	Arg342, Arg347, Thr346, Gln344, Tyr368, Ala343	-
	Comp. (1)	-1.73	54.29x10 <sup>3</sup>	Arg342	Pro337, Phe294
	Comp. (2)	-4.22	802.41	Arg347, Thr346	Phe345, Gln344
<b>FimA</b>	Comp. (3)	-3.18	4.663x10 <sup>3</sup>	Gln344, Arg347, Thr346	Phe345, Pro347, Arg342
	Comp. (4)	-3.78	1.69x10 <sup>3</sup>	Thr346	Arg342, Gln344
	Native	-4.96	230.57	Lys59, Thr61, Ser75, Met103	-
	Positive control	-4.73	343.084	Gly101, Ala102, Met103, Leu105, Val106	-
	Comp. (1)	-3.97	1230	Lys59, Ser75	Lys108, Val106, Leu105
<b>RadD</b>	Comp. (2)	-4.19	843.62	Met103	Ile73, Leu105
	Comp. (3)	-1.74	53.30x10 <sup>3</sup>	Glu104, Val106	Ile73, Leu105
	Comp. (4)	-4.04	1090	Ser75	Leu105, Val106, Ile73
	Native	-8.27	0.89 x10 <sup>-3</sup>	Arg343, Arg6, Tyr195, Gly36, Gly34, Ala35, Thr33	Arg343, Leu344
	Positive control	-2.78	9230	Asp315, Tyr195, Gly34, Arg6	-
<b>Ddl</b>	Comp. (1)	-4.65	390.63	Lys37, Thr33	Lys68, Arg6, Leu39, Leu72
	Comp. (2)	-4.00	1170	Gly36, Lys37	Ala35
	Comp. (3)	-2.67	11.12x10 <sup>3</sup>	Gly34, Arg6, Tyr195, Leu344	Leu39, Leu72, Ala71, Lys37, Lys68
	Comp. (4)	-4.42	579.42	Gly34, Pro32	Leu39, Leu72, Lys68, Lys37, Ala35
	Native	-8.94	0.28 x10 <sup>-3</sup>	Lys130, Asn305, Glu213, Val216, Gln214, Glu220, Tyr246, Ser184, Gly182, Asn308, Ser183, Lys251	-
<b>Ddl</b>	Positive control	-6.09	34.60	Ile221, Phe294, Asn305, Glu222	-
	Comp. (1)	-6.52	16.49	Asn305	Leu145, Val216, Phe295, Phe175, Phe245, Ile187
	Comp. (2)	-5.40	109.80	Ala218, Ala244, Glu220	Phe295, Phe175, Leu145
	Comp. (3)	-7.42	3.61	Glu222, Arg291, Glu306, Asp293, Lys251	Phe295, Phe245, Phe175, Leu145
	Comp. (4)	-5.25	142.83	Phe245, Tyr246	Phe175, Phe295, Leu145




**Figure 3.** Conformations of the native ligand, *M. oleifera* compounds, and positive controls at SrpA A, ligand conformational positioning receptor, and B. close-up view.




**Figure 4.** Molecular interactions of SrpA receptor with A. Arachidonic acid, B. eugenol, C. native ligand, D. phytosphingosine, E. positive control, and F. *trans*-anethole.




**Figure 5.** Conformations of the native ligand, *M. oleifera* compounds, and positive controls at Cystalytin A, ligand conformational positioning receptor, and B. Close-up view.




**Figure 6.** Molecular interactions of Cystalytin receptor with A. Arachidonic acid, B. eugenol, C. native ligand, D. phytosphingosine, E. positive control, and F. *trans*-anethole.




**Figure 7.** Conformations of the native ligand, *M. oleifera* compounds, and positive controls at FimA, ligand conformational positioning receptor, and B. Close-up view.




**Figure 8.** Molecular interactions of FimA receptor with A. Arachidonic acid, B. eugenol, C. native ligand, D. phytosphingosine, E. positive control, and F. *trans*-anethole



**Figure 9.** Conformations of the native ligand, *M. oleifera* compounds, and positive controls at RadD A, ligand conformational positioning receptor, and B Close-up view.



**Figure 10.** Molecular interactions of RadD receptor with A. Arachidonic acid, B. eugenol, C. native ligand, D. phytosphingosine, E. positive control, and F. *trans*-anethole.



**Figure 11.** Conformations of the native ligand, *M. oleifera* compounds, and positive controls at Ddl A, ligand conformational positioning receptor, and B. Close-up view.



relevance. These results are in agreement with previous reports indicating that biologically active ligands typically display  $K_i$  values in the nanomolar to low micromolar range, while weaker inhibitors fall into the higher micromolar to millimolar range.<sup>23</sup>

However, the  $K_i$  values of the compounds were higher (weaker) than those of their respective positive controls for a number of targets, particularly SrpA and FimA.  $54.29 \times 10^3 \mu\text{M}$  or 54.29 mM for arachidonic acid binding to SrpA and  $53.30 \times 10^3 \mu\text{M}$  for phytosphingosine binding to FimA. This variation may be attributed to differences in how scoring functions account for hydrophobic and hydrogen bonding interactions. Higher binding affinities are generally indicated by lower (more negative) binding energies, which also imply a more stable and favorable interactions.<sup>21, 22</sup> According to the docking data, almost all test ligands form 2–4 hydrogen bonds, mainly with key residues such as Lys238, Tyr123, His206, Ala39, and Val99. These residues are part of the same binding pocket as the native ligand, so the interaction of the test ligand can be said to overlap with the physiological binding site. This overlap indicates that the ligand is able to inhibit the proteolytic activity of Cystalyisin (figure 5-6) through direct competition with the natural ligand. The greater the number of H-bonds, the more stable the interaction, and this is consistent with the relatively low  $\Delta G$  and  $K_i$  values.<sup>19</sup>

In SrpA (figure 3-4), the test ligands generally form 1–3 H-bonds, with important residues such as Lys340, Lys373, Asp434, Thr372, which are known to be located in the sialic-acid-binding groove of SrpA. Previous structural studies have demonstrated that these residues play a critical role in recognizing and stabilizing sialic acid during bacterial adhesion, particularly through electrostatic and hydrogen-bond interactions.<sup>26</sup> The interaction of the test ligands with these residues indicates that they occupy a similar binding region as the native sialic acid ligand, suggesting a competitive binding mode. This finding is consistent with earlier docking and crystallographic studies, where ligands capable of interacting with key lysine and aspartate residues exhibited effective inhibition of sialoglycan binding.<sup>27</sup>

Furthermore, ligands with lower binding free energy ( $\Delta G$ ), such as Compound 3 and Compound 4, showed a higher degree of overlap with the native ligand binding site, supporting their potential as competitive inhibitors of SrpAsialoglycan adhesion. Ligands to FimA (figure 7-8) show the formation of 2–3 H-bonds with residues such as Lys59, Ser75, Glu70, Val105, which are residues corresponding to the native ligand interaction site. These findings are in agreement with previous studies indicating that polar and charged residues in the FimA binding pocket are essential for ligand recognition and stabilization.<sup>28</sup>

The overlap between the test ligand interactions and the native binding site suggests a competitive inhibition mechanism, where the ligands may block the adhesion process by occupying the functional binding pocket.<sup>29</sup> Similar interaction patterns have been reported in other adhesin-targeted docking studies, where hydrogen bonding with key residues contributes significantly to binding specificity. In addition to hydrogen bonding, hydrophobic interactions involving residues such as Leu104 and Ile73 further enhance complex stability, which is consistent with previous reports highlighting the importance of hydrophobic contacts in maintaining ligand-protein interactions within adhesin domains.

In RadD (figure 9-10), the ligands exhibited a similar interaction pattern, forming 1-3 hydrogen bonds primarily with residues such as Gly36, Arg45, Tyr195, and Lys73, which are located within the predicted interaction domain of the protein. Previous studies have shown that RadD functions as an adhesin involved in interspecies bacterial aggregation, where charged residues such as arginine and lysine play a crucial role in mediating electrostatic interactions with partner cells.<sup>30</sup>

The interaction of the test ligands with Arg45 and Lys73 suggests that these compounds occupy regions critical for adhesion-related interactions, indicating a potential competitive binding mechanism. This observation is consistent with prior

computational and functional studies, where ligands targeting positively charged residues in adhesin domains were able to disrupt protein-protein interactions.

Furthermore, ligands with more negative binding free energy ( $\Delta G$ ) values demonstrated a greater degree of overlap with the predicted interaction interface, supporting their potential to competitively interfere with the RadD-mediated adhesion mechanism.<sup>31</sup> In Ddl (figure 11-12), the ligands formed 2-4 hydrogen bonds with key active-site residues, including Glu223, Asp293, Lys251, and Phe295. These residues are well documented as part of the catalytic pocket responsible for D-alanine activation and D-Ala-D-Ala dipeptide formation, a crucial step in bacterial peptidoglycan biosynthesis.<sup>32</sup>

The interaction of the test ligands with Glu223 and Lys251 is particularly significant, as these residues are directly involved in substrate binding and catalytic activity. Previous structural and inhibition studies have shown that compounds interacting with these residues can effectively block the enzymatic formation of D-Ala-D-Ala, thereby inhibiting bacterial cell wall synthesis.<sup>33</sup>

The observed overlap between the test ligands and the native substrate binding site indicates a competitive inhibition mechanism. Moreover, ligands exhibiting lower  $\Delta G$  values showed stronger and more stable interactions within the catalytic pocket, further supporting their potential as Ddl inhibitors, consistent with earlier docking and enzymatic inhibition studies.

The complexes stabilized ligand-receptor binding in active or binding sites by forming numerous hydrogen bonds across several targets with important catalytic or binding-site residues.<sup>34</sup> Lower (larger) binding energies and maybe stronger inhibitory effects are the outcome of compounds that can form hydrogen bonds. These compounds are thus more likely to stay anchored inside the active site. For instance, eugenol formed hydrogen bonds with Lys238 and Tyr123 in Cystalysin, important catalytic residues essential for PLP-dependent activity.

These interactions suggest a potential disruption of enzymatic function. Phytosphingosine presented the most hydrogen bonds compared to the other compounds, which generated an extensive hydrogen bond complex. Hydrogen bond networks consist of interactions connecting the side chains of numerous residues throughout the protein. Hydrogen bond networks stabilize the overall protein structure and have been shown to play a role in activation and allostery.<sup>35</sup> Eugenol also exhibited strong hydrogen bonding interactions, as indicated by the number of hydrogen bonds formed.

These polar interactions imply that these substances can successfully stabilize their binding to vital virulence proteins, which may interfere with the mechanisms of bacterial colonization or survival.<sup>36</sup> The conformations of all the ligands were illustrated in Figures 3, 5, 7, 19, and 11 followed by the molecular interactions of hydrogen bonds and hydrophobic interactions for each ligand in a specific receptor were demonstrated in Figures 4, 6, 9, 10, and 12. Ligands are color-coded for clarity: red (native ligand), blue (positive control), orange (arachidonic acid), purple (eugenol), grey (phytosphingosine), and yellow (trans-anethole).

Hydrophobic interactions, primarily driven by van der Waals forces with nonpolar residues, play an important role in stabilizing ligand-protein complexes. Previous studies have shown that hydrophobic contacts significantly contribute to binding affinity, especially when combined with hydrogen bonding.<sup>37</sup> In this study, phytosphingosine and arachidonic acid exhibited the most frequent hydrophobic interactions across targets, involving residues such as Phe295 and Leu145 in Ddl, Ile73 and Leu105 in FimA, and Ala39 and Ile205 in Cystalysin. Similar patterns have been reported, where residues like leucine, isoleucine, and phenylalanine play key roles in ligand stabilization.<sup>38, 39</sup>

However, despite extensive hydrophobic interactions, phytosphingosine showed relatively weak binding affinity, indicating that hydrophobic contacts alone are insufficient without complementary hydrogen bonding and electrostatic interactions. These interactions are particularly important for lipophilic

compounds, which rely on embedding within hydrophobic pockets to achieve effective binding. The moderate to strong binding energies observed for these compounds may be attributed to extensive hydrophobic interactions, sometimes complemented by hydrogen bonding. This supports the compounds' potential as multi-target inhibitors of oral bacterial virulence factors.<sup>40</sup>

The limitation of this study is that the findings are based solely on *in silico* molecular docking simulations, which may not fully represent the complexity of biological systems. Docking scores and predicted binding modes do not account for pharmacokinetic properties, compound solubility, membrane permeability, or metabolic stability, which may influence biological activity *in vivo*. Furthermore, protein flexibility and solvent effects were only partially considered, which may affect the accuracy of predicted ligand-receptor interactions. Therefore, the inhibitory potential of the investigated compounds should be interpreted as preliminary and hypothesis-generating rather than definitive evidence of biological efficacy.

## CONCLUSION

This *in silico* molecular docking study demonstrated that *Moringa oleifera*-derived compounds, particularly phytosphingosine, exhibit strong binding affinity toward key virulence-associated proteins of cariogenic and endodontic pathogens. These findings highlight the potential of *M. oleifera* as a natural source of antibacterial agents; however, further *in vitro* and *in vivo* studies are required to validate these findings.

The implications of this research suggest that *M. oleifera*-derived compounds could serve as promising lead molecules for the development of multi-target antibacterial agents and adjunctive therapeutics in conservative dental therapy, particularly for managing complex cariogenic and endodontic infections.

**Acknowledgement:** The authors would like to express their sincere gratitude to Universitas Trisakti for providing the facilities and support that enabled the completion of this research.

**Author Contributions:** Conceptualization, MFA, DK, TA, DH; methodology, MFA, DK, TA, DH; software, DK, DH; validation, MFA, DK, TA, DH; formal analysis, MFA, DK, TA, DH; investigation, MFA, DK, TA, DH; resources, MFA, DK, TA, DH; data curation, DK, DH; writing original draft preparation, MFA, DK, TA, DH; writing review and editing, MFA, DK, TA, DH; visualization, DK, DH; supervision, MFA, DK, TA, DH; All authors have read and agreed to the published version of the manuscript.

**Funding:** No funding was received for this study.

**Institutional Review Board Statement:** Ethical approval was waived because the study does not involve human subjects or animal experiments.

**Informed Consent Statement:** Not applicable.

**Data Availability Statement:** The data used to support the findings of this study are included within the article. Raw data that support the findings of this study are available from the author, upon reasonable request.

**Conflicts of Interest:** The authors declare no conflict of interest.

## REFERENCES

1. Könönen E, Gursoy M, Gursoy UK. Periodontitis: a multifaceted disease of tooth-supporting tissues. *J Clin Med*. 2019;8(8):1135. <https://doi.org/10.3390/jcm8081135>
2. Giambartolomei GH, Delpino MV. Immunopathogenesis of hepatic brucellosis. *Front Cell Infect Microbiol*. 2019;9:423. <https://doi.org/10.3389/fcimb.2019.00423>
3. Kwon T, Lamster IB, Levin L. Current concepts in the management of periodontitis. *Int Dent J*. 2021;71(6):462–476. <https://doi.org/10.1111/idj.12630>
4. Miller DP. Microbial biofilms and pathobiology of gingivitis and periodontitis. In: *Oral Biofilms in Health and Disease*. Cham: Springer; 2025. p. 275–309. <https://doi.org/10.1007/978-3-031-82202-510>
5. GC B, Wu C. The FusSR two-component system directly controls radD expression as a global regulator that senses bacterial coaggregation in *Fusobacterium nucleatum*. *J Bacteriol*. 2025;207(6):e00529–24. <https://doi.org/10.1128/jb.00529-24>
6. Zhu F, Zhang H, Yang T, Haslam SM, Dell A, Wu H. Engineering and dissecting the glycosylation pathway of a streptococcal serine-rich repeat adhesion. *J Biol Chem*. 2018;293(13):4952–4963. <https://doi.org/10.1074/jbc.AAC118.002681>
7. Hasegawa Y, Nagano K. Porphyromonas gingivalis FimA and Mfa1 fimbriae: current insights on localization, function, biogenesis, and genotype. *Jpn Dent Sci Rev*. 2021;57:190–200. <https://doi.org/10.1016/j.jdsr.2021.09.003>
8. Batson S, de Chiara C, Majce V, Lloyd AJ, Gobec S, Rea D, et al. Inhibition of D-Ala:D-Ala ligase through a phosphorylated form of the antibiotic D-cycloserine. *Nat Commun*. 2017;8(1):1939. <https://doi.org/10.1038/s41467-017-02118-7>

9. Şenel S. An overview of physical, microbiological and immune barriers of oral mucosa. *Int J Mol Sci.* 2021;22(15):7821. <https://doi.org/10.3390/ijms22157821>
10. Elbestawy MK, El-Sherbiny GM, Moghannem SA. Antibacterial, antibiofilm and anti-inflammatory activities of eugenol clove essential oil against resistant *Helicobacter pylori*. *Molecules.* 2023;28(6):2448. <https://doi.org/10.3390/molecules28062448>
11. Chamlagain M, Hu J, Sionov RV, Steinberg D. Anti-bacterial and anti-biofilm activities of arachidonic acid against the cariogenic bacterium *Streptococcus mutans*. *Front Microbiol.* 2024;15:1333274. <https://doi.org/10.3389/fmicb.2024.1333274>
12. Glenz R, Kaiping A, Göpfert D, Weber H, Lambour B, Sylvester M, et al. The major plant sphingolipid long-chain base phytosphingosine inhibits growth of bacterial and fungal plant pathogens. *Sci Rep.* 2022;12(1):1081. <https://doi.org/10.1038/s41598-022-05083-4>
13. Medeiros M, Alves M, Santos B, Silva E, Araújo F, Bezerra M, et al. Evaluation of the antibacterial activity of trans-anethole against *Enterococcus cloacae* and *Enterococcus faecalis* strains of food origin. *Braz J Biol.* 2023;83:e269245. <https://doi.org/10.1590/1519-6984.269245>
14. Dixit K, Chauhan B, Jain R. Anti-inflammatory potential of medicinal plants in the management of inflammatory diseases: a review of mechanisms and bioactive compounds. *J Drug Deliv Ther.* 2025;15(6). <https://doi.org/10.22270/jddt.v15i6.7203>
15. Ojewumi ME, Obanla OR, Atauba DM. A review on the efficacy of *Ocimum gratissimum*, *Mentha spicata*, and *Moringa oleifera* leaf extracts in repelling mosquito. *Beni-Suef Univ J Basic Appl Sci.* 2021;10(1):87. <https://doi.org/10.1186/s43088-021-00176-x>
16. Jaya FB, Syamsunarno MRAA, Sahiratmadja E. *Moringa oleifera* Lam. to accelerate wound healing: a review. *Berkala Ilmu Kedokteran.* 2023;55(3). <https://doi.org/10.19106/JMedSci005503202310>
17. Baky NAA, Fouad LM, Ahmed KA, Alzokaky AA. Mechanistic insight into the hepatoprotective effect of *Moringa oleifera* Lam leaf extract and telmisartan against carbon tetrachloride-induced liver fibrosis. *Drug Chem Toxicol.* 2025;48(1):84–97. <https://doi.org/10.1080/01480545.2024.2358066>
18. Vergara-Jimenez M, Almatrafi MM, Fernandez ML. Bioactive components in *Moringa oleifera* leaves protect against chronic disease. *Antioxidants.* 2017;6(4):91. <https://doi.org/10.3390/antiox6040091>
19. Yasir M, Park J, Han ET, Han JH, Park WS, Choe J, et al. Identification of marine compounds inhibiting NF- $\kappa$ B-inducing kinase through molecular docking and molecular dynamics simulations. *Biomolecules.* 2024;14(12):1490. <https://doi.org/10.3390/biom14121490>
20. Vikhar DA, Khan SW, Ali SA, Yasar Q. Network pharmacology combined with molecular docking and experimental verification to elucidate the effect of flavan-3-ols and aromatic resin on anxiety. *Sci Rep.* 2024;14(1):9799. <https://doi.org/10.1038/s41598-024-58877-z>
21. Fattouche M. Multi-combined drug-likeness, 3D-QSAR modeling, molecular docking and molecular dynamics analysis of several series of pharmaceutical compounds [dissertation]. Biskra: Université Mohamed Khider; 2024.
22. Meng XY, Zhang HX, Mezei M, Cui M. Molecular docking: a powerful approach for structure-based drug discovery. *Curr Comput Aided Drug Des.* 2011;7(2):146–157. <https://doi.org/10.2174/157340911795677602>
23. Gilson MK, Zhou HX. Calculation of protein–ligand binding affinities. *Annu Rev Biophys Biomol Struct.* 2007;36(1):21–42. <https://doi.org/10.1146/annurev.biophys.36.040306.132550>
24. Zothantluanga JH, Chetia D. A beginner's guide to molecular docking. *Sci Phytochem.* 2022;1(2):90–93. <https://doi.org/10.58920/sciphy01020037>
25. Pantsar T, Poso A. Binding affinity via docking: fact and fiction. *Molecules.* 2018;23(8):1899. <https://doi.org/10.3390/molecules23081899>
26. Plummer C, Wu H, Kerrigan SW, Meade G, Cox D, Ian Douglas CW. A serine-rich glycoprotein of *Streptococcus sanguis* mediates adhesion to platelets via GPIb. *Br J Haematol.* 2005;129(1):101–109. <https://doi.org/10.1111/j.1365-2141.2005.05421.x>
27. Buchanan CJ, Gaunt B, Harrison PJ, Yang Y, Liu J, Khan A, et al. Pathogen-sugar interactions revealed by universal saturation transfer analysis. *Science.* 2022;377(6604):eabm3125. <https://doi.org/10.1126/science.abm3125>
28. Mishra A, Devarajan B, Reardon ME, Dwivedi P, Krishnan V, Cisar JO, et al. Two autonomous structural modules in the fimbrial shaft adhesin FimA mediate Actinomyces interactions with streptococci and host cells during oral biofilm development. *Mol Microbiol.* 2011;81(5):1205–1220. <https://doi.org/10.1111/j.1365-2958.2011.07745.x>
29. Skolnick J, Zhou H. Implications of the essential role of small molecule ligand binding pockets in protein–protein interactions. *J Phys Chem B.* 2022;126(36):6853–6867. <https://doi.org/10.1021/acs.jpcc.2c04525>
30. Kaplan CW, Lux R, Haake SK, Shi W. The *Fusobacterium nucleatum* outer membrane protein RadD is an arginine-inhibitable adhesin required for inter-species adherence and the structured architecture of multispecies biofilm. *Mol Microbiol.* 2009;71(1):35–47. <https://doi.org/10.1111/j.1365-2958.2008.06503.x>
31. Komarov IV, Bugrov VA, Cherednychenko A, Grygorenko OO. Insights into modeling approaches in chemistry: assessing ligand–protein binding thermodynamics based on rigid–flexible model molecules. *Chem Rec.* 2024;24(2):e202300276. <https://doi.org/10.1002/tcr.202300276>
32. Qin Y, Xu L, Teng Y, Wang Y, Ma P. Discovery of novel antibacterial agents: recent developments in D-alanyl-D-alanine ligase inhibitors. *Chem Biol Drug Des.* 2021;98(3):305–322. <https://doi.org/10.1111/cbdd.13899>
33. Nocentini A. D-alanine–D-alanine ligase. In: *Metalloenzymes.* 2024. p. 83–91. <https://doi.org/10.1016/B978-0-12-823974-2.00009-7>
34. Chen D, Oezguen N, Urvil P, Ferguson C, Dann SM, Savidge TC. Regulation of protein–ligand binding affinity by hydrogen bond pairing. *Sci Adv.* 2016;2(3):e1501240. <https://doi.org/10.1126/sciadv.1501240>
35. Bertalan É, Lešnik S, Bren U, Bondar AN. Protein–water hydrogen-bond networks of G protein-coupled receptors. *J Struct Biol.* 2020;212(3):107634. <https://doi.org/10.1016/j.jsb.2020.107634>
36. Zhao G, Liu X, Wang S, Bai Z, Zhang S, Wang Y, et al. Hydrogen bonding penalty used for virtual screening to discover potent inhibitors for papain-like cysteine proteases of SARS-CoV-2. *Chem Biol Drug Des.* 2022;100(4):502–514. <https://doi.org/10.1111/cbdd.14115>

37. Kawatkar SP, Keating TA, Olivier NB, Breen JN, Green OM, Guler SY, et al. Antibacterial inhibitors of gram-positive thymidylate kinase: structure–activity relationships and chiral preference of a new hydrophobic binding region. *J Med Chem.* 2014;57(11):4584–4597. <https://doi.org/10.1021/jm500463c>
38. Bitencourt-Ferreira G, Veit-Acosta M, de Azevedo WF Jr. Van der Waals potential in protein complexes. In: *Docking Screens for Drug Discovery*. Cham: Springer; 2019. p. 79–91. [https://doi.org/10.1007/978-1-4939-9752-7\\_6](https://doi.org/10.1007/978-1-4939-9752-7_6)
39. Li J, Ma X, Guo S, Hou C, Shi L, Zhang H, et al. A hydrophobic-interaction-based mechanism triggers docking between the SARS-CoV-2 spike and angiotensin-converting enzyme 2. *Glob Chall.* 2020;4(12):2000067. <https://doi.org/10.1002/qch2.202000067>
40. Du X, Li Y, Xia YL, Ai SM, Liang J, Sang P, et al. Insights into protein–ligand interactions: mechanisms, models, and methods. *Int J Mol Sci.* 2016;17(2):144. <https://doi.org/10.3390/ijms17020144>