

PAPER • OPEN ACCESS

Preface

To cite this article: 2021 *IOP Conf. Ser.: Earth Environ. Sci.* **882** 011001

View the [article online](#) for updates and enhancements.

You may also like

- [History of NAMES Conferences](#)
Lev Filippov

- [Preface](#)

- [Preface](#)
M Satriawan, M Khoiro, F Fitriana et al.



UNITED THROUGH SCIENCE & TECHNOLOGY

 **The Electrochemical Society**
Advancing solid state & electrochemical science & technology

**248th
ECS Meeting**
Chicago, IL
October 12-16, 2025
Hilton Chicago

**Science +
Technology +
YOU!**

**Register by
September 22
to save \$\$**

REGISTER NOW

The banner features a woman in a brown blazer smiling and gesturing. The background is blue with a molecular structure pattern. The top and bottom of the banner are decorated with a repeating circular logo.

PREFACE

The **1st International Seminar on Mineral and Coal Technology (ISMCT 2021)** was held for the first time in Bandung, Indonesia on the 23rd–24th June 2021. The seminar theme is “*Sustainable Development on Mining, Processing, and Environment*” and presented four distinguished keynote speakers, namely Dr. Ir. Ridwan Djameluddin, M.Sc. as Directorate General of Mineral and Coal, Ministry of Energy and Mineral Resources Republic of Indonesia (MEMR); Prof. Dr. Aleksandar Nikoloski from Murdoch University, Australia; Dr. Kazuyuki Murakami from JCOAL, Japan; and Cristian Bolda, BCSEng (Mech) from Leigh Creek Energy, Australia. The seminar also performed 10 Invited speakers from institutions, namely the Research Institute of Soil Science and Agrochemistry, Uzbekistan; GOLD ISMIA-UNDP; Mine Reclamation Corporation, South Korea; TNB Fuel, Malaysia; Research and Development Center for Mineral and Coal Technology (*tekMIRA*); PT. Vale Indonesia; PT. Amman Mineral Nusa Tenggara; PT. Indo Tambang Megah; PT PLN (Persero); and PT. Timah Tbk.

The participant of the seminar included academics, researchers, practitioners, professionals, and government personnel that came from Murdoch University, Australia; Center for Ceramics; Ministry of Industry Republic of Indonesia; Indonesia Institute of Sciences (LIPI); *tekMIRA*-MEMR; Center for Applied Nuclear Science and Technology (PSTNT)- BATAN; The Laboratory of Fuel and Engineering Design (BTBRD-BPPT); Centre for Pulp and Paper-Ministry of Industry; PT. PLN (Persero); Research Center for Maritime Affairs Republic of Indonesia; PT Multi Nitrotama Kimia; University of Indonesia (UI), Universitas Pembangunan Nasional Veteran Jakarta (UPN Jakarta), Universitas Pembangunan Nasional Veteran Jogjakarta (UPN Jogjakarta), University of Gadjah Mada (UGM), University of Padjadjaran (UNPAD), University of Trisakti (USAKTI), University of Jenderal Achmad Yani (UNJANI), Polytechnic of Energy and Mining (PEP), and Technology Institute of Sumatera (ITERA).

Due to pandemic Covid-19, the seminar was held virtually and was conducted within two days. The first day seminar was divided into three sessions, the first session was the opening ceremony which began with the ISMCT report from Head of Research and Development Agency of Energy and Mineral Resources, and opening remarks from the Minister of Energy and Mineral Resources that belongs to the first session. The second session came from two keynote speakers and the third session was a parallel oral presentation which was divided into five virtual rooms based on the presentation theme, i.e., room A (Mineral); Room B (Coal); Room C (Mining); Room D (Environment) and Room E (Techno-economics and Policy). Each room was guided by a moderator and operator. Parallel session in each room was initiated with the speak from the invited speaker, followed by the oral presentation from an average of 10 presenters per room with assigned time for 15 minutes per presenter (10 minutes presentation and 5 minutes discussion). The second day was divided into three sessions, the first session was a keynote speech served by two keynote speakers, and the second session was the parallel session. The third session was the closing speech from the chairman of the committee and ended with the announcement the of the best presenter.

Around 103 selected manuscripts were presented in the seminar. Such an amount was chosen from 137 manuscripts that had been received by the committee and screened by the ISMCT editorial team. All manuscripts have been peer-reviewed with triple-blind review by three reviewers for each manuscript. Of 103 presented manuscripts around 88 papers have been accepted by the editorial team and submitted to IOP Conference Series: Earth and Environmental Science (EES) for further processing prior to publishing them.



The ISMCT 2021 has been successfully organized by R&D Centre for Mineral and Coal Technology (tekMIRA) and has brought together practitioners, researchers, academics, regulators, professionals and civil society to meet and collaborate on sustainable development and technology innovation in the fields of mineral, coal and mining industry, processing, environment and techno-economics and policy.

Thanks to the Minister of Energy and Mineral Resources, the Research and Development Agency of Energy and Mineral Resources and the directorate General of Mineral and Coal - Ministry of Energy and Mineral Resources Republic of Indonesia for the support. Special appreciations to the organizing committee and the editor team who have well coordination, and has given effort in organizing the seminar and the process of papers publishing.

Editors Team,

- 1. Prof. Dr. Datin Fatia Umar**
- 2. Ir. Tatang Wahyudi, MSc**
- 3. Dra. Sri Handayani, MSc**
- 4. Dr. M. Ikhlasul Amal**
- 5. Dr. Yudi Nugraha Thaha**
- 6. Prof. Dr. Binarko Santoso**
- 7. Dr. Robi Kurniawan**

Steering Committee

Head of R&D Agency for Energy and Mineral Resources,
 Director of Directorate General of Mineral and Coal, DGMC
 Special Staff for Mineral and Coal Governance Acceleration, MEMR
 Head of R&D Centre for Mineral and Coal Technology (tekMIRA)
 Director of Mineral and Coal Program Development, DGMC
 Director of Mineral and Coal Engineering and Environment, DGMC
 Head of Sub-Directorate of Investment and Cooperation Development for Mineral and Coal, DGMC
 Chairman of Associations of Indonesian Mining Professionals (PERHAPI),
 Chairman of Indonesian Association of Geologists (IAGI),
 Chairman of Indonesian Metallurgical Professionals Association (APMI),
 Chairman of Majalah Tambang (Tambang Magazine),
 Chairman of Association of Indonesian Processing and Refining Industry Companies (AP3I),
 Chairman of Indonesian Mining Association (IMA),
 Chairman of Indonesian Coal Mining Association (APBI), and
 Indonesian Mining Services Association (ASPINDO).

Organizing Committee

Dr. Agus Wahyudi, S.Si., M.T., Chairman
 Willy Hermawan, S.T., M.T., Vice Chairman
 Weningsulistri, S.Si., M.Si., Secretary
 Hasniati Astika, S.T., Secretary
 Wulandari Surono, S.Si., Treasurer
 Silti Salinita, S.T., Treasurer
 Nia Rosnia, S.Si., M.Si., Committee
 Purwo Subagiyo, S.E., Committee
 Dr. Ir. Zulfahmi, M.T., Committee
 Ir. Nendaryono Madiutomo, M.T., Committee
 Dr. Miftahul Huda, M.Eng, Committee
 Isyatun Rodliyah, S.Si., M.T., Committee
 Ir. Budhy Agung, M.T., Committee
 Dipl. Ing. Pichiato, Committee
 Muhammad Ade Andriansyah Efendi, M.Eng., Committee
 Deni Nurul Kamal, A.Md., Committee
 Marsen Alimano, S.T., M.T., Committee
 Hasudungan Eric Mamby, M.T., Committee
 Hairunnisa, M.Si., Committee
 Bachtiar Efendi, A.Md. Committee
 Zetana Gunani Nazarulloh, S.Ds., Committee
 Ginanjar Aji Sudarsono, S.Kom., Committee
 Andrie Mulyana, A.Md., Committee
 Titin Siti Fatimah, M.Si., Committee
 Andina Septiarani, S.Si., M.I.L., Committee
 Novan Adhitya Putra, S.Kom., Committee
 Sumaryadi, A.Md., Committee
 Hanny Fariany Fauziah, S.S., Committee

PAPER • OPEN ACCESS

Peer review declaration

To cite this article: 2021 *IOP Conf. Ser.: Earth Environ. Sci.* **882** 011002

View the [article online](#) for updates and enhancements.

You may also like

- [Peer review declaration](#)
- [Combining ability and heterosis to root-knot nematode resistance on seven genotypes of kenaf using full diallel cross analysis](#)
Parnidi, L Soetopo, Damanhuri et al.
- [Peer review declaration](#)



UNITED THROUGH SCIENCE & TECHNOLOGY

 **The Electrochemical Society**
Advancing solid state & electrochemical science & technology

**248th
ECS Meeting**
Chicago, IL
October 12-16, 2025
Hilton Chicago

**Science +
Technology +
YOU!**

**Register by
September 22
to save \$\$**

REGISTER NOW

The banner features a woman in a brown blazer smiling and gesturing. The background is blue with a network of white dots and lines. The top and bottom borders consist of a repeating pattern of blue and white circular arrows.

Peer review declaration

All papers published in this volume of IOP Conference Series: Earth and Environmental Science have been peer reviewed through processes administered by the Editors. Reviews were conducted by expert referees to the professional and scientific standards expected of a proceedings journal published by IOP Publishing.

- **Type of peer review: Single-blind / Double-blind / Triple-blind / Open / Other (please describe)**

All accepted papers from ISMCT 2021 conference have been peer reviewed with triple-blind review type through processes administered by the proceedings Editors. Reviews were conducted by expert referees to the professional and scientific standards expected of a proceedings journal published by IOP Publishing.

- **Conference submission management system:**

We use conference submission management system electronically with link <https://seminar.tekmira.esdm.go.id/index.php/registration>. This management system was affiliated with <https://edas.info>.

- **Number of submissions received: 137 papers**
- **Number of submissions sent for review: 103 papers**
- **Number of submissions accepted: 86 papers**
- **Acceptance Rate (Number of Submissions Accepted / Number of Submissions Received X 100): 62.77%**
- **Average number of reviews per paper: three reviewers**
- **Total number of reviewers involved: 97 reviewers**
- **Any additional info on review process:** Review description need to check:
 1. Paper template (Title, affiliation, abstract, paper content, figure and table format, equation, references)
 2. Originality
 3. Novelty
 4. Paper quality
 5. Language quality (structure and grammar)

- **Contact person for queries:**

Name : Dr. Agus Wahyudi, M.T.

Affiliation: R&D Centre for Mineral and Coal Technology (Tekmira), Ministry of Energy and Mineral Resources, Republic of Indonesia

E-mail : a.wahyudi80@esdm.go.id



Content from this work may be used under the terms of the [Creative Commons Attribution 3.0 licence](https://creativecommons.org/licenses/by/3.0/). Any further distribution of this work must maintain attribution to the author(s) and the title of the work, journal citation and DOI.



Table of contents for issue 1, volume 882, IOP Conference Series: Earth and Environmental Science

Volume 882

2021

← [Previous issue](#) [Next issue](#) →

International Seminar on Mineral and Coal Technology 23-24 June 2021, Bandung, Indonesia

Accepted papers received: 04 October 2021

Published online: 10 December 2021

[Open all abstracts](#)

Preface

OPEN ACCESS

011001

Preface

 [View article](#)

 [PDF](#)

OPEN ACCESS

011002

Peer review declaration

 [View article](#)

 [PDF](#)

Mineral

OPEN ACCESS

012001

Influence of alkaline pre-treatment on acid dissolution of cathode material of 18650 lithium battery

Dessy Amalia, Pritam Singh, Wensheng Zhang and Aleksandar N. Nikoloski

 [View article](#)

 [PDF](#)

OPEN ACCESS

012002



Nickel recovery from precipitate of NCA lithium-ion battery leach liquor by using disodium ethylene diamine tetraacetate

A U N Izzati, H T B M Petrus and A Prasetya

OPEN ACCESS 012003

Lithium recovery from synthetic geothermal brine using electrodialysis method

V S H Sujoto, Sutijan, W Astuti, F R Mufakhir and H T B M Petrus

 View article  PDF

OPEN ACCESS 012004

Recovery of cobalt and molybdenum from consumed catalyst using hydrochloric acid



D K Utama, A Prasetya, H T B M Petrus and W Astuti

 View article  PDF

OPEN ACCESS 012005

Lithium titanium oxide synthesis by solid-state reaction for lithium adsorption from artificial brine source

I W C W H Tangkas, W Astuti, Sutijan, S Sumardi and H T B M Petrus

 View article  PDF

OPEN ACCESS 012006

Recovery of cobalt and molybdenum from spent catalyst using citric acid


M E C Nugroho, Sutijan, A Prasetya and W Astuti

 View article  PDF

OPEN ACCESS 012007

The extraction of tin (Sn) from primary tin ore deposits using wet chlorination

I Rodliyah, R Wijayanti, A Septiarani, A Sudrajat and D Firmansyah

 View article  PDF

OPEN ACCESS 012008

Beneficiation of cassiterite from primary tin ores using gravity and magnetic separation

I Rodliyah, R Wijayanti, K N Hidayat, E A Dianawati, A Sudrajat and D Firmansyah













 View article  PDF

OPEN ACCESS 012009

Thermal analysis of Indonesian copper sulphide

Imelda Hutabarat

 View article  PDF


OPEN ACCESS	012010
Characterization of perlite and expanded perlite from West Sumatera, Indonesia	
Didit Adi Darmawan, Agus Wahyudi, Hasudungan Eric Mamby and Ijang Suherman	
 View article	 PDF
OPEN ACCESS	012011
Meteorite from Astomulyo Village, Central Lampung, Indonesia: Investigation of its chemical properties	
D G Harbowo, R Muztaba, H L Malasan, S Sumardi, L K Agustina, T Julian, J H Sitorus, A D A Denhi, D J P Sihombing, M P Mahayu <i>et al</i>	
 View article	 PDF
OPEN ACCESS	012012
Batusatam physical and chemical properties review: A Billitonite tektite in Southeastern Belitung Island, Indonesia	
D G Harbowo, M Afdareva, V Ingrid and S Sumardi	
 View article	 PDF
OPEN ACCESS	012013
New physical and chemical properties of chitosan-samarium composite: synthesis and characterization	
W W Prihandini, E Kusrini, A B Prasetyo, N A Prasetyarni, D P Mawarni, M Sufyan and A Usman	
 View article	 PDF
OPEN ACCESS	012014
Study of production 500 kg/batch polyaluminum chloride from aluminum hydrate	
H E Mamby, K N Hidayat and A Wahyudi	
 View article	 PDF
OPEN ACCESS	012015
Laboratory test and analysis of recovery from separation of iron sand using magnetic separator	
I Permatasari, C Palit and Subandrio	
 View article	 PDF
OPEN ACCESS	012016
Synthesis of Al(OH) ₃ nanoparticles from Indonesian bauxite and tomato waste extract as chelating agent for nanofluids applications	
A Hardian, C Nirmalasari, S Budiman, A Murniati, V A Kusumaningtyas, T Yuliana and D G Syarif	

OPEN ACCESS

012017

Cu-Mn Co-doped NiFe_2O_4 based thick ceramic film as negative temperature coefficient thermistors

A Hardian, S Greshela, T Yuliana, S Budiman, A Murniati, V A Kusumaningtyas and D G Syarif

 View article  PDF

OPEN ACCESS

012018

Characteristic of heat transfer nanofluid of Al_2O_3 improved by ZrO_2 addition

Dani Gustaman Syarif, Jakaria Usman, Yofi Ike Pratiwi, Muhammad Yamin and Arie Hardian

 View article  PDF

OPEN ACCESS

012019

Synthesis, characterization, and evaluation of $\text{ZrSiO}_4/\text{Fe}_2\text{O}_3$ adsorbent for methylene blue removal in aqueous solutions

T Yuliana, N Nurlitasari, A Hardian, S Budiman, Jasmansyah, A Murniati, V A Kusumaningtyas and D G Syarif

 View article  PDF

OPEN ACCESS

012020

The sequential REE (Rare Earth Elements) extraction of weathered crusts of granitoids from Sibolga, Indonesia

I Setiawan

 View article  PDF

OPEN ACCESS

012021

Utilization of bio-organo mineral as a soil ameliorant for hard crops

B A Supriyanto, T Wahyudi, E Pranoto and M R Setiawati

 View article  PDF

OPEN ACCESS

012022

Synthesis of $\text{TiO}_2\text{-NiFe}_2\text{O}_4$ nanocomposites using coprecipitation method as photocatalyst for methylene blue removal

A Hardian, Devikha, S Budiman, T Yuliana, H Sujono, A Murniati, V A Kusumaningtyas and D G Syarif

 View article  PDF

OPEN ACCESS

012023

Analysis of cyclic voltammetry in the recovery of copper from printed circuit board waste using diluted deep eutectic solvent

OPEN ACCESS

012024

Critical raw materials enrichment in bauxite laterite: a case study of diverse parent rock types

R D Nugraheni, C P Riyandhani, M Apriniyadi and D Sunjaya

OPEN ACCESS

012025

Effect additional pH on separation extraction gadolinium from terbium and europium with Di-2-(ethylhexcyl)phosphate acid

S Budiman, B Saputra, A Hardian, T Yuliana, A Murniati, V A Kusumaningtyas, Nurdeni, S Effendy, A Mutalib, A Anggraeni *et al*

OPEN ACCESS

012026

The preparation of $\text{Al}_2\text{O}_3\text{-Na}_2\text{SO}_4$ composites derived from local kaolin through an alkaline destruction combined with sulphatization method

E Maryani, N Sofiyaningsih and R Septawendar

OPEN ACCESS

012027

Characterization of gold ore from Babakan Loa Sub-District and leaching study in cyanide solution

L O Arham, F R Mufakhir, I A Putri, Wahab, H Z Hakim, A S Handoko and Sudibyo

Coal

OPEN ACCESS

012028

Study on coal to methanol of Arutmin coal

Suganal, Miftahul Huda, Muhammad Ade A. Efendi, Dahlia Diniati, Datin Fatia Umar, Sapta Rianda, Nurhadi and Gandi Kurnia

OPEN ACCESS

012029

Study of making coal water slurry with lignite Pendopo coal



M A Rahmanta

OPEN ACCESS

012030

Coal blending selection for CFPP fuel with slagging fouling prediction and procurement cost calculation

Hariana, H P Putra, A A Raksodewanto, Enjang, F M Kuswa, D B Darmadi and C Nielsen

 View article  PDF

OPEN ACCESS

012031

Characteristics of low-rank and medium-rank Indonesian coal using the TG-DSC method

Hariana, A Prismantoko, H P Putra, A P Nuryadi, Sugiarto, Enjang and C Nielsen


 View article  PDF

OPEN ACCESS

012032

Impact of coal pile leachate on soil geochemistry: case study of PT Bukit Asam Tbk. Tarahan Port Unit and its surroundings

B A Farishi, M Iqbal, M Candany, D Radityo, H C Natalia, T F Erica and M A A Hassan

 View article  PDF

OPEN ACCESS

012033

Performance and boiler efficiency using low-grade coal on 400 MWe coal-fired power plant: case study of Suralaya Power Plant Unit 2

Eko Supriyanto, Nur Cahyo, Ruly Sitanggang, Rasgianti, Meiri Triani and Dheka Bakti

 View article  PDF

OPEN ACCESS

012034

The effect of coal stockpile on shallow groundwater aquifer: Study case Tarahan

M Iqbal, B A Farishi, M A A Hassan, H C Natalia, D Radityo, T F Erica, M Candany and S M J Safa

 View article  PDF

OPEN ACCESS

012035

Characterization approach to develop distillation process for production of anode-grade coal tar pitch

Phiciato, S Rianda, C Irawan and D Sinaga

 View article  PDF

OPEN ACCESS

012036

Valuation slagging factors and greenhouse gases emissions of paper mill reject and coal

OPEN ACCESS

012037

The potency of rare earth elements and yttrium in Konawe coal ashes, Indonesia

Maidatul Farqhi, Dea Anisa Ayu Besari, Ferian Anggara and Himawan Tri Bayu Murti Petrus

 View article  PDF

OPEN ACCESS

012038

Low-rank coal and poly fatty acid distillate characterization as a preparation of coal upgrading palm oil technology

Sihyun Lee, Jiho Yoo and Datin Fatia Umar

 View article  PDF

OPEN ACCESS

012039

The performance of Pacitan Power Plant (pulverized boiler) toward the blending coal: an experimental

Rasgianti, N Cahyo, E Supriyanto, R B Sitanggang, M Triani and D Bakti

 View article  PDF

OPEN ACCESS

012040

Preparation of carbon anode sheet precursor using raw Air Laya–Bukit Asam coal and its application for battery

A T Mursito, L N Listiyowati, D N Arifin, D B Santoso and M D S Wicaksono

 View article  PDF

Mining

OPEN ACCESS

012041

Preliminary modeling for module estimation on the underground coal gasification project

Zulfahmi, M Huda, B Sirait, A Maulana and A Lubis

 View article  PDF

OPEN ACCESS

012042

Fitting the variogram model of nickel laterite using root means square error in Morowali, Central Sulawesi

Benny Anggara, Irfan Marwanza, Masagus Ahmad Azizi, Wiwik Dahani and Subandrio

 View article  PDF

OPEN ACCESS

012043

Mitigation in erosion control and management of ex-mining water through revegetation and sustainable environmental management technologies

E Istiqomah, R Aryanto and T T Purwiyono

[!\[\]\(d3fb9f94af8b26d1c844efa9a98805b0_img.jpg\) View article](#) [!\[\]\(78eb1652b591ce460bbb1a853a52e223_img.jpg\) PDF](#)

OPEN ACCESS

012044

Various sources of rare earth element enrichment at Manamas volcanic rock, Timor Island

Angga Jati Widiatama, Happy Christin Natalia, Rinaldi Ikham, Lauti Dwita Santy, Joko Wahyudiono, Lanang Rangga Setia Wiguna and Syifa Faranabila

[!\[\]\(73002692dd5e7a64e60946be3158e719_img.jpg\) View article](#) [!\[\]\(42837a1907e26cf155e215b5440e265d_img.jpg\) PDF](#)

OPEN ACCESS

012045

Characteristics of polymetallic enrichment on oceanic red bed in Matano Formation, Baturubei, Central Sulawesi, Indonesia

Angga Jati Widiatama, Achmad Fahrudin and Lauti Dwita Santy

[!\[\]\(aab88c0d099e5d18d6533a97b13ec28d_img.jpg\) View article](#) [!\[\]\(30511f8b621e91d2a09037fa36f8d30d_img.jpg\) PDF](#)

OPEN ACCESS

012046

Identification of zeolite using electrical resistivity tomography in Campang Tiga, South Lampung Regency

Alhada Farduwin, Pangeran G. Lumbatoruan, Karyanto and Dian Triyanto

[!\[\]\(f9f168a9979beed8b01f8750d577d508_img.jpg\) View article](#) [!\[\]\(b1ac1d1e1abb0e6ef93ffe234a7377a4_img.jpg\) PDF](#)

OPEN ACCESS

012047

Enhanced processing of magnetic data for delineating lithological boundary and geological structure of the epithermal gold mineralization control system - A case study: Cibaliung Area, Indonesia

Wahyu Eko Junian, Andri Yadi Paembonan, Harnanti Y Hutami and Muhammad Arief Wicaksono

[!\[\]\(21199f22b9d1b26430e2489096a820a5_img.jpg\) View article](#) [!\[\]\(9b7d291e42c410c7a41479dbbeec6eb0_img.jpg\) PDF](#)

OPEN ACCESS

012048

Hydrology model establishment of pit lake: Extreme event rainfall data analysis

M A Danasla, G J Kusuma, E J Tuheteru and R S Gautama

[!\[\]\(cb27e8648a5eb2fbfe0b5a33721d875a_img.jpg\) View article](#) [!\[\]\(0fb302304efd907e6ee4cb7212fbbbb8_img.jpg\) PDF](#)

OPEN ACCESS

012049

Impacts of increasing the airflow rate on load-haul-dump heat spread at an underground mine

OPEN ACCESS

012050

Mining disposal erosion evaluation: A case study

Y S Novianti, U Saismana, Y Yuhanes and H N Fikri

OPEN ACCESS

012051

Quality of coal seam D of Muara Enim Formation, Central Palembang Subbasin

A B Purnama, S S Yudha and W Surono

OPEN ACCESS

012052

Geotechnical structure interpretation from borehole wall imagery at Mamput Block, Central Kalimantan, Indonesia

Z. Zulfahmi and Z. Pulungan

OPEN ACCESS

012053

Advantages of underground coal gasification implementation in Indonesia

M Huda, B Yunianto, B Sirait, S Salinita and D Shaigec

OPEN ACCESS

012054

The effect of rock permeability value on groundwater influx in underground coal gasification reactor

Nendaryono Madiutomo, Willy Hermawan, Weningsulistri and Madya Pamungkas

OPEN ACCESS

012055

Technical analysis of shovel working time towards inter-burden production achievement in open-pit coal mine

Vivi Sandra Wulandari, Mixsindo Korra Herdyanti and Pantjanita Novi Hartami

OPEN ACCESS

012056



The planning of mine drainage system at PT Perkasa Inakakerta, East Kutai Regency

M C Dewi, R Anggara, R Hidayatullah and I Nurhakim

OPEN ACCESS 012057

The application of “line drilling” and “buffer holes” methods to reduce blasting vibration

Dhion Pradatama, Chani Pradasara and M. Syafiq Isnaya

 View article  PDF

OPEN ACCESS 012058

Low density optimization of emulsion explosive to improve blasting quality (MNK Max70)

Panangian Manullang, Madinatul Arbi and Slamet Rachman Jaka

 View article  PDF

OPEN ACCESS 012059

Slope stability and bearing capacity analysis of disposal in open-pit coal mining

Bagaraja Sirait and Zulfahmi

 View article  PDF

OPEN ACCESS 012060

Assessing slope failure in coal mining using kinematic analysis

Bagaraja Sirait, Silti Salinita, Zulfahmi and Eko Pujiyanto



 View article  PDF

Environment

OPEN ACCESS 012061

Performance of *Centrocoma* grown on mercury-contaminated tailing inoculated with beneficial bacteria: Preliminary study



R Hindersah, Y Sunarya, M Arifin and R Priyadi

 View article  PDF

OPEN ACCESS 012062

Characterization of potential mercury contamination in the ASGM area of Mandailing Natal, North Sumatera

H Astika, S Handayani, R Damayanti, W Surono, Maryono, M Suciyaniti and H A Octaviano

 View article  PDF

OPEN ACCESS 012063

Evaluation of coating performance on carbon steel A-36 in copper concentrate environment using electrochemical impedance spectroscopy

OPEN ACCESS

012064

1-Dimensional numerical modelling of unsaturated water flow and oxygen diffusion in overburden material column using hydrus 1-D

Jarwinda, A Badhurahman, G J Kusuma and R S Gautama

OPEN ACCESS

012065

The Fe (II) and Mn (II) adsorption in acid mine drainage using various granular sizes of activated carbon and temperatures

Suliestyah, Pancanita Novi Hartamai, Indah Permata Sari and Edwardo Alexander

OPEN ACCESS

012066

Effectiveness of carbon active processed from coal in treating the acid mine drainage at a laboratory scale

Suliestyah, Edy Jamal Tuheteru, Indah Permata Sari and M Wisnu Fajar

OPEN ACCESS

012067

Utilization of *Tephrosia vogelii* in post-mining land reclamation

V A Kusumaningtyas, A Murniati, S Budiman, A Hardian, H Ruhaniyah, M Melina, L D Juliawaty and Y M Syah

OPEN ACCESS

012068

Removal of mercury ion from wastewater using natural zeolite: effect of humic acid to adsorption isotherm

L Prasakti, F N Utami and A Prasetya

OPEN ACCESS

012069

Artificial wastewater treatment from recycling process of LiFePO_4 (LFP) batteries using activated carbon



L Prasakti, A Prasetya, R M S D Suryohendrasworo and S N S H Puteri

OPEN ACCESS

012070

Characterization of amalgamation tailings from ASGM in Sekotong area, West Nusa Tenggara, Indonesia, and its potential added value

A Wahyudi, W Surono, I Rodliyah and H E Mamby

 View article  PDF

OPEN ACCESS

012071

Modification of Cu²⁺ in polyphenol oxidase extract from purple eggplant for phenol degradation in coal wastewater treatment

A Murniati, B Buchari, S Gandasasmita, Z Nurachman, VA Kusumaningtyas, Jasmansyah, S Budiman, A Hardian, S Herlinawati, R M Ibrahim *et al*



 View article  PDF

OPEN ACCESS

012072

The potency of *Cassia siamea* as phytostabilization in post-mining land reclamation

V A Kusumaningtyas, H N Azizah, A Murniati, S Budiman, H Sujono, A Hardian, M Melina, T Setiawati and D Prajitno

 View article  PDF



Techno-economics and Policy

OPEN ACCESS

012073

Prospect of coal-based methanol market in Indonesia

T Suseno and D F Umar

 View article  PDF

OPEN ACCESS

012074

A sustainable development strategy for mining industries in Citatah karst area in Bandung Basin

Nendi Rohaendi, Emi Sukiyah, Dicky Muslim and Athanasius Cipta

 View article  PDF

OPEN ACCESS

012075

Social economic feasibility of community's gold mining in Kertajaya Village, Sukabumi Regency, West Java, Indonesia



F Y Prabawa, R H S Koestoer and R Sukhyar

 View article  PDF

OPEN ACCESS

012076

The role of iron and nickel smelters for the Indonesian steel industries



 [View article](#)  [PDF](#)

OPEN ACCESS

012077

Legalization of illegal small-scale mining, as a policy of business guarantee and environmental management

S Sugiarti, B Yuniarto, R Damayanti and N R Hadijah



 [View article](#)  [PDF](#)

OPEN ACCESS

012078

A preliminary study on the element abundance in the Hulusimpang Formation, Way Kalianda, Pesawaran, Lampung, Indonesia

D G Harbowo, B Priadi, T Julian, R N Amelia, D J P Sihombing and F S Kencana

 [View article](#)  [PDF](#)

OPEN ACCESS

012079

Value-added analysis of the electric vehicle battery industry in Indonesia

I Suherman, S Rochani and D Cahyaningtyas



 [View article](#)  [PDF](#)

OPEN ACCESS

012080

Techno-economic analysis study of coal gasification plant into various strategic chemicals

R Tetrisyanda, A Wiguno and G Wibawa



 [View article](#)  [PDF](#)

OPEN ACCESS

012081

Techno-economic analysis of producing low heating value underground coal gasification gas in Indonesia

M. Huda, S. Salinita, Zulfahmi, N Madiutomo and E Handayani

 [View article](#)  [PDF](#)

OPEN ACCESS

012082

Business analysis of implementation of UCG technology in Indonesia

Gandhi Kurnia Hudaya and Miftahul Huda



 [View article](#)  [PDF](#)

OPEN ACCESS

012083

Implementation of Indonesia coal downstream policy in the trend of fossil energy transition

C M Yasin, B Yuniarto, S Sugiarti and G K Hudaya



 [View article](#)  [PDF](#)

OPEN ACCESS

012084

Mining sector in the economic structure of South Kalimantan Province: direct and indirect impacts

K S Putri, Riswan and I Rahman


 [View article](#)  [PDF](#)

OPEN ACCESS

012085

Expanded perlite commercialization techno-economic analysis in Indonesia

I Suherman, A Wahyudi, H E Mamby and D A Darmawan

 [View article](#)  [PDF](#)

OPEN ACCESS

012086

Andesite prospect at West Sungkai of North Lampung: Its distribution based on electrical resistivity tomography

R. M. Antosia, Mustika, I. A. Putri, S. Rasimeng and O. Dinata

 [View article](#)  [PDF](#)

JOURNAL LINKS

[Journal home](#)

[Journal scope](#)

[Information for organizers](#)

[Information for authors](#)

[Contact us](#)

[Reprint services from Curran Associates](#)

Festival opens up the quantum realm



A series of events called the **Quantum Fringe** has enabled everyone from school students and the interested public to researchers and industry experts to gain new insights into quantum computing



National Quantum Computing Centre

Read the article
on **physicsworld.com**

[Click to read article](#)

IOPSCIENCE

Journals

Books

IOP Conference Series

About IOPscience

Contact Us

IOP PUBLISHING

Copyright 2024 IOP
Publishing

Terms and Conditions

Disclaimer

Privacy and Cookie Policy

PUBLISHING SUPPORT

Authors

Reviewers

Conference Organisers

Developing countries access

Text and Data mining policy

IOP Publishing open access
policy

Accessibility

IOP



PAPER • OPEN ACCESS

Impacts of increasing the airflow rate on load-haul-dump heat spread at an underground mine

To cite this article: D R Kaiyandra *et al* 2021 *IOP Conf. Ser.: Earth Environ. Sci.* **882** 012049

View the [article online](#) for updates and enhancements.

You may also like

- [Study of the Impact of Social and Environmental Factors on the Spread of Coronavirus Infection in Russian Regions](#)
S A Yeprintsev, O V Klepikov, S V Shekoyan *et al.*
- [Spreading behavior of liquid droplets upon impact on wetted cylindrical surfaces](#)
Shihe Dong, Qiuyi Zhang, Yifan Wu *et al.*
- [Molecular dynamics simulations of spontaneous spreading of a nanodroplet on solid surfaces](#)
Nahid Sedighi, Sohail Murad and Suresh K Aggarwal

UNITED THROUGH SCIENCE & TECHNOLOGY



**248th
ECS Meeting**
Chicago, IL
October 12-16, 2025
Hilton Chicago



**Science +
Technology +
YOU!**

**Register by
September 22
to save \$\$**

REGISTER NOW

Impacts of increasing the airflow rate on load-haul-dump heat spread at an underground mine

D R Kaiyandra, R Yulianti* and P N Hartami

Department of Mining Engineering, Faculty of Earth and Energy Technology, Trisakti University, Jl. Kyai Tapa No. 1 Jakarta 11440, Indonesia

*Corresponding author's e-mail: ririnyulianti@trisakti.ac.id

Abstract. In the mining process, mining companies use various mining equipment to extract valuable materials. One of them is a load-haul-dump (LHD) machine. Although this equipment is very helpful in the production process, it also has drawbacks. This equipment emits heat that can affect air temperature in the mine tunnel and cause a decrease in the comfort of mineworkers, which then impacts the mine productivity. One of the methods that can be carried out to overcome this problem is to increase the amount of airflow by changing the ventilation network. Therefore, this study aims to determine the impacts of increasing airflow on the heat spread of the operated LHD machines. The results of this study are to provide a method for reduced temperature visually and can be used as a recommendation for temperature reduction in the future. To examine the heat spreading, the researchers applied a tunnel model made using CFD software that is ANSYS Fluent and use VentSim software to simulate the network changes. The results indicated that the increase of the airflow rate could reduce the temperature on the work front when the LHD machines are operating and can affect the heat spread.

1. Introduction

PT. Cibaliung Sumberdaya (PT. CSD) applies an underground mining method to extract valuable material in the form of gold from the ground. The underground mining method highly requires mine ventilation to deliver and supply fresh air from the surface to meet the respiratory needs of humans and equipment in the mine. Ventilation is also useful for diluting impurity gases and regulating the temperature in the work area so that mineworkers can work comfortably.

In the mining process, PT. CSD uses a variety of mining equipment to assist the process of extracting valuable materials. One of the equipment used is the load-haul-dump (LHD) machine used for the mucking process. These LHD machines are very helpful in the mine production process. However, it also has drawbacks that sufficiently affect the comfort of mineworkers, in which it generates pretty high heat and can potentially increase the temperature in the tunnel. Various ways can be carried out to minimize the temperature increase caused by the operation of the LHD machines. One of them is to increase the airflow to the work front by changing the ventilation network [1,2]. Mine ventilation is an effort to control airflow from the surface into the underground for the need of workers and equipment used. The circulated fresh air can remove dust and toxic gases and lower the temperature. Air is flown into the mine using natural and artificial ventilation [3].

Therefore, this study aims to determine the impact of increasing the airflow to the heat spread of the operated LHD machine. The results of this study are expected to provide a method for reducing temperature visually and can be used as a recommendation for temperature reduction in the future.



2. Literature review

2.1. Previous research

This study closely follows previous research on thermal management strategy using CFD [1], which discusses various variables effect on underground mine air temperature including mining machine and airflow rate. This study mostly agrees with its content while also made a model to do a visual observation.

2.2. Research location

The research location of this study is one of the underground mining fronts owned by PT. CSD, namely the XC-13 VT NRTH work front in the Cikoneng block. This work front is at about 200 m depth from the surface and 1700 m from the portal. This work front has a tunnel width of 4.632 m, a height of 5.065 m, a length of 68.9 m, and a horseshoe shape. Furthermore, this work front implements a blow ventilation system that uses a vent duct to channel the air. The source of the air comes from a 37-kW forcing fan installed in another location. This vent duct has a length of 49.94 m and a diameter of 0.7 m [4,5].

2.3. The calculation of air requirements

The calculation of the air demand in the mine refers to the Decree of the Director-General of Minerals and Coal of the Ministry of Energy and Mineral Resources No.185.K/37.04/DJB/2019, which states that the volume of supplied clean air must be calculated based on the largest number of workers at a work location with a minimum requirement of 0.03 m³/s when the working process occurs and as much as 0.05 m³/s for each horsepower of operating diesel equipment. On the mining front at PT. CSD, one of the activities carried out is a mucking that uses 1 LHD machine and one worker. The LHD machine with the greatest power in PT. CSD is Tamrock 006 with a power of 202 Hp. By referring to the Decree of the Director-General aforementioned, the total air demand on the work front for mucking activities is as follows.

$$\text{Air requirement for equipment used} = 202 \text{ Hp} \times 0.05 \text{ m}^3/\text{s} = 10.4 \text{ m}^3/\text{s} \quad (1)$$

$$\text{Air requirement for humans (workers)} = 1 \text{ person} \times 0.03 \text{ m}^3/\text{s} = 0.03 \text{ m}^3/\text{s} \quad (2)$$

$$\text{Total air requirement} = 10.4 \text{ m}^3/\text{s} + 0.03 \text{ m}^3/\text{s} \quad (3)$$

2.4. The calculation of the heat generated by diesel equipment

The internal combustion of diesel equipment has an efficiency of 1/3 compared to electrical equipment [6]. Therefore, diesel equipment generates about three times as much heat as electrical equipment for the same workload. To calculate the heat generated by diesel equipment, we can use the following equation [6,7].

$$q_{ed} = f_m \times f_t \times q_d \times P_d = 34\% \times 36\% \times 2.9 \frac{\text{kW}}{\text{kW}} \times 150 \text{ kW} = 53.244 \text{ kW} \quad (4)$$

The mechanical efficiency of diesel equipment is 34% [6], while the efficiency of using the LHD engine of PT. CSD is 36% [8].

2.5. The calculation of heat increases due to diesel equipment

The heat released by the diesel engine into the mine ventilation air only affects the location where the equipment works [6]. The heat gained due to diesel equipment can be calculated using the following equation [6].

$$\Delta t_d = \frac{f_m \times f_t \times q_d \times P_d}{\rho_a \times C_e \times Q} = \frac{34\% \times 36\% \times 2.9 \frac{kW}{kW} \times 150 kW}{1.1774 \text{ kg/m}^3 \times 1.0057 \text{ kJ/kg} \cdot ^\circ\text{C} \times 2.97 \text{ m}^3/\text{s}} = 15.139^\circ\text{C} \quad (5)$$

Where:

- q_d = equivalent energy released by diesel fuel (2.9 kW/kW)
 f_m = mechanical efficiency
 P_d = the rating in kW of the equipment engine
 f_t = equipment utilization efficiency
 q_{ed} = heat generated by diesel equipment (kW)
 Δt_d = change in temperature due to diesel equipment ($^\circ\text{C}$)
 ρ_a = density of air (kg/m^3)
 C_e = specific heat of air ($\text{kJ/m} \cdot ^\circ\text{C}$)
 Q = airflow rate (m^3/s)

On the calculation above, the ρ_a and C_e data refer to air properties table at atmospheric pressure for a temperature of 300 °K. Meanwhile, the Q data is the measured airflow rate on the work front [6]. The operation of the LHD machine in the work front can theoretically increase the temperature to 15.139°C for one work cycle of the equipment [6,9], which is 4 hours [4,8].

3. Materials and methods

CFD software is used to analyze the impact of increasing airflow on the heat spread of the operated LHD machines. The amount of airflow is changed by modifying the ventilation network using VentSim software. All the data used in this study is secondary data obtained from existing research [4,5,10]. A percent error calculation was conducted for validating the model. Based on the CFD research for mining applications, the percent error of 20% is still acceptable due to limited data and the accuracy of data obtained from the field, so that is normal to have a percent error calculation of up to 20% [11]. The percent error is calculated as follows.

$$\%error = \left[\left(\frac{S-T}{S} \right) \times 100\% \right] \quad (6)$$

Where:

- S = Data generated from simulation
 T = Data from theoretical calculation

The CFD software that is used in this research is ANSYS Fluent. The geometry modeling of the tunnel and vent duct follows the work front conditions with the geometry of the simplified LHD Toro 006 shape [12–14]. The specifications of the geometry in this study are presented in Table 1 and Figure 1.

Table 1. The data concerning tunnel geometry.

Geometry	Specification
Tunnel Geometry	Length: 68.9 m
	Width: 4.632 m
	Height: 5.065 m
Vent Duct Geometry	Diameter: 0.7 m
	Length: 49.94 m
	Width: 8.608 m
LHD Geometry	Width: 1.9 m
	Height: 1.66 m




Figure 1. The geometry of the work front tunnel.

In addition, the mesh used is a mesh that is automatically generated by the meshing software, which produces a tetrahedral mesh shape. In the boundary setting, the tunnel exit path is chosen as the outflow due to the unknown temperature and pressure at the air outlet through the tunnel [12]. Meanwhile, the air velocity and temperature refer to measured [4,5,10], and the heat flux on the body and exhaust of the LHD machine is one-third of the kW rating of the LHD machine [1] divided by the surface volume.

For the data concerning the solver setting, it is mostly in the default setting. The turbulence model used is the standard k-epsilon turbulent model, which is the most efficient and most widely used in underground mine ventilation airflow modeling using computational fluid dynamics (CFD) [1,11,15–18].

In this research, to accommodate an increasing airflow rate, a ventilation network changes were conducted. The ventilation network changes are simulated using VentSim software.

4. Results

4.1. Temperature spread in initial conditions

According to the theoretical calculation results, when the LHD Toro 006 is operated, the air temperature after 4 hours of operation will be 47.472°C. The data of this theoretical calculation are later be used to carry out the percent error calculation to find out whether the model that has been made can be used to reflect the actual tunnel conditions on the work front.




Figure 2. The temperature spread on the work front in the initial conditions (a) and (c) and actual ventilation network (b).

Figure 2(a) shows the temperature spread in the initial conditions when the LHD machine is operated. The measurement points are at a distance of 1 m, 5 m, 10 m, to 65 m with multiples of every 5 m from the end of the tunnel. When the LHD machine is operated, the heat is concentrated on its body, especially the rear where the exhaust of the LHD machine is located. The spread of heat rotates following the airflow as the air travels to the tunnel's exit.




Figure 3. Temperature on initial airflow rate.

Figure 3 shows the temperature of the tunnel in every 1 m distance based on when the LHD is operated. The heat distribution is centered at the end of the tunnel where the LHD is operated. The hottest point is at a distance of 8-11 m where the exhaust of the LHD machine is located.

According to the simulation results, the average temperature on the work front is 47.519°C. The percent error ratio is calculated and compared with the theoretical calculation data as follows.

$$\%error = \left[\left(\frac{47.519 - 47.472}{47.519} \right) \times 100\% \right] = 0.098\%$$

With a percent error value of 0.098%, the model is considered to reflect the actual work front tunnel conditions and can be used to examine the heat spread.

4.2. Temperature spread when the airflow rate is increased

The airflow rate on the ventilation network has changed to reduce the increase in temperature. The airflow is adjusted to the air requirement for the mucking process, which is 10.43 m³/s. Therefore, the theoretical increase in temperature can be calculated as follows.

$$\Delta t_d = \frac{34\% \times 36\% \times 2.9 \frac{kW}{kW} \times 150 kW}{1.1774 \text{ kg/m}^3 \times 1.0057 \text{ kJ/kg} \cdot ^\circ\text{C} \times 10.43 \text{ m}^3/\text{s}} = 4.31 ^\circ\text{C}$$

When the airflow rate is increased, the air temperature, after the LHD machine operated for 4 hours, theoretically will be 36.643°C. That is very different from the initial conditions, which is 47°C. Changes in the ventilation network can be conducted using the VentSim software. After that, the modeling is carried out.

Using the VentSim software, the ventilation network changes are carried out by cutting the previous vent duct and adding a booster fan close to the work front to force the air. More air is channeled to the work front. After that, the temperature distribution modeling is carried out.

In Figure 4(a), it can be seen the temperature distribution when the airflow rate is increased. The measurement points are the same as the initial condition, namely at a distance of 1 m, 5 m, 10 m to 65 m with multiples of every 5 m from the end of the tunnel. When the airflow rate is increased, the heat spread is similar to the initial conditions, in which the heat is concentrated at the end of the tunnel where the LHD machine is operated. The rear of the LHD machine has the hottest because it is the location of the LHD machine exhaust.




Figure 4. The temperature spread on the work front when the airflow rate is increased (a) and (c) and changes to the ventilation network (b).




Figure 5. The graph of the temperature when the airflow rate increased.

However, when comparing Figure 4(c) to Figure 2(c), when the LHD is operated, the hot air seems not gathered but is carried further away. It is because firmer air can make hot air be carried away faster.

Figure 5 shows the temperature graph from the model made based on when the LHD is operated at every 1 m distance. It is known that when the airflow rate is increased, the heat distribution is similar to the initial condition, which is centered at the end of the tunnel where the LHD is operated. The hottest point is at a distance of 8-11 m, where the exhaust of the LHD machine is located.

According to the simulation results, the average temperature on the work front is 37.062°C. The percent error ratio is calculated and compared with the theoretical calculation data, which is 36.643°C with the maximum percent error of 20%. The calculation of the percent error is shown as follows.

$$\%error = \left[\left(\frac{37.062 - 36.64}{37.062} \right) \times 100\% \right] = 1.13\%$$

With a percent error value of 1.13%, the model reflects the actual work front tunnel conditions when the airflow rate is increased.

5. Discussion

From the theoretical calculations and simulations that have been carried out, the increase of the airflow rate impacts the decrease in temperature of the work face. The temperature spread is centered at the end of the tunnel where the LHD machine is operated. The hottest point was at a distance of 8-11 m, where the exhaust of the LHD machine is located. The difference is that the average temperature is lower when the airflow rate is increased.




Figure 6. The graph of the difference in temperature spread in the initial conditions and when the airflow rate is increased.

6. Conclusion

From this study, it can be concluded that, from the simulation results, increasing the airflow rate impacts the decrease of the temperature on the work front when the LHD machine is operated, which is from 47.519°C to 37.062°C. Furthermore, it also affects the temperature spread on the work front because, although temperature spread is similar graphically, it has a much lower temperature. This research has limitations by using secondary data. It would be better if the field data were self-measured. The simulation can be more detailed, even expanded on larger location in an underground mine and more variables as a consideration such as dust, gas content, etc.

References

- [1] Sasmito A P, Kurnia J C, Birgersson E and Mujumdar A S 2014 Computational evaluation of thermal management strategies in an underground mine *Appl. Therm. Eng.* **90** 1144–50
- [2] Syaputra D and Heriyadi B 2019 Analisis pengaruh kecepatan aliran udara terhadap penurunan temperatur efektif pada lat simulasi ventilasi tambang bawah tanah *Bina Tambang* **4** 198–211
- [3] Hartman H L, Mutmansky J M, Ramani R V and Wang Y J 1997 *Mine Ventilation and Air Conditioning, 3rd Edition* (Canada: John Wiley & Sons)
- [4] Larasati B 2020 *Evaluasi Jaringan Ventilasi Blok Cikoneng, PT Cibaliung Sumberdaya, Kecamatan Cimanggu, Kabupaten Pandeglang, Provinsi Banten. Jakarta* (Trisakti)
- [5] Larasati B and Yulianti R 2020 Evaluasi kebutuhan udara front kerja di Blok Cikoneng, PT Cibaliung Sumberdaya menggunakan perangkat lunak Ventsim 5.2 *Indones. Min. Energy J.* **3** 23–7
- [6] Torres V F N and Singh R N 2011 Thermal state and human comfort in underground mining *Developments in Heat Transfer* ed M A D S Bernardes (Intech) pp 589–610
- [7] Yulianti R, Widodo N P and Gautama R S 2021 Kondisi resirkulasi udara terhadap penurunan sumber panas di dalam tambang bawah tanah *J. Geomine* **8** 228
- [8] Irzam A, Munir S and Guntoro D 2020 Perencanaan Peningkatan Produktivitas dan Efisiensi Siklus Produksi Operasi Penambangan dengan Time and Motion Study di Tambang Emas Bawah Tanah PT Cibaliung Sumberdaya Pandeglang Banten *Pros. Tek. Pertamb.* **6** 731–7
- [9] Yulianti R 2018 *Analisis Distribusi Panas pada Jaringan Ventilasi Ramp Down 450 Tambang Kubang Cicau UBPE Antam Pongkor* (Institut Teknologi Bandung)
- [10] Kaiyandra D R 2021 *Pemodelan Penyebaran Panas Load Haul Dump pada Front Kerja XC-13 VT NRTH di Blok Cikoneng, PT Cibaliung Sumberdaya* (Trisakti)
- [11] Xu G, Luxbacher K D, Ragab S, Xu J and Ding X 2017 Computational fluid dynamics applied to mining engineering: a review *Int. J. Mining, Reclam. Environ.* **31** 251–75
- [12] Zhou Z, Cui Y, Tian L, Chen J, Pan W, Yang S and Hu P 2019 Study of the influence of ventilation pipeline setting on cooling effects in high-temperature mines *Energies* **12** 4074
- [13] Kurnia J C, Sasmito A P, Wong W Y and Mujumdar A S 2014 Prediction and innovative control strategies for oxygen and hazardous gases from diesel emission in underground mines *Sci. Total Environ.* **481** 317–34
- [14] Wang W, Zhang C, Yang W, Xu H, Li S, Li C, Ma H and Qi G 2019 Insitu measurements and CFD numerical simulations of thermal environment in blind headings of underground mines *Processes* **7** 313
- [15] Park J, Park S and Lee D-K 2016 CFD modeling of ventilation ducts for improvement of air quality in closed mines *Geosystem Eng.* **19** 177–87
- [16] Sasmito A P, Birgersson E, Ly H C and Mujumdar A S 2013 Some approaches to improve ventilation system in underground coal mines environment – A computational fluid dynamic study *Tunn. Undergr. Sp. Technol.* **34** 82–95
- [17] Kurnia J C, Sasmito A P and Mujumdar A S 2014 CFD simulation of methane dispersion and innovative methane management in underground mining faces *Appl. Math. Model.* **38** 3467–84
- [18] Hargreaves D M and Lowndes I S 2007 The computational modeling of the ventilation flows within a rapid development drive *Tunn. Undergr. Sp. Technol.* **22** 150–60

Acknowledgments

The author would like to thank the supervisors for guidance and direction, especially to Mrs. Pantjanita and Mrs. Ririn, and to the Mining Engineering Program of Trisakti University for the opportunities and facilities that support this study.