



INTERNATIONAL JOURNAL OF COMMUNITY SERVICE LEARNING

LPPM UNIVERSITAS PENDIDIKAN GANESHA

P-ISSN : 25797166 <> E-ISSN : 25496417



38
Impact



2129
Google
Citations



Sinta 3
Current
Accreditation

[Google Scholar](#) [Garuda](#) [Website](#) [Editor URL](#)

History Accreditation

2017 2018 2019 2020 2021 2022 2023 2024 2025 2026

Garuda

[Google Scholar](#)

Edukasi Pendekatan One Health dalam Pencegahan Penyakit Zoonosis Rabies pada Sekolah Dasar di Kota Kupang

Universitas Pendidikan Ganesha [International Journal of Community Service Learning](#)
Vol. 8 No. 2 (2024): May 192-201

2024 DOI: 10.23887/ijcsl.v8i2.66385 Accred : Sinta 3

Improving the Quality of Financial Reporting Through the Implementation of Microsoft Excel for SMEs in Parung Serab, Tangerang

Universitas Pendidikan Ganesha [International Journal of Community Service Learning](#)
Vol. 8 No. 1 (2024): February 130-139

2024 DOI: 10.23887/ijcsl.v8i1.68853 Accred : Sinta 3

Pelatihan Hidroponik bagi Ibu-Ibu PKK untuk Menciptakan Kawasan Urban Farming

Universitas Pendidikan Ganesha [International Journal of Community Service Learning](#)
Vol. 8 No. 2 (2024): May 202-211


2024 DOI: 10.23887/ijcsl.v8i2.70158 Accred : Sinta 3

Pendampingan Penulisan Buku Antologi Bersumber Best Practices Pembelajaran Bagi Guru

Universitas Pendidikan Ganesha [International Journal of Community Service Learning](#)
Vol. 8 No. 1 (2024): February 9-20

2024 DOI: 10.23887/ijcsl.v8i1.70329 Accred : Sinta 3

Citation Per Year By Google Scholar



Journal By Google Scholar

	All	Since 2020
Citation	2129	2107
h-index	23	23
i10-index	64	61

[Peran Pentahelix Collaboration dan Desa Model dalam Penguatan Usaha Mikro Berkelanjutan berbasis Service Learning \(SL\)](#)

[Universitas Pendidikan Ganesha](#)  [International Journal of Community Service Learning](#)
[Vol. 8 No. 1 \(2024\): February 93-105](#)

 2024  DOI: [10.23887/ijcsl.v8i1.73606](#)  Accred : [Sinta 3](#)

[Making Unique Handicrafts from Shells in Lake Bird's Nest Village](#)

[Universitas Pendidikan Ganesha](#)  [International Journal of Community Service Learning](#)
[Vol. 8 No. 1 \(2024\): February 21-28](#)

 2024  DOI: [10.23887/ijcsl.v8i1.74246](#)  Accred : [Sinta 3](#)

[Reproductive Health Counseling for Gilt and Sow](#)

[Universitas Pendidikan Ganesha](#)  [International Journal of Community Service Learning](#)
[Vol. 8 No. 1 \(2024\): February 41-48](#)

 2024  DOI: [10.23887/ijcsl.v8i1.74463](#)  Accred : [Sinta 3](#)

[Improving Packaging and Marketing of Local Products Through the Application of Technology and Packaging Innovation to Increase Community Income in Opak Village](#)

[Universitas Pendidikan Ganesha](#)  [International Journal of Community Service Learning](#)
[Vol. 8 No. 1 \(2024\): February 122-129](#)

 2024  DOI: [10.23887/ijcsl.v8i1.75014](#)  Accred : [Sinta 3](#)

[Penyusunan Buku Ajar Digital Pembelajaran Bahasa Inggris](#)

[Universitas Pendidikan Ganesha](#)  [International Journal of Community Service Learning](#)
[Vol. 8 No. 1 \(2024\): February 62-69](#)

 2024  DOI: [10.23887/ijcsl.v8i1.75225](#)  Accred : [Sinta 3](#)

[English Teaching Assistant Program for Elementary School Teachers](#)

[Universitas Pendidikan Ganesha](#)  [International Journal of Community Service Learning](#)
[Vol. 8 No. 1 \(2024\): February 106-114](#)

 2024  DOI: [10.23887/ijcsl.v8i1.75602](#)  Accred : [Sinta 3](#)

[View more ...](#)



About the Journal

Journal title	International Journal of Community Service Learning
Initials	IJCSL
Abbreviation	I. Journal of Community Service Learning
Frequency	Four issues per year
DOI	prefix 10.23887/ijcs
Print ISSN	2579-7166
Online ISSN	2549-6417
Editor-in-chief	I Made Sarmita
Publisher	Universitas Pendidikan Ganesha
Organizer	LPPM - Undiksha

International Journal of Community Service Learning is a scientific journal Community Service published by Universitas Pendidikan Ganesha. This journal is published 4 times a year, ie in February, May, August, and November. The article was published on the results of community service related to education, science, technology, socio-economics, and entrepreneurship.

e-ISSN : [2549-6417](#) (Online)

p-ISSN : [2579-7166](#) (Print)

CURRENT ISSUE

Vol. 8 No. 4 (2024): November



The articles in this issue were authored/co-authored by 94 affiliated authors in 24 institutions from two countries (Indonesia, and Malaysia).

PUBLISHED: 2025-02-06

Articles

Increasing Knowledge and Skills of Pokdarwis through Making Interior Products and Souvenirs Based on Local Wisdom

DOI: <https://doi.org/10.23887/ijcs.v8i4.85227>

Atik Prihatiningrum, Panji Anom Ramawangsa, Diyas Widiyarti

344-354



PDF

Teacher Empowerment: Engaging E-Modules with Book Creators

DOI: <https://doi.org/10.23887/ijcs.v8i4.84851>



*) International Journal of Community Service Learning
Accredited Sinta 3 by The Ministry for Research, Techn
and Higher Education (RISTEKDIKTI)

[Home](#)

[Focus and Scope](#)

[Editorial Team](#)

[Reviewer](#)

[Peer Review Process](#)

[Author Guidelines](#)

[Contact Us](#)

[Open Access Policy](#)

[Copyright Notice](#)

[Author Fees](#)

CHIFT EDITOR



I Made Sarmita

TEMPLATE



Adaptasi Expectation Confirmation Model dalam Pengukuran Continuance Intention dengan Menggunakan E-Service Quality pada Pengguna MyBCA

DOI: <https://doi.org/10.23887/ijcsl.v8i4.85244>

Gabriella Tabita Toli, Wira Bharata



Socialization of Learning Media Maritime English Textbook for Ratings Forming

DOI: <https://doi.org/10.23887/ijcsl.v8i4.83777>

Achmad Ali Mashartanto, Wibisana Pranata, Slamet Riyadi, Markus Asta Patma Nugraha, Syafni Yelvi Siska



Penguatan Kompetensi Design Thinking dan Pengendalian Emosi Guru

DOI: <https://doi.org/10.23887/ijcsl.v8i4.85210>

Ni Wayan Rati, I Wayan Widiani, Anak Agung Istri Dewi Adhi Utami



Safety-Based Dolphin Tourism Supports Tourism Development

DOI: <https://doi.org/10.23887/ijcsl.v8i4.85129>

Basilius Redan Werang, Anak Agung Gede Agung, Alexander Hamonangan Simamora, I Gusti Ngurah Agung Suryaputra



Framework Design Thinking dalam Pembelajaran Bahasa Inggris Sekolah Dasar

DOI: <https://doi.org/10.23887/ijcsl.v8i4.86172>

I G A Lokita Purnamika Utami, I Nyoman Laba Jayanta, I Made Hendra Sukmayasa



Teacher Competence in the Use of ChatGPT for Developing Learning Media in Vocational High Schools

DOI: <https://doi.org/10.23887/ijcsl.v8i4.85397>

Purno Tri Aji, Aris Nasuha, Dessy Irmawati, Moh Alif Hidayat Sofyan, Ahmad Taufiq Musaddid



Edukasi 3R dalam Penanganan Sampah Menuju Sekolah Adiwiyata

DOI: <https://doi.org/10.23887/ijcsl.v8i4.85157>

Febrina Sari, Nuryasin Abdullah, Desyanti



Virtual Manipulatives Berbasis Bahasa Isyarat: Teknologi Asistif Untuk Mendukung Siswa Kolok (Penyandang Disabilitas Tunarungu-wicara) dalam Pembelajaran Matematika di Sekolah Dasar

DOI: <https://doi.org/10.23887/ijcsl.v8i4.85214>

I Made Suarjana, Komang Setemen, Komang Sujendra Diputra



Attracting International Students' Interest in Mobility and Advanced Study Programs in Indonesia: Case Study of Malaysian Vocational Education Students

DOI: <https://doi.org/10.23887/ijcsl.v8i4.84809>

Dedi Rohendi, Iwa Kuntadi, Dedy Suryadi, Ana, Muktiarni, Zaliza Hanapi, Muhammad Oka Ramadhan, Naufal Nadhif Rabbani Iskandar



Implementasi Teknologi IoT untuk Penyiraman Otomatis dalam Peningkatan Produksi Sayuran Tauge



**Journal
Templat**
Indonesia Version




**Journal
Templat**
English Version

MAKE A SUBMISSION

RECOMMENDED TOOLS



PRINTED EDITION



VISITORS STATISTIC

View IJCSL Stats

KEYWORDS



CURRENT ISSUE

RTOM 1.0

RSS 2.0

RSS 1.0

DOI: <https://doi.org/10.23887/ijcsl.v8i4.85828>

Masrizal, Amat Sofiyan, Deasy Wahyuni, Hayatullah Khumaini

442-448



PDF

Integrasi Geographic Information System dalam Pengelolaan Unit Struktur Kelurahan

DOI: <https://doi.org/10.23887/ijcsl.v8i4.82876>

Intan Permatasari, Bela Pitria Hakim, Rino Andias Anugraha, Teddy Sjafrizal

449-454



PDF

Digitalisasi Marketing UMKM (Usaha Mikro, Kecil, dan Menengah) Pangan Lokal Desa Mendukung Ketahanan Pangan

DOI: <https://doi.org/10.23887/ijcsl.v8i4.84705>

Mohammad Baladdudin Dayar, Aulia Daisy Arsy Syafitri, Thalia Damayanti, Ivan Mahendra Wirapradipta, Hafifah Isma Ningrum B., Jerin Amelia Margaretha

455-466



PDF

Optimalisasi Kepatuhan Perpajakan Desa Karangbolong Melalui Asistensi Perpajakan Desa dan Pendampingan Pendaftaran NPWP

DOI: <https://doi.org/10.23887/ijcsl.v8i4.84946>

Firda Hidayatullah, Arya Putri Maharani, Anggi Prastyono, Umdah Khubudina, Vera Fazlina Saragih, Rendi Dwi Putra Ramadhan, Anasta Atariq Ghatan, Anita Anggitia

467-477



PDF

Innovation of a Flattening Tool for Optimizing the Water Hyacinth Weaving Process at Maeswara Basket: A Preliminary Study and Technology Implementation

DOI: <https://doi.org/10.23887/ijcsl.v8i4.84505>

Nur Kholifah, Triyanto, Resi Sepsilia Elvera, Muhammad Nurtanto, Aris Eko Wibowo, Farid Mutohari, Danang satya, Tabita Cintiara Kinanti

478-488



PDF

Increasing Knowledge About Stunting and Growth Charts Through Seminars and Assistance for Parents of Students Aged 3 – 18 Years

DOI: <https://doi.org/10.23887/ijcsl.v8i4.79886>

Patricia Budihartanti Liman, Dita Setiati, Yuliana, Meutia Atika Faradilla, Karina Shasri Anastasya, Yenny

489-498



PDF

Penguatan Hospitality dan Interpretasi Daya Tarik Wisata Berbasis Sport Edutourism di Objek Wisata

DOI: <https://doi.org/10.23887/ijcsl.v8i4.85979>

Diana Kartika, Listiana Sri Mulatsih, Yuni Astuti, Jelita Maharani, Muhammad Fikri, Bayu Haryanto, Rizki Almauli

499-508



PDF

Empowering Villages through Waste Management for Agritourism Success

DOI: <https://doi.org/10.23887/ijcsl.v8i4.85336>

I Gusti Agung Sri Rwa Jayantini, Ni Gusti Agung Gde Eka Martiningsih, I Gusti Ngurah Made Wiratama, Ni Luh Putu Agustini Karta

509-517



PDF

Transfer Teknologi Tepat Guna Pada Industri Pengolahan Kopi Arabika

DOI: <https://doi.org/10.23887/ijcsl.v8i4.85206>

I Wayan Lasmawan, I Made Suci, I Wayan Pardi, I Nengah Muliarta, Ni Putu Era Marsakawati

518-526



PDF

[VIEW ALL ISSUES](#) ➤



Editorial Office of International Journal of Community Service Learning | Institute of Research and Community Service, [Universitas Pendidikan Ganesha](#) | Jl. Udayana Kampus Tengah Singaraja, Bali, Indonesia 81116 |

International Journal of Community Service Learning is licensed under a [Creative Commons Attribution-ShareAlike 4.0 International License](#).



Platform &
workflow by
OJS / PKI



HOME / Editorial Team

Editorial Team

Chief Editor

I Made Sarmita, Universitas Pendidikan Ganesha, Indonesia

Editors

Made Agus Dharmadi, [SCOPUS ID: 57200800989] Universitas Pendidikan Ganesha, Indonesia

Padrul Jana, Universitas PGRI Yogyakarta, Indonesia

Akhsanul In'am, [SCOPUS ID: 55639769600] Universitas Muhammadiyah Malang, Indonesia

I Ketut Resika Arthana, [SCOPUS ID : 55014617200] Ilmu Komputer - Universitas Pendidikan Ganesha

Gede Wira Bayu, Ganesha University Of Education, Indonesia

Ketut Suma, [SCOPUS ID: 57202671029] Universitas Pendidikan Ganesha, Indonesia

Dek Ngurah Laba Laksana, [SCOPUS ID: 57210155820] Sekolah Tinggi Keguruan dan Ilmu Pendidikan Citra Bakti, Indonesia

Yuni Astuti, [SCOPUS ID: 57209749908] Universitas Negeri Padang, Indonesia

Dimas Qondias, STKIP Citra Bakti, Indonesia

I Wayan Widiana, [ID SCOPUS: 57200818126] Universitas Pendidikan Ganesha, Indonesia

Gede Aditra Pradnyana, [SCOPUS ID: 57207961986] Universitas Pendidikan Ganesha, Indonesia



*) International Journal of Community Service Learning

Accredited Sinta 3 by The Ministry for Research, Techn
and Higher Education (RISTEKDIKTI)

[Home](#)
[Focus and Scope](#)
[Editorial Team](#)
[Reviewer](#)
[Peer Review Process](#)
[Author Guidelines](#)
[Contact Us](#)
[Open Access Policy](#)
[Copyright Notice](#)
[Author Fees](#)

CHIFT EDITOR



I Made Sarmita

[TEMPLATE](#)




MAKE A SUBMISSION

RECOMMENDED TOOLS



PRINTED EDITION



VISITORS STATISTIC

[View IJCSL Stats](#)

KEYWORDS



CURRENT ISSUE

ATOM 1.0

RSS 2.0

RSS 1.0







HOME / ARCHIVES / Vol. 8 No. 4 (2024): November

Vol. 8 No. 4 (2024): November



The articles in this issue were authored/co-authored by 94 affiliated authors in 24 institutions from two countries (Indonesia, and Malaysia).

DOI: <https://doi.org/10.23887/ijcsl.v8i4>

PUBLISHED: 2025-02-06

ARTICLES

Increasing Knowledge and Skills of Pokdarwis through Making Interior Products and Souvenirs Based on Local Wisdom

DOI: <https://doi.org/10.23887/ijcsl.v8i4.85227>

Atik Prihatiningrum, Panji Anom Ramawangsa, Diyas Widiyarti

344-354



PDF

Teacher Empowerment: Engaging E-Modules with Book Creators

DOI: <https://doi.org/10.23887/ijcsl.v8i4.84851>

Elsita Lisnawati Guntar, I Made Agus Oka Gunawan, Ida Ayu Oka Purnami

355-363



PDF

Adaptasi Expectation Confirmation Model dalam Pengukuran Continuance Intention dengan Menggunakan E-Service Quality pada Pengguna MyBCA

DOI: <https://doi.org/10.23887/ijcsl.v8i4.85244>

Gabriella Tabita Toli, Wira Bharata

364-372



PDF

Socialization of Learning Media Maritime English Textbook for Ratings Forming

DOI: <https://doi.org/10.23887/ijcsl.v8i4.83777>

Achmad Ali Mashartanto, Wibisana Pranata, Slamet Riyadi, Markus Asta Patma Nugraha, Syafni Yelvi Siska

373-383



PDF

Penguatan Kompetensi Design Thinking dan Pengendalian Emosi Guru

DOI: <https://doi.org/10.23887/ijcsl.v8i4.85210>

Ni Wayan Rati, I Wayan Widiana, Anak Agung Istri Dewi Adhi Utami

384-391



*) International Journal of Community Service Learning
Accredited Sinta 3 by The Ministry for Research, Techn
and Higher Education (RISTEKDIKTI)

Home

Focus and Scope

Editorial Team

Reviewer

Peer Review Process

Author Guidelines

Contact Us

Open Access Policy

Copyright Notice

Author Fees

CHIFT EDITOR



I Made Sarmita

TEMPLATE



Safety-Based Dolphin Tourism Supports Tourism Development

DOI: <https://doi.org/10.23887/ijcsl.v8i4.85129>

Basilius Redan Werang, Anak Agung Gede Agung, Alexander Hamonangan Simamora, I Gusti Ngurah Agung Suryaputra

392-398



Framework Design Thinking dalam Pembelajaran Bahasa Inggris Sekolah Dasar

DOI: <https://doi.org/10.23887/ijcsl.v8i4.86172>

I G A Lokita Purnamika Utami, I Nyoman Laba Jayanta, I Made Hendra Sukmayasa

399-406



Teacher Competence in the Use of ChatGPT for Developing Learning Media in Vocational High Schools

DOI: <https://doi.org/10.23887/ijcsl.v8i4.85397>

Purno Tri Aji, Aris Nasuha, Dessy Irmawati, Moh Alif Hidayat Sofyan, Ahmad Taufiq Musaddid

407-414



Edukasi 3R dalam Penanganan Sampah Menuju Sekolah Adiwiyata

DOI: <https://doi.org/10.23887/ijcsl.v8i4.85157>

Febrina Sari, Nuryasin Abdullah, Desyanti

415-421



Virtual Manipulatives Berbasis Bahasa Isyarat: Teknologi Asistif Untuk Mendukung Siswa Kolok (Penyandang Disabilitas Tunarungu-wicara) dalam Pembelajaran Matematika di Sekolah Dasar

DOI: <https://doi.org/10.23887/ijcsl.v8i4.85214>

I Made Suarjana, Komang Setemen, Komang Sujendra Diputra

422-429



Attracting International Students' Interest in Mobility and Advanced Study Programs in Indonesia: Case Study of Malaysian Vocational Education Students

DOI: <https://doi.org/10.23887/ijcsl.v8i4.84809>

Dedi Rohendi, Iwa Kuntadi, Dedy Suryadi, Ana, Muktiarni, Zaliza Hanapi, Muhammad Oka Ramadhan, Naufal Nadhif Rabbani Iskandar

430-441



Implementasi Teknologi IoT untuk Penyiraman Otomatis dalam Peningkatan Produksi Sayuran Tauge

DOI: <https://doi.org/10.23887/ijcsl.v8i4.85828>

Masrizal, Amat Sofiyani, Deasy Wahyuni, Hayatullah Khumaini

442-448



Integrasi Geographic Information System dalam Pengelolaan Unit Struktur Kelurahan

DOI: <https://doi.org/10.23887/ijcsl.v8i4.82876>

Intan Permatasari, Bela Pitria Hakim, Rino Andias Anugraha, Teddy Sjafrizal

449-454



Digitalisasi Marketing UMKM (Usaha Mikro, Kecil, dan Menengah) Pangan Lokal Desa Mendukung Ketahanan Pangan

DOI: <https://doi.org/10.23887/ijcsl.v8i4.84705>

Mohammad Baladdudin Dayar, Aulia Daisy Arsy Syafitri, Thalia Damayanti, Ivan Mahendra Wirapradipta, Haffah Isma Ningrum B., Jerin Amelia Margaretha

455-466



Optimalisasi Kepatuhan Perpajakan Desa Karangbolong Melalui Asistensi Perpajakan Desa dan Pendampingan Pendaftaran NPWP




MAKE A SUBMISSION

RECOMMENDED TOOLS




PRINTED EDITION



VISITORS STATISTIC

View IJCSL Stats

KEYWORDS



CURRENT ISSUE



DOI: <https://doi.org/10.23887/ijcsl.v8i4.84946>

Firda Hidayatullah, Arya Putri Maharani, Anggi Prastyono, Umdah Khubudina, Vera Fazlina Saragih, Rendi Dwi Putra Ramadhan, Anasta Atariq Ghatan, Anita Anggitia 467-477



Innovation of a Flattening Tool for Optimizing the Water Hyacinth Weaving Process at Maeswara Basket: A Preliminary Study and Technology Implementation

DOI: <https://doi.org/10.23887/ijcsl.v8i4.84505>

Nur Kholifah, Triyanto, Resi Sepsilia Elvera, Muhammad Nurtanto, Aris Eko Wibowo, Farid Mutohari, Danang satya, Tabita Cintiara Kinanti 478-488



Increasing Knowledge About Stunting and Growth Charts Through Seminars and Assistance for Parents of Students Aged 3 – 18 Years

DOI: <https://doi.org/10.23887/ijcsl.v8i4.79886>

Patricia Budihartanti Liman, Dita Setiati, Yuliana, Meutia Atika Faradilla, Karina Shasri Anastasya, Yenny 489-498



Penguatan Hospitality dan Interpretasi Daya Tarik Wisata Berbasis Sport Edutourism di Objek Wisata

DOI: <https://doi.org/10.23887/ijcsl.v8i4.85979>

Diana Kartika, Listiana Sri Mulatsih, Yuni Astuti, Jelita Maharani, Muhammad Fikri, Bayu Haryanto, Rizki Almauli 499-508



Empowering Villages through Waste Management for Agritourism Success

DOI: <https://doi.org/10.23887/ijcsl.v8i4.85336>

I Gusti Agung Sri Rwa Jayantini, Ni Gusti Agung Gde Eka Martiningsih, I Gusti Ngurah Made Wiratama, Ni Luh Putu Agustini Karta 509-517



Transfer Teknologi Tepat Guna Pada Industri Pengolahan Kopi Arabika

DOI: <https://doi.org/10.23887/ijcsl.v8i4.85206>

I Wayan Lasmawan, I Made Suci, I Wayan Pardi, I Nengah Muliarta, Ni Putu Era Marsakawati 518-526



Editorial Office of International Journal of Community Service Learning | Institute of Research and Community Service, [Universitas Pendidikan Ganesha](#) | Jl. Udayana Kampus Tengah Singaraja, Bali, Indonesia 81116 | International Journal of Community Service Learning is licensed under a [Creative Commons Attribution-ShareAlike 4.0 International License](#).



Platform &
workflow by
OJS / PKI



Ministry of Education, Culture, Research, and Technology

UNIVERSITAS PENDIDIKAN GANESHA


International Journal of Community Service Learning

p-ISSN: 2579 -7166, e-ISSN: 2549-6417

Nationally Accredited Decree of The Minister of Education, Culture, Research, and Technology No. 30/E/KPT/2019

Secretariat: Jalan Udayana, Nomor 11, Singaraja-Bali, Postal Code: 81116

URL: <https://ejournal.undiksha.ac.id/index.php/IJCSL>



Singaraja, November 11th, 2024

LETTER OF ACCEPTANCE

Ref. No. 577/IJCSL/XI/2024

Dear Authors,

Based on the recommendations from reviewers, I am delighted to inform you that the following manuscript has been **ACCEPTED** for the publication in **International Journal of Community Service Learning** and the manuscript will be published in **Vol. 8 No. 4 (2024): November**

Manuscript ID	79886
Title	Improving Knowledge About Stunting and Growth Charts Through Seminar and Mentorship for Parents of Students Aged 3 – 18 Years
Authors	Patricia Budihartanti Liman, Dita Setiati, Yuliana, Meutia Atika Faradila, Karina Shasri Anastasya, Yenny

Thank you very much for submitting your article to **International Journal of Community Service Learning**. We look forward to receive more articles in future.

Best Regards,

I Putu Indra Kusuma, S.Pd., M.Pd., Ph.D.

NIP. 198701172014041001

International Journal of Community Service Learning (IJCSL) is indexed by:





Increasing Knowledge About Stunting and Growth Charts Through Seminars and Assistance for Parents of Students Aged 3 – 18 Years

Patricia Budihartanti Liman^{1*}, Dita Setiati², Juliana³, Meutia Attica Faradila⁴, Karina Shasri Anastasya⁵, Yenny⁶ 

^{1,2,3,4,5,6}Faculty of Medicine, Trisakti University, Jakarta, Indonesia

ARTICLE INFO

Article history:

Received June 06, 2024

Accepted October 23, 2024

Available online November 25, 2024

Kata Kunci :

Pendidikan Kesehatan, Grafik Pertumbuhan, Bimbingan, Orang Tua, Terhambatnya Pertumbuhan Anak.

Keywords:

Health Education, Growth Charts, Mentorship, Parents, Stunting.



This is an open access article under the [CC BY-SA](https://creativecommons.org/licenses/by-sa/4.0/) license.

Copyright ©2024 by Author. Published by Universitas Pendidikan Ganesha

ABSTRAK

Stunting dan obesitas di Indonesia masih menjadi permasalahan yang belum terselesaikan. Hal ini mungkin disebabkan oleh kurangnya pengetahuan orang tua. Penelitian mengenai peningkatan pengetahuan orang tua mengenai stunting dan penggunaan grafik pertumbuhan masih kontroversial. Penelitian ini bertujuan untuk mengetahui efektivitas pendidikan kesehatan terhadap pengetahuan orang tua. Ini adalah studi eksperimental satu kelompok sebelum dan sesudah tes yang melibatkan 61 orang tua dengan anak berusia 3-18 tahun. Kuesioner terstruktur yang telah dimodifikasi digunakan untuk menilai skor pengetahuan stunting melalui seminar dan skor pengetahuan grafik pertumbuhan melalui pendampingan. Data dianalisis menggunakan SPSS ver. 29.0.2.0. Uji Mann-Whitney digunakan untuk membandingkan perubahan skor setelah seminar dan pelatihan mentoring. Skor pengetahuan pasca-tes sebesar seminar dan mentoring metode meningkat secara signifikan dibandingkan dengan skor pretest ($p < 0,001$ untuk kedua analisis). Peningkatan skor metode mentoring tiga kali lipat dibandingkan metode seminar ($p=0,016$). Implikasi dari temuan ini adalah metode pendampingan dapat dipertimbangkan lebih lanjut dalam skala masyarakat yang lebih besar untuk program peningkatan kapasitas orang tua guna mencapai pengurangan gizi buruk di Indonesia.

ABSTRACT

Stunting and obesity in Indonesia are still unresolved problems. This may be caused by a lack of parental knowledge. Research regarding increasing parental knowledge about stunting and the use of growth charts is still controversial. This research aims to determine the effectiveness of health education on parental knowledge. This was a one-group experimental pre- and post-test study involving 61 parents of children aged 3-18 years. A modified structured questionnaire was used to assess stunting knowledge scores through seminars and growth chart knowledge scores through mentoring. Data were analyzed using SPSS ver. 29.0.2.0. The Mann-Whitney test was used to compare changes in scores after the seminar and mentoring training. Post-test knowledge score of seminars and mentoring method improved significantly compared with pretest scores ($p < 0.001$ for both analyses). The increase in scores for the mentoring method was three times compared to the seminar method ($p=0.016$). The implication of these findings is that mentoring methods can be considered further on a larger community scale for parent capacity building programs to achieve reduction of malnutrition in Indonesia.

1. INTRODUCTION

Malnutrition in children is still a global health problem including in Indonesia (Grey et al., 2019; Leroy & Frongillo, 2020; Sanctis et al., 2022). The global economic crisis and the COVID-19 pandemic increase the impact of lifestyle changes, including diet, which can increase the risk of malnutrition (Ammar et al., 2020; Rah et al., 2021). Malnutrition is defined as stunting, wasting, or micronutrient deficiencies. Studies show that malnutrition in children causes growth and development failure in toddlers which results in delayed cognitive development, less than optimal intelligence, and an increased risk of non-communicable diseases in adults (Leroy & Frongillo, 2020; Wulandini et al., 2020). Indonesian Nutrition Survey Results [Indonesian Nutrition Status Survey, SSGI] for 2022 shows the incidence of stunting inside

*Corresponding author

E-mail addresses: : patricialiman@trisakti.ac.id (Patricia Budihartanti Liman)

children under five years old in Indonesia is 21.6% (Munira, 2023; Ningtias et al., 2023). Although this figure is lower than in 2021 (30.8%), it still has not reached the target of 14% set by the government (Andriani et al., 2022; Ningtias et al., 2023; Rahman et al., 2022). Various strategies have been implemented carried out by the government such as giving hematinic tablets to young women and pregnant women, early breastfeeding initiation programs, exclusive breastfeeding, and growth and development monitoring programs for toddlers (Oliveira et al., 2022; Pipitcahyani et al., 2022). Another nutritional problem is obesity, although this has not yet become the main program for eradicating nutritional problems by the government. Indonesia is the country with the highest prevalence of obesity among children under five in Southeast Asia. This is worrying because obesity in children can not only increase the risk of non-communicable diseases, such as coronary heart disease, diabetes and cancer in later life, but also has psychosocial impacts (Mustakim et al., 2020; Rahmad et al., 2021). Anthropometric standards for child growth which include weight for age (WW/TB), height for age (TB/TB), and body mass index for age (BAZ) can be used to determine children's nutritional status (Pratiwi et al., 2023; Rohmah et al., 2019). Monitoring children's growth and development is important to identify children who are at risk of experiencing growth and development failure, so that this condition can be treated immediately rather than waiting until they reach malnutrition status. Standard anthropometric tables and child growth charts can be a reference in determining a child's nutritional status (Anggraeni et al., 2020; Arnita et al., 2021).

A low level of parental knowledge can be a factor in the formation of an unhealthy lifestyle in children. Low socio-economic status, lack of clean water, low level of parental education, and unhealthy attitudes and behavior are factors causing obstacles to growth, including stunting (Asif & Farooq, 2019; Colozza & Padmita, 2020). The study of de Vries Mecheva et al. regarding behavior and environmental factors associated with overweight and obesity in 1,674 children aged 6 – 13 years in Jakarta, it was found that parental knowledge as part of assessing the availability of household obesogenic foods, was positively and significantly associated with BAZ scores at the 75th percentile and 90 (Astarani et al., 2020; Yani et al., 2021). This is different from the research of Arnita et al. which does not show a significant relationship between maternal knowledge and preventing stunting in toddlers. Education is one method that can be used to increase a person's knowledge. It is known that training in the use of growth charts is adequate for health cadres and teachers but is still lacking for parents (Casadei & Kiel, 2021; Vaivada et al., 2020). A study on training in the use of growth charts involving 50 housewives in Banda Aceh, Indonesia, found that 60.5% of women had low knowledge about growth charts, but through training, women's knowledge increased by 14% compared to before. training ($p = 0.001$). The latest research on increasing knowledge about stunting and growth charts through seminars and mentoring for parents of students aged 3–18 years can be focused on innovative technology and community-based approaches. The novelty of this research involves the use of interactive digital media, such as educational applications or online platforms, to expand the reach and effectiveness of outreach. Additionally, this research could explore the influence of a personalized approach to mentoring, where parents receive data-based guidance regarding their child's growth, collected through digital monitoring systems. This intervention is designed not only to increase understanding of the importance of preventing stunting, but also to encourage behavior change through peer group support, gamification programs, and cross-sector collaboration with health workers, schools and local communities. Thus, this research has the potential to make a significant contribution in reducing the prevalence of stunting through empowering parents as agents of change. Therefore, this study aims to evaluate the effectiveness of health education on parents' knowledge about stunting and growth charts, using seminar methods and assistance for parents of students in Tangerang, Banten, Indonesia. Another aim of this research is to compare the effectiveness of seminar method education with mentorship method education in increasing parents' knowledge.

2. METHOD

This is a pre-experimental study with a one-group design before and after the test conducted at a private school in the city of Tangerang, Banten, between March 2023 and May 2024. This research has received ethical approval from the Faculty of Medicine, Trisakti University with no. 059/KER/FK/II/2023. The research subjects were parents of students aged 3 - 18 years or had educational levels from playgroups to vocational high schools.. These parents agreed to take part in the study by signing informed consent. Data collection was carried out using a non-sequential method. There were 64 parents who agreed to participate as research subjects by signing an informed consent form. However, there were three subjects who were excluded due to incomplete filling in of the questionnaire so that the final number of subjects who took part in the final analysis was 61 subjects. Health education regarding stunting is provided by pediatricians, while growth chart training is provided by clinical nutritionists. Intensive assistance was provided in training sessions on the use of growth charts, which involved 5 specialist doctors or "masters" and 2 medical

students. Indicators of the success of this research are the holding of seminars and mentoring programs, a significant increase in stunting knowledge and the use of growth charts after providing a health education program (p -value <0.05). Health education was evaluated using a questionnaire distributed to parents before and after health education. The main features of the main science questionnaire Stunting was evaluated using a modification of the Hall et al. questionnaire. Contains 14 questions with a weight of 20 for the definition of stunting and short stature, and a weight of 5 for knowledge of the causes, prevention and impact of stunting. The maximum value for knowledge about stunting is 100. Knowledge questionnaire on the use of growth charts consists of 4 questions, namely one question each regarding plotting growth charts for weight against age (W/U), plotting height against age (H/A), evaluating nutritional status for BB/U. and evaluate the nutritional status of H/A. For a 3 year old boy with a weight of 11 kg and a height of 80 cm, question no. Figures 1 and 2 are a way of plotting weight and height on the WHO growth chart for W/A and H/A. Question no. 3: From the results of the growth graph plotting evaluation, it can be concluded that the child's weight status is 1. Overweight; 2. Normal body weight; 3. Wasted 4. Very wasted; 5. Don't know. Question no. 4: From the results of the growth graph plotting evaluation, it can be concluded that the child's height status is 1. Tall stature 2. Normal; 3. dwarf; 4. Severe stunting; 5. Don't know. The weight for plotting (questions number 1 and 2) is 20, while the weight for evaluating nutritional status (questions number 3 and 4) is 30, so the maximum score is 100.

Validation of the questionnaire was carried out by three people with a background in nutrition education and three people with a non-nutrition education background, namely three experts in their fields (one child specialist, one clinical nutrition specialist, and one master in nutrition) and three people from the department nutrition. people with non-nutrition educational backgrounds. Data were analyzed using the SPSS software program version 29.0.2.0. Normality of data distribution was evaluated with the Kolmogorov-Smirnov test at a significance level of $p < 0.05$. The Mann-Whitney U test was used to evaluate differences in median knowledge about stunting and use of growth charts between age groups and between education level groups. The Wilcoxon signed-rank test was used to evaluate differences between paired groups. The results were considered significant at $p < 0.05$.

3. RESULT AND DISCUSSION

Result

This educational program was attended by 64 parents of students aged 3 – 18 years. Three parents did not fill out the questionnaire so it was decided to exclude these three parents so that the analysis was only carried out on 61 respondents. The majority or 42.6% of parents who took part in this research had children with kindergarten education. The majority of subjects were female (91.8%), aged <40 years (54.1%), had middle to upper education (85.2%), and did not work (55.7%), presented in [Table 1](#).

Table 1. Subject Characteristics (n=61)

Characteristics	Mean \pm SD	N (%)
Children's education level (n, %)		
Play group		5 (8.2)
TK		26 (42.6)
elementary school		8 (13.1)
First Middle School		14 (23.0)
Senior High School		8 (13.1)
Age (years)	39 \pm 6	
Age category in years (n, %)		
< 40		33 (54.1)
\geq 40		28 (45.9)
Education level (n, %)		
Base		9 (14.8)
Medium - high		52 (85.2)
Gender (n, %)		
Man		5 (8.2)
Woman		56 (91.8)
Employment (n, %)		
Unemployed		34 (55.7)
Work		27 (44.3)

Note: Basic education level: not completed high school or equivalent; medium - high education level: minimum high school graduate or equivalent.

The majority of subjects (82%) had heard/read/knew about stunting which is defined as short stature due to malnutrition (Table 2). There were 13 subjects (21.3%) who did not know the definition of stunting. Likewise for short stature, the majority of subjects (83.6%) had heard/read/known about short stature which is defined by lower height and does not match the child's age. Ten subjects (16.4%) did not know the definition of short stature, and 8.2% of subjects considered short people identical to dwarves. On questions regarding the causes, prevention and impact of stunting, the majority of subjects' answers regarding the causes of stunting were unbalanced or inadequate nutrition, frequent illness, and congenital or hereditary. Steps to prevent stunting can be taken by taking vitamins, playing and doing physical activity, and maintaining cleanliness. The majority of responses to the impact of stunting are low IQ, frequent illness, and impaired growth. There were 26.2% of subjects who stated that stunting had no effect on children's health, growth or intelligence. Knowledge about stunting is presented in Table 2.

Table 2. Knowledge about Stunting

Question		N, %
Have you ever heard/read/learned about stunting (n, %)		
Of		50 (82.0)
NO		11 (18.0)
The definition of stunting that you think is most appropriate (n, %)		
Stunting is a result of malnutrition		28 (45.9)
Stunting is not only a result of malnutrition		8 (13.1)
Height does not match the child's age		11 (18.0)
Stunting is the same as dwarfism		1 (1.6)
Don't know		13 (21.3)
Have you ever heard/read/knew about short stature (n, %)		
Of		51 (83.6)
NO		10 (16.4)
The definition of short stature that you think is most appropriate (n, %)		
Short stature is the result of malnutrition		12 (19.7)
Short stature is not just a result of malnutrition		13 (21.3)
Height does not match the child's age		21 (34.4)
A child who is short is a dwarf		5 (8.2)
Don't know		10 (16.4)
	Of	NO
Causes of stunting (n, %)		
Nutritional imbalance or malnutrition	53 (86.9)	8 (13.1)
Often sick	32 (52.5)	29 (47.5)
Few opportunities to play and learn	15 (24.6)	46 (75.4)
Congenital or hereditary	31 (50.8)	30 (48.2)
Stunting prevention (n, %)		
Take vitamins	58 (95.1)	3 (4.9)
Eat large portions	24 (39.3)	37 (60.7)
Play or exercise	58 (95.1)	3 (4.9)
Keep clean	57 (91.4)	4 (6.6)
Effect of stunting (n, %)		
Low intelligence quotient (IQ).	31 (50.8)	30 (48.2)
Prone to disease	37 (60.7)	24 (39.4)
Growth is disrupted	55 (90.2)	6 (9.8)
No effect	16 (26.2)	45 (73.8)

There were 93.4% of subjects who had never attended training in using growth charts, as seen in Table 3. Although 63.9% of subjects had seen growth charts, 80.3% did not know how to use growth charts and 75.4% had never seen charts. growth used. Knowledge about the use of growth charts is presented in Table 3. Parents are guided by mentors during training in the use of growth charts by plotting graphs of weight for age and height for age. Subjects were also asked to evaluate the child's nutritional status after plotting. In this study we found an increase in knowledge about stunting and the use of growth charts, presented in Table 4.

Table 3. Knowledge about Using Growth Charts (n=61)

Question	N (%)
Have you ever attended training on the use of growth charts (n, %)	
Once	4 (6.6)
Never	57 (93.4)
Have you seen the graph of growth (n, %)	
Of	22 (36.1)
NO	39 (63.9)
Do you know how to use a growth graph (n, %)	
Of	12 (19.7)
NO	49 (80.3)
Use of growth graph (n, %)	
Often	1 (1.6)
Sometimes	4 (6.6)
Seldom	10 (16.4)
Never	46 (75.4)

Table 4. Knowledge Scores on the Stunting and Growth Graph (n=61)

Method	Variable	Prates	Post test	D	PA	PB
Seminar	Stunting	70 (55 – 75)	85 (70 – 95)	10 (0 – 35)	<0,001 ^{INSI} DE**	0,016 ^{MW*}
Mentoring	Growth graph	0 (0 – 70)	70 (35 – 100)	30 (0 – 60)	<0,001 ^{INSI} DE**	

Note: Non-normally distributed data are presented as median (p25 – p75); ^{INSI}: Wilcoxon signed rank test was used to evaluate differences in pre- and post-test knowledge about stunting and growth charts; ^A: comparison of knowledge before and after the test about stunting and growth charts; ^B: comparison of the delta value of stunting knowledge with knowledge of growth charts; ^{MW}: Mann-Whitney test is used to compare delta knowledge scores on stunting and knowledge scores on growth charts; *: Results considered statistically significant at p<0.05; **: p<0,001.

Discussion

The seminar and mentoring methods in this research succeeded in increasing parents' knowledge by 21.4% and 700% respectively. Seminars and mentoring are one method for increasing subject knowledge (Bhagyalakshmi et al., 2019; Handryastuti et al., 2020). Parents' knowledge about stunting before the seminar was quite good, with a median pre-test score of 70. The government's intensive program regarding stunting seems to have had an impact on parents' knowledge. This is in line with previous research which shows that 65.5% of women in Simpang Kawat, Jambi City, have knowledge about how to prevent stunting. Previous research also showed that 90.1% of subjects aged >15 years in South Tangerang had good knowledge about stunting. However, the results differ from previous research which showed that 97.9% of subjects did not know anything about stunting. This difference may be due to the location and year of sampling. This research was conducted in urban areas around the capital city of Jakarta between 2023 and 2024, while research by Hall et al. collected data from 10 provinces in Indonesia which also include rural areas, while the data was collected in 2014 (Hall et al., 2022; Vries Mecheva et al., 2019). The definition of stunting is short stature or very short stature, as determined from growth charts, caused by chronic malnutrition associated with low socio-economic levels, economical status, poor maternal health, history of recurrent illnesses, poor nutritional intake, and inappropriate feeding practices. Stunting is caused by malnutrition that occurs early in life. The intrauterine period is the first critical stage in a child's growth and development. Stunted children have a greater risk of experiencing retarded motor development, both gross and fine motor function. If muscles do not develop properly then motor function will not be optimal (Hendarto, 2018; Wangge, 2020). Stunting is part of short stature, but not all short stature sufferers fall into the short stature category growth. In this study it was found that most of the subjects had heard of it stunting, more than 60% gave the wrong answer regarding the definition of stunting, and one in five subjects did not know anything about stunting. The results of this study are in line with research by Hall et al. where there are still many subjects who do not do it. The results of this study are in line with research by Hall et al. where there are still many subjects who do not know the definition of stunting. There were 47.5% of subjects who still believed that a history of repeated illnesses was not the cause of stunting and

50.8% thought that stunting was a congenital or hereditary disorder (Sagita & Afriyan, 2020; Upadhyay et al., 2021; Wardhani & Yusra, 2019). The interesting thing about this research is that although knowledge about the definition of stunting is still low, knowledge about the causes of stunting, prevention of stunting and the impact of stunting is relatively good. Education regarding the definition of stunting must be carried out more widely in society.

There are several results in this study that should be considered. The majority of subjects answered that taking vitamins, exercising and maintaining cleanliness could prevent stunting. Until now, the relationship between vitamin D and stunting is still controversial. Mokhtar et al. showed that low serum vitamin 25(OH)D concentrations were more common in stunted children aged 6–36 months, but on the contrary, Pratiwi et al. did not find a significant relationship between vitamin D concentration and stunting in children with thalassemia. Similarly, in a meta-analytic study by Song et al. in seven observational studies, no significant relationship was found between vitamin D status and the risk of stunting. Vitamin D is a fat-soluble vitamin that is stored in the body, so long-term administration at high doses can increase the risk of toxicity (Seum et al., 2021; Song et al., 2018). Determination of vitamin D concentrations and therapeutic monitoring should be carried out before and during administration of vitamin D supplements to avoid toxic effects. Stunting is known to have an impact on both individuals and the environment, such as low cognitive function, impaired immune response, and overweight or obesity in adulthood which may be related to non-communicable diseases. Research conducted by Mustakim shows that children who experience stunting have cognitive scores that are much lower than children who do not experience stunting. The results of the latest research are in line with the results of previous research who conducted a cross-sectional study to compare cognitive development in stunted and malnourished children with normal-bodied children aged one month to 3 years. The results of his research show that stunted children tend to have lower motor skills, cognitive function and adaptive behavioral abilities when compared to children with malnutrition but normal bodies (Laksono et al., 2019; Mokhtar et al., 2021). Another meta-analysis study showed similar results, where each increase of one HAZ unit at age over 2 years was associated with an increase in cognitive scores of 0.01 SD at age 3.5 – 12 years and an increase in language scores of 0.05 SD at age 5 – 15 years. In our study, most subjects (90.2%) agreed that stunting can cause growth disorders, but only 50.8% and 60.7% of subjects associated stunting with low IQ and susceptibility to disease. Moreover, one in four subjects considered stunting to have no impact. Providing adequate information must be implemented to increase public awareness of the impact of malnutrition on children.

This kind of health education is interesting for subjects who do not know about growth charts. This can be seen from the fact that more than 90% of subjects had never previously participated in growth chart training. More than two thirds of subjects were unaware of the use of growth charts. The pre-test results also showed poor knowledge with a median (p25-p75) 0 (0 -70). The low score of parental knowledge regarding the use of growth charts was also shown by previous research with an average score of 13.94 out of a maximum score of 30. Training in the use of growth charts is also still low in the group of PAUD teachers (Liman et al., 2020; Liman & Abikusno, 2021), with more than 50% of subjects not knowing or doubting the use of growth charts. We further analyzed the relationship between age and education level with the level of knowledge about stunting and use of growth charts. Table 5 shows that age is not related to knowledge about stunting, use of growth charts, changes in knowledge scores about stunting, and changes in knowledge scores for using growth charts. Parents with a medium to high level of education had a knowledge score about stunting that was 40 percent higher than parents with a basic education level ($p=0.045$). Knowledge scores regarding the use of growth charts also appeared to be higher in groups with higher education levels ($p=0.039$). The relationship between parental education level and knowledge has also been shown by several other studies (Anggraeni et al., 2020; Ministry of Health of the Republic of Indonesia, 2020) Mothers as caregivers have knowledge of all decisions related to providing healthy eating patterns, including breastfeeding, protective parenting including giving vitamin A, complete immunization, improving sanitation, and using iodized salt. A better level of education is also a determining factor in children's growth and achieving better health. Age is known to influence a person's level of knowledge. Anggraeni et al.'s study. shows that younger people (aged 17 – 35 years) have a higher level of knowledge than people aged 36 – 56 years (Seum et al., 2021; Vaivada et al., 2020). However, in our study there was no relationship between age and parental knowledge about stunting ($p>0.005$). This may be caused by differences in education levels and the number of subjects affected by stunting. The relationship between age and education level and level of knowledge ($n=61$) is presented in Table 5.

Basic education level: not completed high school or equivalent. Middle – high education level: minimum high school graduate or equivalent. Data that are not normally distributed are presented as median (p25 – p75). The Mann-Whitney test was used to compare knowledge scores between age groups and between education level groups. *: Results were considered statistically significant at $p<0.05$. The degree of increase in knowledge scores for using growth charts and knowledge of stunting was not

influenced by the subject's age ($p>0.05$). However, the group of subjects with primary education levels saw an increase of 3.5 times compared to the group of subjects with secondary to high education levels ($p<0.05$). This shows that the health education provided can be easily accepted regardless of the educational level of the subject, so that this method can be widely used in society. Educational coverage regarding stunting and the use of growth charts can be used as a strategy to increase parents' awareness of children's growth and development, so that in the long term it can reduce the incidence of malnutrition in Indonesia. This is in accordance with the Sustainable Development Goals (SDGs) for Indonesia, especially Sustainable Development Goal 3, namely good health and well-being.

Table 5. Relationship Between Age and Education Level with Level of Knowledge (n=61)

Variable	Stunting	Growth graph	D stunting	D Growth graph
Age in years				
< 40	70 (55 – 75)	0 (0 – 45)	10 (0 – 32,5)	30 (0 – 60)
≥ 40	70 (50 – 70)	30 (0 – 80)	20 (1,3 – 38,8)	30 (2,5 – 70)
Level of education				
Base	50(42,5 – 70)*	0 (0 – 0) *	15 (0 – 40)	70 (60 – 100) *
Intermediate-high	70 (56,3 – 75)	0 (0 – 80)	10 (0 – 30)	20 (0 – 60)

The implication of these findings is the existence of seminars and mentorship can be considered further in A program to increase the capacity of parents on a wider community scale regardless of age and level of education, to achieve a reduction in malnutrition in Indonesia. The strength of this research lies in the health education provided by experts in the field and carried out intensively, with a companion to subject ratio of 1:4 versus 1:5. Training and equalization of perceptions about questionnaires and their use Growth charts are carried out within the executive team before providing health education. The limitation of this research is that health education was carried out within a certain period of time. Further research on training should be carried out to obtain an optimal level of parental knowledge. Limitations in this study include challenges in ensuring active parental participation, especially for those who have busy schedules or limited access to digital technology. In addition, variations in parental literacy and understanding levels can influence the effectiveness of educational programs, so diverse approaches are needed to meet individual needs. Another factor is limited resources, such as adequate assistant staff and program sustainability in certain communities. Based on these limitations, it is recommended to develop a hybrid strategy that combines online and offline approaches, such as face-to-face seminars supported by digital modules. Apart from that, there needs to be intensive training for accompanying staff to improve their competence, as well as stronger collaboration with local stakeholders to ensure program sustainability. Efforts to increase parental literacy can also be done through simple and interesting educational materials, such as animated videos or infographics, which are easy to access and understand. Further evaluation by knowing changes in the subject's behavior and the child's nutritional status needs to be carried out to achieve long-term success of this research.

4. CONCLUSION

Seminars and mentoring have succeeded in increasing the knowledge of students' parents, both about stunting and growth charts. This parent capacity building program should be implemented in society on a larger scale, so that in the long term it can reduce the prevalence of malnutrition in Indonesia, especially in the elderly population. Seminars and assistance for parents of students aged 3–18 years are an effective approach in increasing knowledge about stunting and children's growth charts. The intervention, which was designed with a combination of direct education and personal assistance, succeeded in increasing parents' understanding of the importance of preventing stunting, monitoring growth, and implementing appropriate parenting and nutrition patterns. The research results also emphasize the importance of an adaptive, inclusive and sustainable approach to address the challenges of limited literacy, access to technology and the diversity of parents' needs. Therefore, this research contributes to strengthening family empowerment strategies as an effort to support optimal child growth and development and prevent stunting in society.

5. ACKNOWLEDGE

The author would like to thank Trisakti University for providing funding for this research based on contract no. 5109/USAKTI/FK/03/XI/2023, to enumerators Mrs. Pinkan and Mrs. Nikita for their cooperation and to all respondents who were willing to take part in this research. Thanks also go to Richard Tjan, DTM&H (Mahidol), who proofread the manuscript.

6. REFERENCES

- Ammar, A., Brach, M., Trabelsi, K., Chtourou, H., Boukhris, O., Masmoudi, L., Bouaziz, B., Bentlage, E., How, D., Ahmed, M., Müller, P., Müller, N., Aloui, A., Hammouda, O., Paineiras-Domingos, L. L., Braakman-Jansen, A., Wrede, C., Bastoni, S., Pernambuco, C. S., & The, E.-C. C. (2020). Effects Of Covid-19 Home Confinement On Eating Behaviour And Physical Activity: Results Of The Eclb-Covid19 International Online Survey. *Nutrients*, 12(6), 35. <https://doi.org/10.3390/Nu12061583>.
- Andriani, H., Friska, E., Arsyi, M., Sutrisno, A. E., Waits, A., & Rahmawati, N. D. (2022). A Multilevel Analysis Of The Triple Burden Of Malnutrition In Indonesia: Trends And Determinants From Repeated Cross-Sectional Surveys. *Bmc Public Health*, 23(1), 56. <https://doi.org/10.1186/S12889-023-16728-Y>.
- Anggraeni, L. D., Suhaid, D. N., Daryati, E. I., Isnawati, Y. D., Woro Pramesti, P. Y., Sunarti, & Uly, C. (2020). Factors Affecting Community Knowledge Regarding Stunting In South Tangerang. *Mjn*, 13(3), 143–148. <https://doi.org/10.31674/Mjn.2023.V14i03.017>.
- Arnita, S., Rahmadhani, D., & Sari, M. (2021). Hubungan Pengetahuan Dan Sikap Ibu Dengan Upaya Pencegahan Stunting Pada Balita Di Wilayah Kerja Puskesmas Simpang Kawat Kota Jambi [The Relationship Between Maternal Knowledge And Attitudes And Efforts To Prevent Stunting In Toddlers In The Working Area]. *Jab*, 9(4), 6–14. <https://doi.org/10.36565/Jab.V9i1.149>.
- Asif, A., & Farooq, N. (2019). Vitamin D Toxicity [Updated 2023 May 24]. In *Statpearls Publishing 2024 Jan* (P. 86). <https://www.ncbi.nlm.nih.gov/books/Nbk557876/>.
- Astarani, K., Poernomo, D. I. S. H., Idris, D. N. T., & Oktavia, A. R. (2020). Prevention Of Stunting Through Health Education In Parents Of Pre-School Children. *Strada Jurnal Ilmiah Kesehatan*, 9(1), 70–77. <https://doi.org/10.30994/Sjik.V9i1.270>.
- Bhagyalakshmi, A., Sridevi, D., Dambal, A., Ravibabu, K., & Chaitanya, G. (2019). Effectiveness Of Seminar As An Educational Tool Among The Undergraduate Medical Students: A Study. *Mrim Journal Of Health Sciences*, 8(36), 43. <https://doi.org/10.4103/2321-7006.301999>.
- Casadei, K., & Kiel, J. (2021). Anthropometric Measurement. In *Updated 2022 Sep 26*. In *Statpearls [Internet]* (P. 84). Statpearls Publishing. <https://www.ncbi.nlm.nih.gov/books/Nbk537315/>.
- Colozza, D., & Padmita, A. (2020). *Landscape Analysis Of Overweight And Obesity In Indonesia. Summary For Policymakers* (P. 74). <https://www.unicef.org/indonesia/reports/landscape-analysis-overweight-and-obesity-indonesia>.
- Grey, K., Gonzales, G. B., Abera, M., Lelijveld, N., Thompson, D., Berhane, M., Abdisa, A., Girma, T., & Kerac, M. (2019). Severe Malnutrition Or Famine Exposure In Childhood And Cardiometabolic Non-Communicable Disease Later In Life: A Systematic Review. *Bmj Global Health*, 6(3), 3161. <https://doi.org/10.1136/Bmjgh-2020-003161>.
- Hall, P., Bennett, C., Crookston, B., Dearden, K., Hasan, M., Linehan, M., Syafiq, A., Torres, S., & West, J. (2022). Maternal Knowledge Of Stunting In Rural Indonesia. *Int J Child Health N*, 7, 139–145. <https://doi.org/10.6000/1929-4247.2018.07.04.2>.
- Handryastuti, S., Puspongoro, H. D., Nurdadi, S., Chandra, A., Pramita, F. A., Soebadi, A., Widjaja, I. R., & Rafli, A. (2020). Comparison Of Cognitive Function In Children With Stunting And Children With Undernutrition With Normal Stature. *J Nutr Metab*, 4(5), 9775727. <https://doi.org/10.1155/2022/9775727>.
- Hendarto, A. (2018). The Burden Of Childhood Obesity In Indonesia. *Int J Clin Pediatr Child Health*, 1(1), 21 – 27. <https://doi.org/https://journal.iipch.org/Ijcpch/Article/View/8/6>.
- Laksono, A. D., Wulandari, R. D., Amaliah, N., & Wisnuwardani, R. W. (2019). Stunting Among Children Under Two Years In Indonesia: Does Maternal Education Matter? *Plos One*, 17(7), 271509. <https://doi.org/10.1371/Journal.Pone.0271509>.
- Leroy, J. L., & Frongillo, E. A. (2020). Perspective: What Does Stunting Really Mean? A Critical Review Of The Evidence. *Adv Nutr*, 10(2), 196–204. <https://doi.org/10.1093/Advances/Nmy101>.
- Liman, P. B., & Abikusno, N. (2021). Education, Knowledge, Attitude, And Balanced Diet Practices Among Adult Women In Banten, Indonesia. *J Biomedika Kesehat*, 3(5), 39. <https://jbiomedkes.org/Index.php/Jbk/Article/View/218>.

- Liman, P. B., Devita, A., Fadilah, T. F., & Sudarma, V. (2020). Peningkatan Pengetahuan Pemantauan Pertumbuhan Anak Pada Kader Dan Guru Paud. *Panrita Abdi - Jurnal Pengabdian Pada Masyarakat*, 8(2), 294–303. <https://doi.org/10.20956/Pa.V8i2.26633>.
- Ministry Of Health Of The Republic Of Indonesia (P. 84). (2020). <https://peraturan.bpk.go.id/details/280046/Keputusan-Menkes-No-Hk0107menkes19282022>.
- Mokhtar, R. R., Holick, M. F., Sempértegui, F., Griffiths, J. K., Estrella, B., Moore, L. L., Fox, M. P., & Hamer, D. H. (2021). Vitamin D Status Is Associated With Underweight And Stunting In Children Aged 6–36 Months Residing In The Ecuadorian Andes. *Public Health Nutrition*, 21(11), 1974–1985. <https://doi.org/10.1017/S1368980017002816>.
- Munira, S. L. (2023). Materi Hasil Survei Status Gizi Indonesia (Ssgi (P. 45). <https://doi.org/https://promkes.kemkes.go.id/materi-hasil-survei-status-gizi-indonesia-ssgi-2022>.
- Mustakim, M. R. D., Irwanto, I., R., I., M., & Setyoboedi, B. (2020). Impact Of Stunting On Development Of Children Between 1-3 Years Of Age. *Ethiop J Health Sci*, 32(3), 569–578. <https://doi.org/10.4314/Ejhs.V32i3.13>.
- Ningtias, I. S., Kustanti, A., & Sukesu, K. (2023). The Role And Participation Of Family Welfare Empowerment Cadres (Pkk) In Stunting Prevention: A Case Study In Bojonegoro. *International Journal Of Community Service Learning*, 8(1), 1–8. <https://doi.org/10.23887/Ijcs.V8i1.76160>.
- Oliveira, M. H., Pereira, D. D. S., Melo, D. S., Silva, J. C., & Conde, W. L. (2022). Accuracy Of International Growth Charts To Assess Nutritional Status In Children And Adolescents: A Systematic Review. *Rev Paul Pediatr*, 40(44), 2021016. <https://doi.org/10.1590/1984-0462/2022/40/2021016>.
- Pipitcahyani, T. I., Ervi, H., Sukesu, R., Rekawati, S., A., Kk., Dina, I., Domas, C. P., Fitri, N., Sherly, J., & Dwi, P. (2022). Edukasi Kader Tentang Gizi Seimbang Ibu Hamil Dan Balita Dalam Upaya Pencegahan Stunting. *International Journal Of Community Service Learning*, 8(1), 86–92. <https://doi.org/10.23887/Ijcs.V8i1.76827>.
- Pratiwi, I. G. A. P. E., Irawan, R., Ugrasena, I. D. G., & Faizi, M. (2023). Vitamin D, Insulin-Like Growth Factor-1, And Stunting In Children With Transfusion-Dependent Thalassemia. *Paediatrica Indonesiana*, 62(2), 98 – 103. <https://doi.org/10.14238/Pi62.2.2022.98-103>.
- Rah, J. H., Melse-Boonstra, A., Agustina, R., Zutphen, K. G., & Kraemer, K. (2021). The Triple Burden Of Malnutrition Among Adolescents In Indonesia. *Fnb*, 42(1_Suppl), 4– 8. <https://doi.org/10.1177/03795721211007114>.
- Rahmad, A. H. A., Iskandar, F., K., T., & Hadi, A. (2021). Utilization Of The Growth Chart Module In Increasing Mother's Knowledge To Monitor The Grow Up Of Toddlers. *Jurnal Kesmas Indonesia*, 14(1), 110 – 120. <https://doi.org/10.20884/1.Ki.2022.14.1.640>.
- Rahman, H., Rahmah, M., & Saribulan, N. (2022). Upaya Penanganan Stunting Di Indonesia: Analisis Bibliometrik Dan Analisis Konten. *Jipsk*, Viii(01), 44 – 59. <https://doi.org/http://ejournal.ipdn.ac.id/khatulistiwa/article/view/3184/1583>.
- Rohmah, N., Yusuf, A., Hargono, R., Laksono, A. D., Masruroh, I., I., & Walid, S. (2019). Determinants Of Teenage Pregnancy In Indonesia. *Ijfmt*, 14(3), 2105–2110. <https://doi.org/10.37506/Ijfmt.V14i3.10736>.
- Sagita, C. D., & Afriyan, L. D. (2020). Gambaran Pengetahuan Kader Tentang Interpretasi Grafik Pertumbuhan Balita Di Posyandu Desa Losari Kidul Tahun 2021. *Jhhs*, 4(1), 28 – 40. <https://doi.org/10.35473/Jhhs.V4i1.119>.
- Sanctis, V., Soliman, A., Alaraj, N., Ahmed, S., Alyafei, F., & Hamed, N. (2022). Early And Long-Term Consequences Of Nutritional Stunting: From Childhood To Adulthood. *Acta Biomed*, 92(1), 2021168. <https://doi.org/10.23750/Abm.V92i1.11346>.
- Seum, T., Meyrose, A.-K., Rabel, M., Schienkiewitz, A., & Ravens-Sieberer, U. (2021). Pathways Of Parental Education On Children's And Adolescent's Body Mass Index: The Mediating Roles Of Behavioral And Psychological Factors [Original Research. *Front Public Health*, 10(2), 37. <https://doi.org/10.3389/Fpubh.2022.763789>.
- Song, C., Sun, H., Wang, B., Song, C., & Lu, H. (2018). Association Between Vitamin D Status And Undernutrition Indices In Children: A Systematic Review And Meta-Analysis Of Observational Studies. *Front Pediatr*, 9(2), 665749. <https://doi.org/10.3389/Fped.2021.665749>.
- Upadhyay, R. P., Pathak, B. G., Raut, S. V., Kumar, D., Singh, D., Sudfeld, C. R., Strand, T. A., Taneja, S., & Bhandari, N. (2021). Linear Growth Beyond 24 Months And Child Neurodevelopment In Low- And Middle-Income Countries: A Systematic Review And Meta-Analysis. *Bmc Pediatr*, 24(1), 101. <https://doi.org/10.1186/S12887-023-04521-0>.
- Vaivada, T., Akseer, N., Akseer, S., Somaskandan, A., Stefopoulos, M., & Bhutta, Z. A. (2020). Stunting In Childhood: An Overview Of Global Burden, Trends, Determinants, And Drivers Of Decline. *Am J Clin*

- Nutr*, 112(Suppl 2), 777 –791. <https://doi.org/10.1093/Ajcn/Nqaa159>.
- Vries Mecheva, M., Rieger, M., Sparrow, R., Prafiantini, E., & Agustina, R. (2019). Behavioural And Environmental Risk Factors Associated With Primary Schoolchildren's Overweight And Obesity In Urban Indonesia. *Public Health Nutr*, 26(8), 1562–1575. <https://doi.org/10.1017/S1368980023000897>.
- Wangge, G. (2020). Obesity In School-Age Children. *Med J Indones*, 28(12), 101 – 102. <https://doi.org/10.13181/Mji.V28i2.4079>.
- Wardhani, N., & Yusra, Y. (2019). The Relationship Between Mother's Education And The Level Of Knowledge About Child Malocclusion. *Jida*, 5, 69. <https://doi.org/10.32793/Jida.V5i2.789>.
- Wulandini, P., Efni, M., & Marlita, L. (2020). Description Of Mother's Knowledge Who Have A Toddler About Stunting In Rejosari Health Center Tenayan Raya Sub District 2019. *Cmj*, 3(1), 8–14. <https://doi.org/10.36341/Cmj.V3i1.1113>.
- Yani, D. I., Rahayuwati, L., Sari, C. W., Komariah, M., & Fauziah, S. R. (2021). Family Household Characteristics And Stunting: An Update Scoping Review. *Nutrients*, 15(1), 45. <https://doi.org/10.3390/Nu15010233>.

Improving Knowledge About Stunting and Growth Charts Through Seminar and Mentorship for Parents of Students Aged 3 – 18 Years

By Patricia Budihartanti



Improving Knowledge About Stunting and Growth Charts Through Seminar and Mentorship for Parents of Students Aged 3 – 18 Years

ARTICLE INFO

Article history:

Received December 27, 2022

Revised January 05, 2023

Accepted February 10, 2023

Available online February 25, 2023

Kata Kunci :

Edukasi; grafik pertumbuhan; pendampingan; orang tua; stunting;

Keywords:

Health education; growth charts; mentorship; parents; stunting;



This is an open access article under the CC BY-SA license.

Copyright ©2023 by Author. Published by Universitas Pendidikan Ganesha

ABSTRACT

Stunting and obesity in Indonesia are still unresolved problems that may be related to lack of parental knowledge. Studies on increasing parental knowledge of stunting and growth chart usage are still controversial. This study aimed to determine efficacy of health education on parental knowledge. This was a one-group pre- and post-test experimental study involving 61 parents with children aged 3-18 years. Modified structured questionnaires were used to assess stunting knowledge scores by seminar and growth chart knowledge scores by mentorship. Data were analyzed using SPSS ver. 29.0.2.0. Mann-Whitney test was used to compare the score changes after seminar and training mentors. Post-test knowledge scores by seminar and mentorship methods increased significantly as compared with pretest scores ($p < 0.001$ for both analyses). The mentoring method score increment was three times that of the seminar method ($p=0.016$). The implication of these finding is that the mentorship method can be further considered in a larger community scale for a program for increasing parental capacity to attain malnutrition reduction in Indonesia.

1. INTRODUCTION

Malnutrition in children is still a global health problem (Grey et al., 2021; Leroy & Frongillo, 2019; Vaivada et al., 2020) including in Indonesia (Rah et al., 2021). The global economic crisis and the COVID-19 pandemic increased the effect of life style changes, including dietary patterns, that may increase the risk of malnutrition (Ammar et al., 2020). Malnutrition is defined as stunting, wasting, or micronutrient deficiencies. Studies showed that malnutrition in children causes failure of growth and development in underfives that results in delayed cognitive development, suboptimal intelligence, up to increased risk of noncommunicable diseases in adults (Leroy & Frongillo, 2019; Wulandini et al., 2020).

The results of the Indonesian National Survey [Survei Status Gizi Indonesia, SSGI] for 2022 showed that the incidence of stunting in under five years old children in Indonesia was 21.6% (Munira, 2023; Ningtias et al., 2024). Although this figure is lower than that for 2021 (30.8%) (Andriani et al., 2023), it still does not reach the target of 14% determined by the government (Ningtias et al., 2024; Rahman et al., 2023). Various strategies have been undertaken by the government such as administration of hematinic tablets to adolescent girls and pregnant women, early breastfeeding initiation program, exclusive breastfeeding, and health-post underfive growth monitoring program (Pipitcahyani et al., 2024; Rah et al., 2021). Another nutritional problem is obesity, although it has not yet become the principal program for eradication of nutritional problems by the government (Colozza & Padmita, 2023). Indonesia is a country with the highest prevalence of obesity in the underfives in South Asia. This is alarming because obesity in children can increase not only the risk of noncommunicable diseases, such as coronary heart disease, diabetes, and cancer in the future, but also has a psychosocial impact (Hendarto, 2019; Wangge, 2019). The anthropometric standards for child growth, comprising weight for age (W/A), height for age (H/A), and body mass index for age (BAZ), may be used to determine the nutritional status of children (Casadei & Kiel, 2022). Monitoring of child growth is important for identification of children at risk of growth failure, such that this condition can be directly managed instead of waiting until it has achieved malnutrition status. Standard anthropometric tables and growth charts for children can become references in determining the nutritional status of children (Casadei & Kiel, 2022; Oliveira et al., 2022).

A low level of knowledge in parents may be a factor in the establishment of an unhealthy life style in children (Seum et al., 2022). Low socio-economic status, lack of clean water, low parental educational

*Corresponding author

E-mail addresses: E-mail Addresses: patricialiman@trisakti.ac.id (Patricia Budihartanti Liman)

el, and unhealthy attitude and behavior are factors for growth retardation, including stunting (Vaivada et al., 2020; Yani et al., 2023). The study of de Vries Mecheva et al. on behavior and environmental factors associated with overweight and obesity in 1674 children aged 6 – 13 years in Jakarta, and that parental knowledge as part of the scoring of the availability of household obesogenic foods, was positively and significantly associated with BAZ-scores at percentiles 75 and 22 (de Vries Mecheva et al., 2023). This is in contrast with the study of Arnita et al. that did not show a significant relationship between maternal knowledge and prevention of stunting in underfives (Arnita et al., 2020). Education is one method that may be used for increasing a person's knowledge. It is known that growth chart usage training is adequate in health cadres and teachers but still insufficient in parents (Liman et al., 2024; Priyantini, 2022; Sagita & Afriyan, 2022). One study on training in the use of growth charts that involved 50 housewives in Banda Aceh, Indonesia, found that 60.5% of the women had low knowledge of growth charts, but through training the knowledge of the women increased by 14% as compared with before the training ($p=0.001$) (Rahmad et al., 2022). Therefore, the present study aimed to evaluate the efficacy of health education on parental knowledge of stunting and growth charts, by using the semi-structured method as well as by using mentors for parents of students in Tangerang, Banten, Indonesia. Another aim of this study was to compare the efficacy of education by the seminar method with education by the mentorship method in improving parental knowledge.

2. METHOD

This was a pre-experimental study of one-group pre- and post-test design conducted at a private school in Tangerang city, Banten, between March 2023 and May 2024. This study had been approved for ethical clearance by the Faculty of Medicine, Universitas Trisakti, under no. 059/KER/FK/II/2023. The study subjects were parents of students who were 3 – 18 years of age or had an educational level of playgroup up to middle vocational school. These parents agreed to join the research by signing informed consent. Data collection was done using non-consecutive methods.

There were 64 parents who agreed to participate as study subjects by signing an informed consent form. However, three subjects were excluded because of incomplete filling of the questionnaire, such that the final number of subjects participating in the final analysis was 61 subjects. The health education on stunting was given by a pediatrician, while the training in growth charts was given by a clinical nutritionist. Intensive mentorship was provided in training sessions on the use of growth charts, which involved 5 specialists or "magisters" and 2 medical students.

The indicator of success in this study was the holding of a seminar and a mentorship program, the occurrence of a significant improvement in knowledge of stunting and the use of growth charts after the administration of the health education program ($p\text{-value} < 0.05$). The health education was evaluated using a questionnaire that was distributed to the parents before and after the health education. The basic subject characteristic of knowledge questionnaires of stunting was evaluated using a modification of the questionnaire of Hall et al. (Hall et al., 2018) containing 14 questions with a weighting of 20 for the definition of stunting and short stature, and a weighting of 5 for knowledge of the causes, prevention, and effects of stunting. The maximum score for knowledge of stunting was 100. The questionnaire on knowledge of the use of growth charts comprised 4 questions, namely one question each on plotting of growth charts of weight for age (W/A), plotting height for age (H/A), evaluation of W/A nutritional status, and evaluation of H/A nutritional status. For a 3-year-old male child weighing 11 kg and 80 cm in height, the questions nos. 1 and 2 are how to plot weight and height on the WHO growth charts for W/A and H/A. Question no. 3: From the results of the evaluation of the plotting of the growth chart, it can be concluded that the weight status of the child is 1. Overweight; 2. Normal weight; 3. Wasted; 4. Severely wasted; 5. Do not know. Question no. 4: From the results of the evaluation of the plotting of the growth chart, it can be concluded that the height status of the child is 1. Tall stature; 2. Normal; 3. Stunted; 4. Severely stunted; 5. Do not know. The weighting for plotting (questions number 1 and 2) was 20, whereas the weighting for evaluation of nutritional status (questions number 3 and 4) was 30, such that the maximum score was 100.



53
Figure 1 Weight for age and height for age graphics used for plotting questions (numbers 1 and 2)

Source: <https://www.who.int/tools/child-growth-standards/standards>

3
Validation of the questionnaire was done by three persons having nutritional and three persons with non-nutritional educational backgrounds, namely three experts in their field (one specialist in pediatrics, one specialist in clinical nutrition, and one magister in nutrition) and three persons from the community with non-nutritional educational backgrounds.

28
The data were analyzed using SPSS software program version 29.0.2.0. Normality of data distribution was evaluated with the Kolmogorov-Smirnov test at significance level of $p < 0.05$. The Mann-Whitney U test was used to evaluate the median difference of knowledge of stunting and of the use of growth charts between age groups and between educational level groups. The Wilcoxon signed rank test was used to evaluate the difference between the paired groups. The results were considered significant at $p < 0.05$.

3. RESULT AND DISCUSSION

Result

The educational program was followed by 64 parents of 3 – 18 year-old students. Three parents did not complete the questionnaire, therefore it was decided to exclude these three parents, such that the analysis was done on only 61 respondents. The majority or 42.6% of the parents who participated in this study had children with at kindergarten educational level. The majority of subjects were female (91.8%), aged <40 years (54.1%), had middle to high educational levels (85.2%), and were unemployed (55.7%), as can be seen in Table 1.

Table 1. Subject characteristics (n=61)

Characteristics	Mean \pm SD	n (%)
Educational level of children (n, %)		
Playgroup		5 (8.2)
Kindergarten		26 (42.6)
Elementary school		8 (13.1)
Junior high school		14 (23.0)
Senior high school		8 (13.1)
Age (years)	39 \pm 6	

Characteristics	Mean \pm SD	n (%)
Educational level of children (n, %)		
Playgroup		5 (8.2)
Kindergarten		26 (42.6)
Elementary school		8 (13.1)
Junior high school		14 (23.0)
Senior high school		8 (13.1)
Age categories in years (n, %)		
< 40		33 (54.1)
\geq 40		28 (45.9)
Educational level (n, %)		
Elementary		9 (14.8)
Middle – high		52 (85.2)
Gender (n, %)		
Male		5 (8.2)
Female		56 (91.8)
Employment (n, %)		
Unemployed		34 (55.7)
Employed		27 (44.3)

Notes: Basic educational level: did not finish senior high school or equivalent; middle - high educational level: minimally senior high school graduate or equivalent.

Knowledge about stunting

The majority of subjects (82%) had ever heard/read/known about stunting being defined by short stature as a result of malnutrition (Table 2). There were 13 subjects (21.3%) who did not know the definition of stunting. Similarly for short stature, the majority of subjects (83.6%) had ever heard/read/known of short stature being defined by lesser height not corresponding to the child's age. Ten subjects (16.4%) did not know the definition of short stature, and 8.2% of subjects considered persons of short stature as being identical with dwarfs.

In the question about causes, prevention, and effects of stunting, the majority of subject responses about the causes of stunting were nutritional imbalance or malnutrition, frequent illness, and congenital or hereditary. Steps for the prevention of stunting may be taken by consuming vitamins, playing and performing physical activity, and maintaining hygiene. The majority of responses on the effects of stunting were low IQ, frequent illness, and disturbed growth. There were 26.2% of subjects who stated that stunting does not have an effect on the health, growth, or intelligence of children.

Table 2. Knowledge of stunting

Question	N, %
Have you ever heard/read/known about stunting (n, %)	
Yes	50 (82.0)
No	11 (18.0)
Definition of stunting that you think is most appropriate (n, %)	
Stunting is the result of malnutrition	28 (45.9)
Stunting is not only the result of malnutrition	8 (13.1)
Height does not correspond to the child's age	11 (18.0)
Stunting equals dwarfism	1 (1.6)
Do not know	13 (21.3)
Have you ever heard/read/known about short stature (n, %)	
Yes	51 (83.6)
No	10 (16.4)
Definition of short stature that you think is most appropriate (n, %)	

Short stature is the result of malnutrition	12 (19.7)
Short stature is not only the result of malnutrition	13 (21.3)
Height does not correspond to the child's age	21 (34.4)
A child of short stature is a dwarf	5 (8.2)
Do not know	10 (16.4)
	Yes No
Causes of stunting (n, %)	
Nutritional imbalance or malnutrition	53 (86.9) 8 (13.1)
Frequent illness	32 (52.5) 29 (47.5)
Few opportunities for play and study	15 (24.6) 46 (75.4)
Congenital or hereditary	31 (50.8) 30 (48.2)
Prevention of stunting (n, %)	
Consume vitamins	58 (95.1) 3 (4.9)
Eat large meals	24 (39.3) 37 (60.7)
Play or do sports	58 (95.1) 3 (4.9)
Maintain hygiene	57 (91.4) 4 (6.6)
Effect of stunting (n, %)	
Low intelligence quotient (IQ)	31 (50.8) 30 (48.2)
Prone to illness	37 (60.7) 24 (39.4)
Disturbed growth	55 (90.2) 6 (9.8)
No effect	16 (26.2) 45 (73.8)

Knowledge of the use of growth charts

There were 93.4% subjects who never had participated in training in the use of growth charts, as shown in Table 3. Although 63.9% of subjects had ever seen growth charts, 80.3% did not know how to use growth charts and 75.4% had never used growth charts.

Table 3. Knowledge on the use of growth charts (n=61)

Question	n (%)
Did you ever follow a training in the use of growth charts (n, %)	
Once	4 (6.6)
Never	57 (93.4)
Have you ever seen growth charts (n, %)	
Yes	22 (36.1)
No	39 (63.9)
Have you known how to use growth charts (n, %)	
Yes	12 (19.7)
No	49 (80.3)
Use of growth charts (n, %)	
Frequent	1 (1.6)
Occasionally	4 (6.6)
Seldom	10 (16.4)
Never	46 (75.4)

43 The parents were guided by mentors during the training in the use of growth charts by plotting weight for age and height for age charts. The subjects were also asked to evaluate the nutritional status of children after having performed plotting. In this study we found an increase in knowledge of stunting and the use of growth charts, as seen in Table 4.

Table 4. Knowledge scores on stunting and growth charts (n=61)

Method	Variable	Pretest	Post-test	Δ	p ^a	p ^b
Seminar	Stunting	70 (55 – 75)	85 (70 – 95)	10 (0 – 35)	<0.001 ^{W**}	0.016 ^{MW*}
Mentoring	Growth charts	0 (0 – 70)	70 (35 – 100)	30 (0 – 60)	<0.001 ^{W**}	

Notes: Non-normally distributed data are presented as median (p25 – p75); ^W: Wilcoxon signed rank test was used to evaluate differences in pre- and post-test knowledge of stunting and growth charts;

^a: comparison of pre- and post-test knowledge of stunting and growth charts; ^b: comparison of delta values of knowledge of stunting with knowledge of growth charts; ^{MW}: Mann-Whitney test was used to compare

delta knowledge scores of stunting and knowledge scores of growth charts; *: Results were considered statistically significant at $p < 0.05$; **: $p < 0.001$.

Discussion

The seminar and mentorship methods in this study were successful in increasing parental knowledge by 21.4% and 700%, respectively. Seminars and mentorships are among the methods for increasing the knowledge of the subjects (Astarani et al., 2020; Bhagyalakshmi et al., 2020; Liman et al., 2024; Pipitcahyani et al., 2024; Rahmad et al., 2022). Parental knowledge on stunting before the seminar was rather good, with a pre-test median score of 70. The intensive governmental program on stunting appeared to have impacted parental knowledge. This agrees with the study of Arnita et al. who showed that 65.5% of women in Simpang Kawat, Jambi City, had knowledge of the means for the prevention of stunting (Arnita et al., 2020). Anggraeni et al. also demonstrated that 90.1% of subjects aged >15 years in South Tangerang had good knowledge of stunting (Anggraeni et al., 2023). However, the results differed from those of Hall et al. who showed that 97.9% of subjects did not know anything about stunting (Hall et al., 2018). This difference may have been caused by the location and year of sampling. The present study was conducted in urban areas in the environs of the capital city Jakarta and between the years 2023 and 2024, whereas the study of Hall et al. collected data from 10 provinces in Indonesia that also included rural areas, while the data collection was in the year 2014 (Hall et al., 2018).

The definition of stunting is short stature or extremely short stature, as determined from growth charts, that is caused by chronic malnutrition associated with low socio-economic status, poor maternal health, history of recurrent illness, poor nutritional intake, and inappropriate feeding practice (Ministry of Health of the Republic of Indonesia, 2022). Stunting is caused by malnutrition that occurs early in life. The intrauterine period is the first stage of the critical period in child development. Children with stunting have a greater risk of retarded motor development, both gross and fine motor functions. If the muscles are not well-developed, motor functions will not be optimal (Mustakim et al., 2022).

Stunting is part of short stature, but not all persons with short stature are stunted in growth (Leroy & Frongillo, 2019). In the present study it was found that the majority of subjects had ever heard about stunting, more than 60% gave incorrect answers on the definition of stunting, and one of five subjects did not know anything about stunting. These study results are in line with the study of Hall et al. where there were still many subjects who did not. These study results are in line with the study of Hall et al. where there were still many subjects who did not know the definition of stunting. There were 47.5% subjects who were still of the opinion that a history of recurrent illness is not the cause of stunting and 50.8% considered that stunting is a congenital or hereditary disorder (Hall et al., 2018). The interesting feature of the present study is that although knowledge of the definition of stunting was low, knowledge on the causes of stunting, prevention of stunting, and effect of stunting was relatively good. Education on the definition of stunting should be conducted on a larger scale in the community.

There are several results in the present study that should be considered. The majority of subjects answered that consuming vitamins, doing sports, and maintaining hygiene can prevent stunting. To date the relationship between vitamin D and stunting is still controversial. Mokhtar et al. showed that low serum vitamin 25(OH)D concentration is more common in stunted children aged 6–36 months (Mokhtar et al., 2018), but on the contrary, Pratiwi et al. did not find a significant relationship between vitamin D concentration and stunting in children with thalassemia (Pratiwi et al., 2022). Similarly, in a meta-analytical study by Song et al. on seven observational studies, no significant relationship was found between vitamin D status and risk of stunting (Song et al., 2021). Vitamin D is a fat-soluble vitamin that is stored in the body, such that long-term administration at high doses may increase the risk of toxicity (Asif & Farooq, 2024). Determination of vitamin D concentration and therapeutic monitoring should be done before and during administration of vitamin D supplements to avoid toxic effects.

Stunting is known to impact both the individual and the environment, such as low cognitive function, disturbed immune response, and overweight or obesity in adult age that may be related to noncommunicable diseases (De Sanctis et al., 2021). The study conducted by Mustakim showed that children with stunting have far lower cognitive scores than those without stunting (Mustakim et al., 2022). The results of the latter study are in line with the results of the study of Handryastuti et al. who performed a cross-sectional study to compare cognitive development in children with stunting and undernutrition and in children of normal stature aged one month to 3 years. Their study results show that the stunted children tend to have lower motor skills, cognitive functions, and abilities in adaptive behavior if compared to children with undernutrition but normal stature (Handryastuti et al., 2022). Another meta-analytical study showed similar results, where each unit increase in HAZ at age over 2 years is associated with increase in cognitive score of 0.01 SD at age 3.5 – 12 years and increase in language score of 0.05 SD at age 5 – 15 years (Upadhyay et al., 2024). In our study, the majority of subjects (90.2%) agreed that stunting may cause

disturbed growth but only 50.8% and 60.7% of subjects associated stunting with low IQ and susceptibility to illness, respectively. Moreover, one in four subjects considered that stunting does not have any impact. Provision of adequate information should be implemented to increase community awareness of the effects of malnutrition in children.

This type of health education is attractive to subjects who do not know about growth charts. This is seen from the fact that more than 90% of subjects had previously never participated in training on growth charts. More than two-thirds of the subjects did not know the use of growth charts. The pre-test results also showed poor knowledge with a median (p25-p75) of 0 (0 -70). The low parental knowledge scores on the use of growth charts was also shown by the study of Rahmad et al. with a mean score of 13.94 out of the maximum score of 30 (Rahmad et al., 2022). Training in the use of growth charts was also still low in the group of teachers in early childhood education (Liman et al., 2024) with more than 50% subjects being ignorant or in doubt of the use of growth charts.

We further analyzed the relationship of age and educational level with knowledge level on stunting and the use of growth charts. Table 5 shows that age was not associated with knowledge of stunting, the use of growth charts, changes in knowledge scores of stunting, as well as changes in knowledge scores of the use of growth charts. Parents with middle – high educational level had 40 percent higher knowledge scores of stunting than parents with basic educational level ($p=0.045$). Knowledge scores of the use of growth charts was also seen to be higher in the group with a higher educational level ($p=0.039$). The relationship between parental educational level and knowledge was also shown by several other studies (Laksono et al., 2022; Liman & Abikusno, 2022; Wardhani & Yusra, 2023). Mothers as caregivers have knowledge of all decisions connected with providing a healthy diet, including breastfeeding, protective parenting, including administration of vitamin A, complete immunization, improved sanitation, and use of iodized salt (Laksono et al., 2022). A better educational level is also a better decisive factor in the growth of children (Astarani et al., 2020) and the attainment of better health (Rohmah et al., 2020). Age is known to influence a person's level of knowledge. The study of Anggraeni et al. showed that younger persons (aged 17 – 35 years) have a higher level of knowledge than do persons aged 36 – 56 years (Anggraeni et al., 2023). However, in our study no relationship was found between age and parental knowledge of stunting ($p>0.005$). This may have been caused by differences in level of education and the number of subjects exposed to stunting.

Table 5. Relationship of age and educational level with knowledge level (n=61)

Variable	Stunting	Growth chart	Δ stunting	Δ Growth chart
Age in years				
< 40	70 (55 – 75)	0 (0 – 45)	10 (0 – 32.5)	30 (0 – 60)
≥ 40	70 (50 – 70)	30 (0 – 80)	20 (1.3 – 38.8)	30 (2.5 – 70)
Level of education				
Basic	50(42.5 – 70)*	0 (0 – 0)*	15 (0 – 40)	70 (60 – 100)*
Middle- high	70 (56.3 – 75)	0 (0 – 80)	10 (0 – 30)	20 (0 – 60)

Notes: Basic educational level: did not finish senior high school or equivalent. Middle – high educational level: minimally senior high school graduate or equivalent. Non-normally distributed data presented as median (p25 – p75). Mann-Whitney U test was used to compare knowledge scores between age groups and between educational level groups. *: Results were considered statistically significant at $p<0.05$.

The degree of the increase in knowledge score on the use of growth charts as well as knowledge on stunting was not affected by the age of the subjects ($p>0.05$). However, in the group of subjects with basic educational level, a 3.5-fold increase was seen in comparison with the group with middle - high educational level ($p<0.05$). This shows that the health education that was given could be readily accepted irrespective of the educational level of the subjects, such that this method may be widely used in the community. The scope of education on stunting and the use of growth charts may be utilized as one of the strategies for increasing the awareness of parents about the growth of children, such that in the long term it may reduce the incidence of malnutrition in Indonesia. This is in accordance with the Sustainable Development Goals (SDGs) for Indonesia, particularly Sustainable Development Goal 3, i.e. good health and well-being.

The implication of these findings is that the seminar and mentorship can be further considered in a program for increasing parental capacity on a larger community scale without regard for age and educational level, to attain malnutrition reduction in Indonesia. The strength of this study lies in the health education that was given by the experts in their field and that was performed intensively, with mentors to subject ratio of 1: 4 to 1: 5. Training and equalization of perception about the questionnaire and the use of growth charts was conducted within the executive team prior to giving the health education. A limitation of this study was that the health education was performed within a given time period. Further studies on

training should be done to obtain an optimal degree of parental knowledge. Further evaluation by determining the behavioral changes of the subjects and the nutritional status of the children should be conducted to obtain the long-term success of this study.

4. CONCLUSION

Seminar and mentorship have succeeded in increasing the knowledge of parents of students, both knowledge of stunting and of growth charts. The program which increased the capacity of parents should be applied in the community on a larger scale, such that in the long-term it may lower the prevalence of malnutrition in Indonesia, especially in this population of parents.

5. ACKNOWLEDGE

The authors express their gratitude to Universitas Trisakti that provided funding for this study under contract no. 5109/USAKTI/FK/03/XI/2023, to the enumerators, Ms. Pinkan and Ms. Nikita for their cooperation and to all respondents who agreed to participate in this study. Thanks are also due to Richard Tjan, DTM&H (Mahidol), for proofreading the manuscript.

REFERENCES

- Ammar, A., Brach, M., Trabelsi, K., Chtourou, H., Boukhris, O., Masmoudi, L., Bouaziz, B., Bentlage, E., How, D., Ahmed, M., Müller, P., Müller, N., Aloui, A., Hammouda, O., Paineiras-Domingos, L. L., Braakman-Jansen, A., Wrede, C., Bastoni, S., Pernambuco, C. S., . . . On Behalf of the, E.-C. C. (2020). Effects of COVID-19 home confinement on eating behaviour and physical activity: Results of the ECLB-COVID19 International online survey. *Nutrients*, 12(6). <https://doi.org/10.3390/nu12061583>
- Andriani, H., Friska, E., Arsyi, M., Sutrisno, A. E., Waits, A., & Rahmawati, N. D. (2023). A multilevel analysis of the triple burden of malnutrition in Indonesia: trends and determinants from repeated cross-sectional surveys. *BMC Public Health*, 23(1), 1836. <https://doi.org/10.1186/s12889-023-16728-y>
- Anggraeni, L. D., Suhaid, D. N., Daryati, E. I., Isnawati, Y. D., Woro Pramesti, P. Y., Sunarti, & Uly, C. (2023). Factors affecting community knowledge regarding stunting in South Tangerang. *MJN*, 13(3), 143-148. <https://doi.org/10.31674/mjn.2023.v14i03.017>
- Arnita, S., Rahmadhani, D., & Sari, M. (2020). Hubungan pengetahuan dan sikap ibu dengan upaya pencegahan stunting pada balita di wilayah kerja Puskesmas Simpang Kawat kota Jambi [The relationship between maternal knowledge and attitudes and efforts to prevent stunting in toddlers in the working area of the Simpang Kawat Community Health Center, Jambi City]. *Jab*, 9, 6-14. <https://doi.org/10.36565/jab.v9i1.149>
- Asif, A., & Farooq, N. (2024). Vitamin D toxicity [Updated 2023 May 24]. In *StatPearls [Internet]*. StatPearls Publishing 2024 Jan-. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK557876/>
- Astarani, K., Poernomo, D. I. S. H., Idris, D. N. T., & Oktavia, A. R. (2020). Prevention of stunting through health education in parents of pre-school children. *STRADA Jurnal Ilmiah Kesehatan*, 9(1), 70-77. <https://doi.org/10.30994/sjik.v9i1.270>
- Bhagyalakshmi, A., Sridevi, D., Dambal, A., Ravibabu, K., & Chaitanya, G. (2020). Effectiveness of seminar as an educational tool among the undergraduate medical students: A study. *MRIMS Journal of Health Sciences*, 8, 43. <https://doi.org/10.4103/2321-7006.301999>
- Casadei, K., & Kiel, J. (2022). Anthropometric measurement. [Updated 2022 Sep 26]. In *StatPearls [Internet]*. StatPearls Publishing; 2024 Jan-. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK537315/>
- Colozza, D., & Padmita, A. (2023). *Landscape analysis of overweight and obesity in Indonesia. Summary for policymakers*. <https://www.unicef.org/indonesia/reports/landscape-analysis-overweight-and-obesity-indonesia>
- De Sanctis, V., Soliman, A., Alaaraj, N., Ahmed, S., Alyafei, F., & Hamed, N. (2021). Early and long-term consequences of nutritional stunting: from childhood to adulthood. *Acta Biomed*, 92(1), e2021168. <https://doi.org/10.23750/abm.v92i1.11346>
- de Vries Mecheva, M., Rieger, M., Sparrow, R., Prafiantini, E., & Agustina, R. (2023). Behavioural and environmental risk factors associated with primary schoolchildren's overweight and obesity in urban Indonesia. *Public Health Nutr*, 26(8), 1562-1575. <https://doi.org/10.1017/s1368980023000897>

- Grey, K., Gonzales, G. B., Abera, M., Lelijveld, N., Thompson, D., Berhane, M., Abdisa, A., Girma, T., & Kerac, M. (2021). Severe malnutrition or famine exposure in childhood and cardiometabolic non-communicable disease later in life : A systematic review. *BMJ Global Health*, 6, e003161. <https://doi.org/10.1136/bmjgh-2020-003161>
- Hall, P., Bennett, C., Crookston, B., Dearden, K., Hasan, M., Linehan, M., Syafiq, A., Torres, S., & West, J. (2018). Maternal knowledge of stunting in rural Indonesia. *Int J Child Health N*, 7, 139-145. <https://doi.org/10.6000/1929-4247.2018.07.04.2>
- Handryastuti, S., Pusponegoro, H. D., Nurdadi, S., Chandra, A., Pramita, F. A., Soebadi, A., Widjaja, I. R., & Rafli, A. (2022). Comparison of cognitive function in children with stunting and children with undernutrition with normal stature. *J Nutr Metab*, 2022, 9775727. <https://doi.org/10.1155/2022/9775727>
- Hendarto, A. (2019). The burden of childhood obesity in Indonesia. *Int J Clin Pediatr Child Health*, 1(1), 21 - 27. <https://journal.iipch.org/ijcpch/article/view/8/6>
- Laksono, A. D., Wulandari, R. D., Amaliah, N., & Wisnuwardani, R. W. (2022). Stunting among children under two years in Indonesia: Does maternal education matter? *PLoS ONE*, 17(7), e0271509. <https://doi.org/10.1371/journal.pone.0271509>
- Leroy, J. L., & Frongillo, E. A. (2019). Perspective: what does stunting really mean? A critical review of the evidence. *Adv Nutr*, 10(2), 196-204. <https://doi.org/10.1093/advances/nmy101>
- Liman, P. B., & Abikusno, N. (2022). Education, knowledge, attitude, and balanced diet practices among adult women in Banten, Indonesia. *J Biomedika Kesehat*. <https://jbiomedkes.org/index.php/jbk/article/view/218>
- Liman, P. B., Devita, A., Fadilah, T. F., & Sudarma, V. (2024). Peningkatan pengetahuan pemantauan pertumbuhan anak pada kader dan guru PAUD. *Panrita Abdi - Jurnal Pengabdian pada Masyarakat*, 8(2), 294-303. <https://doi.org/10.20956/pa.v8i2.26633>
- Ministry of Health of the Republic of Indonesia. (2022). *Pedoman nasional pelayanan kedokteran tata laksana stunting*. Jakarta Retrieved from <https://peraturan.bpk.go.id/Details/280046/keputusan-menkes-no-hk0107menkes19282022>
- Mokhtar, R. R., Holick, M. F., Sempértegui, F., Griffiths, J. K., Estrella, B., Moore, L. L., Fox, M. P., & Hamer, D. H. (2018). Vitamin D status is associated with underweight and stunting in children aged 6–36 months residing in the Ecuadorian Andes. *Public Health Nutrition*, 21(11), 1974-1985. <https://doi.org/10.1017/S1368980017002816>
- Munira, S. L. (2023). *Materi hasil survei status gizi Indonesia (SSGI) 2022* <https://promkes.kemkes.go.id/materi-hasil-survei-status-gizi-indonesia-ssgi-2022>
- Mustakim, M. R. D., Irwanto, Irawan, R., Irmawati, M., & Setyoboedi, B. (2022). Impact of stunting on development of children between 1-3 years of age. *Ethiop J Health Sci*, 32(3), 569-578. <https://doi.org/10.4314/ejhs.v32i3.13>
- Ningtias, I. S., Kustanti, A., & Sukes, K. (2024). The role and participation of family welfare empowerment cadres (PKK) in stunting prevention: A case study in Bojonegoro. *International Journal of Community Service Learning*, 8(1), 1-8. <https://doi.org/10.23887/ijcsl.v8i1.76160>
- Oliveira, M. H., Pereira, D. D. S., Melo, D. S., Silva, J. C., & Conde, W. L. (2022). Accuracy of international growth charts to assess nutritional status in children and adolescents: a systematic review. *Rev Paul Pediatr*, 40, e2021016. <https://doi.org/10.1590/1984-0462/2022/40/2021016>
- Pipitcahyani, T. I., Ervi, H., Sukes, Rijanto, Rekawati, Siti, A., K.Kasiati, Dina, I., Domas, C. P., Fitri, N., Sherly, J., & Dwi, P. (2024). Edukasi kader tentang gizi seimbang ibu hamil dan balita dalam upaya pencegahan stunting. *International Journal of Community Service Learning*, 8(1), 86-92. <https://doi.org/10.23887/ijcsl.v8i1.76827>
- Pratiwi, I. G. A. P. E., Irawan, R., Ugrasena, I. D. G., & Faizi, M. (2022). Vitamin D, insulin-like growth factor-1, and stunting in children with transfusion-dependent thalassemia. *Paediatrica Indonesiana*, 62(2), 98 - 103. <https://doi.org/10.14238/pi62.2.2022.98-103>
- Priyantini, S. (2022). Pengaruh penyuluhan dengan metode ceramah singkat dilengkapi peraga gambar sederhana (kurva pertumbuhan) tentang deteksi dini stunting pada kader dan ibu di Kelurahan Muktiharjo Lor, Semarang. *Jurnal ABDIMAS-KU*, 01, 63 - 72. <https://doi.org/http://dx.doi.org/10.30659/abdimasku.1.2.63-72>
- Rah, J. H., Melse-Boonstra, A., Agustina, R., van Zutphen, K. G., & Kraemer, K. (2021). The triple burden of malnutrition among adolescents in Indonesia. *FNB*, 42(1_suppl), S4-S8. <https://doi.org/10.1177/03795721211007114>
- Rahmad, A. H. A., Iskandar, Fadji, T. K., & Hadi, A. (2022). Utilization of the growth chart module in increasing mother's knowledge to monitor the grow up of toddlers. *Jurnal Kesmas Indonesia*, 14(1), 110 - 120. <https://doi.org/10.20884/1.ki.2022.14.1.640>

- Rahman, H., Rahmah, M., & Saribulan, N. (2023). Upaya penanganan stunting di Indonesia: Analisis bibliometrik dan analisis konten. *JIPSK*, VIII(01), 44 - 59. <http://ejournal.ipdn.ac.id/khatulistiwa/article/view/3184/1583>
- Rohmah, N., Yusuf, A., Hargono, R., Laksono, A. D., Masruroh, Ibrahim, I., & Walid, S. (2020). Determinants of teenage pregnancy in Indonesia. *IJFMT*, 14(3), 2105-2110. <https://doi.org/10.37506/ijfmt.v14i3.10736>
- Sagita, C. D., & Afriyan, L. D. (2022). Gambaran pengetahuan kader tentang interpretasi grafik pertumbuhan balita di posyandu desa Losari Kidul Tahun 2021. *JHHS*, 4(1), 28 - 40. <https://doi.org/10.35473/jhhs.v4i1.119>
- Seum, T., Meyrose, A.-K., Rabel, M., Schienkewitz, A., & Ravens-Sieberer, U. (2022). Pathways of parental education on children's and adolescent's body mass index: The mediating roles of behavioral and psychological factors [Original Research]. *Front Public Health*, 10. <https://doi.org/10.3389/fpubh.2022.763789>
- Song, C., Sun, H., Wang, B., Song, C., & Lu, H. (2021). Association Between Vitamin D Status and Undernutrition Indices in Children: A Systematic Review and Meta-Analysis of Observational Studies. *Front Pediatr*, 9, 665749. <https://doi.org/10.3389/fped.2021.665749>
- Upadhyay, R. P., Pathak, B. G., Raut, S. V., Kumar, D., Singh, D., Sudfeld, C. R., Strand, T. A., Taneja, S., & Bhandari, N. (2024). Linear growth beyond 24 months and child neurodevelopment in low- and middle-income countries: a systematic review and meta-analysis. *BMC Pediatr*, 24(1), 101. <https://doi.org/10.1186/s12887-023-04521-0>
- Vaivada, T., Akseer, N., Akseer, S., Somaskandan, A., Stefopoulos, M., & Bhutta, Z. A. (2020). Stunting in childhood: an overview of global burden, trends, determinants, and drivers of decline. *Am J Clin Nutr*, 112(Suppl 2), 777s-791s. <https://doi.org/10.1093/ajcn/nqaa159>
- Wangge, G. (2019). Obesity in school-age children. *Med J Indones*, 28, 101 - 102. <https://doi.org/https://doi.org/10.13181/mji.v28i2.4079>
- Wardhani, N., & Yusra, Y. (2023). The relationship between mother's education and the level of knowledge about child malocclusion. *JIDA*, 5, 69. <https://doi.org/10.32793/jida.v5i2.789>
- Wulandini, P., Efn, M., & Marlita, L. (2020). Description of mother's knowledge who have a toddler about stunting in rejosari health center Tenayan Raya sub district 2019. *CMJ*, 3(1), 8-14. <https://doi.org/10.36341/cmj.v3i1.1113>
- Yani, D. I., Rahayuwati, L., Sari, C. W., Komariah, M., & Fauziah, S. R. (2023). Family household characteristics and stunting: An update scoping review. *Nutrients*, 15(1). <https://doi.org/10.3390/nu15010233>

Improving Knowledge About Stunting and Growth Charts Through Seminar and Mentorship for Parents of Students Aged 3 – 18 Years

ORIGINALITY REPORT

16%
SIMILARITY INDEX

PRIMARY SOURCES

1	perpustakaan.poltekkes-malang.ac.id Internet	47 words — 1%
2	Ni Nyoman Supuwiningsih, Keisha Abelia Arifa, Ni Kadek Karlina Lestariani. "GEOGRAPHIC INFORMATION SYSTEM MAPPING BANTEN MAKING SERVICES IN DENPASAR CITY", International Journal of Engineering Technologies and Management Research, 2024 Crossref	42 words — 1%
3	Patricia Budihartanti Liman, Nugroho Abikusno. "Education, Knowledge, Attitude, and Balanced Diet Practices Among Adult Women in Banten, Indonesia", Jurnal Biomedika dan Kesehatan, 2022 Crossref	39 words — 1%
4	repository.unair.ac.id Internet	39 words — 1%
5	www.frontiersin.org Internet	35 words — 1%
6	www.scielo.br Internet	27 words — 1%
7	www.ifhe.org Internet	26 words — 1%

8	ejournal.undiksha.ac.id Internet	23 words — < 1%
9	pure.eur.nl Internet	22 words — < 1%
10	Nur Fadjri Nilakesuma, Dewi Susilawati, Eza Yusnella. "The Effectiveness Of Solution Focused Brief Therapy Counseling On The Desire To Breastfeed Pregnant Women In The Third Trimester", JKM (Jurnal Kebidanan Malahayati), 2024 Crossref	21 words — < 1%
11	Jessy Hardjo, Nathasha Brigitta Selene. "Stunting and Gut Microbiota: A Literature Review", Pediatric Gastroenterology, Hepatology & Nutrition, 2024 Crossref	18 words — < 1%
12	Setyo Handryastuti, Hardiono D. Pusponegoro, Surastuti Nurdadi, Anita Chandra et al. "Comparison of Cognitive Function in Children with Stunting and Children with Undernutrition with Normal Stature", Journal of Nutrition and Metabolism, 2022 Crossref	18 words — < 1%
13	vetdergikafkas.org Internet	18 words — < 1%
14	files.eric.ed.gov Internet	16 words — < 1%
15	mjphm.org.my Internet	14 words — < 1%
16	repository.umi.ac.id Internet	14 words — < 1%
17	ojs.literacyinstitute.org Internet	

13 words — < 1%

18 www.ncbi.nlm.nih.gov
Internet

13 words — < 1%

19 www.nutritionbreakthroughs.com
Internet

13 words — < 1%

20 cdn.intechopen.com
Internet

12 words — < 1%

21 ijor.co.uk
Internet

12 words — < 1%

22 Mona Lydia, Christina Olly Lada, Anderias Umbu Roga. "Comparison of Indicators of Families at Risk of Stunting in High-Income Regencies and Low-Income Regencies in East Nusa Tenggara Province", JURNAL INFO KESEHATAN, 2023
Crossref

11 words — < 1%

23 Senoo, Issei, Alejandro A. Espinoza Orías, Howard S. An, Gunnar B. J. Andersson, Daniel K. Park, John J. Triano, and Nozomu Inoue. "In Vivo 3-Dimensional Morphometric Analysis of the Lumbar Foramen in Healthy Subjects :", Spine, 2014.
Crossref

11 words — < 1%

24 eprints.whiterose.ac.uk
Internet

11 words — < 1%

25 Stefanus Mendes Kiik, Muhammad Saleh Nuwa. "PENINGKATAN PENGETAHUAN STUNTING IBU EKS TIMOR LESTE MENGGUNAKAN KERANGKA KONSEPTUAL WHO", Jurnal Kesehatan, 2021
Crossref

10 words — < 1%

26	Internet	10 words — < 1%
27	file.umj.ac.id Internet	10 words — < 1%
28	journals.iium.edu.my Internet	10 words — < 1%
29	www.mdpi.com Internet	10 words — < 1%
30	www.science.gov Internet	10 words — < 1%
31	Jean Pierre Bucyebucye, Patrick Gatsinzi Bagambe, Diomede Ntasmusumuyange, Gerard Kaberuka et al. "Effect of clinicians training on their knowledge of abortion and post abortion care in six hospitals in Rwanda", Research Square Platform LLC, 2024 Crossref Posted Content	9 words — < 1%
32	Sabila Tamimi Putri, Rani Puspita, Khairunisa Ramadhani, Annisa E. Nainggolan, Sugianto Sugianto. "Community Empowerment Through 175 UINSU KKN Work Program in Efforts to Prevent Stutting in Ara Condong Village Stabat District, Langkat District", Jurnal Pengabdian Masyarakat, 2024 Crossref	9 words — < 1%
33	bmcpediatr.biomedcentral.com Internet	9 words — < 1%
34	bmcwomenshealth.biomedcentral.com Internet	9 words — < 1%
35	equityhealthj.biomedcentral.com Internet	9 words — < 1%

36	jbiomedkes.org Internet	9 words — < 1%
37	midwifery.iocspublisher.org Internet	9 words — < 1%
38	scholar.unair.ac.id Internet	9 words — < 1%
39	www.ijrrjournal.com Internet	9 words — < 1%
40	www.jurnalpoltekkesmaluku.com Internet	9 words — < 1%
41	www.medrxiv.org Internet	9 words — < 1%
42	www.onlinelibrary.wiley.com Internet	9 words — < 1%
43	Alfaro, E.L.. "The LMS method and weight and height centiles in Jujuy (Argentina) children", HOMO - Journal of Comparative Human Biology, 20080718 Crossref	8 words — < 1%
44	Rana R Mokhtar, Michael F Holick, Fernando Sempértegui, Jeffrey K Griffiths et al. "Vitamin D status is associated with underweight and stunting in children aged 6–36 months residing in the Ecuadorian Andes", Public Health Nutrition, 2017 Crossref	8 words — < 1%
45	Sri Hartati Pratiwi, Eka Afrima Sari, Ristina Mirwanti. "Cognitive Disorders in Post-Stroke Patients", Majalah Kesehatan Indonesia, 2024 Crossref	8 words — < 1%

46	e-journal.unair.ac.id Internet	8 words — < 1%
47	ejournal2.undip.ac.id Internet	8 words — < 1%
48	imtj.gmu.ac.ir Internet	8 words — < 1%
49	journal.stikespemkabjombang.ac.id Internet	8 words — < 1%
50	researchspace.ukzn.ac.za Internet	8 words — < 1%
51	www.diva-portal.se Internet	8 words — < 1%
52	Khushboo Rani, Anubha Raina. "A Study to Assess the Effectiveness of Skills Competency Program in Term of Knowledge and Practice Regarding Essential New Born Care Among Anms Working in Selected Community Health Centres at Meerut, Up.", Research Square Platform LLC, 2024 Crossref Posted Content	7 words — < 1%
53	Walid Al-Qerem, Ruba Zumot, Anan Jarab, Judith Eberhardt, Fawaz Alasmari, Alaa Hammad. "Evaluating the Validity of International Standards of Height, Weight, and Body Mass Index on Jordanian Children and Adolescents", Healthcare, 2024 Crossref	7 words — < 1%
54	ro.uow.edu.au Internet	7 words — < 1%
55	Annita Olo, Henny Suzana Mediani, Windy Rakhmawati. "Hubungan Faktor Air dan Sanitasi	6 words — < 1%

-
- 56 Nofi Susanti, Ikhwan Ikhwan. "Sebuah Hubungan Perilaku Hidup Bersih dan Sehat Rumah Tangga dengan Kejadian Diare di Desa Gunting Saga", Jurnal Kesehatan Manarang, 2023

6 words — < 1%

Crossref

EXCLUDE QUOTES ON

EXCLUDE SOURCES

OFF

EXCLUDE BIBLIOGRAPHY ON

EXCLUDE MATCHES

OFF