


Home > Vol 13, No 1

International Journal of Public Health Science (IJPHS)

International Journal of Public Health Science (IJPHS) p-ISSN: 2252-8806, e-ISSN: 2620-4126 is an interdisciplinary journal that publishes material on all aspects of public health science. This journal is published by [Intelektual Pustaka Media Utama \(IPMU\)](#) in collaboration with [Institute of Advanced Engineering and Science \(IAES\)](#). The IJPHS provides the ideal platform for the discussion of more sophisticated public health research and practice for authors and readers worldwide. The priorities are originality and excellence. The journal welcomes high-impact articles on emerging public health science that covers (but not limited) to epidemiology, biostatistics, nutrition, family health, infectious diseases, health services research, gerontology, child health, adolescent health, behavioral medicine, rural health, chronic diseases, health promotion, evaluation and intervention, public health policy and management, health economics, occupational health and environmental health. This journal is indexed by [Scopus \(Title Evaluation Tracking\)](#) and accredited [SINTA 1](#) by Ministry of Research and Technology/National Research and Innovation Agency, Republic of Indonesia (RISTEK-BRIN). [All published papers since 2019 issues were included in scopus.com.](#)



International Journal of Public Health Science (IJPHS)

Scopus indexed

OPEN ACCESS Fully open access Peer-reviewed High quality

SJR Scimago Journal & Country Rank Q4 Health Policy best quartile

SJR 2022 0.16 powered by scimagogr.com

Submit your manuscripts today!

Papers published in the quarterly journal (Mar, June, Sep and Dec).

Kindly please download the IJPHS template in [MS Word \(MS Word alternative download Link\)](#) or [Latex](#)

e-mail: ijphs@iaescore.com

All Issues:

- 2023: [Vol. 12 No. 1](#), [Vol. 12 No. 2](#), [Vol. 12 No. 3](#), [Vol. 12 No. 4](#)
- 2022: [Vol. 11 No. 1](#), [Vol. 11 No. 2](#), [Vol. 11 No. 3](#), [Vol. 11 No. 4](#)
- 2021: [Vol. 10 No. 1](#), [Vol. 10 No. 2](#), [Vol. 10 No. 3](#), [Vol. 10 No. 4](#)
- 2020: [Vol. 9 No. 1](#), [Vol. 9 No. 2](#), [Vol. 9 No. 3](#), [Vol. 9 No. 4](#)
- 2019: [Vol. 8 No. 1](#), [Vol. 8 No. 2](#), [Vol. 8 No. 3](#), [Vol. 8 No. 4](#)
- 2018: [Vol. 7 No. 1](#), [Vol. 7 No. 2](#), [Vol. 7 No. 3](#), [Vol. 7 No. 4](#)
- 2017: [Vol. 6 No. 1](#), [Vol. 6 No. 2](#), [Vol. 6 No. 3](#), [Vol. 6 No. 4](#)
- 2016: [Vol. 5 No. 1](#), [Vol. 5 No. 2](#), [Vol. 5 No. 3](#), [Vol. 5 No. 4](#)
- 2015: [Vol. 4 No. 1](#), [Vol. 4 No. 2](#), [Vol. 4 No. 3](#), [Vol. 4 No. 4](#)
- 2014: [Vol. 3 No. 1](#), [Vol. 3 No. 2](#), [Vol. 3 No. 3](#), [Vol. 3 No. 4](#)
- 2013: [Vol. 2 No. 1](#), [Vol. 2 No. 2](#), [Vol. 2 No. 3](#), [Vol. 2 No. 4](#)
- 2012: [Vol. 1 No. 1](#), [Vol. 1 No. 2](#)

Announcements

Maximum Similarity Rate and Reference Manager!!

Dear Authors,

Before sending a manuscript, make sure that the similarity of your paper is checked first.

1. The **maximum similarity rate is 20%**
2. We suggest you use Reference Manager software (such as EndNote, Mendeley, Zotero) for preparing your paper.

Thank You.

Posted: 2020-02-03

[More Announcements...](#)

Vol 13, No 1: March 2024

This is an early-access issue, which is intended to allow authors to publish their work as soon as possible. Every early-access article can be fully cited.

Table of Contents

USER

Username

Password

Remember me

CITATION ANALYSIS

- Scopus
- Google Scholar
- Scholar Metrics
- Scinapse
- Dimensions

SPECIAL LINKS

- [Author Guidelines](#)
- [Editorial Boards](#)
- [Online Submission](#)
- [Abstracting and Indexing](#)
- [Publication Ethics](#)
- [Visitor Statistics](#)
- [Contact Us](#)

LINK PER ISSUE

2022: [Mar](#), [Jun](#), [Sep](#), [Dec](#)

2021: [Mar](#), [Jun](#), [Sep](#), [Dec](#)

2020: [Mar](#), [Jun](#), [Sep](#), [Dec](#)

2019: [Mar](#), [Jun](#), [Sep](#), [Dec](#)

2018: [Mar](#), [Jun](#), [Sep](#), [Dec](#)

2017: [Mar](#), [Jun](#), [Sep](#), [Dec](#)

2016: [Mar](#), [Jun](#), [Sep](#), [Dec](#)

2015: [Mar](#), [Jun](#), [Sep](#), [Dec](#)

2014: [Mar](#), [Jun](#), [Sep](#), [Dec](#)

2013: [Mar](#), [Jun](#), [Sep](#), [Dec](#)

2012: [Jul](#), [Dec](#)

JOURNAL CONTENT

Search

Search Scope

Browse

- By Issue
- By Author
- By Title

INFORMATION

- For Readers
- For Authors
- For Librarians

| | |
|---|---------------------|
| Epidemiological profile of infertile couples in Western Iraq | PDF |
| Rafal Mustafa Murshid, Rehab Al aany, Omar Farhan Ammar | 1-6 |
| <hr/> | |
| Benford's law analysis to evaluate the quality data of COVID-19 epidemiological surveillance in Indonesia | PDF |
| Evi Susanti Sinaga, Novia Indriani Sudharma | 7-13 |
| <hr/> | |
| The role of trained cadres to find new cases of leprosy with a social learning theory approach in the City of Bima, Indonesia | PDF |
| Kurniadi Kurniadi, Muhamad Hasbi | 14-19 |
| <hr/> | |
| Risk factors of COVID-19 disease confirmed cases in Solok District | PDF |
| Fatma Nuraisyah, Apriyana Irjayanti, Maxsi Irmanto, Khairani Fauziah | 20-27 |
| <hr/> | |
| Knowledge and practices of private healthcare providers regarding tuberculosis case notification in Rural Maharashtra | PDF |
| Mrudula Holkar, Swathi Krishna, Rohan Shah, Radhakishan Pawar, Sanjay Juvekar | 28-35 |
| <hr/> | |
| Dental caries management by risk assessment among children | PDF |
| Dobrinka Mitkova Damyanova, Siyana Atanasova | 36-43 |
| <hr/> | |
| The effectiveness of drug prevention programs among children in schools | PDF |
| Norsayyidatina Che Rozubi, Azad Athahiri Anuar, Nurul Ain Mohd Daud, Ahmad Jazimin Jusoh, Pau Kee | 44-49 |
| <hr/> | |
| Prevention and control of diabetes mellitus complications in productive population in rural | PDF |
| Rr. Vita Nurlatif, Sumardiyono Sumardiyono, Setyo Sri Rahardjo | 50-57 |
| <hr/> | |
| Evaluating the impact of AsmaDroid® on knowledge, attitude, and behavior of relapse prevention among asthmatic patients | PDF |
| Muhammad Thesa Ghozali, Zullies Ikawati, Lutfan Lazuardi | 58-66 |
| <hr/> | |
| Self-assessment questionnaire development for soft skills competency and core value evaluations | PDF |
| Abdul Rahman Al-Azmi, Wan Noor Nazayan Wan Nik, Zulmaryan Embong, Aminudin Che Ahmad, Siti Aesah Naznin Muhammad, Noor Lide Abu Kassin, Siti Zainab Tauhed | 67-75 |
| <hr/> | |
| Development of an EKA application to help tuberculosis patients improve medication adherence and self efficacy | PDF |
| Lie Liana Fuadiati, Tintin Sukartini, Makhfudli Makhfudli, Yulis Setiya Dewi, Alfian Nur Rosyid, Arina Qona'ah | 76-86 |
| <hr/> | |
| Related factors to HIV/AIDS prevention behavior of adolescents in Jakarta's high school | PDF |
| Diah Ratnawati, Agus Setiawan, Widyatuti Widyatuti, Sutanto Priyo Hastono, Tatiana Siregar, Nourmayansa Vidya Anggraini | 87-97 |
| <hr/> | |
| Determinant of adherence with health protocols of COVID-19 among market traders | PDF |
| Novita Ridha Amelia, Tria Astika Endah Permatasari | 98-108 |
| <hr/> | |
| Theory of planned behavior in creating disease prevention behavior | PDF |
| Hanung Prasetya, Aquartuti Tri Darmayanti, Yuyun Setyorini | 109-115 |
| <hr/> | |
| Determining the effectiveness of stress management program by using hair cortisol concentration | PDF |
| Bala Murali Sundram, Rafiza Shahrudin, Nadia Mohamad, Muhammad Alfatih Pahrol, Affandi Omar, Gogillan Sevaratnam, Suriya Kumareswaran, Kamesh Rajendran | 116-125 |
| <hr/> | |
| Differences in cognitive life skills, knowledge, and attitudes between primary school students | PDF |
| Ratih Indraswari, Bagoes Widjanarko, Aditya Kusumawati, Novia Handayani | 126-132 |
| <hr/> | |
| Contraception used among women of childbearing age during the pandemic COVID-19 | PDF |
| Kusuma Estu Werdani, Izzatul Arifah, Anggi Putri Aria Gita, Mislailatul Kholifah Rahma, Vella Arnetta Putri, Ayu Khoiratul Umaroh | 133-140 |
| <hr/> | |
| School-based sexual and reproductive health education among adolescents in developing countries | PDF |
| Dyah Rahmawatie Ratna Budi Utami, Ida Nurwati, Anik Lestari | 141-149 |
| <hr/> | |
| Facilitating exercise adherence among Kuala Selangor, Malaysia antenatal women: a study protocol | PDF |
| Nur Farhana Md Yunus, Rosliza Abdul Manaf, Hayati Kadir, Suriani Ismail, Parwathi Alagirisamy | 150-157 |
| <hr/> | |
| The reproductive health understanding: an analysis for the prevention of children sexual harassment | PDF |
| Indah Sukmawati, Engku Mardiah Engku Kamarudin, Afdal Afdal, Miftahul Fikri, Zikra Zikra, Mega Iswari, Rezki Hariko | 158-168 |
| <hr/> | |
| The effectiveness of moringa leaf jelly on mother's prolactin level and baby's outcome | PDF |
| Azizati Salmas Marsiami, Cynthia Puspariny | 169-178 |
| <hr/> | |
| A deep learning and machine learning approach to predict neonatal death in the context of São Paulo | PDF |
| Mohon Raihan, Plabon Kumar Saha, Rajan Das Gupta, A Z M Tahmidul Kabir, Afia Anjum Tamanna, MD. Harun-Ur-Rashid, Adnan Bin Abdus Salam, MD Tanvir Anjum, A Z M Ahteshamul Kabir | 179-190 |
| <hr/> | |
| Occupational safety and health among fishing boat workers in Thailand | PDF |
| Alisa Hasamoh, Wit Wichaidit | 191-199 |

| | |
|---|---------------------|
| Infection prevention and control compliance among nurses and nursing students during COVID-19 in Malaysia | PDF |
| Siti Hazariah Abdul Hamid, Haliza Hasan, Wan Hasliza Wan Mamat, Dina Syazana Ho Imran Ho, Muhammad Kamil Che Hasan | 200-207 |
| Effect of computer workstation set-ups on muscle oxygen saturation and perceived fatigue | PDF |
| Radin Zaid Radin Umar, Tiong Jing Yin, Nadiyah Ahmad | 208-218 |
| Mental health condition among female workers during COVID-19 pandemic: insights from Dhaka city, Bangladesh | PDF |
| Al Jamal Mustafa Shindaini, Towheedul Alam, Fahima Siddiqua, Shantanu Kumar Saha | 219-227 |
| Maintaining altruism among nursing professionals | PDF |
| Priyanka Kaul, Ankit Singh | 228-238 |
| Job and personal resources: boosting work engagement and job satisfaction in hospitals | PDF |
| Ummu Kalsum, Fridawaty Rivai, Alimin Maidin, Andi Indahwaty AS, Andi Zulkifli, Yahya Thamrin | 239-244 |
| Factors influencing unable to eat healthy and nutritious food among Indonesian onset COVID-19 pandemic | PDF |
| Adi Yeremia Mamahit, Dyah Suryani, Suyitno Suyitno, Hairil Akbar, Dewi Puspito Sari, Ade Rahmawati, Tating Nuraeni, Supriatin Supriatin | 245-252 |
| Eat well to the best performance: calorie intake and eating behavior among athlete: a review | PDF |
| Isti Dwi Puspita Wati, Nining Widayah Kusnanik, Endang Sri Wahjuni, Yohanes Touvan Juni Samodra, Maharani Fatima Gandasari, Davi Sofyan | 253-259 |
| Food habits based on gender perspective in rural and urban of West Java | PDF |
| Anna Fatchiya, Ali Khomsan, Hadi Riyadi, Anna Vipta Resti Mauludyani, Vieta Annisa Nurhidayati | 260-267 |
| The relationship of body mass index, diet, and eating pattern with orthorexia nervosa amongst medical students | PDF |
| Sri Adiningsih, Wilson Wilson, Agustina Arundina Triharja Tejoyuwono | 268-275 |
| Knowledge, eating patterns, and hypertension among elderly in the coastal areas of Bangkalan, Indonesia | PDF |
| Pipit Festi Wiliyanarti, Fitri Wulandari, Eni Sumariyah | 276-281 |
| The impact of the pandemic on environmental health from the perspective of energy sector | PDF |
| Novena Damar Asri, Evita H Legowo, Purnomo Yusgiantoro | 282-293 |
| The synthesis of nanosilver and carbamat to control of Anopheles in malaria endemic areas | PDF |
| Mursid Raharjo, Agus Subagio, Sulistiyani Sulistiyani | 294-302 |
| Online water quality monitoring: a case study in the umbulan drinking water supply system, East Java, Indonesia | PDF |
| Jusman Rahim, Sunarsih Sunarsih, Lilin Budiati | 303-310 |
| Waste processing without causing public health problems with black soldier fly bioconversion | PDF |
| Afifah Zahra, Herdis Herdiansyah, Suyud Warno Utomo, Nuraeni Nuraeni | 311-318 |
| Evaluation of one-house one-larvae observer program in controlling dengue hemorrhagic fever in Central Sulawesi | PDF |
| Meiske Elisabeth Koraag, Samarang Samarang, Made Agus Nurjana, Octaviani Octaviani, Junus Widjaja, Roy Glen Albert Massie | 319-329 |
| Software development to anonymize patient information from clinical computed tomography images | PDF |
| Choirul Anam, Arij Naufal, Jhon Hadearon Saragih, Mohd Hanafi Ali | 330-337 |
| The relationship between depression and self-compassion with non-suicidal self-injury among university students | PDF |
| Siti Nurfathin Idris, Mastura Mahfar | 338-344 |
| Profile and trend analysis of diseases of the genitourinary system in the Philippines | PDF |
| Rosnia D. Mangotara, Arafat M. Balt, Chin-Chin J. Demayo, Nihaya G. Sambawa, Cesar G. Demayo | 345-352 |
| The role of body appreciation and boredom on married men's sexual satisfaction | PDF |
| Angelique Felicia Josephine, Monique Elizabeth Sukamto, Natasya Engga Redita | 353-361 |
| Between body esteem and mental health among adolescents in China | PDF |
| Ning Wu, Kusunto Ditto Prihadi | 362-368 |
| RGB-based colorimetric method for the analysis of water alkalinity using Cordyline fruticosa extracts as visual indicator | PDF |
| Christian Alex C. Parungao, Darwin F. Reyes | 369-375 |
| Achieving relationship satisfaction: household gender equality and mattering | PDF |
| Abirami Karananeethi, Kusunto Ditto Prihadi, Yi Ming Ho, Cynthia Shoba, Gaayatri Nesan, Ika Yuniar Cahyanti, Endang Retno Surjaningrum | 376-384 |
| Analytical study of social networking sites usage and social anxiety among physical education students | PDF |
| Omar Amir, Mohannad Alzughailat, Osama Abdel Fattah, Ayed Zureigat, Mahmoud Azab, Maha Jarrd | 385-394 |
| Theoretical approaches to psychopathology: common cause approach vs. network approach | PDF |
| Tri Kurniati Ambarini, Endang Surjaningrum, Achmad Chusairi | 395-403 |

| | |
|--|---------------------|
| Knowledge and attitudes towards antibiotic resistance among health profession students in Indonesia | PDF |
| Rike Syahnar, Farsida Farsida, Audia Nizhma Nabila Kosasih, Mardhia Mardhia, Heri Setiyo Bekti, Nurasi Lidya E. Marpaung, Ade Dharmawan, Indriyani Indriyani, Ismalia Husna, Hana Amirah Amany | 404-412 |
| Eating skills in children with autism via video modeling: an evaluation of face and content validation | PDF |
| Nurul Khairani Ismail, Hasrul Hosshan, Nurbietta Abd Aziz, Abdul Halim Masnan, Norsayyidatina Che Rozubi, Mohd Muslim Md Zalli | 413-420 |
| Tolerance and adaptation to virtual classes due to the pandemic among university adolescents | PDF |
| Mirian Carrillo Cayllahua, Guido Flores Marín, Lilia Nieva Villegas, Walter Gómez-Gonzales, Maria Zapana-Tito | 421-427 |
| Analyzing public perception toward COVID-19 vaccines in Indonesia | PDF |
| Putri Rizqiyah, Evi Yulianti, Meganingrum Anista Jiwanggi | 428-437 |
| Influence of croscarmellose in fast disintegrating tablet of Syzygium polyanthum extract | PDF |
| Widyasari Putranti, Desty Restia Rahmawati, Nining Sugihartini, Teuku Nanda Saifullah | 438-446 |
| Neuroticism trait personality and social media fatigue in early adults | PDF |
| Jeskhia Nurhamidin, Arthur Huwae | 447-454 |
| Epidemiology of typhoid fever in the Philippines during the last six decades from 1960-2019: a profile and its trend | PDF |
| Nihaya G. Sambawa, Rosnia D. Mangotara, Arafat M. Balt, Chin-Chin J. Demayo, Cesar G. Demayo | 455-462 |
| The role of self-esteem and self-control on smoking behavior man: case study among college students | PDF |
| Mujidin Mujidin, Husnul Khotimah Rustam, Muhammad Rizqyanto | 463-471 |
| Nursing student caring behaviours: a systematic review | PDF |
| Bhakti Permana, Ah. Yusuf, Abu Bakar | 472-478 |

International Journal of Public Health Science (IJPHS)

p-ISSN: 2252-8806, e-ISSN: 2620-4126

This journal is published by the [Intelektual Pustaka Media Utama \(IPMU\)](#) in collaboration with [Institute of Advanced Engineering and Science \(IAES\)](#).



[View IJPHS Stats](#)



This work is licensed under a [Creative Commons Attribution-ShareAlike 4.0 International License](#).

Home > Archives > **Vol 13, No 1**

Vol 13, No 1

March 2024

DOI: <http://doi.org/10.11591/ijphs.v13i1>

This is an early-access issue, which is intended to allow authors to publish their work as soon as possible. Every early-access article can be fully cited.

Table of Contents

| | |
|--|---------------------|
| Epidemiological profile of infertile couples in Western Iraq | PDF |
| Rafal Mustafa Murshid, Rehab Al aany, Omar Farhan Ammar | 1-6 |
| Benford's law analysis to evaluate the quality data of COVID-19 epidemiological surveillance in Indonesia | PDF |
| Evi Susanti Sinaga, Novia Indriani Sudharma | 7-13 |
| The role of trained cadres to find new cases of leprosy with a social learning theory approach in the City of Bima, Indonesia | PDF |
| Kumiadi Kumiadi, Muhamad Hasbi | 14-19 |
| Risk factors of COVID-19 disease confirmed cases in Solok District | PDF |
| Fatma Nuraisyah, Apriyana Irjayanti, Maksi Irmanto, Khairani Fauziah | 20-27 |
| Knowledge and practices of private healthcare providers regarding tuberculosis case notification in Rural Maharashtra | PDF |
| Mrudula Holkar, Swathi Krishna, Rohan Shah, Radhakishan Pawar, Sanjay Juvekar | 28-35 |
| Dental caries management by risk assessment among children | PDF |
| Dobrinka Mitkova Damyanova, Siyana Atanasova | 36-43 |
| The effectiveness of drug prevention programs among children in schools | PDF |
| Norsayyidatina Che Rozubi, Azad Athahiri Anuar, Nurul Ain Mohd Daud, Ahmad Jazimin Jusoh, Pau Kee | 44-49 |
| Prevention and control of diabetes mellitus complications in productive population in rural | PDF |
| Rr. Vita Nurlatif, Sumardiyono Sumardiyono, Setyo Sri Rahardjo | 50-57 |
| Evaluating the impact of AsmaDroid® on knowledge, attitude, and behavior of relapse prevention among asthmatic patients | PDF |
| Muhammad Thesa Ghozali, Zullies Ikawati, Lutfan Lazuardi | 58-66 |
| Self-assessment questionnaire development for soft skills competency and core value evaluations | PDF |
| Abdul Rahman Al-Azmi, Wan Noor Nazayan Wan Nik, Zulmaryan Embong, Aminudin Che Ahmad, Siti Aesah Naznin Muhammad, Noor Lide Abu Kassin, Siti Zainab Tauhed | 67-75 |
| Development of an EKA application to help tuberculosis patients improve medication adherence and self efficacy | PDF |
| Lie Liana Fuadiati, Tintin Sukartini, Makhfudli Makhfudli, Yulis Setiya Dewi, Alfian Nur Rosyid, Arina Qona'ah | 76-86 |
| Related factors to HIV/AIDS prevention behavior of adolescents in Jakarta's high school | PDF |
| Diah Ratnawati, Agus Setiawan, Widyatuti Widyatuti, Sutanto Priyo Hastono, Tatiana Siregar, Nourmayansa Vidya Anggraini | 87-97 |
| Determinant of adherence with health protocols of COVID-19 among market traders | PDF |
| Novita Ridha Amelia, Tria Astika Endah Permatasari | 98-108 |
| Theory of planned behavior in creating disease prevention behavior | PDF |
| Hanung Prasetya, Aquartuti Tri Darmayanti, Yuyun Setyorini | 109-115 |
| Determining the effectiveness of stress management program by using hair cortisol concentration | PDF |
| Bala Murali Sundram, Rafiza Shaharudin, Nadia Mohamad, Muhammad Alfatih Pahrol, Affandi Omar, Gogillan Sevaratnam, Suriya Kumareswaran, Kamesh Rajendran | 116-125 |
| Differences in cognitive life skills, knowledge, and attitudes between primary school students | PDF |
| Ratih Indraswari, Bagoes Widjanarko, Aditya Kusumawati, Novia Handayani | 126-132 |
| Contraception used among women of childbearing age during the pandemic COVID-19 | PDF |
| Kusuma Estu Werdani, Izzatul Arifah, Anggi Putri Aria Gita, Mislailatul Kholifah Rahma, Vella Arneta Putri, Ayu Khoirotul Umaroh | 133-140 |
| School-based sexual and reproductive health education among adolescents in developing countries | PDF |
| Dyah Rahmawatie Ratna Budi Utami, Ida Nurwati, Anik Lestari | 141-149 |

USER

Username

Password

Remember me

CITATION ANALYSIS

- Scopus
- Google Scholar
- Scholar Metrics
- Scinapse
- Dimensions

SPECIAL LINKS

- [Author Guidelines](#)
- [Editorial Boards](#)
- [Online Submission](#)
- [Abstracting and Indexing](#)
- [Publication Ethics](#)
- [Visitor Statistics](#)
- [Contact Us](#)

LINK PER ISSUE

2022: [Mar](#), [Jun](#), [Sep](#), [Dec](#)
 2021: [Mar](#), [Jun](#), [Sep](#), [Dec](#)
 2020: [Mar](#), [Jun](#), [Sep](#), [Dec](#)
 2019: [Mar](#), [Jun](#), [Sep](#), [Dec](#)
 2018: [Mar](#), [Jun](#), [Sep](#), [Dec](#)
 2017: [Mar](#), [Jun](#), [Sep](#), [Dec](#)
 2016: [Mar](#), [Jun](#), [Sep](#), [Dec](#)
 2015: [Mar](#), [Jun](#), [Sep](#), [Dec](#)
 2014: [Mar](#), [Jun](#), [Sep](#), [Dec](#)
 2013: [Mar](#), [Jun](#), [Sep](#), [Dec](#)
 2012: [Jul](#), [Dec](#)

JOURNAL CONTENT

Search

Search Scope

All

Browse

- [By Issue](#)
- [By Author](#)
- [By Title](#)

INFORMATION

- [For Readers](#)
- [For Authors](#)
- [For Librarians](#)

| | |
|---|---------------------|
| Facilitating exercise adherence among Kuala Selangor, Malaysia antenatal women: a study protocol | PDF |
| Nur Farhana Md Yunus, Rosliza Abdul Manaf, Hayati Kadir, Suriani Ismail, Parwathi Alagirisamy | 150-157 |
| The reproductive health understanding: an analysis for the prevention of children sexual harassment | PDF |
| Indah Sukmawati, Engku Mardiah Engku Kamarudin, Afdal Afdal, Miftahul Fikri, Zikra Zikra, Mega Iswari, Rezki Hariko | 158-168 |
| The effectiveness of moringa leaf jelly on mother's prolactin level and baby's outcome | PDF |
| Azizati Salmas Marsiami, Cynthia Puspariny | 169-178 |
| A deep learning and machine learning approach to predict neonatal death in the context of São Paulo | PDF |
| Mohon Raihan, Plabon Kumar Saha, Rajan Das Gupta, A Z M Tahmidul Kabir, Afia Anjum Tamanna, MD. Harun-Ur-Rashid, Adnan Bin Abdus Salam, MD Tanvir Anjum, A Z M Ahteshamul Kabir | 179-190 |
| Occupational safety and health among fishing boat workers in Thailand | PDF |
| Alisa Hasamoh, Wit Wichaidit | 191-199 |
| Infection prevention and control compliance among nurses and nursing students during COVID-19 in Malaysia | PDF |
| Siti Hazariah Abdul Hamid, Haliza Hasan, Wan Hasliza Wan Mamat, Dina Syazana Ho Imran Ho, Muhammad Kamil Che Hasan | 200-207 |
| Effect of computer workstation set-ups on muscle oxygen saturation and perceived fatigue | PDF |
| Radin Zaid Radin Umar, Tiong Jing Yin, Nadiah Ahmad | 208-218 |
| Mental health condition among female workers during COVID-19 pandemic: insights from Dhaka city, Bangladesh | PDF |
| Al Jamal Mustafa Shindaini, Towheedul Alam, Fahima Siddiqua, Shantanu Kumar Saha | 219-227 |
| Maintaining altruism among nursing professionals | PDF |
| Priyanka Kaul, Ankit Singh | 228-238 |
| Job and personal resources: boosting work engagement and job satisfaction in hospitals | PDF |
| Ummu Kaisum, Fridawaty Rival, Alimin Maidin, Andi Indahwaty AS, Andi Zulkifli, Yahya Thamrin | 239-244 |
| Factors influencing unable to eat healthy and nutritious food among Indonesian onset COVID-19 pandemic | PDF |
| Adi Yeremia Mamahit, Dyah Suryani, Suyitno Suyitno, Hairil Akbar, Dewi Puspito Sari, Ade Rahmawati, Tating Nuraeni, Supriatin Supriatin | 245-252 |
| Eat well to the best performance: calorie intake and eating behavior among athlete: a review | PDF |
| Isti Dwi Puspita Wati, Nining Widyah Kusnanik, Endang Sri Wahjuni, Yohanes Touvan Juni Samodra, Maharani Fatima Gandasari, Davi Sofyan | 253-259 |
| Food habits based on gender perspective in rural and urban of West Java | PDF |
| Anna Fatchiya, Ali Khomsan, Hadi Riyadi, Anna Vipta Resti Mauludyani, Vieta Annisa Nurhidayati | 260-267 |
| The relationship of body mass index, diet, and eating pattern with orthorexia nervosa amongst medical students | PDF |
| Sri Adiningsih, Wilson Wilson, Agustina Arundina Triharja Tejoyuwono | 268-275 |
| Knowledge, eating patterns, and hypertension among elderly in the coastal areas of Bangkalan, Indonesia | PDF |
| Pipit Festi Wiliyanarti, Fitri Wulandari, Eni Sumariyah | 276-281 |
| The impact of the pandemic on environmental health from the perspective of energy sector | PDF |
| Novena Damar Asri, Evita H Legowo, Purnomo Yusgiantoro | 282-293 |
| The synthesis of nanosilver and carbamat to control of Anopheles in malaria endemic areas | PDF |
| Mursid Raharjo, Agus Subagio, Sulistiyani Sulistiyani | 294-302 |
| Online water quality monitoring: a case study in the umbulan drinking water supply system, East Java, Indonesia | PDF |
| Jusman Rahim, Sunarsih Sunarsih, Lilin Budiati | 303-310 |
| Waste processing without causing public health problems with black soldier fly bioconversion | PDF |
| Afifah Zahra, Herdis Herdiansyah, Suyud Warno Utomo, Nuraeni Nuraeni | 311-318 |
| Evaluation of one-house one-larvae observer program in controlling dengue hemorrhagic fever in Central Sulawesi | PDF |
| Meiske Elisabeth Koraag, Samarang Samarang, Made Agus Nurjana, Octaviani Octaviani, Junus Widjaja, Roy Glen Albert Massie | 319-329 |
| Software development to anonymize patient information from clinical computed tomography images | PDF |
| Choirul Anam, Arij Naufal, Jhon Hadearon Saragih, Mohd Hanafi Ali | 330-337 |
| The relationship between depression and self-compassion with non-suicidal self-injury among university students | PDF |
| Siti Nurfathin Idris, Mastura Mahfar | 338-344 |
| Profile and trend analysis of diseases of the genitourinary system in the Philippines | PDF |
| Rosnia D. Mangotara, Arafat M. Balt, Chin-Chin J. Demayo, Nihaya G. Sambawa, Cesar G. Demayo | 345-352 |
| The role of body appreciation and boredom on married men's sexual satisfaction | PDF |
| Angelique Felicia Josephine, Monique Elizabeth Sukamto, Natasya Engga Redita | 353-361 |

| | |
|---|---------------------|
| Between body esteem and mental health among adolescents in China | PDF |
| Ning Wu, Kususanto Ditto Prihadi | 362-368 |
| RGB-based colorimetric method for the analysis of water alkalinity using Cordyline fruticosa extracts as visual indicator | PDF |
| Christian Alex C. Parungao, Darwin F. Reyes | 369-375 |
| Achieving relationship satisfaction: household gender equality and mattering | PDF |
| Abirami Karananeethi, Kususanto Ditto Prihadi, Yi Ming Ho, Cynthia Shoba, Gaayatri Nesan, Ika Yuniar Cahyanti, Endang Retno Surjaningrum | 376-384 |
| Analytical study of social networking sites usage and social anxiety among physical education students | PDF |
| Omar A'mir, Mohammad Alzughailat, Osama Abdel Fattah, Ayed Zureigat, Mahmoud Azab, Maha Jarrd | 385-394 |
| Theoretical approaches to psychopathology: common cause approach vs. network approach | PDF |
| Tri Kurniati Ambarini, Endang Surjaningrum, Achmad Chusairi | 395-403 |
| Knowledge and attitudes towards antibiotic resistance among health profession students in Indonesia | PDF |
| Rike Syahniar, Farsida Farsida, Audia Nizhma Nabila Kosasih, Mardhia Mardhia, Heri Setiyo Bekti, Nurasi Lidya E. Marpaung, Ade Dharmawan, Indriyani Indriyani, Ismalia Husna, Hana Amirah Amany | 404-412 |
| Eating skills in children with autism via video modeling: an evaluation of face and content validation | PDF |
| Murul Khairani Ismail, Hasrul Hossan, Nurbietta Abd Aziz, Abdul Halim Masnan, Norsayyidatina Che Rozubi, Mohd Muslim Md Zalli | 413-420 |
| Tolerance and adaptation to virtual classes due to the pandemic among university adolescents | PDF |
| Miran Carrillo Cayllahua, Guido Flores Marin, Lilia Nieva Villegas, Walter Gómez-Gonzales, Maria Zapana-Tito | 421-427 |
| Analyzing public perception toward COVID-19 vaccines in Indonesia | PDF |
| Putri Rizqiyah, Evi Yulianti, Meganingrum Arista Jiwanggi | 428-437 |
| Influence of croscarmellose in fast disintegrating tablet of Syzygium polyanthum extract | PDF |
| Widyasari Putranti, Desty Restia Rahmawati, Nining Sugihartini, Teuku Nanda Saifullah | 438-446 |
| Neuroticism trait personality and social media fatigue in early adults | PDF |
| Jeskhia Nurhamidin, Arthur Huwae | 447-454 |
| Epidemiology of typhoid fever in the Philippines during the last six decades from 1960-2019: a profile and its trend | PDF |
| Nihaya G. Sambawa, Rosnia D. Mangotara, Arafat M. Balt, Chin-Chin J. Demayo, Cesar G. Demayo | 455-462 |
| The role of self-esteem and self-control on smoking behavior man: case study among college students | PDF |
| Mujidin Mujidin, Husnul Khotimah Rustam, Muhammad Rizqyanto | 463-471 |
| Nursing student caring behaviours: a systematic review | PDF |
| Bhakti Permana, Ah. Yusuf, Abu Bakar | 472-478 |

International Journal of Public Health Science (IJPHS)

p-ISSN: 2252-8806, e-ISSN: 2620-4126

This journal is published by the [Intelektual Pustaka Media Utama \(IPMU\)](#), in collaboration with [Institute of Advanced Engineering and Science \(IAES\)](#).



[View IJPHS Stats](#)



This work is licensed under a [Creative Commons Attribution-ShareAlike 4.0 International License](#).

Home > About the Journal > **Editorial Team**

Editorial Team

Advisory Board

[Prof. Hans-Olov Adami, MD](#), Karolinska Institutet, Sweden
[Assoc. Prof. Dr. Luoping Zhang, PhD](#), University of California, United States
[Dr. Khalid M. Al Aboud](#), King Faisal Specialist Hospital and Research Centre, Saudi Arabia

Editor-in-Chief

[Prof. Dr. Jay G. Silverman](#), University of California, United States

Managing Editor

[Dr. Lina Handayani](#), Universitas Ahmad Dahlan, Indonesia

Associate Editors

[Assoc. Prof. Dr. Mohd Hasni Jaafar](#), Universiti Sains Malaysia, Malaysia
[Assoc. Prof. Dr. Henry Odhianosen Imhonde](#), Ambrose Alli University, Nigeria
[Prof. Dr. Mane Abhay Babruwahan](#), Navodaya Medical College, India
[Dr. Fazal Shirazi](#), University of Texas MD Anderson Cancer Center, United States
[Dr. Miguel A. Mayer MD, PhD, MPH, MSc, Dipl.](#), Universitat Pompeu Fabra Barcelona, Spain
[Dr. Muhiuddin Haider](#), University of Maryland, United States
[Dr. Tassanee Rawiworrakul](#), Mahidol University, Thailand
[Dr. Xiaoli Gao](#), University of Texas Health Science Center at San Antonio, United States

Editorial Board Members

[Prof. Dr. George Williams Rutherford](#), University of California, United States
[Prof. Dr. Jens Aagaard-Hansen](#), University of the Witwatersrand, South Africa
[Prof. Dr. Louise H. Taylor](#), Global Alliance for Rabies Control, United States
[Prof. Dr. Mogens Vyberg, PhD](#), Aalborg University, Denmark
[Dr. Abhinand Thailvalappil](#), Ontario Veterinary College, Canada
[Dr. Stephanie S. Rothenberg](#), University of Pittsburgh Medical Center Magee-Womens Hospital, United States
[Dr. Aletha Yvette S. Akers](#), University of Pittsburgh, United States
[Dr. Andrew Winokur](#), UConn Health, United States
[Dr. Barbara Abrams](#), University of California, United States
[Dr. Barbara K. Campbell](#), Oregon Health & Science University, United States
[Dr. Christopher Bowie](#), Victoria University of Wellington, New Zealand
[Dr. Erika Villavicencio-Ayub](#), Universidad Nacional Autónoma de México, Mexico
[Dr. Fhumulani Mavis Mulaudzi](#), University of Pretoria, South Africa
[Dr. Jennifer A. Fish](#), The University of South Australia, Australia
[Dr. Li-Ping Zou](#), Second Military Medical University, China
[Dr. Phavong Thepaksorn](#), Praboromarajchanok Institute, Thailand
[Dr. Rob M.G. van Bommel](#), Catharina Hospital, Netherlands
[Dr. Tarik Bereket](#), University of Toronto, Canada
[Dr. Vera Fernandes](#), Hospital de Braga, Portugal

International Journal of Public Health Science (IJPHS)

p-ISSN: 2252-8806, e-ISSN: 2620-4126

This journal is published by the Intelektual Pustaka Media Utama (IPMU) in collaboration with [Institute of Advanced Engineering and Science \(IAES\)](#).



[View IJPHS Stats](#)



This work is licensed under a [Creative Commons Attribution-ShareAlike 4.0 International License](#).

USER

Username
 Password
 Remember me

CITATION ANALYSIS

- Scopus
- Google Scholar
- Scholar Metrics
- Scinapse
- Dimensions

SPECIAL LINKS

- **Author Guidelines**
- Editorial Boards
- **Online Submission**
- Abstracting and Indexing
- **Publication Ethics**
- Visitor Statistics
- Contact Us

LINK PER ISSUE

2022: **Mar, Jun, Sep, Dec**
 2021: **Mar, Jun, Sep, Dec**
 2020: **Mar, Jun, Sep, Dec**
 2019: **Mar, Jun, Sep, Dec**
 2018: **Mar, Jun, Sep, Dec**
 2017: **Mar, Jun, Sep, Dec**
 2016: **Mar, Jun, Sep, Dec**
 2015: **Mar, Jun, Sep, Dec**
 2014: **Mar, Jun, Sep, Dec**
 2013: **Mar, Jun, Sep, Dec**
 2012: **Jul, Dec**

JOURNAL CONTENT

Search
 Search Scope

Browse

- By Issue
- By Author
- By Title

INFORMATION

- For Readers
- For Authors
- For Librarians

Benford's law analysis to evaluate the quality data of COVID-19 epidemiological surveillance in Indonesia

Evi Susanti Sinaga, Novia Indriani Sudharma

Department of Public Health, Faculty of Medicine, Universitas Trisakti, West Jakarta, Indonesia

Article Info

Article history:

Received May 19, 2023

Revised Aug 20, 2023

Accepted Sep 2, 2023

Keywords:

Benford's law
COVID-19
Epidemiological
First-digit law
SARS-CoV-2
Surveillance

ABSTRACT

Countries worldwide, including Indonesia, grappled with the unprecedented challenges brought about by the coronavirus disease (COVID-19) pandemic. Surveillance data vividly illustrates the profound effect of the COVID-19 pandemic in Indonesia. Both daily cases and deaths were raised, revealing the rapid transmission of the virus within communities. A quantitative study using a statistical approach was accomplished with secondary data to evaluate the quality of COVID-19 epidemiological surveillance data in Indonesia during the period between March 2020 to January 2021. The data was sourced from the World Health Organization (WHO) website using data reports on COVID-19 confirmed cases and deaths. A rapid tool called the first digit law or the fulfillment of Benford's law was used to suggest good data quality for epidemiological surveillance. Data analysis used the Chi-squared test and the log-likelihood ratio test. Also, it displayed the difference in mean absolute deviation (MAD) to identify the proximity of the data and Benford's law distribution. The results showed that both confirmed, and death case distributions were statistically non-conformity with Benford's law distribution. In terms of quality data regarding the COVID-19 pandemic, the epidemiological surveillance system falls short of Benford's law assumption. Benford's law has been acknowledged as an initial analysis that can expeditiously assess the performance of a surveillance system. The next phase of this study would be to conduct a complete evaluation suitably, especially in post-pandemic COVID-19.

This is an open access article under the [CC BY-SA](https://creativecommons.org/licenses/by-sa/4.0/) license.



Corresponding Author:

Evi Susanti Sinaga

Department of Public Health, Faculty of Medicine, Universitas Trisakti

Kyai Tapa Street No.260, Grogol, West Jakarta, 11440, Indonesia

Email: sinaga.evisusanti@trisakti.ac.id

1. INTRODUCTION

The transmission of coronavirus disease (COVID-19) impacted many countries, including Indonesia. Indonesia has experienced a rise in the number of cases over a short period. As an infectious disease, COVID-19 transmission happens via droplets and contact with the virus. After that, through the open mucosa, the virus can enter [1]. An outbreak of pneumonia of obscure origin started in December 2019 and was reported in China, at Wuhan, Hubei Province. Furthermore, the global spread of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) was reported by the World Health Organization (WHO) on March 12, 2020, and because of COVID-19, thousands of deaths occurred [2].

Based on the national trend, COVID-19 in Indonesia still shows occurrence in 2023, with the total number of cases in May of 6,798,097 confirmed cases and 161,630 deaths. In Indonesia, Jakarta is the region with the highest cases of the spread of COVID-19, followed by Central Java and then East Java [3]. In March 2020, according to the study and investigation of responses to COVID-19 in Indonesia, surveillance and epidemiological analyses were emphasized to comprehend the scope of the COVID-19 condition in the Indonesia [4].

Surveillance systems have a fundamental function in controlling the pandemic of COVID-19 [5]. In practice, the surveillance system experiences challenges such as different data collection platforms, poor interoperability, data duplication problems, data integration, data completeness, and data analysis which ultimately have an impact on countermeasures responses [6]. A complete evaluation of a surveillance system should be assessed including the features of the surveillance characteristics of flexibility, sensitivity, simplicity, acceptability, representativeness, stability, timeliness, and positive predictive value (PPV) [5], [7]. Epidemiological surveillance systems are commonly evaluated after an epidemic. It has occurred due to a need for rapid evaluation techniques to specify whether cases meet expectations during an occurrence [8], [9]. Finally, the method of Benford's law, known as the law of first digits, Newcomb-Benford's law, or the law of anomaly numbers, was utilized to evaluate the quality data of the surveillance system, especially in public health surveillance [10].

In mathematics, there are methods to determine the authenticity of data. One of these methods is based on the frequency of occurrence of the first digit, which is called Benford's law. Frank Benford, a physicist, 1,938 found that number one appears in the first digit of random data more often than number two, number two more often than number three, and so on. The frequency of occurrence of a number will decrease as the number in the first digit increases [11]–[13].

In more detail, Benford's law can estimate the frequency of occurrence of a number in a series of numerical data. If the numerical data is generated without intention, then the number's occurrence frequency will be by the expected frequency in Benford's law. Conversely, suppose there is an element of human intentionality to create and include a number combination in a data set. In that case, the Benford's law analysis results will show that specific numbers appear more or less than expected. Benford's law is widely used in various fields because it detects anomalous data in a data set. If further explained, such data anomalies can help detect fraud [14], [15].

For the field of epidemic control, a reliable epidemiological surveillance system is essential. Providing high-quality data so that decisions can be made using evidence is one of its responsibilities [16]. In this study, Benford's law analysis was used to evaluate the first significant digit distribution of daily confirmed cases and COVID-19 related deaths in Indonesia.

2. METHOD

A quantitative method was used in this research. A quantitative study is a systematic scientific analysis of the components and phenomena and the cause of their associations [17]. A method based on Benford's law was presented in this work [18]. In order to assess the data quality for an epidemiological monitoring system, Benford's distribution of confirmed cases and deaths of COVID-19 was examined. This research used COVID-19 epidemiological surveillance data. The collected data were obtained from WHO website <https://covid19.who.int/> by using data daily reports on confirmed cases and death caused by COVID-19 and covering all subjects in Indonesia [19]. The cases included in this study were from March 2020 to January 2021. The period used adjusts before mass vaccination interventions are carried out in Indonesia [20]. COVID-19 epidemiological surveillance data in Indonesia will be evaluated for data quality by analyzing the confirmed cases and deaths and conformance to Benford's distribution. Data analysis used visual analysis through pictures and statistical analysis using the Chi-squared test and the log-likelihood ratio, on top of that, displayed diff mean absolute deviation (MAD). Data analysis used statistical software STATA 17.

A mathematical phenomenon called Benford's law, commonly referred to as the first-digit law shows how leading digits are distributed across numerous real-world datasets. This analysis uses physics-related assumptions regarding the distribution of naturally occurring data. Using integral calculus, Benford calculates how often a digit or a combination of digits will likely appear. In the law regarding the probability of occurrence of numbers, Benford formulates the expectation of the appearance of a series of numbers as the first digit by assuming that the occurrence will follow a logarithmic distribution, with a pattern that can be summed up in the following formula [11]:

$$P(d) = \log [1+(1/d)]$$

$P(d)$ = probability of a digit will be the leading number

$d = 1, 2, \dots, 9$, series of numbers

According to Benford's law, data whose initial number is one (30.103%) appears more often than data that begins with another number, following the order from 2 to 9 (respectively 17.609%; 12.494%; 9.691%; 7.918%; 6.695%; 5.799%; 5.115%; and 4.576%). In simpler terms, this means that smaller digits (1, 2, 3) have a higher probability of being the leading digit, while larger digits (7, 8, 9) have a lower probability [21]. Benford's law was utilized in this study to analyze the conformity of the epidemiological data by using the formula and replacing (d) with COVID-19 daily cases and death.

3. RESULTS AND DISCUSSION

The quality of epidemiological surveillance system data can be assessed quickly using Benford's law analysis. As several studies demonstrated throughout the avian influenza/H1N1 pandemic (AI) and the epidemic dengue incidence in Paraguay assessed surveillance systems performance in each country using Benford's law [22], [23]. Surveillance systems work well if the data and distribution follow the first-digit distribution. Benford's Law said the digit that appears most frequently in surveillance reports is the first digit. It supposes the first digit (30.103%), then pursued by the different numbers from digits two to nine. (respectively, 17.609%, 12.494%, 9.691%, 7.918%, 6.695%, 5.799%, 5.115%, 4.576%) [21].

Based on the undertaking of the International Health Regulation, it is known that there are challenges faced by developing countries in terms of disease control and response. One of them is that governments are aware of gaps in disease surveillance capacity which will impact the ability to monitor and respond to disease. The pandemic of COVID-19 has demonstrated a failure to respond to the emergence of approvingly infectious and deadly microbes [24], [25]. It is necessary to strengthen the existing health system and build an adequate surveillance system to prevent the next pandemic [26], [27].

In this study, the first step is to evaluate the quality of surveillance data using Benford's law by evaluating confirmed cases and COVID-19 deaths, whether following the algorithm (distribution) or not. The following is an overview of confirmed cases and death cases started from March 2020 to January 2021. Observations ended on January 12, 2021, before the intervention, the mass vaccination of COVID-19 in Indonesia. Figure 1 illustrates that confirmed cases and deaths in Indonesia from March 2020 to January 2021 are based on daily cases. COVID-19 showed an increasing trend. However, there was a decrease at a certain point, but it continued to increase both confirmation cases and deaths.




Figure 1. Daily occurrence of confirmed cases and deaths of COVID-19 from March 2020 to January 2021

Evaluation of surveillance data of COVID-19 uses the first digit test as shown in Tables 1 and 2, which shows whether the first digit of each number in the observed distribution of numbers has data anomalies or otherwise conforms to the expected distribution. It can be proved by calculating the goodness of fit test and using the p-value as significance. The p-value was obtained through the Chi-square test and the likelihood ratio. Besides that, it also calculates the MAD value to see how far the data match Benford's law distribution. For this test using the statistical hypothesis H_0 which is the two distributions (observation cases and Benford's law distribution) are the same. It means that the distribution follows that predicted by Benford's law. In contrast, H_1 is the two different distributions. Hence, the bigger the p-value, the higher the confidence to accept H_0 that the observed distribution is following the expectations of Benford's law theory. In addition, visualization in graphs is also presented, showing the observed data distribution compared with Benford's law distribution. Figures 2 and 3 give a summary of the distribution of the daily number of confirmed cases and deaths caused by COVID-19 and compare it to the distribution determined by Benford's algorithm. Tables 1 and 2 display the results of the first-digit test analysis for compliance with Benford's law.

Table 1. Table of first-digit distribution of confirmed cases and tests of significance

| Digit | Count | Observed | Expected (Benford) | Diff. MAD | p-value | Pearson's X ² (p-value) | Log likelihood ratio (p-value) |
|-------|-------|----------|--------------------|-----------|---------|------------------------------------|--------------------------------|
| 1 | 77 | 25.581 | 30.103 | -4.522 | 0.0900 | 0.0000 | 0.0000 |
| 2 | 37 | 12.292 | 17.609 | -5.317 | 0.0152 | | |
| 3 | 56 | 18.605 | 12.494 | 6.111 | 0.0022 | | |
| 4 | 54 | 17.940 | 9.691 | 8.249 | 0.0000 | | |
| 5 | 19 | 6.312 | 7.918 | -1.606 | 0.3376 | | |
| 6 | 30 | 9.967 | 6.695 | 3.272 | 0.0281 | | |
| 7 | 10 | 3.322 | 5.799 | -2.477 | 0.0644 | | |
| 8 | 11 | 3.654 | 5.115 | -1.461 | 0.2952 | | |
| 9 | 7 | 2.326 | 4.576 | -2.250 | 0.0708 | | |
| Total | 301 | 100.000 | 100.000 | 3.918 | | | |

Table 2. Table of first-digit distribution of death cases and tests of significance

| Digit | Count | Observed | Expected (Benford) | Diff. (MAD) | p-value | Pearson's X ² (p-value) | Log likelihood ratio (p-value) |
|-------|-------|----------|--------------------|-------------|---------|------------------------------------|--------------------------------|
| 1 | 116 | 38.538 | 30.103 | 8.435 | 0.0020 | 0.0000 | 0.0000 |
| 2 | 32 | 10.631 | 17.609 | -6.978 | 0.0011 | | |
| 3 | 20 | 6.645 | 12.494 | -5.849 | 0.0012 | | |
| 4 | 19 | 6.312 | 9.691 | -3.379 | 0.0506 | | |
| 5 | 20 | 6.645 | 7.918 | -1.274 | 0.5208 | | |
| 6 | 20 | 6.645 | 6.695 | -0.050 | 1.0000 | | |
| 7 | 25 | 8.306 | 5.799 | 2.506 | 0.0823 | | |
| 8 | 31 | 10.299 | 5.115 | 5.184 | 0.0003 | | |
| 9 | 18 | 5.980 | 4.576 | 1.404 | 0.2668 | | |
| Total | 301 | 100.000 | 100.000 | 3.895 | | | |




Figure 2. Distribution of digits (confirmed cases)




Figure 3. Distribution of digits (death cases)

Figure 2 illustrates the COVID-19 confirmed case distribution to the predicted Benford's law distribution using the first digit distribution. The graph of the daily reports of confirmed cases of COVID-19 shows that the first digits of the numbers two, three, four, and six do not follow the predicted distribution according to Benford's law algorithm and confidence intervals. Furthermore, Figure 3 illustrates the death case of COVID-19 distribution to the Benford's law expected. The first digits one, two, three, seven, and eight do not follow the expected distribution seen from Benford's frequency distribution and confidence intervals.

In the analysis of fulfillment with Benford's law, both the confirmed case and death case variables show the result of rejecting the null hypothesis. The likelihood ratio and the Chi-square statistical test results in Tables 1 and 2 have a p-value of 0.000 (p-value < 0.05), indicating that the alternative hypothesis is accepted. It denotes a statistical difference between the observed and expected distributions (Benford distribution). In addition, the analysis using MAD was performed to determine whether the observed data and the Benford distribution were similar. The outcome indicated that the two variables, confirmed cases and deaths brought on by COVID-19, both display a MAD value of >0.015, suggesting that they do not follow the Benford distribution (3.918 and 3.895, respectively).

The results of this analysis were likewise found to be the same as an investigation performed in India. The data is from daily data on COVID-19 patients and dyings in India and Kerala. Based on the analysis, the distribution of COVID-19 cases complies with the first digit of Benford's law. Still, for death reports, India's national data and the state of Kerala do not match Benford's law distribution. It is shown through The MAD value of COVID-19 deaths for India's national data (0.0171) and the MAD value for the state of Kerala (0.0415), which means it does not match the Benford distribution [28]. These results are also in line with research conducted by Kilani and Georgiou, showing that many COVID-19 report data were found to be inconsistent with the distribution of Benford's law, especially in developing countries [29].

Previously were some examples of studies conducted in developing countries. In developed countries like America, the same thing has also been found, and it is possible that there is unreported data related to COVID-19. The findings of this investigation, which are based on a study done in the United States (US), showed that COVID-19 deaths were not reported in several US states based on an analysis using Benford's law to judge the accuracy of epidemiological data. The testing procedure determines the degree of compliance with Benford's law. Still, the studies with the most substantial and most apparent evidence using the MAD criteria show evidence of deaths from COVID-19 that were not reported in the US [30]. However, it is slightly different from studies conducted in China. Based on Benford's law, the results show that there is no proof of the unconformity of COVID-19 data in the China [31].

When Benford's law is not fulfilled, there are several potential scenarios. Suppose the observed distribution of death data does not meet Benford's law, but the number is greater than the average death rate. In that case, the response to the pandemic was likely inadequate. When Benford's law is not fulfilled, mortality rates are descending, potential reasons are insufficient scope or coverage, or the country is in the early phase of an epidemic/pandemic. Inefficient surveillance systems are indicated by a shortage of diagnostic tests, restricted scope, or existing in the early stages of an epidemic where the Benford distribution has yet to be observed. However, after an epidemic or pandemic ends, complementary studies can be carried out related to evaluating a surveillance system that is more stringent than other attributes of a surveillance system [23], [32].

Although the results of Benford's law fulfillment analysis concluded that the data on confirmed cases and deaths caused by COVID-19 was not the same as the expected distribution, this did not mean that these results were able to complete as a whole regarding the evaluation of the surveillance system. As a preliminary study that can quickly analyze the implementation of a surveillance system, Benford's law has been accepted and recognized in several studies [32]–[34]. A surveillance system's overall evaluation should consider its attributes, such as its adaptability, sensitivity, acceptance, simplicity, representativeness, stability, timeliness, and PPV but are commonly evaluated after an epidemic. Benford's law was an effective method for evaluating the accuracy or reliability of the data produced by various nations or even distinct regions within one nation [16]. The authors tested the reliability of COVID-19 death-case reporting in nations with authoritarian regimes using Benford's law, and their results are presented. They concluded that when it comes to the reported COVID-19 death-case numbers, democratically run nations adhere to Benford's law more closely than authoritarian ones [35]. Since Benford's law can be utilized to test data set reliability, a study in another field study used Benford's to assess the quality of widely employed survey data groups. The result concludes that nearly all the data groups indicate substantial dissimilarities, significantly suggesting reliability issues in the survey data [36].

However, what needs to be noted is that this evaluation only includes some elements of the surveillance system involved in managing the COVID-19 pandemic. Further, a complete evaluation of a surveillance system is required, which consists of the attributes of the surveillance system [37]. A quick evaluation using Benford's law provides feedback to relevant stakeholders in Indonesia. Ongoing evaluation allows responsible governments to create appropriate determinations to enhance epidemiological surveillance systems.

4. CONCLUSION

In fulfillment with Benford's law, the confirmed case and death caused by COVID-19 show the result of non-conformity to Benford distribution. The conclusion has been drawn based on the Chi-square statistical test and the likelihood ratio. The next stage of this study would be to conduct a complete evaluation of a surveillance system that includes the features of the system characteristics that are undertaken suitably, especially in the post-pandemic of COVID-19.

ACKNOWLEDGEMENTS

We thank the World Health Organization that has provided access to the data. The authors also thank the Research Institute of the Universitas Trisakti as a research funder with number 165/A.1/LPPM-P/USAKTI/IX/2022.




REFERENCES

- [1] M. Lotfi, M. R. Hamblin, and N. Rezaei, "COVID-19: Transmission, prevention, and potential therapeutic opportunities," *Clinica Chimica Acta*, vol. 508, pp. 254–266, Sep. 2020, doi: 10.1016/j.cca.2020.05.044.
- [2] M. Ciotti, M. Ciccozzi, A. Terrinoni, W.-C. Jiang, C.-B. Wang, and S. Bernardini, "The COVID-19 pandemic," *Critical Reviews in Clinical Laboratory Sciences*, vol. 57, no. 6, pp. 365–388, Aug. 2020, doi: 10.1080/10408363.2020.1783198.
- [3] The Task Force for COVID-19, "Map of Spread of Covid 19," 2021.
- [4] R. Djalante *et al.*, "Review and analysis of current responses to COVID-19 in Indonesia: Period of January to March 2020," *Progress in Disaster Science*, vol. 6, p. 100091, Apr. 2020, doi: 10.1016/j.pdisas.2020.100091.
- [5] N. K. Ibrahim, "Epidemiologic surveillance for controlling Covid-19 pandemic: types, challenges and implications," *Journal of Infection and Public Health*, vol. 13, no. 11, pp. 1630–1638, 2020, doi: 10.1016/j.jiph.2020.07.019.
- [6] Z. Allam and D. S. Jones, "On the coronavirus (COVID-19) outbreak and the smart city network: universal data sharing standards coupled with artificial intelligence (AI) to benefit urban health monitoring and management," in *Healthcare*, 2020, vol. 8, no. 1, p. 46.
- [7] M. Peyre *et al.*, "The Risksur Eva tool (Survtool): A tool for the integrated evaluation of animal health surveillance systems," *Preventive Veterinary Medicine*, vol. 173, p. 104777, 2019, doi: 10.1016/j.prevetmed.2019.104777.
- [8] P. Michelozzi *et al.*, "Mortality impacts of the coronavirus disease (COVID-19) outbreak by sex and age: Rapid mortality surveillance system, Italy, 1 February to 18 April 2020," *Eurosurveillance*, vol. 25, no. 19, pp. 1–5, 2020, doi: 10.2807/1560-7917.ES.2020.25.19.2000620.
- [9] N. W. Sari *et al.*, "Theory and Application of Health Epidemiology," (in Indonesia), 1st Editio., Yogyakarta: Zahir Publishing, 2021, pp. 109–132.
- [10] V. S. Balashov, Y. Yan, and X. Zhu, "Using the Newcomb–Benford law to study the association between a country's COVID-19 reporting accuracy and its development," *Scientific Reports*, vol. 11, no. 1, p. 22914, 2021, doi: 10.1038/s41598-021-02367-z.
- [11] A. Berger and T. P. Hill, "The mathematics of benford's law: a primer," *Statistical Methods & Applications*, vol. 30, no. 3, pp. 779–795, 2021, doi: 10.1007/s10260-020-00532-8.
- [12] F. Li, S. Han, H. Zhang, J. Ding, J. Zhang, and J. Wu, "Application of benford's law in data analysis," in *Journal of Physics: Conference Series*, 2019, vol. 1168, no. 3, p. 32133.
- [13] R. Cerqueti and M. Maggi, "Data validity and statistical conformity with Benford's Law," *Chaos, Solitons & Fractals*, vol. 144, p. 110740, 2021, doi: 10.1016/j.chaos.2021.110740.
- [14] L. Barabesi, A. Cerioli, and D. Perrotta, "Forum on Benford's law and statistical methods for the detection of frauds," *Statistical Methods & Applications*, vol. 30, no. 3, pp. 767–778, 2021, doi: 10.1007/s10260-021-00588-0.
- [15] C. da S. Azevedo, R. F. Gonçalves, V. L. Gava, and M. de M. Spinola, "A Benford's Law based methodology for fraud detection in social welfare programs: Bolsa Familia analysis," *Physica A: Statistical Mechanics and its Applications*, vol. 567, p. 125626, 2021, doi: <https://doi.org/10.1016/j.physa.2020.125626>.
- [16] F. G. Morillas-Jurado, M. Caballer-Tarazona, and V. Caballer-Tarazona, "Applying Benford's law to monitor death registration data: a management tool for the COVID-19 pandemic," *Mathematics*, vol. 10, no. 1, 2022, doi: 10.3390/math10010046.
- [17] H. K. Mohajan, "Quantitative research: A successful investigation in natural and social sciences," *Journal of Economic Development, Environment and People*, vol. 9, no. 4, pp. 50–79, 2020.
- [18] R. Cerqueti and C. Lupi, "Some new tests of conformity with Benford's law," *Stats*, vol. 4, no. 3, pp. 745–761, 2021.
- [19] World Health Organization, "WHO coronavirus (COVID-19) dashboard." Accessed: May 25, 2021. [Online]. Available: <https://covid19.who.int/table>
- [20] E. S. Sinaga, R. Pou, G. H. Tarigan, B. E. Yuwono, and H. Hartini, "Provision of COVID-19 booster vaccination to accelerate the herd immunity in DKI Jakarta Region," *JUARA: Jurnal Wahana Abdimas Sejahtera*, pp. 228–237, 2022.
- [21] G. Fang and Q. Chen, "Several common probability distributions obey Benford's law," *Physica A: Statistical Mechanics and its Applications*, vol. 540, p. 123129, 2020, doi: 10.1016/j.physa.2019.123129.
- [22] M. Gómez-Camponovo, J. Moreno, Á. J. Idrovo, M. Páez, and M. Achkar, "Monitoring the Paraguayan epidemiological dengue surveillance system (2009-2011) using Benford's law," *Biomédica*, vol. 36, no. 4, pp. 583–592, Dec. 2016, doi: 10.7705/biomedica.v36i4.2731.
- [23] A. J. Idrovo, J. A. Fernández-Niño, I. Bojórquez-Chapela, and J. Moreno-Montoya, "Performance of public health surveillance systems during the influenza A(H1N1) pandemic in the Americas: Testing a new method based on Benford's Law," *Epidemiology and Infection*, vol. 139, no. 12, pp. 1827–1834, 2011, doi: 10.1017/S095026881100015X.
- [24] N. Kandel, S. Chungong, A. Omaar, and J. Xing, "Health security capacities in the context of COVID-19 outbreak: an analysis of International Health Regulations annual report data from 182 countries," *The Lancet*, vol. 395, no. 10229, pp. 1047–1053, 2020.
- [25] D. Carroll *et al.*, "Preventing the next pandemic: the power of a global viral surveillance network," *BMJ*, vol. 372, p. n485, Mar. 2021, doi: 10.1136/bmj.n485.
- [26] V. Haldane *et al.*, "Health systems resilience in managing the COVID-19 pandemic: lessons from 28 countries," *Nature Medicine*, vol. 27, no. 6, pp. 964–980, 2021, doi: 10.1038/s41591-021-01381-y.
- [27] H. Legido-Quigley *et al.*, "Are high-performing health systems resilient against the COVID-19 epidemic?," *The Lancet*, vol. 395, no. 10227, pp. 848–850, 2020.




- [28] K. Natashekara, "COVID-19 cases in India and Kerala: a Benford's law analysis," *Journal of Public Health*, vol. 44, no. 2, pp. e287–e288, Jun. 2022, doi: 10.1093/pubmed/fdab199.
- [29] A. Kilani and G. P. Georgiou, "Countries with potential data misreport based on Benford's law," *Journal of Public Health*, vol. 43, no. 2, pp. e295–e296, Jun. 2021, doi: 10.1093/pubmed/fdab001.
- [30] M. Campolieti, "COVID-19 deaths in the USA: Benford's law and under-reporting," *Journal of Public Health*, vol. 44, no. 2, pp. e268–e271, Jun. 2022, doi: 10.1093/pubmed/fdab161.
- [31] C. Koch and K. Okamura, "Benford's Law and COVID-19 reporting," *Economics Letters*, vol. 196, p. 109573, 2020, doi: 10.1016/j.econlet.2020.109573.
- [32] E. F. Manrique-Hernández, J. A. Fernández-Niño, and A. J. Idrovo, "Global performance of epidemiologic surveillance of Zika virus: rapid assessment of an ongoing epidemic," *Public Health*, vol. 143, pp. 14–16, 2017, doi: 10.1016/j.puhe.2016.10.023.
- [33] A. J. Idrovo and E. F. Manrique-Hernández, "Data quality of chinese surveillance of COVID-19: objective analysis based on WHO's situation reports," *Asia-Pacific Journal of Public Health*, vol. 32, no. 4, pp. 165–167, 2020, doi: 10.1177/1010539520927265.
- [34] L. Silva and D. Figueiredo Filho, "Using Benford's law to assess the quality of COVID-19 register data in Brazil," *Journal of public health (Oxford, England)*, vol. 43, no. 1, pp. 107–110, 2021, doi: 10.1093/pubmed/fdaa193.
- [35] L. Burlac and N. Giannakis, "Benford's Law: Analysis of the trustworthiness of COVID-19 reporting in the context of different political regimes," Mälardalen University, Västerås, Sweden, 2021.
- [36] G. M. Eckhardt and G. D. Ruxton, "Investigating and preventing scientific misconduct using Benford's Law," *Research Integrity and Peer Review*, vol. 8, no. 1, p. 1, 2023, doi: 10.1186/s41073-022-00126-w.
- [37] A. K. S. Ng'etich, K. Voyi, and C. M. Mutero, "Evaluation of health surveillance system attributes: the case of neglected tropical diseases in Kenya," *BMC Public Health*, vol. 21, no. 1, p. 396, 2021, doi: 10.1186/s12889-021-10443-2.

BIOGRAPHIES OF AUTHORS



Evi Susanti Sinaga    is an epidemiologist working as a lecturer in the Department of Public Health at Universitas Trisakti. She has an MPH, especially in the Field Epidemiology Training Program. She can be contacted at email: sinaga.evisusanti@trisakti.ac.id.



Novia Indriani Sudharma    is a doctoral candidate in Epidemiology, Public Health. She has been working as a lecturer at Universitas Trisakti since 2008. She is interested in non-communicable diseases. She can be contacted at email: noviaindriani@trisakti.ac.id.