

# E3S

# Web of Conferences

## Proceedings



All issues ▶ Volume 448 (2023)

◀ Previous issue

Table of Contents

Next issue ▶

Free Access to the whole issue

## E3S Web of Conferences

Volume 448 (2023)

### The 8<sup>th</sup> International Conference on Energy, Environment, Epidemiology and Information System (ICENIS 2023)

Semarang, Indonesia, August 8-9, 2023  
R. Isnanto, Hadiyanto and B. Warsito (Eds.)

Export the citation of the selected articles [Export](#)

[Select all](#)

Open Access

#### About the conference

Published online: 17 November 2023

PDF (1.17 MB)

Open Access

#### Statement of Peer review

Published online: 17 November 2023

PDF (309 KB)

- ▼ [Multidisciplinary](#)
- ▼ [Energy](#)
- ▼ [Information System](#)
- ▼ [Epidemiology](#)
- ▼ [Environment Science](#)

#### - Multidisciplinary

Open Access

Decoding the Flavor of Success: A Comprehensive Strategic Analysis of Rines MSME – A Soybean Snack Producer from Mojokerto 01001

Ines Dini, Marcia Janet and Mochammad Fahlevi

Published online: 17 November 2023

DOI: <https://doi.org/10.1051/e3sconf/202344801001>

[Abstract](#) | [PDF \(306.1 KB\)](#) | [References](#) | [NASA ADS Abstract Service](#)

Open Access

Nutrient Content and Sensory Characteristics of Tuna Fish Dimsum (Yellowfin) 01002

Meilya Suzan Triyastuti, Novie Wijaya, Luthfi Kurnia Dewi and Gita Indah Budiarti

Published online: 17 November 2023

DOI: <https://doi.org/10.1051/e3sconf/202344801002>

[Abstract](#) | [PDF \(1.501 MB\)](#) | [References](#) | [NASA ADS Abstract Service](#)

networks. [More information and setup](#)

Yoyon Wahyono, Hadiyanto Hadiyanto, Rifqi Ahmad Baihaqi and Wisnu Indrawan

Published online: 17 November 2023

DOI: <https://doi.org/10.1051/e3sconf/202344804008>

[Abstract](#) | [PDF \(2.079 MB\)](#) | [References](#) | [NASA ADS Abstract Service](#)

Open Access

Harvesting of microalgae *Chlorella* sp using electrocoagulation and quantification of dissolved hydrogen gas 04009

Purwono Purwono, Hadiyanto Hadiyanto and Mochamad Arief Budihardjo

Published online: 17 November 2023

DOI: <https://doi.org/10.1051/e3sconf/202344804009>

[Abstract](#) | [PDF \(1.766 MB\)](#) | [References](#) | [NASA ADS Abstract Service](#)

## - Epidemiology

Open Access

Analysis Of Factors Associated With Covid-19 Vaccination Refusal In The Second Grade Of Nino Conis Santana High School In Lautem Municipality East Timor 05001

Mericio de Castelo, Dwi Sutningsih and Martini

Published online: 17 November 2023

DOI: <https://doi.org/10.1051/e3sconf/202344805001>

[Abstract](#) | [PDF \(1.403 MB\)](#) | [References](#) | [NASA ADS Abstract Service](#)

Open Access

Early Detection Information System for Delayed Sputum Conversion Risk Factors 05002

Dyah Wulan Sumekar Rengganis Wardani, Bayu Anggileo Pramesona, Trisyia Septiana, Retno Ariza Soeprihatini Soemarwoto and Endro Prasetyo Wahono

Published online: 17 November 2023

DOI: <https://doi.org/10.1051/e3sconf/202344805002>

[Abstract](#) | [PDF \(1.627 MB\)](#) | [References](#) | [NASA ADS Abstract Service](#)

Open Access

Rapid Survey of Mosquito Larvae Density with a History of Dengue Hemorrhagic Fever 05003

Lucky Radita Alma, Anindita Kumar, Aqila Pakerti Nastiti, Herdina Arahmi, Shalma Vinanda Shafira, Suni Rohana and Ronal Surya Aditya

Published online: 17 November 2023

DOI: <https://doi.org/10.1051/e3sconf/202344805003>

[Abstract](#) | [PDF \(246.9 KB\)](#) | [References](#) | [NASA ADS Abstract Service](#)

Open Access

Repeat Analysis Program As A Quality Assurance System For Radiology Management: Causal Repeat and Challenges 05004

Dwi Rochmayanti, Kusworo Adi and Catur Edi Widodo

Published online: 17 November 2023

DOI: <https://doi.org/10.1051/e3sconf/202344805004>

[Abstract](#) | [PDF \(2.877 MB\)](#) | [References](#) | [NASA ADS Abstract Service](#)

Open Access

Digital-Based Care Support and Treatment for People with HIV/AIDS: Challenges and Opportunities 05005

Argyo Demartoto, Bhisma Murti and Sri Hilmi Pujihartati

Published online: 17 November 2023

DOI: <https://doi.org/10.1051/e3sconf/202344805005>

[Abstract](#) | [PDF \(1.459 MB\)](#) | [References](#) | [NASA ADS Abstract Service](#)

Open Access

Analysis Of Local Stability Of The Model On COVID-19 Spread In DKI Jakarta Province 05006

Rizki Chika Audita Ariyani, Widowati, Kartono, R. Heru Tjahjana and R. Heri Soelistyo Utomo

Published online: 17 November 2023

DOI: <https://doi.org/10.1051/e3sconf/202344805006>

[Abstract](#) | [PDF \(1.902 MB\)](#) | [References](#) | [NASA ADS Abstract Service](#)

Systematic Review: Quality and Cost Control of The Back-Referral Program National Health Insurance in Diabetes Mellitus Patients Type 2 05007

Putri Permatasari and Mardiaty Nadjib

Published online: 17 November 2023

DOI: <https://doi.org/10.1051/e3sconf/202344805007>

Abstract | PDF (1.717 MB) | References | NASA ADS Abstract Service

Open Access

Electronic Sick Leave Certificate on Telemedicine Service Implementation in Indonesia: A Legal Consideration 05008

Rani Tiyas Budiyantri and Wulan Kusumastuti

Published online: 17 November 2023

DOI: <https://doi.org/10.1051/e3sconf/202344805008>

Abstract | PDF (1.348 MB) | References | NASA ADS Abstract Service

Open Access

Association Between PM<sub>2,5</sub> Wood Dust Exposure and Acute Respiratory Infection on Plywood Industry Workers in PT. Muara Kayu Sengon, Jatilawang District, Banyumas Regency 05009

Firda Ro'in, Mursid Raharjo and Onny Setiani

Published online: 17 November 2023

DOI: <https://doi.org/10.1051/e3sconf/202344805009>

Abstract | PDF (1.938 MB) | References | NASA ADS Abstract Service

Open Access

The Effect of Global Warming on The Incidence of Malaria: Distribution of *Anopheles sp.* in Indonesia 05010

Risqa Novita, Agik Suprayogi, Andria Augusta, Arifin Budiman Nugraha and Huda Shalahudin Darusman

Published online: 17 November 2023

DOI: <https://doi.org/10.1051/e3sconf/202344805010>

Abstract | PDF (1.443 MB) | References | NASA ADS Abstract Service

Open Access

The Risk of Women Smokers against Birth Weight in Urban Rural Indonesia 05011

Sri Supadmi, Hadi Ashar, Ina Kusriani, Sidiq Purwoko and Marizka Khairunnisa

Published online: 17 November 2023

DOI: <https://doi.org/10.1051/e3sconf/202344805011>

Abstract | PDF (1.714 MB) | References | NASA ADS Abstract Service

Open Access

Epidemiology of Human Leptospirosis in Bantul District, Yogyakarta Province, Indonesia 05012

Sunaryo and Dyah Widiastuti

Published online: 17 November 2023

DOI: <https://doi.org/10.1051/e3sconf/202344805012>

Abstract | PDF (2.106 MB) | References | NASA ADS Abstract Service

Open Access

Structural Equation Model Determinants of Risk Factors for Hypertension Status in Urban Areas in Kotabumi 1 Community Health Center, North Lampung Regency, Lampung Province, Indonesia 05013

Sri Aryanti, Dyah Wulan Sumekar Rengganis Wardani, Jhons Fatriyadi Suwandi, Samsul Bakri and Tugiyono

Published online: 17 November 2023

DOI: <https://doi.org/10.1051/e3sconf/202344805013>

Abstract | PDF (1.874 MB) | References | NASA ADS Abstract Service

Open Access

Increased Antioxidants of Tile Factory Workers in Reducing Work Fatigue Given Moringa Leaves 05014

Diki Bima Prasetyo, Yuliani Setyaningsih, Suhartono and Suoto

Published online: 17 November 2023

DOI: <https://doi.org/10.1051/e3sconf/202344805014>

Open Access

Factors Related To Exclusive Breastfeeding With Nutritional Status Aged 7-23 Months: In the Working Area of Maubara Health Center Liquisa Municipality Timor Leste 05015

Lino da Costa Vaz Pereira, Budi Laksono and Dwi Sutingsih

Published online: 17 November 2023

DOI: <https://doi.org/10.1051/e3sconf/202344805015>

[Abstract](#) | [PDF \(1.258 MB\)](#) | [References](#) | [NASA ADS Abstract Service](#)

Open Access

Anti-Toxoplasma IgM-IgG Titer in Malignancy Patients Receiving Chemotherapy at Dr. H Abdul Moeloek General Hospital of Lampung Province 05016

Jhons Fatriyadi Suwandi, Noviany, Juspeni Kartika, Betta Kurniawan, Hanna Mutiara, Suryadi Islami, Linda Septiani, Selvi Marcellia and Agnes Kurniawan

Published online: 17 November 2023

DOI: <https://doi.org/10.1051/e3sconf/202344805016>

[Abstract](#) | [PDF \(1.527 MB\)](#) | [References](#) | [NASA ADS Abstract Service](#)

Open Access

Regression-based Model Deciphers Progression on Health Management for Two Long-standing and Unresolved Infectious Diseases in Indonesia: Integration of Outpatient Data by the National Universal Health Care (BPJS) and Fluctuation of Registered HIV and Malaria Cases 05017

Alam A. Hidayat and Ika Nurlaila

Published online: 17 November 2023

DOI: <https://doi.org/10.1051/e3sconf/202344805017>

[Abstract](#) | [PDF \(4.433 MB\)](#) | [References](#) | [NASA ADS Abstract Service](#)

Open Access

Heart Frequency Patterns Due to 30% and 50% Maximal Isometric Contraction (MIC) in Adolescents 05018

Ratna Indriawati and Tunjung Wibowo

Published online: 17 November 2023

DOI: <https://doi.org/10.1051/e3sconf/202344805018>

[Abstract](#) | [PDF \(1.353 MB\)](#) | [References](#) | [NASA ADS Abstract Service](#)

Open Access

Analysis of Work-Related Stress on HSE Department Employee in Concentrating Division of PT Freeport Indonesia 05019

Arif Susanto, Muhamad Razif Iqbal, Agra Mohamad Khaliwa, Edi Karyono Putra, Ambar Dani Syuhada and Asep Dian Abdillah

Published online: 17 November 2023

DOI: <https://doi.org/10.1051/e3sconf/202344805019>

[Abstract](#) | [PDF \(1.362 MB\)](#) | [References](#) | [NASA ADS Abstract Service](#)

Open Access

Malaria Control Before and During the COVID-19's Pandemic in Lawang Kidul, South Sumatera 05020

Maurend Yayank Lewinsca, Mursid Raharjo, Nurjazuli Nurjazuli, Martini Martini and Sulistiyani Sulistiyani

Published online: 17 November 2023

DOI: <https://doi.org/10.1051/e3sconf/202344805020>

[Abstract](#) | [PDF \(1.854 MB\)](#) | [References](#) | [NASA ADS Abstract Service](#)

Open Access

Climate Variability Effects On Rising Dengue Incidence In Jakarta Province 05021

Jessica Ulli Artha and Evi Susanti Sinaga

Published online: 17 November 2023

DOI: <https://doi.org/10.1051/e3sconf/202344805021>

[Abstract](#) | [PDF \(1.419 MB\)](#) | [References](#) | [NASA ADS Abstract Service](#)

Open Access

Role of the Family Members in the Prevention of Eclampsia 05022

DOI: <https://doi.org/10.1051/e3sconf/202344805022>

[Abstract](#) | [PDF \(1.612 MB\)](#) | [References](#) | [NASA ADS Abstract Service](#)

Open Access

An Assesment of Adherence Treatment and Determinants among Hypertensive Patients Attending Primary Health Care in Medan City 05023

Fazidah A. Siregar, Asfriyati and Tri Makmur

Published online: 17 November 2023

DOI: <https://doi.org/10.1051/e3sconf/202344805023>

[Abstract](#) | [PDF \(1.648 MB\)](#) | [References](#) | [NASA ADS Abstract Service](#)

Open Access

Assessing the Impact of Teachers' Training on Teaching HIV/AIDS Education in Schools in KwaZulu-Natal, South Africa 05024

Lovemote Ringisai and Dwi Sutiningsih

Published online: 17 November 2023

DOI: <https://doi.org/10.1051/e3sconf/202344805024>

[Abstract](#) | [PDF \(1.797 MB\)](#) | [References](#) | [NASA ADS Abstract Service](#)

Open Access

Phenomenological Study of Knowledge, Public Perception in Kendal During The Pandemic and The Implementation of A New Normal in 2020 05025

Dwi Sutiningsih, Kristiawan, Arfan Syahroni, Uswatun Hasanah and Silvia Nurvita

Published online: 17 November 2023

DOI: <https://doi.org/10.1051/e3sconf/202344805025>

[Abstract](#) | [PDF \(1.235 MB\)](#) | [References](#) | [NASA ADS Abstract Service](#)

About the journal [▶](#) Editorial board

### About the journal

[Aims and scope](#)

[Editorial board](#)

[Indexed in](#)

[Publishing Policies & Ethics](#)

[Published by](#)

## Editorial board

### Rachid Bennacer

École Normale Supérieure, Cachan, France

[website](#)

### Chérifa Boukacem-Zeghmouri

Université Claude Bernard Lyon 1, Villeurbanne, France

[website](#)

### Vladimir Buzek

Slovak Academy of Sciences, Bratislava, Slovakia

[website](#)

### Heidi Gautschi

Haute Ecole Pédagogique de Lausanne, Switzerland

### Jamshed Iqbal

University of Hull, United Kingdom

[website](#)

### Michel Paul Léonard

UNIGE, Switzerland

### Paulo Limão-Vieira

Universidade NOVA de Lisboa, Portugal

[website](#)

### Maria S. Madjarska

Max Planck Institute for Solar System Research, Germany

Space Research and Technology Institute, Bulgarian Academy of Sciences, Bulgaria

### Thierry Maré

Ambassade de France en Indonésie, Jakarta

Université de Rennes 1 /IUT Saint Malo, France

[website](#)

### Nigel Mason

University of Kent, Canterbury, United Kingdom

### Biswajeet Pradhan

University of Technology Sydney, Australia

[website](#)

Technical University of Lisbon, Portugal networks. [More information and setup](#)

---

**Jun Sun**

Tianjin University of Science and Technology, P.R. China

[website](#)

**Ming-Jun Zhang**

DGUT-CNAM Institute, Dongguan University of Technology, Guangdong Province, P.R. China

[website](#)

**Zhien Zhang**

West Virginia University, Morgantown, West Virginia, USA

---

**E3S Web of Conferences**

eISSN: 2267-1242



[Mentions légales](#)

[Contacts](#)

[Privacy policy](#)

*A Vision4Press website*



# Climate Variability Effects On Rising Dengue Incidence In Jakarta Province

Jessica Ulli Artha<sup>1</sup> and Evi Susanti Sinaga<sup>2\*</sup>

<sup>1</sup>Faculty of Medicine, Universitas Trisakti

<sup>2</sup>Department of Public Health, Faculty of Medicine, Universitas Trisakti, Jalan Kyai Tapa (Kampus B), Grogol, Jakarta Barat, Indonesia 11440

**Abstract.** The incidence of Dengue Hemorrhagic Fever (DHF) in Jakarta fluctuates throughout the year. During 2017-2020, the municipality of West Jakarta was the second-highest contributor to the incidence of DHF in DKI Jakarta Province, namely 5,301 cases. Subsequently, Kalideres district has the highest incidence of DHF in the West Jakarta municipality area. Currently, globally, the world is experiencing climate change. The transmission of dengue fever is highly dependent on climatic factors. This study aimed to analyze the impact of climate change on rising dengue fever incidence in Jakarta, especially in the Kalideres District, in 2019-2020. The study design was cross-sectional. The variables analyzed were climate change, assessed from weather climate, rainfall, wind speed, and air humidity obtained through recording data from the Meteorological, Climatological, and Geophysical Agency website. Data on the incidence of DHF used daily DHF case report data obtained from the Kalideres District Health Center. Data analysis used simple linear regression analysis. Based on the bivariate analysis obtained, rainfall (p-value = 0.031; r = 0.211) and air humidity (p-value = 0.001; r = 0.413) were associated with the incidence of DHF. The regression coefficient value indicates that the direction of the relationship between rainfall and humidity is appropriate and in the same direction as the incidence of DHF. Meanwhile, air temperature and wind speed were not related to the incidence of dengue fever (p-value > 0.05). Early detection through dengue surveillance and mosquito vector control during high rainfall is highly recommended.

## 1 Introduction

Dengue Hemorrhagic Fever (DHF) is a disease caused by the dengue virus through the *Aedes aegypti* mosquito vector. The World Health Organization (WHO) states that dengue cases have made more than 100 countries endemic including the Africa, Americas, East Mediterranean, Southeast Asia, and West Pacific Regions with a tendency for cases to increase every year. In 2008 and 2010, the number of DHF cases was more than 1.2 million and 2.3 million cases in America, Southeast Asia, and the Western Pacific. WHO also stated that from the annual DHF case data worldwide, Asia ranks first. There are eight

---

\* Corresponding author: [sinaga.evisusanti@trisakti.ac.id](mailto:sinaga.evisusanti@trisakti.ac.id)

countries in Asia with the highest dengue cases, namely Indonesia, Myanmar, Bangladesh, India, Maldives, Sri Lanka, Thailand, and Timor Leste. Indonesia is a country with the highest dengue cases in Southeast Asia (1)

The emergence of DHF can be caused by an imbalance between various factors such as host, agent, and environmental factors. Host factors are related to human characteristics such as the immune system and nutritional status, agent factors are related to the characteristics and virulence ability of the dengue virus, while environmental factors are related to vector capacity, one of which can be affected by climate change (2). This is because the impacts that occur due to climate change can be felt directly and indirectly, especially by humans in the field of human health. Climate change can affect land and ocean ecosystems, so it can be related to patterns of infectious diseases due to the proliferation of certain disease vectors such as *Aedes*, *Anopheles*, and others whose diseases are called vector-borne diseases, one of which is Dengue Hemorrhagic Fever (DHF). Climate change can include changes in air temperature, rainfall, air humidity, and wind speed which can be related to the mechanism and life cycle of mosquito vector breeding (3–5).

Currently, globally, the world is experiencing climate change. Climate change is a change in the average and or variability of climate elements, such as air temperature, humidity, rainfall, air pressure, and wind, which can be identified in the long term either due to nature or human activities. According to the Intergovernmental Panel on Climate Change (IPCC), the current climate change is happening so fast, mainly because of greenhouse gases and global warming which are closely related to human activities. One of the climate changes that can occur is marked by an increase in the earth's temperature. The average earth temperature from 2006-2015 increased by 0,87°C compared to 1850-1990. The IPCC also states that at the beginning of the 21st century, the earth's surface temperature will continue to increase in the range of 1,4°C hingga 5,8°C. In addition to an increase in temperature, other climate changes that can also occur are changes in the intensity of extreme weather such as increased rainfall, changes in air humidity, and wind speed (6).

Along with the increase in population activity and accompanied by increasing population growth, the number of sufferers and the area of the spread of DHF disease is increasing. Data from 2014 stated that DHF had spread in 433 of 511 districts/cities in 34 provinces in Indonesia. The very high and uncontrolled population growth will cause the population density to increase. One area with a high population density is Jakarta. In Jakarta, there are 10,075,300 inhabitants, which means that the population density in Jakarta reached 15,173 people/km<sup>2</sup> in 2014. With such a high density, Jakarta is one of the provinces that are prone to various diseases including DHF (7,8). DHF cases in Jakarta fluctuate throughout the year. The latest data shows that during 2017-2020, the West Jakarta Municipality was the second highest contributor to DHF cases in DKI Jakarta, with 5,301 cases after the first highest was in East Jakarta Municipality with 6,649 cases. In West Jakarta Municipality, Kalideres district is the district with the highest dengue cases throughout 2017-2020 with a total of 1,549 cases and followed by Cengkareng sub-district with the second highest with 1,483 cases. Because of the problems described above, the authors want to know more about the climate variability effects and the rising incidence of DHF in the Kalideres District from 2019-2020.

## 2 Methods

This study used an ecological study using a cross-sectional approach. The research was located in DKI Jakarta Province by selecting one sub-district with the highest incidence of DHF, namely the Kalideres District. The data collected was sourced from weekly climate

data (air temperature, rainfall, air humidity, and wind speed) and weekly data on the incidence of DHF in Kalideres District in 2019-2020. Weekly data on climate variability (air temperature, rainfall, air humidity, and wind speed) was obtained through secondary data collection through recording data from the Meteorological, Climatological, and Geophysical Agency website or the online site of BMKG Kemayoran, Central Jakarta. Weekly data on the incidence of DHF in the Kalideres District was obtained through recording reports from the Kalideres District Health Center.


Data analysis used a simple linear regression statistical test and using STATA 17 software. This analysis aimed to measure the relative effects of the predictor factors on a specific outcome (9,10). A simple regression model has just one independent (explanatory) variable,  $X_i$ , for  $i = 1, \dots, n$  subjects, and is linear about both the regression parameters and the dependent variable. The associated dependent (outcome) variable is identified by a label. The model is expressed in the form:

$$Y_i = a + bX_i + e_i \quad (1)$$

Regression parameter  $a$  is the intercept (on the y axis), and the slope of the regression line is regression parameter  $b$  (11). Before performing statistical analysis with simple linear regression, the normality test was first performed. A normality test was used to determine whether the data were normally distributed or not. It is said to be normally distributed when the significance value is more than 0.05. Based on the normality test, the significance value was 0.165 ( $p\text{-value} > 0.05$ ), and it can be said that the data were normally distributed.

### 3 Results

This research was carried out from November to December 2021 by recording weekly climate data (air temperature, rainfall, air humidity, and wind speed) and weekly data on DHF incidence in Kalideres District from 2019-2020. So that obtained 104 samples on each of the variables studied. Trends and developments in the incidence of DHF and climate every week were presented in Figure 1.



**Fig. 1.** Climate variability and Dengue Incidence in 2019-2020

**Table 1.** Simple linear regression analysis between independent and dependent variables, correlations, and their p-value

Climate variability	Intercept	Slope	r	R <sup>2</sup>	P-value	CI
Air temperature	6.991	0.145	0.036	0.0013	0.719	-0.656-0.947
Rainfull	9.659	0.222	0.212	0.0450	0.031	0.021-0.424
Air humidity	-20.110	0.419	0.321	0.1033	0.001	0.177-0.663
Wind speed	9.447	1.178	0.031	0.0009	0.757	-6.342-8.699

**a. Air temperature and the incidence of DHF**

Based on table 1, it is known that the correlation coefficient (r) in the results of this analysis is 0.036 which means that the correlation strength is very weak. This is in line with the p-value of 0.719, which is greater than 0.05, indicating that air temperature is not related to the incidence of DHF. The regression coefficient of the relationship between these variables is 0.145 in a positive direction, in other words, the relationship between these two variables is unidirectional, the greater the air temperature, the greater the incidence of DHF. The formula for simple linear regression is :  $Y = 6.991 + 0.145X$

**b. Rainfall and the incidence of DHF**

The results of the analysis in table 1 show that the p-value is 0.031, which means it is smaller than 0.05. Indicates that rainfall is related to the incidence of DHF. The correlation coefficient (r) in the results of this analysis is 0.212 which means the strength of the correlation is weak. The regression coefficient of the relationship between these variables is 0.222 with a positive direction indicating that the relationship between the two variables is unidirectional, ie the greater the rainfall, the greater the incidence of DHF. The formula for simple linear regression is :  $Y = 9.659 + 0.222X$

This means that every time there is an increase in the value of X (rainfall) it can increase the value of Y (incidence of DHF) by 0.222.

**c. Air humidity and the incidence of DHF**

In the analysis of the air humidity variable with the incidence of DHF, the correlation coefficient value (r) is 0.321 which means that the correlation strength is weak. The p-value shows the result of 0.001 which indicates that the air humidity is related to the incidence of DHF. The regression coefficient of the relationship between these variables is 0.419 with a positive direction which also indicates that the relationship between the two variables is unidirectional, i.e. the greater the humidity, the greater the incidence of DHF. The formula for simple linear regression is :  $Y = -20.110 + 0.419X$

This means that every time there is an increase of one unit of X (air humidity) it can increase the value of Y (incidence of DHF) by 0.419. Another explanation is that if the air humidity is equal to zero (0) then the incidence of DHF will decrease.

**d. Wind speed and the incidence of DHF**

Based on the results of the analysis in table 1, it is known that the correlation coefficient (r) is 0.031 which means that the correlation strength is very weak. This is in line with the p-value of 0.757 where the value is greater than 0.05 which indicates that wind speed is not related to the incidence of DHF. The regression coefficient of the relationship between these variables is 0.910 with a positive direction indicating that the relationship between these two variables is unidirectional, ie increasing wind speed can also increase the incidence of DHF. The formula for simple linear regression is :  $Y = 9.447 + 1.178X$

**4 Discussion**

The pattern of rain that occurred in Kalideres Subdistrict in 2019 and 2020 has a pattern that tends to be high at the end and beginning of the year, namely in the weeks from December to February and decreases in the weeks from March to September, and in October the rainfall begins to increase again until its peak in December to February. Based on the results of this study, it was found that there was a relationship between rainfall and the incidence of DHF. This is seen based on the significant value of 0.031, which is smaller than 0.05. Rainfall can create puddles of water which can be a breeding ground for *Aedes aegypti* mosquitoes. Rainfall is also one of the climate elements that can affect mosquito breeding. High rainfall is indeed associated with several infectious diseases based on studies in Vietnam and Singapore over several periods, including one of them is DHF (12,13).

Based on the data that has been collected, the highest incidence of DHF in Kalideres District is in the first week of March 2019 with 27.7mm of rainfall, and the second most were 43 cases in the second week of February 2019 with 18.4mm of rainfall, and the third most was 42 cases in the fourth week of January and February 2019 with 20.9mm and 6.1mm of rainfall. Based on this data, it shows a positive and unidirectional relationship between rainfall and the incidence of DHF, which is evidenced by the increased rainfall will be followed by an increase in the number of DHF incidences. This is in line with research conducted in Tomohon City, the eastern part of Indonesia, which said that there was a relationship between rainfall and the incidence of DHF ( $p$ -value = 0.019). The number of eggs laid by a female *Aedes* mosquito can range from 100-300 grains, this is what can cause the mosquito population to increase rapidly. Mosquitoes need to find human prey to ripen their eggs, so the tendency to bite humans will increase. This also causes the number of mosquito bites to increase along with the increase in rainfall. In An area with an unsanitary environment, there are empty storage containers that if filled due to continuous rainfall can become a breeding ground for the *Aedes aegypti* mosquito which is it can increase the incidence of DHF (14).

The relationship between rainfall and the incidence of DHF in this study shows a weak strength relationship. This may occur due to the characteristics of the rainfall that occurs related to the intensity of rainfall. It is said that high-intensity and continuous rainfall that causes flooding can actually wash away the breeding site and cause the population to decrease. Throughout 2019-2020, the highest dengue cases were 62 cases which occurred in the first week of March 2019 with heavy rainfall of 27.7mm of rain. However, when referring to the time when the highest rainfall occurred, then it occurred in the first week of January 2020, namely 40mm of rainfall but was not followed by an increase in the incidence of DHF because the incidence of DHF found at that time only amounted to 5 cases. This can be the cause of the relationship between the two variables between rainfall and the incidence of DHF in this study tends to be weak. Researchers also believe that there are other factors outside the climate that also affect the number of dengue cases, such as the role of community habits or interventions that have been carried out by the government.

Air humidity can be affected by the influence of rainfall. Along with increasing rainfall, it can be followed by an increase in air humidity. The tendency of increasing air humidity in Kalideres District occurs in the weeks at the end and beginning of December to February, along with increasing rainfall. Air humidity will begin to decrease in the following months as rainfall begins to decline. Based on this study, air humidity has a relationship with the incidence of DHF, with a  $p$ -value of 0.001 with a weak strength correlation coefficient of 0.316. The strength of the weak correlation in this study could be caused by an inconsistency in the direction of the correlation between air humidity and the incidence of DHF (15). Air humidity of 60-90% is conducive humidity for *Aedes* larvae to breed. As seen in the first week of January 2019, with a humidity of 74.3%, there were 7 cases of DHF. In the second week of January 2019 humidity of 80.1% increased cases to 19

cases. In the fourth week of January 2019, with 83.9% humidity further increased the number of cases to as many as 42 cases. This clearly shows a positive or unidirectional relationship between air humidity and the incidence of DHF. However, in the third week of May 2019 with a lower humidity of 69.1%, 27 cases were found, which indicates a fairly high number of cases. The existence of this inconsistency can be the cause of the weak relationship between these two variables. This weak relationship between air humidity and the incidence of DHF can be caused by factors outside the climate, such as government intervention with the implementation of the DHF control program.

Air humidity can affect the lifespan of the *Aedes aegypti* mosquito. Air humidity above 60% makes the lifespan of the *Aedes aegypti* mosquito longer, spreads quickly, and has the potential to breed. This condition creates a great opportunity for mosquitoes to become infected and infect humans. Dry air humidity, below 60% as the optimal air humidity limit for mosquitoes will affect the breathing of mosquitoes using a tracheal tube with a spiracle air estuary. When the air is not humid, there will be evaporation of water from the mosquito's body so that a lot of mosquito body fluids come out. There is the evaporation of water in the mosquito's body which results in the short life of the mosquito (16). This is in line with some studies in Vietnam, there were significant correlations between monthly DF/DHF cases with monthly relative humidity ( $r = -0.358$ ,  $P < .05$ ) in Hanoi, and there were strong correlations between monthly DF/DHF cases within that period with average rainfall ( $r = 0.70$ ), humidity ( $r = 0.59$ ) in Ba Tri District, Ben Tre Province during 2004 to 2015 (17,18).

The wind speed in Kalideres District has an average of 1-2 m/s, it doesn't fluctuate too significantly. There was no significant correlation between wind speed and the incidence of DHF in this study. The insignificant result between wind speed and the incidence of DHF in this study could be due to other influences that can also affect the ability of mosquitoes to fly. Mosquito flight distance can be shortened or extended depending on the wind direction field (19). This is in line with research conducted in Bone Province which also stated that wind speed had no effect on the occurrence of DHF due to the relatively constant wind speed over time, but the others said that wind speed has the most significant effect on DHF (20,21). The air temperature also has no effect on the incidence of DHF. This is in line with research conducted in Bone Province which stated that air temperature had no effect on the occurrence of DHF. Air temperature is indeed related to the acceleration of mosquito development from eggs to adult mosquitoes, but there may be an increase in mosquito vectors but not infective. So that the possibility of transmission is low. Variations in temperature that do not fluctuate much can also affect a non-significant relationship between air temperature and the incidence of DHF(20).

## 5 Conclusion

Rainfall and air humidity correlated with the incidence of DHF. Rainfall and air humidity have a weak effect on the incidence of DHF, while air temperature and wind speed are not related to the incidence of DHF. Early detection through dengue surveillance and mosquito vector control during high rainfall is highly recommended.

The researcher would like to thank the Meteorological, Climatological, and Geophysical Agency (BMKG Kemayoran, Central Jakarta for the ease of obtaining climate variability data that were provided online. We would like to thank the staff of Kalideres District Public Health Center and the Public Health Office of West Jakarta for their assistance and cooperation in the data collection process so that this research can run well.

## References

1. A. Sanyaolu, C. Okorie, O. Badaru, K. Adetona, M. Ahmed, O. Akanbi, Global epidemiology of dengue hemorrhagic fever: an update, *J Hum Virol Retrovirol*, **5**(6),179 (2017)
2. I. Kurane, Dengue hemorrhagic fever with special emphasis on immunopathogenesis. *Comp Immunol Microbiol Infect Dis*, **30**(5–6), 329–40 (2007)
3. C. Caminade, K. M. McIntyre, A. E. Jones, Impact of recent and future climate change on vector-borne diseases, *Ann N Y Acad Sci*, **1436**(1), 157–73 (2019)
4. D. Raigoza, *Impacts of Weather and Climate-Related Extremes Social and Economic Impacts* (2009)
5. W. L. Filho, S. Scheday, J. Boenecke, A. Gogoi, A. Maharaj, S. Korovou, Climate change, health and mosquito-borne diseases: Trends and implications to the pacific region, *Int J Environ Res Public Health*, **16**(24), 5114 (2019)
6. J. B. Smith, S. H. Schneider, M. Oppenheimer, G. W. Yohe, W. Hare, M. D. Mastrandrea, Assessing dangerous climate change through an update of the Intergovernmental Panel on Climate Change (IPCC)“reasons for concern” *Proc Natl Acad Sci*, **106**(11), 4133–7 (2009)
7. M. R. Karyanti, C. S. P. M. Uiterwaal, R. Kusriastuti, S. R. Hadinegoro, M. M. Rovers, H. Heesterbeek, The changing incidence of Dengue Haemorrhagic Fever in Indonesia: a 45-year registry-based analysis, *BMC Infect Dis*, **14**(1),412 (2014)
8. H. Harapan, A. Michie, M. Mudatsir, R. T. Sasmono, A. Imrie, Epidemiology of dengue hemorrhagic fever in Indonesia: analysis of five decades data from the National Disease Surveillance. *BMC Res Notes*, **12**(1),350 (2019)
9. K. H. Zou, K. Tuncali, S. G. Silverman, Correlation and simple linear regression. *Radiology*, **227**(3), 617–28 (2003)
10. S. K. Prion, K. A. Haerling, Making Sense of Methods and Measurements: Simple Linear Regression. *Clin Simul Nurs*, **48**, 94–5 (2020)
11. M. Pal, P. Bharati, Introduction to Correlation and Linear Regression Analysis BT - Applications of Regression Techniques. In: Pal M, Bharati P, editors. Singapore: Springer Singapore, 1–18 (2019)
12. H. V. Pham, H. Doan, T. T. T. Phan, N. N. Tran Minh, Ecological factors associated with dengue fever in a Central Highlands province, Vietnam. *BMC Infect Dis*, **11**(1), 1–6 (2011)
13. C. M. Benedum, O. M. E. Seidahmed, E. A. B. Eltahir, N. Markuzon, Statistical modeling of the effect of rainfall flushing on dengue transmission in Singapore, *PLoS Negl Trop Dis*, **12**(12), e0006935 (2018)
14. C. L. Rompis, O. J. Sumampouw, W. B. Joseph, Apakah Curah Hujan Berpengaruh terhadap Kejadian Demam Berdarah Dengue? *Indones J Public Heal Community Med*, **1**(1), (2019)
15. Y. Zhang, P. Bi, J. E. Hiller, Climate change and the transmission of vector-borne diseases: a review, *Asia Pacific J Public Heal*, **20**(1), 64–76 (2008)
16. E. A. P. de A Costa, E. M. de M Santos, J. C. Correia, C. M. R. de Albuquerque, Impact of small variations in temperature and humidity on the reproductive activity and survival of *Aedes aegypti* (Diptera, Culicidae), *Rev Bras Entomol*, **54**, 488–93 (2010)

17. T. T. T. Hanh, V. S. Nam, Climate Variability and Dengue Hemorrhagic Fever in Ba Tri District, Ben Tre Province, Vietnam during 2004–2014, *AIMS Public Heal*, **3**(4), 769 (2016)
18. T. Thi Tuyet-Hanh, N. Nhat Cam, L. Thi Thanh Huong, T. Khanh Long, T. Mai Kien, D. Thi Kim Hanh, Climate variability and dengue hemorrhagic fever in Hanoi, Viet Nam, during 2008 to 2015, *Asia Pacific J Public Heal*, **30**(6), 532–41 (2018)
19. P. F. M. Verdonschot, A. A. Besse-Lototskaya, Flight distance of mosquitoes (Culicidae): a metadata analysis to support the management of barrier zones around rewetted and newly constructed wetlands, *Limnologica*, **45**, 69–79 (2014)
20. S. A. Rahman, A. Rahim, A. Mallongi, Risk analysis of dengue fever occurrence in bone province sulawesi south using temporal spatial geostatistical model, *Indian J Public Heal Res Dev*, **9**(4), 221–6 (2018)
21. A. Sulekan, J. Suhaila, N. A. A. Wahid, Assessing the effect of climate factors on dengue incidence via a generalized linear model, *Open J Appl Sci*, **10**(04), 549 (2021)