





Editor-in-Chief:
Dr. Syed A. A. Rizvi

Journal of Medicinal and Chemical Sciences



www.jmchemsci.com



Journal of Medicinal and Chemical Sciences

| CiteScore: 2.6, Q2 | h-index: 29 |

Search

Home

A-Z Journals

Browse

Journal Info

Editorial Board

Guide for Authors

Submit Manuscript

Contact Us

Editorial Board



Editor-in-Chief

Professor Dr. Syed A. A. Rizvi Department of
Pharmaceutical Sciences, College of Pharmacy and
Health Sciences, Mercer University, Atlanta, GA. USA.

Professor of Pharmaceutical Sciences



pharmapps.nova.edu/profile.cfm?BioID=srizvi

•  srizvi@nova.edu

- 📞 +1 954-262-8311
-  0000-0002-2385-5672
-  h-index: 30 [🔗](#)
- + [More](#)



International Advisory Board

Professor Dr. Ali Nokhodchi Pharmaceuticals
Research Laboratory, School of Life Sciences, University
of Sussex, Brighton BN1 9QJ, UK

Professor of Pharmaceuticals and Drug Delivery



www.sussex.ac.uk/lifesci/nokhodchilab/index

-  a.nokhodchi@sussex.ac.uk
-  +44 1273872811
-  [0000-0002-3244-2482](https://orcid.org/0000-0002-3244-2482)
-  h-index: 68 [↗](#)
-  [More](#)



Editorial Board

Professor Dr. Khosro Khajeh Dept. of
Biochemistry, Faculty of Biological Sciences, Tarbiat
Modares University, P.O.Box: 14115, Tehran, Iran

Professor of Biochemistry



ibj.pasteur.ac.ir/files/site1/files/CV-Khajeh.pdf

-  khajeh@modares.ac.ir
-  (+98-21) 82884718
-  [0000-0002-5916-0338](https://orcid.org/0000-0002-5916-0338)
-  h-index: 44 [↗](#)
-  [More](#)



Associate Editor

Dr. Zeinab Arzehgar Department of Chemistry,
Basic of Sciences Faculty, Ilam University, Ilam, Iran

Assistant Professor in Organic chemistry

-  arzehgar@yahoo.com
-  +98 84 32226101
-  [0000-0003-3774-4348](https://orcid.org/0000-0003-3774-4348)
-  h-index: 15 



Director-in-Charge

Dr. Sami Sajjadifar Department of Chemistry,
Payame Noor University, PO BOX 19395-4697 Tehran,
Iran.

Assisitant Professor in Organic Chemistry



chemsajjadifar.blogspot.com



• ss.sajjadifar@gmail.com

-  +98 84 32226101
-  [0000-0001-8661-1264](https://orcid.org/0000-0001-8661-1264)
-  h-index: 25 [↗](#)



International Editorial Board

Professor Dr. Mohammad Mansoob Khan


Chemical Sciences, Faculty of Science, Universiti Brunei Darussalam, Jalan Tungku Link, Gadong, BE 1410, Brunei Darussalam, Tanzania.

Professor in Inorganic Chemistry



expert.ubd.edu.bn/mansoob.khan.php

-  mansoob.khan@ubd.edu.bn
-  +673 246 0922 / 246 0923
-  [0000-0002-8633-7493](https://orcid.org/0000-0002-8633-7493)
-  h-index: 56 [↗](#)
-  [More](#)



Senior Editor

Professor Dr. Ali Delpisheh Department of Child and Reproductive Health, Liverpool School of Tropical Medicine, Liverpool, UK.

Professor of Clinical Epidemiology



www.feedage.com/feeds/2454625/most-cited-full-text-articles

-  alidelpisheh@yahoo.com
-  +98-841-3334060
-  h-index: 43 
-  [More](#)



Editorial Board

Dr. Ahmad Reza Moosavi-Zare Hamedan

University of Technology, Hamedan, 65155, Iran.

Associate Professor of Organic Chemistry



che.sjau.ac.ir/%D8%AF%DA%A9%D8%AA%D8%B1-%D8%A7%D8%AD...

-  moosavizare@yahoo.com
-  08133117804
-  [0000-0003-0321-9326](https://orcid.org/0000-0003-0321-9326)
-  h-index: 47 
-  [More](#)



Editorial Board

Dr. Ali Maleki Department of Chemistry, Iran
University of Science and Technology (IUST), Tehran
16846-13114, IRAN

Associate Professor of Organic Chemistry



www.iust.ac.ir/find.php?item=20.10930.19490.fa

-  maleki@iust.ac.ir
-  0098 (21) 77240540
-  [0000-0001-5490-3350](https://orcid.org/0000-0001-5490-3350)
-  h-index: 74 [↗](#)



Editorial Board

Dr. Majid Darroudi Department of Modern Sciences and Technologies & Nuclear Medicine Research Center, School of Medicine, Mashhad University of Medical Sciences (MUMS), Mashhad, Iran.

Assistant Professor of Nanomedicine



isid.research.ac.ir/Majid_Darroudi

-  majiddarroudi@gmail.com
-  05138002286
-  [0000-0002-2624-7242](#)
-  h-index: 54 
-  [More](#)





Editorial Board

Professor Dr. Behrooz Maleki Department of
Organic Chemistry, University of Mazandaran, Babolsar,
Iran

Professor of Organic Chemistry

-  b.maleki@umz.ac.ir
-  h-index: 49 
-  [More](#)



Editorial Board

Professor Dr. Mehrdad Hamidi Zanjan

University of Medical Sciences (ZUMS)disabled, Zanjan,
Iran

Professor of Pharmaceutics



isid.research.ac.ir/Mehrdad_Hamidi

-  hamidim@zums.ac.ir

-  [0000-0001-7977-5252](https://orcid.org/0000-0001-7977-5252)

-  h-index: 41 [↗](#)

-  [More](#)



Editorial Board

Dr. Gholamabbas Chehardoli Department of
Medicinal Chemistry, School of Pharmacy, Hamadan
University of Medical Science, Hamadan, Iran

Associate Professor of Organic Chemistry

-  cheh1002@gmail.com
-  +98 811 8381594
-  [0000-0002-8760-3837](https://orcid.org/0000-0002-8760-3837)
-  h-index: 21 [↗](#)



Language Editor

Dr. Fatemeh Ramezani Ph.D. Student, EFL
Teaching, Tehran university, Tehran, Iran.

-  ramezani.tvu@yahoo.com
-



Journal of Medicinal and Chemical Sciences

| CiteScore: 2.6, Q2 | h-index | 29 |

Search

[Home](#)

[A-Z Journals](#)

[Browse](#)

[Journal Info](#)

[Editorial Board](#)

[Guide for Authors](#)

[Submit Manuscript](#)

[Contact Us](#)

About Journal

Journal of Medicinal and Chemical Sciences was founded in 2018 and administered under the auspices of the offices of the [Sami Publishing Company \(SPC\)](#). J. Med. Chem. Sci. which is on Medicinal & Chemistry has, as its objective, the

publication and dissemination of original research work in the field of Medicinal & Chemistry, which includes all aspects of applied and theoretical Medicinal & chemistry. In keeping with the objectives of the J. Med. Chem. Sci., this journal emphasizes different aspects of the foundations and applications of the field, in order to further develop international academic exchange between chemistry experts and researchers around the world. J. Med. Chem. Sci. intends to foster the exchange of ideas between scientists and engineers in different parts of the world and also among researchers who emphasize different aspects of the foundations and applications of the field. All submitted manuscripts are checked by iThenticate. and plagiarism between 20-30% is acceptable in the journal. This is a Turkish journal ([Link](#)).

Indexing in Scopus is tracking (The first time, Submission Received: 21-Nov-2020, **Accepted** date: 31 Dec 2021):

<https://suggestor.step.scopus.com/progressTracker/?trackingID=50D4F05A17EBE87D> , Link 2:

http://www.jmchemsci.com/page_680.html

Countries Contributors					
Number	Country	Number	Country	Number	Country
1	Iraq	19	Morocco	37	Cote d'Ivoire
2	Indonesia	20	Palestine	38	Cyprus
3	Iran	21	Thailand	39	Ecuador
4	India	22	Belarus	40	France
5	Russian Federation	23	Belgium	41	Hungary
6	Egypt	24	Benin	42	Kazakhstan
7	Malaysia	25	Canada	43	Nepal
8	Jordan	26	China	44	Philippines
9	Saudi Arabia	27	Germany	45	Rwanda
10	Turkey	28	Kenya	46	Sudan
11	Pakistan	29	Libyan Arab Jamahiriya	47	Syrian Arab Republic
12	United States	30	Nigeria	48	Uganda
13	Georgia	31	Serbia	49	Uzbekistan
14	Peru	32	Taiwan	50	
15	Ukraine	33	Viet Nam	51	
16	Libya	34	Algeria	52	
17	United Arab Emirates	35	Botswana	53	
18	Australia	36	Burkina Faso	54	



Journal of Medicinal and Chemical Sciences

CiteScore: 2.6, Q2 h-index: 29

Search

[Home](#)

[A-Z Journals](#)

[Browse](#)

[Journal Info](#)

[Editorial Board](#)

[Guide for Authors](#)

[Submit Manuscript](#)

[Contact Us](#)

[Articles in Press](#)

[Current Issue](#)

[Volume 8 \(2025\)](#) [Volume 7 \(2024\)](#)



[Volume 6 \(2023\)](#) [Volume 5 \(2022\)](#)




[Volume 4 \(2021\)](#)



Number of Articles: 7

Review Article



Spine Surgery in Patients with Scoliosis and Kyphosis: A Systematic Review


Adel Kiumarcy; Navid Golchin; Azadeh Rajabzadeh Kanafi
Volume 8, Issue 4 , April 2025, Pages 325-338

<https://doi.org/10.26655/JMCHEMSCI.2025.4.1>

Abstract Scoliosis or lateral curvature of the spine is a condition in which the spine undergoes curvature and rotation. In the present study, a systematic review of spine surgery in patients ... [Read More](#)

[View Article](#) [PDF](#) 522.19 K

Original Article



Memorizing Al-Quran Increases Serum BDNF Levels

Donna Adriani; Patwa Amani; Mustika Anggiane Putri;
Yudhisman Imran; Irmiya Rachmiyani; Ahmad Fauzi; Emad
Yousif


Volume 8, Issue 4 , April 2025, Pages 339-344

<https://doi.org/10.26655/JMCHEMSCI.2025.4.2>

Abstract Cognitive function refers to mental processes involving knowledge, information processing, and reasoning. Memorizing the Al-Quran can stimulate the production of brain-derived neurotrophic ... [Read More](#)

[View Article](#) [PDF](#) 381.66 K

Original Article



Natalia Sukarta; Hani Susianti; I Putu Adi Santosa; Lady Larissa Marietta

Volume 8, Issue 4 , April 2025, Pages 345-354


<https://doi.org/10.26655/JMCHEMSCI.2025.4.3>

Abstract Proteinuria and albuminuria are strongly associated with kidney disease, and albuminuria is an important marker for stratifying the severity of chronic kidney disease (CKD) as well

... [Read More](#)

[View Article](#) [PDF 637.65 K](#)

Mini-Review Article



A systematic review on the chemistry of drugs and nanoparticles used in drugs used in cancer patients, relying on nursing and care tips

Shima Sadat Aghahosseini; Saghar Erfani

Volume 8, Issue 4 , April 2025, Pages 355-365

<https://doi.org/10.26655/JMCHEMSCI.2025.4.4>


Abstract Introduction: In the present study, the chemistry of drugs and nanoparticles used in drugs used in cancer patients

has been studied, focusing on nursing and care tips.

Nanoparticles ... [Read More](#)

[View Article](#)  PDF 629.03 K

Original Article



Comparative Study on Reproductive and Surgical Outcomes in Laparoscopic Myomectomy: Temporary

Uterine Artery Cross-clamping for Large Submucosal Leiomyomas Compared to Alternative Methods

Zauresh Barmanasheva; Daniyar Dzhakupov; Talgat
Kudaibergenov; Mariya Laktionova; Mairash Baimuratova;
Vladimir Kotlobovsky; Aknur Turgumbayeva


Volume 8, Issue 4 , April 2025, Pages 366-378

<https://doi.org/https://doi.org/10.26655/JMCHEMSCI.2025.4.5>

Abstract A significant proportion of women face primary infertility or pregnancy loss, while secondary infertility is reported in approximately half of women with myomatous nodules (MN). The ... [Read More](#)

[View Article](#)  PDF 479.92 K

Mini-Review Article



A Systematic Review of Drug Therapy in Head and Neck Cancer Patients Based on Nursing and Pharmaceutical Care

Shima Sadat Aghahosseini; Saghar Erfani


Volume 8, Issue 4 , April 2025, Pages 379-391

<https://doi.org/10.26655/JMCHEMSCI.2025.4.6>

Abstract This study systematically reviews drug therapy in patients with head and neck cancer based on nursing and drug care. The particles, which carry two different types of drugs, designed ... [Read More](#)

[View Article](#) [PDF](#) 676.58 K

Original Article



Effects of Prophylactic Aminophylline Therapy on Clinical Outcomes in Premature Infants ≤ 33 Weeks

Abedulrhman S. Abdelfattah; Hamzeh R Al-Momani; Amjad S Tarawneh; Aya M Makkawi; Zeina K Masoud

Volume 8, Issue 4 , April 2025, Pages 392-404

<https://doi.org/10.26655/JMCHEMSCI.2025.4.7>

Abstract Aminophylline is utilized to treat apnea of prematurity (AOP) during the critical first 72 hours of life. The aim of this study was to quantify the disparity in the length of continuous ... [Read More](#)

[View Article](#)  [PDF](#) 539.95 K



Original Article

Memorizing Al-Quran Increases Serum BDNF Levels

Donna Adriani^{1*} , Patwa Amani¹ , Mustika Anggiane Putri¹ , Yudhisman Imran² ,
Irmiya Rachmiyani³ , Ahmad Fauzi⁴, Emad Yousif⁵

¹Physiology Department, Faculty of Medicine, Universitas Trisakti, 11440 Jakarta, Indonesia

²Neurology Department, Faculty of Medicine, Universitas Trisakti, 11440 Jakarta, Indonesia

³Obstetry and Gynecology Department, Faculty of Medicine, Universitas Trisakti, 11440 Jakarta, Indonesia

⁴Al-Azhar Syifa Budi, 16967 Cibubur, Indonesia

⁵Department of Chemistry, College of Science, Al-Nahrain University, Baghdad, Iraq

ARTICLE INFO

Article history

Received: 2025-01-19

Received in revised: 2025-02-24

Accepted: 2025-03-07

Manuscript ID: JMCS-2501-2746

DOI:10.26655/JMCHMSCI.2025.4.2

KEYWORDS

BDNF

Cognitive function

Memorizing Al-Quran

MOCA-INA

ABSTRACT


Cognitive function refers to mental processes involving knowledge, information processing, and reasoning. Memorizing the Al-Quran can stimulate the production of brain-derived neurotrophic factor (BDNF), a crucial protein that plays a significant role in promoting the survival of neurons and synapses involved in memory and learning. BDNF levels can be used to assess cognitive function. Mild Cognitive Impairment (MCI) is often evaluated using the MOCA-INA score. This study utilized an observational analytic design with a cross-sectional approach. Extensive studies have explored the effects of learning and memorizing the Al-Quran on cognitive abilities in adults. In this study, cognitive function was evaluated by measuring serum BDNF levels and the MOCA-INA score. The study involved 88 adult participants aged 18-30 years who met the inclusion and exclusion criteria. The BDNF levels in the 11-20 juz group (45540.25 ± 11661.84 pg/mL) and the 21-30 juz group (46005.6 ± 7304.86 pg/mL) were significantly higher than those in the <10 juz group (37414.88 ± 10229.63 pg/mL). The difference between Quran memorization and BDNF levels was statistically significant ($p = 0.002$). However, the MOCA-INA scores did not show a significant difference across the three groups ($p = 0.696$). The amount of Al-Quran memorized is significantly associated with serum BDNF levels. Memorizing the Al-Quran may provide cognitive benefits, particularly in enhancing brain neurotrophic factors, and could be a beneficial practice for improving cognitive function in Muslims.

* Corresponding author: Donna Adriani

✉ E-mail: donna.adriani@trisakti.ac.id

© 2025 by SPC (Sami Publishing Company)

GRAPHICAL ABSTRACT



Introduction

Cognitive function refers to a set of mental processes involved in learning, memory, attention, perception, language, intelligence, and reasoning. Some of the cognitive functions that are often assessed include learning, memory, attention, and executive function [1]. Studies have shown that cognitive function tends to decline after the age of 20 [2]. One way to assess cognitive function is through the measurement of Brain Derived Neurotrophic Factor (BDNF) levels, a crucial protein that plays a significant role in promoting the survival of synapses and neurons involved in memory and learning processes [4]. BDNF is particularly expressed in the hippocampus and para-hippocampus areas, which are vital for cognitive tasks related to memory and learning [5].

Besides BDNF levels, cognitive function can also be assessed using tools such as the MOCA-INA score. The MOCA-INA score is commonly used to screen for Mild Cognitive Impairment (MCI) [6]. The Al-Quran, the holy book of Islam, is believed by Muslims to be the word of Allah SWT revealed to the Prophet Muhammad SAW [7,9]. Individuals

who read, memorize, and study the Al-Quran are referred to as Hafidz [10]. Memorizing the Al-Quran is a challenging task, as it requires strong memory and high concentration [11]. Several studies have indicated that memorizing the Al-Quran may have cognitive benefits, particularly in improving cognitive function.

Materials and Methods

The aim of this study was to observe and analyze the effects of memorizing the Al-Quran on cognitive function in adults using a cross-sectional approach. The study was conducted at Perguruan Tinggi Ilmu Quran (PTIQ) to evaluate this relationship. The study involved 88 adult participants (men and women aged ≥ 18 years), who provided written informed consent after receiving a full explanation of the study's purpose and procedures.

Inclusion criteria included adults aged 18 years and above, while exclusion criteria were participants diagnosed with psychotic disorders, neurological disorders, those on antidepressant or antipsychotic medications, or those with malignancies.

Participants were divided into three groups based on the number of Al-Quran parts (juz) they had memorized: the first group (Group 1) included participants who had memorized fewer than 10 juz, the second group (Group 2) included those who had memorized 11-20 juz, and the third group (Group 3) included participants who had memorized 21-30 juz.

Cognitive function was assessed through two methods: the measurement of serum BDNF levels and the MOCA-INA (Montreal Cognitive Assessment for Indonesian participants) score. Serum BDNF levels were measured using the ELISA method, in collaboration with PRODIA Laboratory. The MOCA-INA test evaluates various aspects of cognitive functioning, including short-term memory, visuospatial memory, executive functions, attention, language, and spatial and temporal orientation. The MOCA-INA is a widely used cognitive screening tool, with scores between 25 and 30 generally considered within the normal range.

Ethics approval was obtained from the Faculty of Medicine, Universitas Trisakti (No. 179/KER/FK/X/2022). Data processing was conducted using SPSS v.25, with results presented as mean $\pm$ SD. To assess the differences between groups, an ANOVA test was applied. A statistical significance level of $p < 0.05$ was considered meaningful.

Results

Based on the data presented in the study, a total of 88 participants were included, consisting of 49 males (55.68%) and 39 females (44.32%), as indicated in Table 1. The general characteristics of the participants at baseline included their age, BDNF serum levels, and MOCA-INA scores.

The mean age of the participants was 25.18 years, with a standard deviation of 2.94 years, indicating that the participants were relatively young adults with minimal age variation. The mean BDNF serum level was recorded at 40356.55 pg/mL, with a standard deviation of 10747.37 pg/mL, reflecting a moderate variation in BDNF levels among participants. In addition, the MOCA-INA score, which assesses cognitive function, had a mean value of 25.14 with a standard deviation of 2.96, suggesting that the majority of participants had relatively stable cognitive performance (Table 1).

These baseline characteristics provide an overview of the population studied, indicating a balanced gender distribution and consistent ranges for the key variables. The data also serve as a foundation for further analysis, particularly in exploring the relationships between demographic and biological factors, such as BDNF levels and cognitive function, across different groups in the study.

Table 1: Distribution of the general characteristics of the participants at base line

Characteristics	Mean (pg/mL)	SD (pg/mL)
Age (yo)	25.18	2.94
BDNF (pg/mL)	40356.55	10747.37
MOCA-INA	25.14	2.96

The findings revealed that the serum levels of brain-derived neurotrophic factor (BDNF) were notably higher in individuals who had memorized a greater number of Al-Quran juz. Specifically, participants in the 11–20 juz group exhibited an average BDNF serum level of 45540.25 ± 11661.84 pg/mL, while those in the 21–30 juz group showed an even higher average of 46005.6 ± 7304.86 pg/mL. In contrast, participants who had memorized fewer than 10 juz had significantly lower average BDNF serum levels, measuring 37414.88 ± 10229.63 pg/mL. Statistical analysis indicated a significant

correlation between the extent of Al-Quran memorization and BDNF serum levels, with a p-value of 0.002, suggesting that increased memorization activity may positively influence BDNF levels (Table 2).

However, the analysis of cognitive function using the MOCA-INA (Montreal Cognitive Assessment - Indonesian version) score showed no significant differences across the three groups, as evidenced by a p-value of 0.696. This indicates that while memorization activity appears to have a measurable impact on BDNF serum levels, it may not directly translate to observable differences in

cognitive function, as assessed by MOCA-INA, among the groups studied. These findings, summarized in (Table 2), highlight the potential neurobiological benefits associated with

memorization activities while suggesting that further research is needed to fully understand the relationship between BDNF levels and cognitive outcomes.

Table 2: BDNF levels and MOCA-INA score

Characteristics	Memorization Al-Quran			P-value
	< 10 juz (n=29)	11-20 juz (n=30)	21-30 juz (n=29)	
BDNF (pg/mL)	37414.88 ± 10229.63	45540.25 ± 11661.84	46005.60 ± 7304.86	0.002
MOCA-INA	25 ± 3.08	25 ± 2.88	25.73 ± 2.66	0.696

Discussion

This study showed that the highest level of BDNF and MOCA-INA score was observed among the participants who memorized the Al-Quran in the category of juz 21 – 30. BDNF plays an important role in changing to brain structure. BDNF is correlated with increased cognitive function. BDNF activity improve cognitive function [3,11]. Assessment of cognitive function consists of attention and concentration, executive function, memory, language, visuoconstruction, conceptual thinking, calculation, and orientation skills [12,13].

Memorization involves processes called basic cognitive processes which include encoding, storing, and recalling memories, because these processes occur in many memory systems that function differently but are interconnected [13]. Memorization of the Al-Quran means the process of memorizing the Al-Qur'an as a whole, both memorization and accuracy of reading as well as pursuing, reciting and paying attention to keeping memorization from forgetting [14]. Memorizers of the Al-Quran in Arabic are called Hafidz Al-Quran. Hafidz Al-Quran is a person who memorizes well after going through the process of memorizing verse by verse of the Al-Qur'an on purpose. Hafiz Qur'an can recite verses of the Al-Qur'an without looking at these verses and must always keep their memorization so that they are not forgotten. Indeed, the Qur'an is easy to memorize as stated in one of its verses: "And verily We have made the Qur'an easy to understand and remember, then has anyone learned a lesson?" [15]. A study by Zoladz *et al.* repeated stimulation triggers long-term potentiation (LTP) [16].

A study by Irfannuddin *et al.* showed that Hafidz Al-Quran group has a significantly higher BDNF serum level than administrative workers group. Environmental stimulation related religious activity like memorizing Al-Quran may affect BDNF to support neuroplasticity [17]. Zoladz *et al.* found that BDNF regulates long-term potentiation (LTP) in the hippocampus, which is a form of synaptic plasticity that contributes to long-term memory formation. [16].

Based on Hussain MH's study (2021) the treatment group listening to the Al-Quran had increased memory and was statistically significant. This is because listening to the Al-Quran can increase mood and happy hormones [18]. Based on Irawati K's study (2018), reading the Al-Quran can prevent cognitive function decline in the elderly because reading and listening to the Al-Quran gives calm, piety, and controlling emotions for the reader [19]. Religious activities can improve cognitive function in terms of increasing the MoCa-Ina score [20,22].

Conclusion

The amount of juz memorized Al-Quran is significantly related to BDNF serum level. In practical terms, we may suggest that Muslims memorize the Al-Quran to improve cognitive function.

Acknowledgements

The findings of this study were graciously provided by the Faculty of Medicine at Universitas Trisakti, and the authors are immensely grateful for their support.

Disclosure Statement

The authors declare that they have no conflicts of interest to disclose in this study.

ORCID

Donna Adriani:

<https://orcid.org/0000-0003-4595-4097>

Patwa Amani:

<https://orcid.org/0000-0001-6568-6072>

Mustika Anggiane Putri:

<https://orcid.org/0000-0002-4451-5511>

Yudhisman Imran:

<https://orcid.org/0000-0003-4084-7364>

Irmiya Rachmiyani:

<https://orcid.org/0009-0008-8503-1792>

Emad Yousif:

<https://orcid.org/0000-0003-1458-4724>

References

- [1] Driscoll L.L., Cognitive function, Comprehensive Toxicology, Elsevier, 2018, 376 [Crossref], [Google Scholar], [Publisher]
- [2] Gholipour N., Amiripour A., Relationship between personal myth and early maladaptive schemas with general health in third year male and female high school students in islamshahr. *Eurasian Journal of Science and Technology*, 2023, 3:77 [Crossref], [Google Scholar], [Publisher]
- [3] Salthouse T., Consequences of age-related cognitive declines, *Annual Review of Psychology*, 2012, 63:201 [Crossref], [Google Scholar], [Publisher]
- [4] Adriani D., Imran Y., Mawi M., Amani P., Ilyas E.I., Effect of brain gym® exercises on cognitive function and brain-derived neurotrophic factor plasma level in elderly: A randomized controlled trial, *Universa Medicina*, 2020, 39:34 [Crossref], [Google Scholar], [Publisher]
- [5] Miranda M., Morici J.F., Zanoni M.B., Bekinschtein P., Brain-derived neurotrophic factor: A key molecule for memory in the healthy and the pathological brain, *Frontiers in Cellular Neuroscience*, 2019, 13:472800 [Crossref], [Google Scholar], [Publisher]
- [6] Imran Y., Adriani D., Amani P., Rachmiyani I., Prawiroharjo P., Association between brain gym and cognitive function in postmenopausal women, *International Journal of Scientific and Technology Research*, 2020, 9:1405 [Crossref], [Google Scholar], [Publisher]
- [7] Alaydrus R., Adolescent metacognitive knowledge during the Quran memorization process, *Journal of Islamic Studies And Culture*, 2019, 7:12 [Crossref], [Google Scholar], [Publisher]
- [8] Slamet S., The effect of memorizing quran on the children cognitive intelligence, *Humanities & Social Sciences Reviews*, 2019, 7:571 [Crossref], [Google Scholar], [Publisher]
- [9] Kirmani M.N., Qur'anic approach to cognitive and behavioral change: psychological perspective, *IAHRW International Journal of Social Sciences*, 2016, 3:257 [Crossref], [Google Scholar], [Publisher]
- [10] Sirin S., Metin B., Tarhan N., The effect of memorizing the quran on cognitive functions, *The Journal of Neurobehavioral Sciences*, 2021, 8:22 [Crossref], [Google Scholar], [Publisher]
- [11] Charsouei S., Mohammad Rahimi M., Determining complications of neurological system in patients after kidney transplantation in northwest iran, *Eurasian Journal of Science and Technology*, 2025, 5:81 [Crossref], [Google Scholar], [Publisher]
- [12] Ghaffari Y.D., Ghorbanian N., The effects of blood sugar, electrolytes, and blood pressure on postoperative cognitive dysfunction in patients candidates for general surgery under general anesthesia: A non-systematic review, *Eurasian Journal of Science and Technology*, 2023, 3:125 [Crossref], [Google Scholar], [Publisher]
- [13] Basir A., Syahbudin A., Yahya M.D., Armizi A., Liriwati F.Y., What does current evidence say about prenatal education to succeed alquran

- hafiz, Nazhruna: *Jurnal Pendidikan Islam*, 2022, 5:229 [Crossref], [Google Scholar], [Publisher]
- [14] Adriani D., Amani P., Putri M.A., Imran Y., Fauzi A., Menghafal Al-quran: Tinjauan fungsi kognitif, *Jurnal Penelitian Dan Karya Ilmiah Lembaga Penelitian Universitas Trisakti*, 2024, 9:147 [Crossref], [Google Scholar], [Publisher]
- [15] Shukri N.H.A., Nasir M.K.M., Razak K.A., Educational strategies on memorizing the Quran: A review of literature, *Development*, 2020, 9:632 [Crossref], [Google Scholar], [Publisher]
- [16] a) Raziani Y, Raziani S. Evaluation of Mental Health of Chemotherapy-Treated Cancer Nurses. *Journal of Medicinal and Chemical Sciences*. 2021;4:351-63. [Crossref], [Google Scholar], [Publisher] b) Arifin Z., Method of memorizing al-qur'an according to baduwailan, *Studia Religia: Jurnal Pemikiran Dan Pendidikan Islam*, 2019, 3 [Crossref], [Google Scholar], [Publisher]
- [17] Fairuzillah M.N., Listiana A., The positive impact of memorizing the qur'an on cognitive intelligence of children, *In 5th International Conference on Early Childhood Education (ICECE 2020) Atlantis Press*, 2021, 334 [Crossref], [Google Scholar], [Publisher]
- [18] Zoladz J.A., Pilc J., The effect of physical activity on the brain derived neurotrophic factor: From animal to human studies, *Journal of Physiology and Pharmacology*, 2010, 61:533 [Crossref], [Google Scholar], [Publisher]
- [19] Irfannuddin M., Huffaz have higher BDNF level and better memory ability than administrative workers in same age and education, 2018 [Crossref], [Google Scholar], [Publisher]
- [20] Hussain M.H., The effect of quran as a stimulus in enhancing working memory and mood, *International Journal of Islamic Psychology*, 2021, 4:1 [Crossref], [Google Scholar], [Publisher]
- [21] Irawati K., Madani F., Durasi membaca Al-qur'an dengan fungsi kognitif pada lansia, *Mutiara Medika: Jurnal Kedokteran Dan Kesehatan*, 2019, 19:17 [Crossref], [Google Scholar], [Publisher]
- [22] Amir S.N., Juliana N., Azmani S., Abu I.F., Talib A.H.Q.A., Abdullah F., Salehuddin I.Z., Teng N.I.M.F., Amin N.A., Azmi N.A.S.M., Aziz N.A.S.A., Impact of religious activities on quality of life and cognitive function among elderly, *Journal of Religion and Health*, 2022, 61:1 [Crossref], [Google Scholar], [Publisher]

HOW TO CITE THIS ARTICLE

Donna Adriani, Patwa Amani, Mustika Anggiane Putri, Yudhisman Imran, Irmiya Rachmiyani, Ahmad Fauzi, Emad Yousif, Memorizing Al-Quran Increases Serum BDNF Levels . *J. Med. Chem. Sci.*, 2025, 8(4) 339-344

DOI: <https://doi.org/10.26655/JMCHMSCI.2025.4.2>

URL: https://www.jmchemsci.com/article_218115.html

Donna Adriani

10.26655_JMCHEMSCI.2025.4.2



Publikasi Donna

Document Details

Submission ID

trn:oid::3618:143721934

Submission Date

Jun 20, 2026, 10:11 PM GMT+7

Download Date

Jun 20, 2026, 10:27 PM GMT+7

File Name

10.26655_JMCHEMSCI.2025.4.2.pdf

File Size

381.7 KB

6 Pages**2,765 Words****15,866 Characters**

12% Overall Similarity

The combined total of all matches, including overlapping sources, for each database.

Filtered from the Report

- Bibliography
- Quoted Text
- Small Matches (less than 10 words)

Exclusions

- 5 Excluded Matches

Match Groups

-  **9 Not Cited or Quoted 6%**
Matches with neither in-text citation nor quotation marks
-  **6 Missing Quotations 6%**
Matches that are still very similar to source material
-  **0 Missing Citation 0%**
Matches that have quotation marks, but no in-text citation
-  **0 Cited and Quoted 0%**
Matches with in-text citation present, but no quotation marks

Top Sources

- 11%  Internet sources
- 6%  Publications
- 0%  Submitted works (Student Papers)

Integrity Flags

0 Integrity Flags for Review

Our system's algorithms look deeply at a document for any inconsistencies that would set it apart from a normal submission. If we notice something strange, we flag it for you to review.

A Flag is not necessarily an indicator of a problem. However, we'd recommend you focus your attention there for further review.

Match Groups

- 9 Not Cited or Quoted 6%**
Matches with neither in-text citation nor quotation marks
- 6 Missing Quotations 6%**
Matches that are still very similar to source material
- 0 Missing Citation 0%**
Matches that have quotation marks, but no in-text citation
- 0 Cited and Quoted 0%**
Matches with in-text citation present, but no quotation marks

Top Sources

- 11% Internet sources
- 6% Publications
- 0% Submitted works (Student Papers)

Top Sources

The sources with the highest number of matches within the submission. Overlapping sources will not be displayed.

1	Internet	discovery.researcher.life	2%
2	Internet	www.nature.com	2%
3	Internet	nuraishahibrahim.com	1%
4	Internet	www.mdpi.com	<1%
5	Publication	Hanifah Aulia Amalia Maqfiroh, Ainur Rhain. "The Adab (Manners) of Tawadhu' in ...	<1%
6	Internet	www.karger.com	<1%
7	Internet	pdfcookie.com	<1%
8	Publication	Mariana Mariana, Irfanuddin Irfanuddin, Fachmi Idris, Iche Andriyani Liberty. "Th...	<1%
9	Internet	lirias.kuleuven.be	<1%
10	Internet	repository.stikesmitrakeluarga.ac.id	<1%

11	Internet	
www.karyailmiah.trisakti.ac.id		<1%
12	Publication	
Raditya Wratsangka, Elly Herwana, Yenny Yenny, Endrico Xavieress, Aditya Krishn...		<1%
13	Publication	
Ikrimah Diyan Lestari, Evi Susanti Sinaga. "Sociodemographic determinants and ...		<1%



Original Article

Memorizing Al-Quran Increases Serum BDNF Levels

Donna Adriani^{1*} , Patwa Amani¹ , Mustika Anggiane Putri¹ , Yudhisman Imran² , Irmia Rachmiyani³ , Ahmad Fauzi⁴, Emad Yousif⁵
¹Physiology Department, Faculty of Medicine, Universitas Trisakti, 11440 Jakarta, Indonesia

²Neurology Department, Faculty of Medicine, Universitas Trisakti, 11440 Jakarta, Indonesia

³Obstetry and Gynecology Department, Faculty of Medicine, Universitas Trisakti, 11440 Jakarta, Indonesia

⁴Al-Azhar Syifa Budi, 16967 Cibubur, Indonesia

⁵Department of Chemistry, College of Science, Al-Nahrain University, Baghdad, Iraq

ARTICLE INFO

Article history

Received: 2025-01-19

Received in revised: 2025-02-24

Accepted: 2025-03-07

Manuscript ID: JMCS-2501-2746

DOI:10.26655/JMCHMSCI.2025.4.2

KEYWORDS

BDNF

Cognitive function

Memorizing Al-Quran

MOCA-INA

ABSTRACT


Cognitive function refers to mental processes involving knowledge, information processing, and reasoning. Memorizing the Al-Quran can stimulate the production of brain-derived neurotrophic factor (BDNF), a crucial protein that plays a significant role in promoting the survival of neurons and synapses involved in memory and learning. BDNF levels can be used to assess cognitive function. Mild Cognitive Impairment (MCI) is often evaluated using the MOCA-INA score. This study utilized an observational analytic design with a cross-sectional approach. Extensive studies have explored the effects of learning and memorizing the Al-Quran on cognitive abilities in adults. In this study, cognitive function was evaluated by measuring serum BDNF levels and the MOCA-INA score. The study involved 88 adult participants aged 18-30 years who met the inclusion and exclusion criteria. The BDNF levels in the 11-20 juz group (45540.25 ± 11661.84 pg/mL) and the 21-30 juz group (46005.6 ± 7304.86 pg/mL) were significantly higher than those in the <10 juz group (37414.88 ± 10229.63 pg/mL). The difference between Quran memorization and BDNF levels was statistically significant ($p = 0.002$). However, the MOCA-INA scores did not show a significant difference across the three groups ($p = 0.696$). The amount of Al-Quran memorized is significantly associated with serum BDNF levels. Memorizing the Al-Quran may provide cognitive benefits, particularly in enhancing brain neurotrophic factors, and could be a beneficial practice for improving cognitive function in Muslims.

* Corresponding author: Donna Adriani

✉ E-mail: donna.adriani@trisakti.ac.id

© 2025 by SPC (Sami Publishing Company)

GRAPHICAL ABSTRACT



Introduction

Cognitive function refers to a set of mental processes involved in learning, memory, attention, perception, language, intelligence, and reasoning. Some of the cognitive functions that are often assessed include learning, memory, attention, and executive function [1]. Studies have shown that cognitive function tends to decline after the age of 20 [2]. One way to assess cognitive function is through the measurement of Brain Derived Neurotrophic Factor (BDNF) levels, a crucial protein that plays a significant role in promoting the survival of synapses and neurons involved in memory and learning processes [4]. BDNF is particularly expressed in the hippocampus and para-hippocampus areas, which are vital for cognitive tasks related to memory and learning [5].

Besides BDNF levels, cognitive function can also be assessed using tools such as the MOCA-INA score. The MOCA-INA score is commonly used to screen for Mild Cognitive Impairment (MCI) [6]. The Al-Quran, the holy book of Islam, is believed by Muslims to be the word of Allah SWT revealed to the Prophet Muhammad SAW [7,9]. Individuals

who read, memorize, and study the Al-Quran are referred to as Hafidz [10]. Memorizing the Al-Quran is a challenging task, as it requires strong memory and high concentration [11]. Several studies have indicated that memorizing the Al-Quran may have cognitive benefits, particularly in improving cognitive function.

Materials and Methods

The aim of this study was to observe and analyze the effects of memorizing the Al-Quran on cognitive function in adults using a cross-sectional approach. The study was conducted at Perguruan Tinggi Ilmu Quran (PTIQ) to evaluate this relationship. The study involved 88 adult participants (men and women aged ≥ 18 years), who provided written informed consent after receiving a full explanation of the study's purpose and procedures.

Inclusion criteria included adults aged 18 years and above, while exclusion criteria were participants diagnosed with psychotic disorders, neurological disorders, those on antidepressant or antipsychotic medications, or those with malignancies.

Participants were divided into three groups based on the number of Al-Quran parts (juz) they had memorized: the first group (Group 1) included participants who had memorized fewer than 10 juz, the second group (Group 2) included those who had memorized 11-20 juz, and the third group (Group 3) included participants who had memorized 21-30 juz.

Cognitive function was assessed through two methods: the measurement of serum BDNF levels and the MOCA-INA (Montreal Cognitive Assessment for Indonesian participants) score. Serum BDNF levels were measured using the ELISA method, in collaboration with PRODIA Laboratory. The MOCA-INA test evaluates various aspects of cognitive functioning, including short-term memory, visuospatial memory, executive functions, attention, language, and spatial and temporal orientation. The MOCA-INA is a widely used cognitive screening tool, with scores between 25 and 30 generally considered within the normal range.

Ethics approval was obtained from the Faculty of Medicine, Universitas Trisakti (No. 179/KER/FK/X/2022). Data processing was conducted using SPSS v.25, with results presented as mean $\pm$ SD. To assess the differences between groups, an ANOVA test was applied. A statistical significance level of $p < 0.05$ was considered meaningful.

Results

Based on the data presented in the study, a total of 88 participants were included, consisting of 49 males (55.68%) and 39 females (44.32%), as indicated in Table 1. The general characteristics of the participants at baseline included their age, BDNF serum levels, and MOCA-INA scores.

The mean age of the participants was 25.18 years, with a standard deviation of 2.94 years, indicating that the participants were relatively young adults with minimal age variation. The mean BDNF serum level was recorded at 40356.55 pg/mL, with a standard deviation of 10747.37 pg/mL, reflecting a moderate variation in BDNF levels among participants. In addition, the MOCA-INA score, which assesses cognitive function, had a mean value of 25.14 with a standard deviation of 2.96, suggesting that the majority of participants had relatively stable cognitive performance (Table 1).

These baseline characteristics provide an overview of the population studied, indicating a balanced gender distribution and consistent ranges for the key variables. The data also serve as a foundation for further analysis, particularly in exploring the relationships between demographic and biological factors, such as BDNF levels and cognitive function, across different groups in the study.

Table 1: Distribution of the general characteristics of the participants at base line

Characteristics	Mean (pg/mL)	SD (pg/mL)
Age (yo)	25.18	2.94
BDNF (pg/mL)	40356.55	10747.37
MOCA-INA	25.14	2.96

The findings revealed that the serum levels of brain-derived neurotrophic factor (BDNF) were notably higher in individuals who had memorized a greater number of Al-Quran juz. Specifically, participants in the 11–20 juz group exhibited an average BDNF serum level of 45540.25 ± 11661.84 pg/mL, while those in the 21–30 juz group showed an even higher average of 46005.6 ± 7304.86 pg/mL. In contrast, participants who had memorized fewer than 10 juz had significantly lower average BDNF serum levels, measuring 37414.88 ± 10229.63 pg/mL. Statistical analysis indicated a significant

correlation between the extent of Al-Quran memorization and BDNF serum levels, with a p-value of 0.002, suggesting that increased memorization activity may positively influence BDNF levels (Table 2).

However, the analysis of cognitive function using the MOCA-INA (Montreal Cognitive Assessment - Indonesian version) score showed no significant differences across the three groups, as evidenced by a p-value of 0.696. This indicates that while memorization activity appears to have a measurable impact on BDNF serum levels, it may not directly translate to observable differences in

cognitive function, as assessed by MOCA-INA, among the groups studied. These findings, summarized in (Table 2), highlight the potential neurobiological benefits associated with

memorization activities while suggesting that further research is needed to fully understand the relationship between BDNF levels and cognitive outcomes.

Table 2: BDNF levels and MOCA-INA score

Characteristics	Memorization Al-Quran			P-value
	< 10 juz (n=29)	11-20 juz (n=30)	21-30 juz (n=29)	
BDNF (pg/mL)	37414.88 ± 10229.63	45540.25 ± 11661.84	46005.60 ± 7304.86	0.002
MOCA-INA	25 ± 3.08	25 ± 2.88	25.73 ± 2.66	0.696

Discussion

This study showed that the highest level of BDNF and MOCA-INA score was observed among the participants who memorized the Al-Quran in the category of juz 21 – 30. BDNF plays an important role in changing to brain structure. BDNF is correlated with increased cognitive function. BDNF activity improve cognitive function [3,11]. Assessment of cognitive function consists of attention and concentration, executive function, memory, language, visuoconstruction, conceptual thinking, calculation, and orientation skills [12,13].

Memorization involves processes called basic cognitive processes which include encoding, storing, and recalling memories, because these processes occur in many memory systems that function differently but are interconnected [13]. Memorization of the Al-Quran means the process of memorizing the Al-Qur'an as a whole, both memorization and accuracy of reading as well as pursuing, reciting and paying attention to keeping memorization from forgetting [14]. Memorizers of the Al-Quran in Arabic are called Hafidz Al-Quran. Hafidz Al-Quran is a person who memorizes well after going through the process of memorizing verse by verse of the Al-Qur'an on purpose. Hafiz Qur'an can recite verses of the Al-Qur'an without looking at these verses and must always keep their memorization so that they are not forgotten. Indeed, the Qur'an is easy to memorize as stated in one of its verses: "And verily We have made the Qur'an easy to understand and remember, then has anyone learned a lesson?" [15]. A study by Zoladz *et al.* repeated stimulation triggers long-term potentiation (LTP) [16].

A study by Irfannuddin *et al.* showed that Hafidz Al-Quran group has a significantly higher BDNF serum level than administrative workers group. Environmental stimulation related religious activity like memorizing Al-Quran may affect BDNF to support neuroplasticity [17]. Zoladz *et al.* found that BDNF regulates long-term potentiation (LTP) in the hippocampus, which is a form of synaptic plasticity that contributes to long-term memory formation. [16].

Based on Hussain MH's study (2021) the treatment group listening to the Al-Quran had increased memory and was statistically significant. This is because listening to the Al-Quran can increase mood and happy hormones [18]. Based on Irawati K's study (2018), reading the Al-Quran can prevent cognitive function decline in the elderly because reading and listening to the Al-Quran gives calm, piety, and controlling emotions for the reader [19]. Religious activities can improve cognitive function in terms of increasing the MoCa-Ina score [20,22].

Conclusion

The amount of juz memorized Al-Quran is significantly related to BDNF serum level. In practical terms, we may suggest that Muslims memorize the Al-Quran to improve cognitive function.

Acknowledgements

The findings of this study were graciously provided by the Faculty of Medicine at Universitas Trisakti, and the authors are immensely grateful for their support.

6

Disclosure Statement

The authors declare that they have no conflicts of interest to disclose in this study.

ORCID

Donna Adriani:

<https://orcid.org/0000-0003-4595-4097>

Patwa Amani:

<https://orcid.org/0000-0001-6568-6072>

Mustika Anggiane Putri:

<https://orcid.org/0000-0002-4451-5511>

Yudhisman Imran:

<https://orcid.org/0000-0003-4084-7364>

Irmiya Rachmiyani:

<https://orcid.org/0009-0008-8503-1792>

Emad Yousif:

<https://orcid.org/0000-0003-1458-4724>

References

- [1] Driscoll L.L., Cognitive function, Comprehensive Toxicology, Elsevier, 2018, 376 [Crossref], [Google Scholar], [Publisher]
- [2] Gholipour N., Amiripour A., Relationship between personal myth and early maladaptive schemas with general health in third year male and female high school students in islamshahr. *Eurasian Journal of Science and Technology*, 2023, 3:77 [Crossref], [Google Scholar], [Publisher]
- [3] Salthouse T., Consequences of age-related cognitive declines, *Annual Review of Psychology*, 2012, 63:201 [Crossref], [Google Scholar], [Publisher]
- [4] Adriani D., Imran Y., Mawi M., Amani P., Ilyas E.I., Effect of brain gym® exercises on cognitive function and brain-derived neurotrophic factor plasma level in elderly: A randomized controlled trial, *Universa Medicina*, 2020, 39:34 [Crossref], [Google Scholar], [Publisher]
- [5] Miranda M., Morici J.F., Zanoni M.B., Bekinschtein P., Brain-derived neurotrophic factor: A key molecule for memory in the healthy and the pathological brain, *Frontiers in Cellular Neuroscience*, 2019, 13:472800 [Crossref], [Google Scholar], [Publisher]
- [6] Imran Y., Adriani D., Amani P., Rachmiyani I., Prawiroharjo P., Association between brain gym and cognitive function in postmenopausal women, *International Journal of Scientific and Technology Research*, 2020, 9:1405 [Crossref], [Google Scholar], [Publisher]
- [7] Alaydrus R., Adolescent metacognitive knowledge during the Quran memorization process, *Journal of Islamic Studies And Culture*, 2019, 7:12 [Crossref], [Google Scholar], [Publisher]
- [8] Slamet S., The effect of memorizing quran on the children cognitive intelligence, *Humanities & Social Sciences Reviews*, 2019, 7:571 [Crossref], [Google Scholar], [Publisher]
- [9] Kirmani M.N., Qur'anic approach to cognitive and behavioral change: psychological perspective, *IAHRW International Journal of Social Sciences*, 2016, 3:257 [Crossref], [Google Scholar], [Publisher]
- [10] Sirin S., Metin B., Tarhan N., The effect of memorizing the quran on cognitive functions, *The Journal of Neurobehavioral Sciences*, 2021, 8:22 [Crossref], [Google Scholar], [Publisher]
- [11] Charsouei S., Mohammad Rahimi M., Determining complications of neurological system in patients after kidney transplantation in northwest iran, *Eurasian Journal of Science and Technology*, 2025, 5:81 [Crossref], [Google Scholar], [Publisher]
- [12] Ghaffari Y.D., Ghorbanian N., The effects of blood sugar, electrolytes, and blood pressure on postoperative cognitive dysfunction in patients candidates for general surgery under general anesthesia: A non-systematic review, *Eurasian Journal of Science and Technology*, 2023, 3:125 [Crossref], [Google Scholar], [Publisher]
- [13] Basir A., Syahbudin A., Yahya M.D., Armizi A., Liriwati F.Y., What does current evidence say about prenatal education to succeed alquran

- hafiz, Nazhruna: *Jurnal Pendidikan Islam*, 2022, 5:229 [Crossref], [Google Scholar], [Publisher]
- [14] Adriani D., Amani P., Putri M.A., Imran Y., Fauzi A., Menghafal Al-quran: Tinjauan fungsi kognitif, *Jurnal Penelitian Dan Karya Ilmiah Lembaga Penelitian Universitas Trisakti*, 2024, 9:147 [Crossref], [Google Scholar], [Publisher]
- [15] Shukri N.H.A., Nasir M.K.M., Razak K.A., Educational strategies on memorizing the Quran: A review of literature, *Development*, 2020, 9:632 [Crossref], [Google Scholar], [Publisher]
- [16] a) Raziani Y, Raziani S. Evaluation of Mental Health of Chemotherapy-Treated Cancer Nurses. *Journal of Medicinal and Chemical Sciences*. 2021;4:351-63. [Crossref], [Google Scholar], [Publisher] b) Arifin Z., Method of memorizing al-qur'an according to baduwailan, *Studia Religia: Jurnal Pemikiran Dan Pendidikan Islam*, 2019, 3 [Crossref], [Google Scholar], [Publisher]
- [17] Fairuzillah M.N., Listiana A., The positive impact of memorizing the qur'an on cognitive intelligence of children, In *5th International Conference on Early Childhood Education (ICECE 2020) Atlantis Press*, 2021, 334 [Crossref], [Google Scholar], [Publisher]
- [18] Zoladz J.A., Pilc J., The effect of physical activity on the brain derived neurotrophic factor: From animal to human studies, *Journal of Physiology and Pharmacology*, 2010, 61:533 [Crossref], [Google Scholar], [Publisher]
- [19] Irfannuddin M., Huffaz have higher BDNF level and better memory ability than administrative workers in same age and education, 2018 [Crossref], [Google Scholar], [Publisher]
- [20] Hussain M.H., The effect of quran as a stimulus in enhancing working memory and mood, *International Journal of Islamic Psychology*, 2021, 4:1 [Crossref], [Google Scholar], [Publisher]
- [21] Irawati K., Madani F., Durasi membaca Al-qur'an dengan fungsi kognitif pada lansia, *Mutiara Medika: Jurnal Kedokteran Dan Kesehatan*, 2019, 19:17 [Crossref], [Google Scholar], [Publisher]
- [22] Amir S.N., Juliana N., Azmani S., Abu I.F., Talib A.H.Q.A., Abdullah F., Salehuddin I.Z., Teng N.I.M.F., Amin N.A., Azmi N.A.S.M., Aziz N.A.S.A., Impact of religious activities on quality of life and cognitive function among elderly, *Journal of Religion and Health*, 2022, 61:1 [Crossref], [Google Scholar], [Publisher]

HOW TO CITE THIS ARTICLE

Donna Adriani, Patwa Amani, Mustika Anggiane Putri, Yudhisman Imran, Irmia Rachmiyani, Ahmad Fauzi, Emad Yousif, Memorizing Al-Quran Increases Serum BDNF Levels . *J. Med. Chem. Sci.*, 2025, 8(4) 339-344

DOI: <https://doi.org/10.26655/JMCHEMSCI.2025.4.2>

URL: https://www.jmchemsci.com/article_218115.html

BUKTI KORESPONDENSI SYARAT KHUSUS
ARTIKEL JURNAL INTERNASIONAL TERINDEKS SCOPUS Q3

Judul artikel: **Memorizing Al-Quran Increases Serum BDNF Levels**

Jurnal: Journal of Medicinal and Chemical Sciences

Penulis: [Donna Adriani¹](#), [Patwa Amani¹](#), [Mustika Anggiane Putri¹](#), [Yudhisman Imran²](#), [Irmiya Rachmiyani³](#), [Ahmad Fauzi⁴](#), [Emad Yousif⁵](#)

No	Perihal	Tanggal
1	Bukti konfirmasi submit artikel dan artikel yang disubmit	19 Januari 2025
2	Bukti konfirmasi <i>review</i>	17 Februari 2025
3	Bukti konfirmasi submit revisi	24 Februari 2025
4	Bukti konfirmasi <i>proofreading</i>	7 Maret 2025
5	Bukti konfirmasi <i>final acceptance</i> dan <i>publishing</i>	3 April 2025

1. Bukti konfirmasi submit artikel dan artikel yang disubmit

Acknowledgement of Submission (#JMCS-2501-2746)

1 message

Journal of Medicinal and Chemical Sciences <editorial@e-mail.sinaweb.net>
Reply-to: Journal of Medicinal and Chemical Sciences <ss.sajjadifar@gmail.com>
To: donna.adriani@trisakti.ac.id
Cc: arzehgar@yahoo.com

Sun, Jan 19, 2025 at 11:56 PM



Manuscript ID: JMCS-2501-2746

Manuscript Title: **Memorizing AI - Quran Increases Serum BDNF Levels**

Authors: Donna Adriani, Patwa Amani, Mustika Anggiane Putri, Yudhisman Imran, Irmiya Rachmiyani, Ahmad Fauzi, Emad Yousif

Dear Dr. Donna Adriani

Scopus link of the **Journal of Medicinal and Chemical Sciences**: <https://www.scopus.com/sourceid/21101046187>, Scimago link: <https://www.scimagojr.com/journalsearch.php?q=21101046187&tip=aid&clean=0>, CiteScore 2022=1.5, **Q3**, H-index=9, SJR 2022=0.22. You can see all the articles uploaded to the Scopus in this [link](#) directly.

I wish to acknowledge receiving the of the above mentioned manuscript.

It should be noted that the manuscript will be reviewed for possible publication in the Scientific Journals Management System.

Please be sure that the submitted manuscript has not been published previously and will not be submitted elsewhere prior to our decision.

Our editorial decision will be brought to your attention once the paper has been reviewed due the referees consideration.

I wish to take this opportunity to thank you for sharing your work with us.

Truly yours,

Executive managing Editor of **Journal of Medicinal and Chemical Sciences**

=====

Please Note: If the main author does not confirm the selected option (18-20 in the Checklist) and the amount after one week, her article will be rejected. Please contact these emails about the amount and how to transfer the amount: ss.sajjadifar@gmail.com, or jmchemsci@gmail.com or my WhatsApp: 00989183432337. Please ask about fee and also send us your article ID.

=====

If you have any questions, please contact with Assistant Editor of the JMCS: Dr. Zelnab Arzehgar, E-Mail: arzehgar@yahoo.com, WhatsApp Number: 00989187434889 or CEO of the SPC Publisher and Director of the JMCS, Dr. Sami Sajjadifar, E-Mail: ss.sajjadifar@gmail.com, samipubco@gmail.com, WhatsApp Number: 00989183432337

Memorizing Al - Quran Improves Cognitive Function

Donna Adriani¹, Patwa Amani¹, Mustika Anggiane Putri¹, Yudhisman Imran², Ahmad Fauzi³

¹ *Physiology Department, Faculty of Medicine, Universitas Trisakti, 11440 Jakarta, Indonesia*

² *Neurology Department, Faculty of Medicine, Universitas Trisakti, 11440 Jakarta, Indonesia*

³ *Al-Azhar Syifa Budi, 16967 Cibubur, Indonesia*

* Correspondence Author:

Donna Adriani

Department of Physiology, Faculty of Medicine,

Universitas Trisakti, Jakarta, Indonesia

Email : donna.adriani@trisakti.ac.id

Tel : +62-8991777777

ABSTRACT

Introduction: Cognitive function is a mental process consisting of knowledge, information processing, and reasoning. Memorizing the Al-Quran can stimulate the brain neurotrophic factor. Cognitive function can be assessed from the serum levels of Brain Derived Neurotrophic Factor (BDNF). BDNF is a crucial protein that plays a significant role in promoting the survival of both synapses and neurons that are involved in the essential cognitive processes of memory and learning. One of the methods used to evaluate Mild Cognitive impairment (MCI) is by MOCA-INA score. **Materials and Methods:** This study was an observational analytic study with a cross-sectional design. Extensive research has been conducted on the impact of learning and memorizing Al-Quran on the cognitive abilities of adults. Cognitive function was assessed through the measurement of serum BDNF levels and MOCA-INA score. The study involved 88 adult participants aged 18 – 30 years who fulfilled the inclusion and exclusion criteria. **Results:** The BDNF levels were higher in 11 – 20 juz groups (45540.25 ± 11661.84 pg/mL) and 21 – 30 juz groups (46005.6 ± 7304.86 pg/mL) than in <10 juz groups (37414.88 ± 10229.63 pg/mL), and there was a significant difference between memorizing Al-Quran and BDNF levels ($p=0.002$). The MOCA-INA score did not show a significant difference among the three groups ($p=0.696$). **Conclusion:** The amount of juz memorized Al-Quran is significantly related to BDNF serum level. Learning and memorizing the Al-Quran can be a beneficial practice for Muslims to improve their cognitive abilities.

Keywords: BDNF, Cognitive, memorizing Al-Quran, MOCA-INA

INTRODUCTION

The terminology of cognition is a psychological processes of learning, memory and attention, perception, and language, intelligence, and reasoning. Some of the cognitive functions are of learning, memory, attention, and executive function [1]. Based on the study there was found that there was a decrease in cognitive function at the age of over 20 years [2].

One of the assessments of cognitive function can be proven through Brain Derived Neurotrophic Factor (BDNF) levels. BDNF is a crucial protein that plays a significant role in promoting the survival of both synapses and neurons that are involved in the essential cognitive processes of memory and learning [3]. BDNF plays an important role in the memory process. BDNF is expressed in the hippocampus and para hippocampus areas [4]. Cognitive function measurements may also be assessed using the MOCA-INA score. One of the method used to screen Mild Cognitive impairment (MCI) is by MOCA-INA score [5].

The Al-Quran is the holy book of Islam, believed by Muslims to be the word of Allah SWT and revealed to the Prophet Muhammad SAW. [6] [7] [8]. Someone who reads, memorizes and studies the Al-Quran is called Hafidz [9]. Memorizing the Al-Quran is not an easy thing to do, because memorizing the Al-Quran requires strong memory and high concentration [10]. Several studies have found that memorizing the AL-Quran can improve cognitive function.

MATERIALS AND METHODS

The aim of this study is to observe and analyze data using a cross-sectional approach. This study was conducted at Perguruan Tinggi Ilmu Quran (PTIQ) to find the effect of memorizing the Al-Quran on cognitive function in adulthood. The study participants involved 88 adult men and women aged ≥ 18 years who signed an informed consent form after receiving an explanation of the study. Exclusion criteria were: participants suffer from psychotic disorders, neurological disorders, taking antidepressant drugs, antipsychotics, or malignancy. Participants

were divided into three groups according the amount of memorization of Al-Quran part (juz). The first group has a total memorization of less than 10 juz, the second group has a total memorization of 11 – 20 juz, and the third group has a total memorization of 21 – 30 juz.

Cognitive function was assessed through the measurement of serum BDNF levels and MOCA-INA score. The BDNF serum levels were measured professionally using the ELISA method in collaboration with PRODIA Laboratory.

The MOCA-INA (Montreal Cognitive Assessment for Indonesian participants) is a test to evaluate different aspects of cognitive functioning. These areas include short-term memory, visuospatial memory, executive functions, attention, language, and spatial and temporal orientation. The MOCA-INA is a popular cognitive screening test, scores between 25 and 30 are typically considered normal.

Ethics clearance (No. 179/KER/FK/X/2022) was obtained from the Faculty of Medicine, Universitas Trisakti for this study. Using the SPSS v.25 program, data processing was conducted. The data were showed as mean $\pm$ SD. An ANOVA test was applied to assess the difference of mean between group. The statistical differences is considered significant if $p < 0.05$.

RESULTS

The total number of participants in this study were 88 participants consisting of 49 (55.68 %) male and 39 (44.32 %) female (Table 1). The BDNF serum levels were higher in 11 – 20 juz groups (45540.25 ± 11661.84 pg/mL) and 21 – 30 juz groups (46005.6 ± 7304.86 pg/mL) than in <10 juz groups (37414.88 ± 10229.63 pg/mL), and there was a significant difference between memorizing Al-Quran and BDNF serum levels ($p=0.002$). The MOCA-INA score did not show a significant difference among the three groups ($p=0.696$) (Table 2).

DISCUSSION

This study showed that the highest level of BDNF and MOCA-INA score was observed among the participants who memorized the Al-Quran in the category of juz 21 – 30. BDNF plays an important role in changing to brain structure. BDNF is correlated with increased cognitive function. BDNF activity improve cognitive function [11].

Memorization involves processes called basic cognitive processes which include encoding, storing, and recalling memories, because these processes occur in many memory systems that function differently but are interconnected [12]. Memorization of the Al-Quran means the process of memorizing the Al-Qur'an as a whole, both memorization and accuracy of reading as well as pursuing, reciting and paying attention to keeping memorization from forgetting [13]. Memorizers of the Al-Quran in Arabic are called Hafidz Al-Quran. Hafidz Al-Quran is a person who memorizes well after going through the process of memorizing verse by verse of the Al-Qur'an on purpose. Hafiz Qur'an can recite verses of the Al-Qur'an without looking at these verses and must always keep their memorization so that they are not forgotten. Indeed, the Qur'an is easy to memorize as stated in one of its verses: "And verily We have made the Qur'an easy to understand and remember, then has anyone learned a lesson?" [14]. A study by Zoladz et al. repeated stimulation triggers long-term potentiation (LTP) [15].

A study by Irfannuddin et al Hafidz Al-Quran group has a significantly higher BDNF serum level than administrative workers group. Environmental stimulation related religious activity like memorizing Al-Quran may affect BDNF to support neuroplasticity [16]. A study by Zoladz et al., found that BDNF regulates long-term potentiation (LTP) in the hippocampus, which is a form of synaptic plasticity that contributes to long-term memory formation. [15].

Based on Hussain MH's study (2021) the treatment group listening to the Al-Quran had increased memory and was statistically significant. This is because listening to the Al-Quran can increase mood and happy hormones [17]. Based on Irawati K's study (2018), reading the

Al-Quran can prevent cognitive function decline in the elderly because reading and listening to the Al-Quran gives calm, piety, and controlling emotions for the reader [18]. Religious activities can improve cognitive function in terms of increasing the MoCa-Ina score [19].

CONCLUSION

The amount of juz memorized Al-Quran is significantly related to BDNF serum level. In practical terms, we may suggest that Muslims memorize the Al-Quran to improve cognitive function.

ACKNOWLEDGMENTS

The study's funding was graciously provided by the Faculty of Medicine at Universitas Trisakti, and the authors are immensely grateful for their support.

CONFLICTS OF INTEREST

Competing interests: No relevant disclosures. The authors declare that we have no conflicts of interest to disclose.

REFERENCES

1. L. L. Driscoll, "Cognitive function," in *comprehensive toxicology: Third Edition*, Elsevier Inc., 2018, pp. 376–392. doi: 10.1016/B978-0-12-801238-3.02206-6.
2. T. Salthouse, "Consequences of age-related cognitive declines," *Annual Review of Psychology*, vol. 63, pp. 201–226, 2012. doi: 10.1146/annurev-psych-120710-100328.
3. D. Adriani, Y. Imran, M. Mawi, P. Amani, and E. I. I. Ilyas, "Effect of Brain Gym® exercises on cognitive function and brain-derived neurotrophic factor plasma level in elderly: a randomized controlled trial," *Universa Medicina*, vol. 39, no. 1, pp. 34–41, Mar. 2020, doi: 10.18051/univmed.2020.v39.34-41.
4. M. Miranda, J. F. Morici, M. B. Zanoni, and P. Bekinschtein, "Brain-Derived Neurotrophic Factor: A key molecule for memory in the healthy and the pathological brain," *Frontiers in Cellular Neuroscience*, vol. 13, Frontiers Media S.A., Aug. 07, 2019. doi: 10.3389/fncel.2019.00363.
5. Y. Imran, D. Adriani, P. Amani, I. Rachmiyani, and P. Prawiroharjo, "Association between brain gym and cognitive function in postmenopausal women," *International Journal of Scientific and Technology Research*, vol. 9, no. 3, 2020.
6. R. Alaydrus, "Adolescent metacognitive knowledge during the Quran memorization process," *Journal of Islamic studies and culture*, vol. 7, no. 2, 2019, doi: 10.15640/jisc.v7n2a3.
7. S. Slamet, "The effect of memorizing Quran on the children cognitive intelligence," *Humanities and Social Sciences Reviews*, vol. 7, no. 3, pp. 571–575, May 2019, doi: 10.18510/hssr.2019.7384.
8. M. N. Kirmani, "Qur'anic approach to cognitive and behavioral change: psychological perspective." [Online]. Available: <https://www.researchgate.net/publication/308994685>
9. S. Sirin, B. Metin, and N. Tarhan, "The effect of memorizing the Quran on cognitive functions," *The Journal of Neurobehavioral Sciences*, vol. 8, no. 1, p. 22, 2021, doi: 10.4103/jnbs.jnbs_42_20.
10. Abd. Basir, A. Syahbudin, M. D. Yahya, A. Armizi, and F. Yustiasari Liriwati, "What does current evidence say about prenatal education to succeed AlQuran Hafiz," *Nazhruna: Jurnal Pendidikan Islam*, vol. 5, no. 1, pp. 229–243, Feb. 2022, doi: 10.31538/nzh.v5i1.2038.
11. D. Adriani, Y. Imran, M. Mawi, P. Amani, and E. I. I. Ilyas, "Effect of Brain Gym® exercises on cognitive function and brain-derived neurotrophic factor plasma level in elderly: a randomized controlled trial," *Universa Medicina*, vol. 39, no. 1, pp. 34–41, Mar. 2020, doi: 10.18051/univmed.2020.v39.34-41.
12. N. H. A. Shukri, M. K. M. Nasir, and K. Abdul Razak, "Educational strategies on memorizing the Quran: A review of literature," *International Journal of Academic Research in Progressive Education and Development*, vol. 9, no. 2, Jul. 2020, doi: 10.6007/ijarped/v9-i2/7649.
13. Z. Arifin, "Method of memorizing al-qur'an according to baduwailan," 2019.
14. M. N. Fairuzillah and A. Listiana, "The positive impact of memorizing the Qur'an on cognitive intelligence of children," 2021.
15. Zoladz JA and Pilc A, "The effect of physical activity on the brain derived neurotrophic factor: from animal to human studies.," 2010.

16. M. Irfannuddin, "Huffaz have higher BDNF level and better memory ability than administrative workers in same age and education," 2018. [Online]. Available: <https://www.researchgate.net/publication/342521546>
17. M. H. Hussain, "The effect of Quran as a stimulus in enhancing working memory and mood," *International Journal of Islamic Psychology*, vol. 4, no. 1, pp. 1–11, 2021.
18. K. Irawati and F. Madani, "Durasi membaca Al-Qur'an dengan fungsi kognitif pada lansia," *Mutiara Medika: Jurnal Kedokteran dan Kesehatan*, vol. 19, no. 1, 2019, doi: 10.18196/mm.190123.
19. S. N. Amir *et al.*, "Impact of religious activities on quality of life and cognitive function among elderly," *J Relig Health*, vol. 61, no. 2, pp. 1564–1584, Apr. 2022, doi: 10.1007/s10943-021-01408-1.

FIGURE LEGEND

Table 1. Distribution of the general characteristics of the participants at base line

Characteristics	Mean	SD
Age (yo)	25.18	2.94
BDNF (pg/mL)	40356.55	10747.37
MOCA-INA	25.14	2.96

Table 2. BDNF levels and MOCA-INA score

Characteristics	Memorization Al-Quran			p value
	< 10 juz	11 – 20 juz	21 – 30 juz	
BDNF (pg/mL)	37414.88 ± 10229.63	45540.25 ± 11661.84	46005.6 ± 7304.86	0.002
MOCA-INA	25 ± 3.08	25 ± 2.88	25.73 ± 2.66	0.696

2. Bukti konfirmasi review

Manuscript Needs Revision (#JMCS-2501-2746 (R1))

1 message

Journal of Medicinal and Chemical Sciences <editorial@e-mail.sinaweb.net>

Mon, Feb 17, 2025 at 3:29 PM

Reply to: Journal of Medicinal and Chemical Sciences <ss.sajjadifar@gmail.com>

To: donna.adriani@trisakti.ac.id

Cc: patwa.amani@trisakti.ac.id, inge.mustika@trisakti.ac.id, yudhisman.imran@trisakti.ac.id, imliya@trisakti.ac.id, fauziahmed071@gmail.com, emad_yousif@nahrainuniv.edu.iq



Manuscript ID: JMCS-2501-2746

Manuscript Title: **Memorizing Al - Quran Increases Serum BDNF Levels**

Authors: Donna Adriani, Patwa Amani, Mustika Anggliane Putri, Yudhisman Imran, Imliya Rachmiyani, Ahmad Fauzi, Emad Yousif

Dear Dr. Donna Adriani

Evaluation process of the above mentioned manuscript has been reviewed. The comments of the reviewer(s) are included at the bottom of this letter.

The reviewer(s) have recommended publication, but also suggest some revisions to your manuscript. Therefore, I invite you to respond to the reviewer(s) comments and revise your manuscript within the period of defined time.

Because we are trying to facilitate timely publication of manuscripts submitted to journal, your revised manuscript should be uploaded as soon as possible. If it is not possible for you to submit your revision in a reasonable amount of time, we may have to consider your paper as a new submission.

Once again, thank you for submitting your manuscript to this journal and I look forward to receiving your revision.

Truly yours,

Editorial Office of Journal of Medicinal and Chemical Sciences

Please Note! Add the link of the DOI to end of every references: for example: DOI: **10.1021/cr400615v** and this is link of DOI: <https://doi.org/10.1021/cr400615v>

If you have any questions, please contact with Assistant Editor of the JMCS: Dr. Zeinab Arzehgar, E-Mail: arzehgar@yahoo.com, WhatsApp Number: 00989187434889 or CEO of the SPC Publisher and Director of the JMCS, Dr. Sami Sajjadifar, E-Mail: ss.sajjadifar@gmail.com, samipuboo@gmail.com, WhatsApp Number: 00989183432337

Reviewers Recommendation:

Reviewer 1:

Reviewer Comment For Author:

Abstract Structure :

The abstract mentions "Extensive research has been conducted on the impact of learning and memorizing Al-Quran on the cognitive abilities of adults," which is vague. Specify the findings of this study rather than general statements.

The phrase "The amount of juz memorized Al-Quran is significantly related to BDNF serum level" should specify the statistical significance (e.g., $p = 0.002$).

Ensure all claims in the abstract are supported by data in the main text.

2. Background/Introduction Issues

Sentence Repetition : The introduction repeats itself in parts. For example, the role of BDNF is mentioned multiple times.

Grammar and Syntax :

"Cognitive function can be assessed from the serum levels of Brain Derived Neurotrophic Factor (BDNF)" could be rephrased as "Cognitive function can be evaluated using serum BDNF levels."

"Based on the study there was found that there was a decrease in cognitive function at the age of over 20 years" is awkwardly phrased. Simplify it to: "Studies have shown a decline in cognitive function after age 20."

Citations Missing : Several claims lack citations. For instance:

"One of the assessments of cognitive function can be proven through Brain Derived Neurotrophic Factor (BDNF) levels" requires a reference.

"BDNF plays an important role in the memory process" should cite specific studies.

Logical Flow : The transition between sentences can be improved. For example, after discussing BDNF, directly introduce the role of memorizing the Al-Quran.

3. Materials and Methods Issues

Clarity of Procedures :

The description of participant selection is unclear. Specify how participants were recruited and screened.

The method for dividing participants into groups based on memorization levels is vague. Was it self-reported or verified?

Units and Consistency :

Ensure consistent use of units throughout. For example, "pg/mL" is used inconsistently with "pg /mL."

Define acronyms like "MOCA-INA" on first use.

Replicates :

Mention the number of replicates explicitly when describing experiments. For example, "Three replicates of 88 participants were tested per group."

Bias Assessment :

The exclusion criteria are listed, but inclusion criteria are not fully detailed. Specify any additional criteria beyond age and consent.

Ethical Approval :

While ethical approval is mentioned, include the date and full details of the ethics committee.

ADD THIS REFERENCE: Gholipour, N., Amiripour, A. (2023). 'Relationship Between Personal Myth and Early Maladaptive Schemas with General Health in Third Year Male and Female High School Students in Islamshahr', Eurasian Journal of Science and Technology, 3(2), pp. 77-92. doi: 10.22034/ejst.2023.154920

Charsooei, S., Mohammad Rahimi, M. (2025). 'Determining Complications of Neurological System in Patients After Kidney Transplantation in Northwest Iran', Eurasian Journal of Science and Technology, 5(1), pp. 81-87. doi: 10.48309/ejst.2025.470565.1174

Ghaffari, Y. D., Ghorbanian, N. (2023). 'The Effects of Blood Sugar, Electrolytes, and Blood Pressure on Postoperative Cognitive Dysfunction in Patients Candidates for General Surgery Under General Anesthesia: A Non-Systematic Review', Eurasian Journal of Science and Technology, 3(3), pp. 125-132. doi: 10.48309/ejst.2023.169928

Reviewer 2:

Reviewer Comment For Author:

Table Formatting :

Table 1 lacks proper alignment. Ensure columns are clearly labeled and aligned.

Use consistent decimal places for all values (e.g., mean and SD).

Figure Descriptions :

Figures are not included in the provided text. Ensure figures are high-quality and properly labeled.

Figure captions should provide more detail. For example, "Fig. 1. Distribution of BDNF Levels Across Groups" could include information on statistical tests used.

Data Presentation :

The statement "The BDNF levels were higher in 11–20 juz groups (45540.25 ± 11661.84 pg/mL) and 21–30 juz groups (46005.6 ± 7304.86 pg/mL)" should specify if these differences are statistically significant.

Provide confidence intervals for key results.

5. Discussion Issues

Repetition :

Some points in the discussion repeat those in the results section. Avoid redundancy by focusing on interpreting findings rather than restating them.

Comparative Analysis :

While the study compares different groups, deeper analysis is needed. For example, why do certain groups show higher BDNF levels than others?

Discuss potential mechanisms beyond neuroplasticity. Are there other pathways involved?

References :

Ensure all cited studies are relevant and up-to-date. For example, the reference to Zoladz et al. (2010) discusses physical activity but its relevance to memorization should be clarified.

Future Directions :

Expand on the concluding remarks about future research. Suggest specific areas, such as longitudinal studies or intervention trials.

6. Conclusions Issues

Brevity : The conclusion is concise but could elaborate on the broader implications of the findings. How might these results influence educational programs or religious practices?

Suggestions for Future Work : Mention specific gaps in knowledge that require further investigation.

3. Bukti konfirmasi submit revisi dan artikel yang sudah direvisi

Acknowledgement of Revision (#JMCS-2501-2746 (R1))

1 message

Journal of Medicinal and Chemical Sciences <editorial@e-mail.sinaweb.net>
Reply-to: Journal of Medicinal and Chemical Sciences <ss.sajjadifar@gmail.com>
To: donna.adriani@trisakti.ac.id
Cc: arzehgar@yahoo.com

Mon, Feb 24, 2025 at 7:19 PM



Manuscript ID: JMCS-2501-2746 (R1)

Manuscript Title: **Memorizing Al - Quran Increases Serum BDNF Levels**

Authors: Donna Adriani, Patwa Amani, Mustika Anggiane Putri, Yudhisman Imran, Irmiya Rachmiyani, Ahmad Fauzi, Emad Yousif

Date: 2025-01-19

Dear Dr. Donna Adriani

Thank you for submitting the revised file of your manuscript to the **Journal of Medicinal and Chemical Sciences**

The Editorial Office will proceed on your manuscript and inform you in the earliest time.

If there is anything else, please do not hesitate to contact us.

Truly yours,

Executive Managing Director of **Journal of Medicinal and Chemical Sciences**

=====

If you have any questions, please contact with Assistant Editor of the JMCS: **Dr. Zeinab Arzehgar**, E-Mail: arzehgar@yahoo.com, **WhatsApp Number: 00989187434889** or CEO of the SPC Publisher and Director of the JMCS, **Dr. Sami Sajjadifar**, E-Mail: ss.sajjadifar@gmail.com, samipubco@gmail.com, **WhatsApp Number: 00989183432337**

Artikel yang sudah direvisi

Memorizing Al - Quran Increases Serum BDNF Levels

Donna Adriani¹, Patwa Amani¹, Mustika Anggiane Putri¹, Yudhisman Imran², Ahmad Fauzi³,

Emad Yousif⁴

¹ *Physiology Department, Faculty of Medicine, Universitas Trisakti, 11440 Jakarta, Indonesia*

² *Neurology Department, Faculty of Medicine, Universitas Trisakti, 11440 Jakarta, Indonesia*

³ *Al-Azhar Syifa Budi, 16967 Cibubur, Indonesia*

⁴ *Department of Chemistry, College of Science, Al-Nahrain University, Baghdad, Iraq*

* Correspondence Author:

Donna Adriani

Department of Physiology, Faculty of Medicine,

Universitas Trisakti, Jakarta, Indonesia

Email : donna.adriani@trisakti.ac.id

Tel : +62-899177777

ABSTRACT

Introduction: Cognitive function refers to mental processes involving knowledge, information processing, and reasoning. Memorizing the Al-Quran can stimulate the production of brain-derived neurotrophic factor (BDNF), a crucial protein that plays a significant role in promoting the survival of neurons and synapses involved in memory and learning. BDNF levels can be used to assess cognitive function. Mild Cognitive Impairment (MCI) is often evaluated using the MOCA-INA score. This study utilized an observational analytic design with a cross-sectional approach. Extensive studies have explored the effects of learning and memorizing the Al-Quran on cognitive abilities in adults. In this study, cognitive function was evaluated by measuring serum BDNF levels and the MOCA-INA score. The study involved 88 adult participants aged 18-30 years who met the inclusion and exclusion criteria. The BDNF levels in the 11-20 juz group (45540.25 ± 11661.84 pg/mL) and the 21–30 juz group (46005.6 ± 7304.86 pg/mL) were significantly higher than those in the <10 juz group (37414.88 ± 10229.63 pg/mL). The difference between Quran memorization and BDNF levels was statistically significant ($p = 0.002$). However, the MOCA-INA scores did not show a significant difference across the three groups ($p = 0.696$). The amount of Al-Quran memorized is significantly associated with serum BDNF levels. Memorizing the Al-Quran may provide cognitive benefits, particularly in enhancing brain neurotrophic factors, and could be a beneficial practice for improving cognitive function in Muslims.

Keywords: BDNF, Cognitive, memorizing Al-Quran, MOCA-INA

INTRODUCTION

Cognitive function refers to a set of mental processes involved in learning, memory, attention, perception, language, intelligence, and reasoning. Some of the cognitive functions that are often assessed include learning, memory, attention, and executive function [1]. Studies have shown that cognitive function tends to decline after the age of 20 [2]. One way to assess cognitive function is through the measurement of Brain Derived Neurotrophic Factor (BDNF) levels, a crucial protein that plays a significant role in promoting the survival of synapses and neurons involved in memory and learning processes [4]. BDNF is particularly expressed in the hippocampus and para-hippocampus areas, which are vital for cognitive tasks related to memory and learning [5]. Besides BDNF levels, cognitive function can also be assessed using tools such as the MOCA-INA score. The MOCA-INA score is commonly used to screen for Mild Cognitive Impairment (MCI) [6]. The Al-Quran, the holy book of Islam, is believed by Muslims to be the word of Allah SWT revealed to the Prophet Muhammad SAW [7,9]. Individuals who read, memorize, and study the Al-Quran are referred to as Hafidz [10]. Memorizing the Al Quran is a challenging task, as it requires strong memory and high concentration [11]. Several studies have indicated that memorizing the Al Quran may have cognitive benefits, particularly in improving cognitive function.

MATERIALS AND METHODS

The aim of this study was to observe and analyze the effects of memorizing the Al-Quran on cognitive function in adults using a cross sectional approach. The study was conducted at Perguruan Tinggi Ilmu Quran (PTIQ) to evaluate this relationship. The study involved 88 adult participants (men and women aged ≥ 18 years), who provided written informed consent after

receiving a full explanation of the study's purpose and procedures. Inclusion criteria included adults aged 18 years and above, while exclusion criteria were participants diagnosed with psychotic disorders, neurological disorders, those on antidepressant or antipsychotic medications, or those with malignancies. Participants were divided into three groups based on the number of Al-Quran parts (juz) they had memorized: the first group (Group 1) included participants who had memorized fewer than 10 juz, the second group (Group 2) included those who had memorized 11-20 juz, and the third group (Group 3) included participants who had memorized 21-30 juz.

Cognitive function was assessed through two methods: the measurement of serum BDNF levels and the MOCA-INA (Montreal Cognitive Assessment for Indonesian participants) score. Serum BDNF levels were measured using the ELISA method, in collaboration with PRODIA Laboratory. The MOCA-INA test evaluates various aspects of cognitive functioning, including short term memory, visuospatial memory, executive functions, attention, language, and spatial and temporal orientation. The MOCA-INA is a widely used cognitive screening tool, with scores between 25 and 30 generally considered within the normal range.

Ethics approval was obtained from the Faculty of Medicine, Universitas Trisakti (No. 179/KER/FK/X/2022). Data processing was conducted using SPSS v.25, with results presented as mean $\pm$ SD. To assess the differences between groups, an ANOVA test was applied. A statistical significance level of $p < 0.05$ was considered meaningful.

RESULTS

Based on the data presented in the study, a total of 88 participants were included, consisting of 49 males (55.68%) and 39 females (44.32%), as indicated in Table 1. The general

characteristics of the participants at baseline included their age, BDNF serum levels, and MOCA-INA scores.

The mean age of the participants was 25.18 years, with a standard deviation of 2.94 years, indicating that the participants were relatively young adults with minimal age variation. The mean BDNF serum level was recorded at 40356.55 pg/mL, with a standard deviation of 10747.37 pg/mL, reflecting a moderate variation in BDNF levels among participants. In addition, the MOCA-INA score, which assesses cognitive function, had a mean value of 25.14 with a standard deviation of 2.96, suggesting that the majority of participants had relatively stable cognitive performance (Table 1).

These baseline characteristics provide an overview of the population studied, indicating a balanced gender distribution and consistent ranges for the key variables. The data also serve as a foundation for further analysis, particularly in exploring the relationships between demographic and biological factors, such as BDNF levels and cognitive function, across different groups in the study.

The findings revealed that the serum levels of brain-derived neurotrophic factor (BDNF) were notably higher in individuals who had memorized a greater number of Al-Quran juz. Specifically, participants in the 11–20 juz group exhibited an average BDNF serum level of 45540.25 ± 11661.84 pg/mL, while those in the 21–30 juz group showed an even higher average of 46005.6 ± 7304.86 pg/mL. In contrast, participants who had memorized fewer than 10 juz had significantly lower average BDNF serum levels, measuring 37414.88 ± 10229.63 pg/mL.

Statistical analysis indicated a significant correlation between the extent of Al-Quran memorization and BDNF serum levels, with a p value of 0.002, suggesting that increased memorization activity may positively influence BDNF levels (Table 2).

However, the analysis of cognitive function using the MOCA-INA (Montreal Cognitive Assessment - Indonesian version) score showed no significant differences across the three groups, as evidenced by a p-value of 0.696. This indicates that while memorization activity appears to have a measurable impact on BDNF serum levels, it may not directly translate to observable differences in cognitive function, as assessed by MOCA-INA, among the groups studied. These findings, summarized in (Table 2), highlight the potential memorization activities while suggesting that further research is needed to fully understand the relationship between BDNF levels and cognitive outcomes.

DISCUSSION

This study showed that the highest level of BDNF and MOCA-INA score was observed among the participants who memorized the Al-Quran in the category of juz 21 – 30. BDNF plays an important role in changing to brain structure. BDNF is correlated with increased cognitive function.

BDNF activity improve cognitive function [3,11]. Assessment of cognitive function consists of attention and concentration, executive function, memory, language, visuoconstruction, conceptual thinking, calculation, and orientation skills [12,13].

Memorization involves processes called basic cognitive processes which include encoding, storing, and recalling memories, because these processes occur in many memory systems that function differently but are interconnected [13]. Memorization of the Al-Quran means the process of memorizing the Al-Qur'an as a whole, both memorization and accuracy of reading

as well as pursuing, reciting and paying attention to keeping memorization from forgetting [14].

Memorizers of the Al-Quran in Arabic are called Hafidz Al-Quran. Hafidz Al-Quran is a person who memorizes well after going through the process of memorizing verse by verse of the Al-Qur'an on purpose. Hafiz Qur'an can recite verses of the AlQur'an without looking at these verses and must always keep their memorization so that they are not forgotten. Indeed, the Qur'an is easy to memorize as stated in one of its verses: "And verily We have made the Qur'an easy to understand and remember, then has anyone learned a lesson?" [15]. A study by Zoladz et al. repeated stimulation triggers long-term potentiation (LTP) [16].

A study by Irfannuddin et al. showed that Hafidz Al-Quran group has a significantly higher BDNF serum level than administrative workers group. Environmental stimulation related religious activity like memorizing Al-Quran may affect BDNF to support neuroplasticity [17]. Zoladz et al. found that BDNF regulates long-term potentiation (LTP) in the hippocampus, which is a form of synaptic plasticity that contributes to long-term memory formation. [16]. Based on Hussain MH's study (2021) the treatment group listening to the Al-Quran had increased memory and was statistically significant. This is because listening to the Al Quran can increase mood and happy hormones [18]. Based on Irawati K's study (2018), reading the Al-Quran can prevent cognitive function decline in the elderly because reading and listening to the Al-Quran gives calm, piety, and controlling emotions for the reader [19]. Religious activities can improve cognitive function in terms of increasing the MoCa-Ina score [20,22].

CONCLUSION

The amount of juz memorized Al-Quran is significantly related to BDNF serum level. In practical terms, we may suggest that Muslims memorize the Al-Quran to improve cognitive function.

ACKNOWLEDGMENTS

The findings of this study were graciously provided by the Faculty of Medicine at Universitas Trisakti, and the authors are immensely grateful for their support.

CONFLICTS OF INTEREST

The authors declare that they have no conflicts of interest to disclose in this study.

REFERENCES

- [1] Driscoll L.L., Cognitive function, Comprehensive Toxicology, Elsevier, 2018, 376 [Crossref], [Google Scholar], [Publisher]
- [2] Gholipour N., Amiripour A., Relationship between personal myth and early maladaptive schemas with general health in third year male and female high school students in islamshahr. Eurasian Journal of Science and Technology, 2023, 3:77 [Crossref], [Google Scholar], [Publisher]
- [3] Salthouse T., Consequences of age-related cognitive declines, Annual Review of Psychology, 2012, 63:201[Crossref], [Google Scholar], [Publisher]
- [4] Adriani D., Imran Y., Mawi M., Amani P., Ilyas E.I., Effect of brain gym® exercises on cognitive function and brain-derived neurotrophic factor plasma level in elderly: A randomized controlled trial, Universa Medicina, 2020, 39:34 [Crossref], [Google Scholar], [Publisher]
- [5] Miranda M., Morici J.F., Zanoni M.B., Bekinschtein P., Brain-derived neurotrophic factor: A key molecule for memory in the healthy and the pathological brain, Frontiers in Cellular Neuroscience, 2019, 13:472800 [Crossref], [Google Scholar], [Publisher]

- [6] Imran Y., Adriani D., Amani P., Rachmiyani I., Prawiroharjo P., Association between brain gym and cognitive function in postmenopausal women, *International Journal of Scientific and Technology Research*, 2020, 9:1405 [Crossref], [Google Scholar], [Publisher]
- [7] Alaydrus R., Adolescent metacognitive knowledge during the Quran memorization process, *Journal of Islamic Studies And Culture*, 2019, 7:12 [Crossref], [Google Scholar], [Publisher]
- [8] Slamet S., The effect of memorizing quran on the children cognitive intelligence, *Humanities & Social Sciences Reviews*, 2019, 7:571 [Crossref], [Google Scholar], [Publisher]
- [9] Kirmani M.N., Qur'anic approach to cognitive and behavioral change: psychological perspective, *IAHRW International Journal of Social Sciences*, 2016, 3:257 [Crossref], [Google Scholar], [Publisher]
- [10] Sirin S., Metin B., Tarhan N., The effect of memorizing the quran on cognitive functions, *The Journal of Neurobehavioral Sciences*, 2021, 8:22 [Crossref], [Google Scholar], [Publisher]
- [11] Charsouei S., Mohammad Rahimi M., Determining complications of neurological system in patients after kidney transplantation in northwest iran, *Eurasian Journal of Science and Technology*, 2025, 5:81 [Crossref], [Google Scholar], [Publisher]
- [12] Ghaffari Y.D., Ghorbanian N., The effects of blood sugar, electrolytes, and blood pressure on postoperative cognitive dysfunction in patients candidates for general surgery under general anesthesia: A non-systematic review, *Eurasian Journal of Science and Technology*, 2023, 3:125 [Crossref], [Google Scholar], [Publisher]
- [13] Basir A., Syahbudin A., Yahya M.D., Armizi A., Liriwati F.Y., What does current evidence say about prenatal education to succeed alquran hafiz, *Nazhruna: Jurnal Pendidikan Islam*, 2022, 5:229 [Crossref], [Google Scholar], [Publisher]
- [14] Adriani D., Amani P., Putri M.A., Imran Y., Fauzi A., Menghafal Al-quran: Tinjauan fungsi kognitif, *Jurnal Penelitian Dan Karya Ilmiah Lembaga Penelitian Universitas Trisakti*, 2024, 9:147 [Crossref], [Google Scholar], [Publisher]

- [15] Shukri N.H.A., Nasir M.K.M., Razak K.A., Educational strategies on memorizing the Quran: A review of literature, *Development*, 2020, 9:632 [Crossref], [Google Scholar], [Publisher]
- [16] a) Raziani Y, Raziani S. Evaluation of Mental Health of Chemotherapy-Treated Cancer Nurses. *Journal of Medicinal and Chemical Sciences*. 2021;4:351-63. [Crossref], [Google Scholar], [Publisher] b) Arifin Z., Method of memorizing al qur'an according to baduwailan, *Studia Religia: Jurnal Pemikiran Dan Pendidikan Islam*, 2019, 3 [Crossref], [Google Scholar], [Publisher]
- [17] Fairuzillah M.N., Listiana A., The positive impact of memorizing the qur'an on cognitive intelligence of children, In 5th International Conference on Early Childhood Education (ICECE 2020) Atlantis Press, 2021, 334 [Crossref], [Google Scholar], [Publisher]
- [18] Zoladz J.A., Pile J., The effect of physical activity on the brain derived neurotrophic factor: From animal to human studies, *Journal of Physiology and Pharmacology*, 2010, 61:533 [Crossref], [Google Scholar], [Publisher]
- [19] Irfannuddin M., Huffaz have higher BDNF level and better memory ability than administrative workers in same age and education, 2018 [Crossref], [Google Scholar], [Publisher]
- [20] Hussain M.H., The effect of quran as a stimulus in enhancing working memory and mood, *International Journal of Islamic Psychology*, 2021, 4:1[Crossref], [Google Scholar], [Publisher]
- [21] Irawati K., Madani F., Durasi membaca Al qur'an dengan fungsi kognitif pada lansia, *Mutiara Medika: Jurnal Kedokteran Dan Kesehatan*, 2019, 19:17 [Crossref], [Google Scholar], [Publisher]
- [22] Amir S.N., Juliana N., Azmani S., Abu I.F., Talib A.H.Q.A., Abdullah F., Salehuddin I.Z., Teng N.I.M.F., Amin N.A., Azmi N.A.S.M., Aziz N.A.S.A., Impact of religious activities on

quality of life and cognitive function among elderly, Journal of Religion and Health, 2022, 61:1[Crossref], [Google Scholar], [Publisher]

FIGURE LEGEND

Table 1. Distribution of the general characteristics of the participants at base line

Characteristics	Mean	SD
Age (yo)	25.18	2.94
BDNF (pg/mL)	40356.55	10747.37
MOCA-INA	25.14	2.96

Table 2. BDNF levels and MOCA-INA score

Characteristics	Memorization Al-Quran			p value
	< 10 juz	11 – 20 juz	21 – 30 juz	
BDNF (pg/mL)	37414.88 ± 10229.63	45540.25 ± 11661.84	46005.6 ± 7304.86	0.002
MOCA-INA	25 ± 3.08	25 ± 2.88	25.73 ± 2.66	0.696

4. Bukti konfirmasi *proofreading*

Request for Submit/Confirm Galley Proof (#JMCS-2501-2746 (R1))

1 message

Journal of Medicinal and Chemical Sciences <editorial@e-mail.sinaweb.net>

Fri, Mar 7, 2025 at 2:47 PM

Reply-to: Journal of Medicinal and Chemical Sciences <ss.sajjadifar@gmail.com>

To: donna.adriani@trisakti.ac.id

Cc: patwa.amani@trisakti.ac.id, inge.mustika@trisakti.ac.id, yudhisman.imran@trisakti.ac.id, Irmiya@trisakti.ac.id, fauziahmed071@gmail.com, emad_yousif@nahrainuniv.edu.iq



Manuscript ID: JMCS-2501-2746 (R1)

Manuscript Title: **Memorizing AI - Quran Increases Serum BDNF Levels**

Authors: Donna Adriani, Patwa Amani, Mustika Anggiane Putri, Yudhisman Imran, Irmiya Rachmiyani, Ahmad Fauzi, Emad Yousif

Dear Dr. Donna Adriani

We are pleased to inform you that your paper for journal is nearing publication. The page proofs are available at:

<https://www.jmchemsci.com/>

The URL is valid only until your paper is published online. It is for proof purposes only and may not be used by third parties.

We ask you to check the proof carefully, paying particular attention to the accuracy of equations, tables, illustrations (which may have been redrawn), other numerical matter and references (which have been corrected for style but not checked for accuracy, which remains the responsibility of the author)

We appreciate if you could provide us attached form within next 72 hrs. If we will not receive your response within next 72 hours, the paper will publish in current format. To avoid a delay in publication of your article, please complete your proof review and return your corrections online in the next 72 hours. **Please Note:** During the next 72 hours (three days), you must check the Galley Proof file carefully and also answer the submitted form. After confirming and sending the final Galley Proof file, you cannot request changes to the article. Galley Proof file is the last chance to check the article, please check it carefully.

In case of difficulties with the proofs, please contact us.

Thank you very much. We hope you are pleased with the publication.

Truly yours,

Editorial Office of Journal of Medicinal and Chemical Sciences

=====



Review Article

Memorizing Al-Quran Increases Serum BDNF Levels

Donna Adriani^{1*}, Patwa Amani¹, Mustika Anggiane Putri¹, Yudhisman Imran²,
Irmiya Rachmiyani³, Ahmad Fauzi⁴, Emad Yousif⁵

¹Physiology Department, Faculty of Medicine, Universitas Trisakti, 11440 Jakarta, Indonesia

²Neurology Department, Faculty of Medicine, Universitas Trisakti, 11440 Jakarta, Indonesia

³Obstetry and Gynecology Department, Faculty of Medicine, Universitas Trisakti, 11440 Jakarta, Indonesia

⁴Al-Azhar Syifa Budi, 16967 Cibubur, Indonesia

⁵Department of Chemistry, College of Science, Al-Nahrain University, Baghdad, Iraq

Montreal Cognitive Assement
Montreal Cognitive Assessment Indonesia

ARTICLE INFO

Article history

Received: 2025-01-19

Received in revised: 2025-02-24

Accepted: 2024-**-**

Manuscript ID: JMCS-2501-2746

DOI: 10.26655/JMCHMSCI.2024.x.x

KEYWORDS

BDNF

Cognitive function

Memorizing Al-Quran


MOCA-INA

ABSTRACT

Cognitive function refers to mental processes involving knowledge, information processing, and reasoning. Memorizing the Al-Quran can stimulate the production of **brain-derived neurotrophic factor** (BDNF), a crucial protein that plays a significant role in promoting the survival of neurons and synapses involved in memory and learning. BDNF levels can be used to assess cognitive function. Mild Cognitive Impairment (MCI) is often evaluated using the **MOCA-INA** score. This study utilized an observational analytic design with a cross-sectional approach. Extensive studies have explored the effects of learning and memorizing the Al-Quran on cognitive abilities in adults. In this study, cognitive function was evaluated by measuring serum BDNF levels and the MOCA-INA score. The study involved 88 adult participants aged 18-30 years who met the inclusion and exclusion criteria. The BDNF levels in the 11-20 juz group (45540.25 ± 11661.84 pg/mL) and the 21-30 juz group (46005.6 ± 7304.86 pg/mL) were significantly higher than those in the <10 juz group (37414.88 ± 10229.63 pg/mL). The difference between Quran memorization and BDNF levels was statistically significant ($p = 0.002$). However, the MOCA-INA scores did not show a significant difference across the three groups ($p = 0.696$). The amount of Al-Quran memorized is significantly associated with serum BDNF levels. Memorizing the Al-Quran may provide cognitive benefits, particularly in enhancing brain neurotrophic factors, and could be a beneficial practice for improving cognitive function in Muslims.

* Corresponding author: Donna Adriani

GRAPHICAL ABSTRACT



Introduction

Cognitive function refers to a set of mental processes involved in learning, memory, attention, perception, language, intelligence, and reasoning. Some of the cognitive functions that are often assessed include learning, memory, attention, and executive function [1]. Studies have shown that cognitive function tends to decline after the age of 20 [2]. One way to assess cognitive function is through the measurement of Brain Derived Neurotrophic Factor (BDNF) levels, a crucial protein that plays a significant role in promoting the survival of synapses and neurons involved in memory and learning processes [4]. BDNF is particularly expressed in the hippocampus and para-hippocampus areas, which are vital for cognitive tasks related to memory and learning [5].

Besides BDNF levels, cognitive function can also be assessed using tools such as the MOCA-INA score. The MOCA-INA score is commonly used to screen for Mild Cognitive Impairment (MCI) [6]. The Al-Quran, the holy book of Islam, is believed by Muslims to be the word of Allah SWT revealed to the Prophet Muhammad SAW [7,9]. Individuals

who read, memorize, and study the Al-Quran are referred to as Hafidz [10]. Memorizing the Al-Quran is a challenging task, as it requires strong memory and high concentration [11]. Several studies have indicated that memorizing the Al-Quran may have cognitive benefits, particularly in improving cognitive function.

Materials and Methods

The aim of this study was to observe and analyze the effects of memorizing the Al-Quran on cognitive function in adults using a cross-sectional approach. The study was conducted at Perguruan Tinggi Ilmu Quran (PTIQ) to evaluate this relationship. The study involved 88 adult participants (men and women aged ≥ 18 years), who provided written informed consent after receiving a full explanation of the study's purpose and procedures.

Inclusion criteria included adults aged 18 years and above, while exclusion criteria were participants diagnosed with psychotic disorders, neurological disorders, those on antidepressant or antipsychotic medications, or those with malignancies.

Participants were divided into three groups based on the number of Al-Quran parts (juz) they had memorized: the first group (Group 1) included participants who had memorized fewer than 10 juz, the second group (Group 2) included those who had memorized 11-20 juz, and the third group (Group 3) included participants who had memorized 21-30 juz.

Cognitive function was assessed through two methods: the measurement of serum BDNF levels and the MOCA-INA (Montreal Cognitive Assessment for Indonesian participants) score. Serum BDNF levels were measured using the ELISA method, in collaboration with PRODIA Laboratory. The MOCA-INA test evaluates various aspects of cognitive functioning, including short-term memory, visuospatial memory, executive functions, attention, language, and spatial and temporal orientation. The MOCA-INA is a widely used cognitive screening tool, with scores between 25 and 30 generally considered within the normal range.

Ethics approval was obtained from the Faculty of Medicine, Universitas Trisakti (No. 179/KER/FK/X/2022). Data processing was conducted using SPSS v.25, with results presented as mean $\pm$ SD. To assess the differences between groups, an ANOVA test was applied. A statistical significance level of $p < 0.05$ was considered meaningful.

Results

Based on the data presented in the study, a total of 88 participants were included, consisting of 49 males (55.68%) and 39 females (44.32%), as indicated in Table 1. The general characteristics of the participants at baseline included their age, BDNF serum levels, and MOCA-INA scores.

The mean age of the participants was 25.18 years, with a standard deviation of 2.94 years, indicating that the participants were relatively young adults with minimal age variation. The mean BDNF serum level was recorded at 40356.55 pg/mL, with a standard deviation of 10747.37 pg/mL, reflecting a moderate variation in BDNF levels among participants. In addition, the MOCA-INA score, which assesses cognitive function, had a mean value of 25.14 with a standard deviation of 2.96, suggesting that the majority of participants had relatively stable cognitive performance (Table 1).

These baseline characteristics provide an overview of the population studied, indicating a balanced gender distribution and consistent ranges for the key variables. The data also serve as a foundation for further analysis, particularly in exploring the relationships between demographic and biological factors, such as BDNF levels and cognitive function, across different groups in the study.

Table 1: Distribution of the general characteristics of the participants at base line

Characteristics	Mean (pg/mL)	SD (pg/mL)
Age (yo)	25.18	2.94
BDNF (pg/mL)	40356.55	10747.37
MOCA-INA	25.14	2.96

The findings revealed that the serum levels of brain-derived neurotrophic factor (BDNF) were notably higher in individuals who had memorized a greater number of Al-Quran juz. Specifically, participants in the 11-20 juz group exhibited an average BDNF serum level of 45540.25 ± 11661.84 pg/mL, while those in the 21-30 juz group showed an even higher average of 46005.6 ± 7304.86 pg/mL. In contrast, participants who had memorized fewer than 10 juz had significantly lower average BDNF serum levels, measuring 37414.88 ± 10229.63 pg/mL. Statistical analysis indicated a significant

correlation between the extent of Al-Quran memorization and BDNF serum levels, with a p-value of 0.002, suggesting that increased memorization activity may positively influence BDNF levels (Table 2).

However, the analysis of cognitive function using the MOCA-INA (Montreal Cognitive Assessment - Indonesian version) score showed no significant differences across the three groups, as evidenced by a p-value of 0.696. This indicates that while memorization activity appears to have a measurable impact on BDNF serum levels, it may not directly translate to observable differences in

cognitive function, as assessed by MOCA-INA, among the groups studied. These findings, summarized in (Table 2), highlight the potential neurobiological benefits associated with

memorization activities while suggesting that further research is needed to fully understand the relationship between BDNF levels and cognitive outcomes.

Table 2: BDNF levels and MOCA-INA score

Characteristics	Memorization Al-Quran			P-value
	< 10 juz (n=29)	11-20 juz (n=30)	21-30 juz (n=29)	
BDNF (pg/mL)	37414.88 ± 10229.63	45540.25 ± 11661.84	46005.60 ± 7304.86	0.002
MOCA-INA	25 ± 3.08	25 ± 2.88	25.73 ± 2.66	0.696

Discussion

This study showed that the highest level of BDNF and MOCA-INA score was observed among the participants who memorized the Al-Quran in the category of juz 21 – 30. BDNF plays an important role in changing to brain structure. BDNF is correlated with increased cognitive function. BDNF activity improve cognitive function [3,11]. Assessment of cognitive function consists of attention and concentration, executive function, memory, language, visuoconstruction, conceptual thinking, calculation, and orientation skills [12,13].

Memorization involves processes called basic cognitive processes which include encoding, storing, and recalling memories, because these processes occur in many memory systems that function differently but are interconnected [13]. Memorization of the Al-Quran means the process of memorizing the Al-Qur'an as a whole, both memorization and accuracy of reading as well as pursuing, reciting and paying attention to keeping memorization from forgetting [14]. Memorizers of the Al-Quran in Arabic are called Hafidz Al-Quran. Hafidz Al-Quran is a person who memorizes well after going through the process of memorizing verse by verse of the Al-Qur'an on purpose. Hafiz Qur'an can recite verses of the Al-Qur'an without looking at these verses and must always keep their memorization so that they are not forgotten. Indeed, the Qur'an is easy to memorize as stated in one of its verses: "And verily We have made the Qur'an easy to understand and remember, then has anyone learned a lesson?" [15]. A study by Zoladz *et al.* repeated stimulation triggers long-term potentiation (LTP) [16].

A study by Irfannuddin *et al.* showed that Hafidz Al-Quran group has a significantly higher BDNF serum level than administrative workers group. Environmental stimulation related religious activity like memorizing Al-Quran may affect BDNF to support neuroplasticity [17]. Zoladz *et al.* found that BDNF regulates long-term potentiation (LTP) in the hippocampus, which is a form of synaptic plasticity that contributes to long-term memory formation. [16].

Based on Hussain MH's study (2021) the treatment group listening to the Al-Quran had increased memory and was statistically significant. This is because listening to the Al-Quran can increase mood and happy hormones [18]. Based on Irawati K's study (2018), reading the Al-Quran can prevent cognitive function decline in the elderly because reading and listening to the Al-Quran gives calm, piety, and controlling emotions for the reader [19]. Religious activities can improve cognitive function in terms of increasing the MoCa-Ina score [20,22].

Conclusion

The amount of juz memorized Al-Quran is significantly related to BDNF serum level. In practical terms, we may suggest that Muslims memorize the Al-Quran to improve cognitive function.

Acknowledgements

The findings of this study were graciously provided by the Faculty of Medicine at Universitas Trisakti, and the authors are immensely grateful for their support.

Disclosure Statement

The authors declare that they have no conflicts of interest to disclose in this study.

ORCID

Donna Adriani:

<https://orcid.org/0000-0003-4595-4097>

Patwa Amani: <https://orcid.org/0000-0001-6568-6072>

<https://orcid.org/0000>

Mustika Anggiane Putri:

<https://orcid.org/0000>

Yudhisman Imran: <https://orcid.org/0000-0003-4084-7388>

<https://orcid.org/0000>

Irmia Rachmiyani: <https://orcid.org/0009-0008-8503-1792>

<https://orcid.org/0000>

Ahmad Fauzi:

<https://orcid.org/0000>

Emad Yousif:

<https://orcid.org/0000> <https://orcid.org/0000-0003-1458-4724>

References

- [1]. Driscoll L.L., Cognitive function, Comprehensive Toxicology, Elsevier, 2018, 376 [Crossref], [Google Scholar], [Publisher]
- [2]. Gholipour N., Amiripour A., Relationship between personal myth and early maladaptive schemas with general health in third year male and female high school students in islamshahr. *Eurasian Journal of Science and Technology*, 2023, 3:77 [Crossref], [Google Scholar], [Publisher]
- [3]. Salthouse T., Consequences of age-related cognitive declines, *Annual Review of Psychology*, 2012, 63:201 [Crossref], [Google Scholar], [Publisher]
- [4]. Adriani D., Imran Y., Mawi M., Amani P., Ilyas E.I., Effect of brain gym® exercises on cognitive function and brain-derived neurotrophic factor plasma level in elderly: A randomized controlled trial, *Universa Medicina*, 2020, 39:34 [Crossref], [Google Scholar], [Publisher]
- [5]. Miranda M., Morici J.F., Zanoni M.B., Bekinschtein P., Brain-derived neurotrophic factor: A key molecule for memory in the healthy and the pathological brain, *Frontiers in Cellular Neuroscience*, 2019, 13:472800 [Crossref], [Google Scholar], [Publisher]
- [6]. Imran Y., Adriani D., Amani P., Rachmiyani I., Prawiroharjo P., Association between brain gym and cognitive function in postmenopausal women, *International Journal of Scientific and Technology Research*, 2020, 9:1405 [Crossref], [Google Scholar], [Publisher]
- [7]. Alaydrus R., Adolescent metacognitive knowledge during the Quran memorization process, *Journal of Islamic Studies And Culture*, 2019, 7:12 [Crossref], [Google Scholar], [Publisher]
- [8]. Slamet S., The effect of memorizing quran on the children cognitive intelligence, *Humanities & Social Sciences Reviews*, 2019, 7:571 [Crossref], [Google Scholar], [Publisher]
- [9]. Kirmani M.N., Qur'anic approach to cognitive and behavioral change: psychological perspective, *IAHRW International Journal of Social Sciences*, 2016, 3:257 [Crossref], [Google Scholar], [Publisher]
- [10]. Sirin S., Metin B., Tarhan N., The effect of memorizing the quran on cognitive functions, *The Journal of Neurobehavioral Sciences*, 2021, 8:22 [Crossref], [Google Scholar], [Publisher]
- [11]. Charsouei S., Mohammad Rahimi M., Determining complications of neurological system in patients after kidney transplantation in northwest iran, *Eurasian Journal of Science and Technology*, 2025, 5:81 [Crossref], [Google Scholar], [Publisher]
- [12]. Ghaffari Y.D., Ghorbanian N., The effects of blood sugar, electrolytes, and blood pressure on postoperative cognitive dysfunction in patients candidates for general surgery under general anesthesia: A non-systematic review, *Eurasian Journal of Science and Technology*, 2023, 3:125 [Crossref], [Google Scholar], [Publisher]
- [13]. Basir A., Syahbudin A., Yahya M.D., Armizi A., Liriwati F.Y., What does current evidence say about prenatal education to succeed alquran

- hafiz, Nazhruna: *Jurnal Pendidikan Islam*, 2022, 5:229 [Crossref], [Google Scholar], [Publisher]
- [14] Adriani D., Amani P., Putri M.A., Imran Y., Fauzi A., Menghafal Al-quran: Tinjauan fungsi kognitif, *Jurnal Penelitian Dan Karya Ilmiah Lembaga Penelitian Universitas Trisakti*, 2024, 9:147 [Crossref], [Google Scholar], [Publisher]
- [15] Shukri N.H.A., Nasir M.K.M., Razak K.A., Educational strategies on memorizing the Quran: A review of literature, *Development*, 2020, 9:632 [Crossref], [Google Scholar], [Publisher]
- [16] Arifin Z., Method of memorizing al-qur'an according to baduwailan, *Studia Religia: Jurnal Pemikiran Dan Pendidikan Islam*, 2019, 3 [Crossref], [Google Scholar], [Publisher]
- [17] Fairuzillah M.N., Listiana A., The positive impact of memorizing the qur'an on cognitive intelligence of children, In *5th International Conference on Early Childhood Education (ICECE 2020)* Atlantis Press, 2021, 334 [Crossref], [Google Scholar], [Publisher]
- [18] Zoladz J.A., Pilc J., The effect of physical activity on the brain derived neurotrophic factor: From animal to human studies, *Journal of Physiology and Pharmacology*, 2010, 61:533 [Crossref], [Google Scholar], [Publisher]
- [19] Irfannuddin M., Huffaz have higher BDNF level and better memory ability than administrative workers in same age and education, 2018 [Crossref], [Google Scholar], [Publisher]
- [20] Hussain M.H., The effect of quran as a stimulus in enhancing working memory and mood, *International Journal of Islamic Psychology*, 2021, 4:1 [Crossref], [Google Scholar], [Publisher]
- [21] Irawati K., Madani F., Durasi membaca Al-qur'an dengan fungsi kognitif pada lansia, *Mutiara Medika: Jurnal Kedokteran Dan Kesehatan*, 2019, 19:17 [Crossref], [Google Scholar], [Publisher]
- [22] Amir S.N., Juliana N., Azmani S., Abu I.F., Talib A.H.Q.A., Abdullah F., Salehuddin I.Z., Teng N.I.M.F., Amin N.A., Azmi N.A.S.M., Aziz N.A.S.A., Impact of religious activities on quality of life and cognitive function among elderly, *Journal of Religion and Health*, 2022, 61:1 [Crossref], [Google Scholar], [Publisher]

HOW TO CITE THIS ARTICLE

Donna Adriani, Patwa Amani, Mustika Anggiane Putri, Yudhisman Imran, Irmiya Rachmiyani, Ahmad Fauzi, Emad Yousif, Memorizing Al-Quran Increases Serum BDNF Levels . *J. Med. Chem. Sci.*, 2025, *(*) ***.***

DOI:

URL:

5. Bukti konfirmasi *final acceptance* dan *publishing*

Acceptance of Manuscript (#JMCS-2501-2746 (R1))

1 message

Journal of Medicinal and Chemical Sciences <editorial@e-mail.sinaweb.net>

Thu, Apr 3, 2025 at 12:29 AM

Reply-to: Journal of Medicinal and Chemical Sciences <ss.sajjadifar@gmail.com>

To: donna.adriani@trisakti.ac.id

Cc: patwa.amani@trisakti.ac.id, inge.mustika@trisakti.ac.id, yudhisman.imran@trisakti.ac.id, irmiya@trisakti.ac.id, fauziahmed071@gmail.com, emad_yousif@nahrainuniv.edu.iq



Final Acceptance Letter and Publishing

Manuscript ID: JMCS-2501-2746 (R1)

Manuscript Title: **Memorizing Al - Quran Increases Serum BDNF Levels**

Authors: Donna Adriani, Patwa Amani, Mustika Anggiane Putri, Yudhisman Imran, Irmiya Rachmiyani, Ahmad Fauzi, Emad Yousif

Dear Dr. Donna Adriani

This is to confirm that after technical and in-house evaluation, the above mentioned manuscript has been finalized and accepted for publication in the journal. Scopus link of the journal: <https://www.scopus.com/sourceid/21101046187>, Scimago link: <https://www.scimagojr.com/journalsearch.php?q=21101046187&tip=sid&clean=0>. CiteScore 2022=1.5, Q3, H-index=9, SJR 2022=0.22. You can see all the articles uploaded to Scopus in this [link](#) directly.

After this, your article will publish.

Truly yours,



Professor Dr. Syed A. A. Rizvi

Editor-in-Chief of Journal of Medicinal and Chemical Sciences: <https://www.jmchemsci.com/>

Professor of Pharmaceutical Sciences, Department of Pharmaceutical Sciences, College of Pharmacy and Health Sciences, Mercer University, Atlanta, GA, USA.

=====

If you have any questions, please contact with Assistant Editor of the JMCS: Dr. Zeinab Arzehgar, E-Mail: arzehgar@yahoo.com, WhatsApp Number: 00989187434889 or CEO of the SPC Publisher and Director of the JMCS, Dr. Sami Sajjadifar, E-Mail: ss.sajjadifar@gmail.com, samipubco@gmail.com, WhatsApp Number: 00989183432337

PROTOKOL UJI KEMIRIPAN SYARAT KHUSUS PERTAMA

A. Identitas Karya Ilmiah

Judul karya ilmiah: Memorizing Al-Quran Increases Serum BDNF Levels

Jurnal: Journal of Medical and Chemical Sciences

B. Protokol

a. Pengaturan pengecualian (exclusion filters)

Parameter	Pengaturan
Exclude bibliography	On
Exclude quoted text	On
Exclude Matches	< 8 word

**SEBELUM DI
EXCLUDE**



Memorizing Al-Quran Increases Serum BDNF Levels

BY DONNA ADRIANI

Quotes Excluded
Bibliography Excluded

25%
SIMILAR



Journal of Medicinal and Chemical Sciences

Journal homepage: <http://www.jmchemsci.com/>



Original Article

Memorizing Al-Quran Increases Serum BDNF Levels

Donna Adriani^{1*}, Patwa Amani², Mustika Anggiane Putri³, Yudhisman Imran²,
Irmiya Rachmiyanti³, Ahmad Fauzi⁴, Emad Yousif⁵

¹Physiology Department, Faculty of Medicine, Universitas Trisakti, 11440 Jakarta, Indonesia

²Neurology Department, Faculty of Medicine, Universitas Trisakti, 11440 Jakarta, Indonesia

³Obstetrics and Gynecology Department, Faculty of Medicine, Universitas Trisakti, 11440 Jakarta, Indonesia

⁴Al-Azhar Sp, 16967 Cibubur, Indonesia

⁵Department of Chemistry, College of Science, Al-Nahrain University, Baghdad, Iraq

ARTICLE INFO

Article history

Received: 2025-01-19

Received in revised: 2025-02-24

Accepted: 2025-03-07

Manuscript ID: JMCS-2501-2746

DOI:10.26655/JMCHMSCI.2025.4.2

KEYWORDS

ABSTRACT

Cognitive function refers to mental processes involving knowledge, information processing, and reasoning. Memorizing the Al-Quran can stimulate the production of brain-derived neurotrophic factor (BDNF), a crucial protein that plays a significant role in promoting the survival of neurons and synapses involved in memory and learning. BDNF levels can be used to assess cognitive function. Mild Cognitive Impairment (MCI) is often evaluated using the MOCA-INA score. This study utilized an observational analytic design with a cross-sectional approach. Extensive studies have explored the effects of learning and memorizing the Al-Quran on cognitive abilities in adults. In this study, cognitive function was evaluated by measuring serum BDNF levels and the MOCA-INA score. The study involved

Match Overview

1	Internet 62 words crawled on 26-Feb-2024 www.e-journal.trisakti.ac.id	3%
2	Internet 58 words crawled on 13-Feb-2026 nuralshahibrahim.com	3%
3	Internet 56 words crawled on 09-Jun-2026 repositori.ukwms.ac.id	3%
4	Crossref 35 words Raditya Wratsangka , Elly Herwana , Yenny Yenny , Endrico Xavieress , Aditya Krishnamurti . "High-density Lipoprotein	2%
5	Internet 35 words crawled on 22-Oct-2023 www.nature.com	2%
	Internet 32 words	2%



Original Article

Memorizing Al-Quran Increases Serum BDNF Levels

Donna Adriani^{1*}, Patwa Amani¹, Mustika Anggiane Putri¹, Yudhisman Imran²,
Irmia Rachmiyani³, Ahmad Fauzi⁴, Emad Yousif⁵

¹Physiology Department, Faculty of Medicine, Universitas Trisakti, 11440 Jakarta, Indonesia

²Neurology Department, Faculty of Medicine, Universitas Trisakti, 11440 Jakarta, Indonesia

³Obstetrics and Gynecology Department, Faculty of Medicine, Universitas Trisakti, 11440 Jakarta, Indonesia

⁴Al-Azhar Syarifudin, 16967 Cibubur, Indonesia

⁵Department of Chemistry, College of Science, Al-Nahrain University, Baghdad, Iraq

ARTICLE INFO

Article history

Received: 2025-01-19

Received in revised: 2025-02-24

Accepted: 2025-03-07

Manuscript ID: JMCS-2501-2746

DOI:10.26655/JMCHMSCI.2025.4.2

KEYWORDS

BDNF

Cognitive function

Memorizing Al-Quran

MOCA-INA

ABSTRACT

Cognitive function refers to mental processes involving knowledge, information processing, and reasoning. Memorizing the Al-Quran can stimulate the production of brain-derived neurotrophic factor (BDNF), a crucial protein that plays a significant role in promoting the survival of neurons and synapses involved in memory and learning. BDNF levels can be used to assess cognitive function. Mild Cognitive Impairment (MCI) is often evaluated using the MOCA-INA score. This study utilized an observational analytic design with a cross-sectional approach. Extensive studies have explored the effects of learning and memorizing the Al-Quran on cognitive abilities in adults. In this study, cognitive function was evaluated by measuring serum BDNF levels and the MOCA-INA score. The study involved 88 adult participants aged 18-30 years who met the inclusion and exclusion criteria. The BDNF levels in the 11-20 juz group (45540.2 ± 11661.84 pg/mL) and the 21-30 juz group (46005.6 ± 7304.86 pg/mL) were significantly higher than those in the <10 juz group (37414.88 ± 10229.63 pg/mL). The difference between Quran memorization and BDNF level was statistically significant ($p = 0.002$). However, the MOCA-INA scores did not show a significant difference across the three groups ($p = 0.696$). The amount of Al-Quran memorized is significantly associated with serum BDNF levels. Memorizing the Al-Quran may provide cognitive benefits, particularly in enhancing brain neurotrophic factors, and could be a beneficial practice for improving cognitive function in Muslims.

**SETELAH DI
EXCLUDE**

Memorizing Al-Quran Increases Serum BDNF Levels

By Donna Adriani



Original Article

Memorizing Al-Quran Increases Serum BDNF Levels

Donna Adriani^{1*} , Patwa Amani¹ , Mustika Anggiane Putri¹ , Yudhisman Imran² ,
Irmia Rachmiyani³ , Ahmad Fauzi⁴, Emad Yousif⁵

¹Physiology Department, Faculty of Medicine, Universitas Trisakti, 11440 Jakarta, Indonesia

²Neurology Department, Faculty of Medicine, Universitas Trisakti, 11440 Jakarta, Indonesia

³Obstetry and Gynecology Department, Faculty of Medicine, Universitas Trisakti, 11440 Jakarta, Indonesia

⁴Al-Azhar Syifa Budi, 16967 Cibubur, Indonesia

⁵Department of Chemistry, College of Science, Al-Nahrain University, Baghdad, Iraq

ARTICLE INFO

Article history

Received: 2025-01-19

Received in revised: 2025-02-24

Accepted: 2025-03-07

Manuscript ID: JMCS-2501-2746

DOI:10.26655/JMCHMSCI.2025.4.2

KEYWORDS

BDNF

Cognitive function

Memorizing Al-Quran

MOCA-INA

ABSTRACT


Cognitive function refers to mental processes involving knowledge, information processing, and reasoning. Memorizing the Al-Quran can stimulate the production of brain-derived neurotrophic factor (BDNF), a crucial protein that plays a significant role in promoting the survival of neurons and synapses involved in memory and learning. BDNF levels can be used to assess cognitive function. Mild Cognitive Impairment (MCI) is often evaluated using the MOCA-INA score. This study utilized an observational analytic design with a cross-sectional approach. Extensive studies have explored the effects of learning and memorizing the Al-Quran on cognitive abilities in adults. In this study, cognitive function was evaluated by measuring serum BDNF levels and the MOCA-INA score. The study involved 88 adult participants aged 18-30 years who met the inclusion and exclusion criteria. The BDNF levels in the 11-20 juz group (45540.25 ± 11619.4 pg/mL) and the 21-30 juz group (46005.6 ± 7304.86 pg/mL) were significantly higher than those in the <10 juz group (37414.88 ± 10229.63 pg/mL). The difference between Quran memorization and BDNF levels was statistically significant ($p = 0.002$). However, the MOCA-INA scores did not show a significant difference across the three groups ($p = 0.696$). The amount of Al-Quran memorized is significantly associated with serum BDNF levels. Memorizing the Al-Quran may provide cognitive benefits, particularly in enhancing brain neurotrophic factors, and could be a beneficial practice for improving cognitive function in Muslims.

* Corresponding author: Donna Adriani

✉ E-mail: donna.adriani@trisakti.ac.id

© 2025 by SPC (Sami Publishing Company)

GRAPHICAL ABSTRACT



Introduction

Cognitive function refers to a set of mental processes involved in learning, memory, attention, perception, language, intelligence, and reasoning. Some of the cognitive functions that are often assessed include learning, memory, attention, and executive function [1]. Studies have shown that cognitive function tends to decline after the age of 20 [2]. One way to assess cognitive function is through the measurement of Brain Derived Neurotrophic Factor (BDNF) levels, a crucial protein that plays a significant role in promoting the survival of synapses and neurons involved in memory and learning processes [4]. BDNF is particularly expressed in the hippocampus and para-hippocampus areas, which are vital for cognitive tasks related to memory and learning [5].

Besides BDNF levels, cognitive function can also be assessed using tools such as the MOCA-INA score. The MOCA-INA score is commonly used to screen for Mild Cognitive Impairment (MCI) [6]. The Al-Quran, the holy book of Islam, is believed by Muslims to be the word of Allah SWT revealed to the Prophet Muhammad SAW [7,9]. Individuals

who read, memorize, and study the Al-Quran are referred to as Hafidz [10]. Memorizing the Al-Quran is a challenging task, as it requires strong memory and high concentration [11]. Several studies have indicated that memorizing the Al-Quran may have cognitive benefits, particularly in improving cognitive function.

Materials and Methods

The aim of this study was to observe and analyze the effects of memorizing the Al-Quran on cognitive function in adults using a cross-sectional approach. The study was conducted at Perguruan Tinggi Ilmu Quran (PTIQ) to evaluate this relationship. The study involved 88 adult participants (men and women aged ≥ 18 years), who provided written informed consent after receiving a full explanation of the study's purpose and procedures.

Inclusion criteria included adults aged 18 years and above, while exclusion criteria were participants diagnosed with psychotic disorders, neurological disorders, those on antidepressant or antipsychotic medications, or those with malignancies.

Participants were divided into three groups based on the number of Al-Quran parts (juz) they had memorized: the first group (Group 1) included participants who had memorized fewer than 10 juz, the second group (Group 2) included those who had memorized 11-20 juz, and the third group (Group 3) included participants who had memorized 21-30 juz.

Cognitive function was assessed through two methods: the measurement of serum BDNF levels and the MOCA-INA (Montreal Cognitive Assessment for Indonesian participants) score. Serum BDNF levels were measured using the ELISA method, in collaboration with PRODIA Laboratory. The MOCA-INA test evaluates various aspects of cognitive functioning, including short-term memory, visuospatial memory, executive functions, attention, language, and spatial and temporal orientation. The MOCA-INA is a widely used cognitive screening tool, with scores between 25 and 30 generally considered within the normal range.

Ethics approval was obtained from the Faculty of Medicine, Universitas Trisakti (No. 179/KER/FK/X/2022). Data processing was conducted using SPSS v.25, with results presented as mean $\pm$ SD. To assess the differences between groups, an ANOVA test was applied. A statistical significance level of $p < 0.05$ was considered meaningful.

Table 1: Distribution of the general characteristics of the participants at base line

Characteristics	Mean (pg/mL)	SD (pg/mL)
Age (yo)	25.18	2.94
BDNF (pg/mL)	40356.55	10747.37
MOCA-INA	25.14	2.96

The findings revealed that the serum levels of brain-derived neurotrophic factor (BDNF) were notably higher in individuals who had memorized a greater number of Al-Quran juz. Specifically, participants in the 11-20 juz group exhibited an average BDNF serum level of 45540.25 ± 11661.84 pg/mL, while those in the 21-30 juz group showed an even higher average of 46005.6 ± 7304.86 pg/mL. In contrast, participants who had memorized fewer than 10 juz had significantly lower average BDNF serum levels, measuring 37414.88 ± 10229.63 pg/mL. Statistical analysis indicated a significant

Results

Based on the data presented in the study, a total of 88 participants were included, consisting of 49 males (55.68%) and 39 females (44.32%), as indicated in Table 1. The general characteristics of the participants at baseline included their age, BDNF serum levels, and MOCA-INA scores.

The mean age of the participants was 25.18 years, with a standard deviation of 2.94 years, indicating that the participants were relatively young adults with minimal age variation. The mean BDNF serum level was recorded at 40356.55 pg/mL, with a standard deviation of 10747.37 pg/mL, reflecting a moderate variation in BDNF levels among participants. In addition, the MOCA-INA score, which assesses cognitive function, had a mean value of 25.14 with a standard deviation of 2.96, suggesting that the majority of participants had relatively stable cognitive performance (Table 1).

These baseline characteristics provide an overview of the population studied, indicating a balanced gender distribution and consistent ranges for the key variables. The data also serve as a foundation for further analysis, particularly in exploring the relationships between demographic and biological factors, such as BDNF levels and cognitive function, across different groups in the study.

correlation between the extent of Al-Quran memorization and BDNF serum levels, with a p-value of 0.002, suggesting that increased memorization activity may positively influence BDNF levels (Table 2).

However, the analysis of cognitive function using the MOCA-INA (Montreal Cognitive Assessment - Indonesian version) score showed no significant differences across the three groups, as evidenced by a p-value of 0.696. This indicates that while memorization activity appears to have a measurable impact on BDNF serum levels, it may not directly translate to observable differences in

cognitive function, as assessed by MOCA-INA, among the groups studied. These findings, summarized in (Table 2), highlight the potential neurobiological benefits associated with

memorization activities while suggesting that further research is needed to fully understand the relationship between BDNF levels and cognitive outcomes.

Table 2: BDNF levels and MOCA-INA score

Characteristics	Memorization Al-Quran			P-value
	< 10 juz (n=29)	11-20 juz (n=30)	21-30 juz (n=29)	
BDNF (pg/mL)	37414.88 ± 10229.63	45540.25 ± 11661.84	46005.60 ± 7304.86	0.002
MOCA-INA	25 ± 3.08	25 ± 2.88	25.73 ± 2.66	0.696

Discussion

This study showed that the highest level of BDNF and MOCA-INA score was observed among the participants who memorized the Al-Quran in the category of juz 21 – 30. BDNF plays an important role in changing to brain structure. BDNF is correlated with increased cognitive function. BDNF activity improve cognitive function [3,11]. Assessment of cognitive function consists of attention and concentration, executive function, memory, language, visuoconstruction, conceptual thinking, calculation, and orientation skills [12,13].

Memorization involves processes called basic cognitive processes which include encoding, storing, and recalling memories, because these processes occur in many memory systems that function differently but are interconnected [13]. Memorization of the Al-Quran means the process of memorizing the Al-Qur'an as a whole, both memorization and accuracy of reading as well as pursuing, reciting and paying attention to keeping memorization from forgetting [14]. Memorizers of the Al-Quran in Arabic are called Hafidz Al-Quran. Hafidz Al-Quran is a person who memorizes well after going through the process of memorizing verse by verse of the Al-Qur'an on purpose. Hafiz Qur'an can recite verses of the Al-Qur'an without looking at these verses and must always keep their memorization so that they are not forgotten. Indeed, the Qur'an is easy to memorize as stated in one of its verses: "And verily We have made the Qur'an easy to understand and remember, then has anyone learned a lesson?" [15]. A study by Zoladz *et al.* repeated stimulation triggers long-term potentiation (LTP) [16].

A study by Irfannuddin *et al.* showed that Hafidz Al-Quran group has a significantly higher BDNF serum level than administrative workers group. Environmental stimulation related religious activity like memorizing Al-Quran may affect BDNF to support neuroplasticity [17]. Zoladz *et al.* found that BDNF regulates long-term potentiation (LTP) in the hippocampus, which is a form of synaptic plasticity that contributes to long-term memory formation. [16].

Based on Hussain MH's study (2021) the treatment group listening to the Al-Quran had increased memory and was statistically significant. This is because listening to the Al-Quran can increase mood and happy hormones [18]. Based on Irawati K's study (2018), reading the Al-Quran can prevent cognitive function decline in the elderly because reading and listening to the Al-Quran gives calm, piety, and controlling emotions for the reader [19]. Religious activities can improve cognitive function in terms of increasing the MoCa-Ina score [20,22].

Conclusion

The amount of juz memorized Al-Quran is significantly related to BDNF serum level. In practical terms, we may suggest that Muslims memorize the Al-Quran to improve cognitive function.

Acknowledgements

The findings of this study were graciously provided by the Faculty of Medicine at Universitas Trisakti, and the authors are immensely grateful for their support.

7

Disclosure Statement

The authors declare that they have no conflicts of interest to disclose in this study.

ORCID

Anna Adriani:

<https://orcid.org/0000-0003-4595-4097>

Patwa Amani:

<https://orcid.org/0000-0001-6568-6072>

Mustika Anggiane Putri:

<https://orcid.org/0000-0002-4451-5511>

Yudhisman Imran:

<https://orcid.org/0000-0003-4084-7364>

Irmiya Rachmiyani:

<https://orcid.org/0009-0008-8503-1792>

Emad Yousif:

<https://orcid.org/0000-0003-1458-4724>

References

- [1] Driscoll L.L., Cognitive function, Comprehensive Toxicology, Elsevier, 2018, 376 [Crossref], [Google Scholar], [Publisher]
- [2] Gholipour N., Amiripour A., Relationship between personal myth and early maladaptive schemas with general health in third year male and female high school students in islamshahr. *Eurasian Journal of Science and Technology*, 2023, 3:77 [Crossref], [Google Scholar], [Publisher]
- [3] Salthouse T., Consequences of age-related cognitive declines, *Annual Review of Psychology*, 2012, 63:201 [Crossref], [Google Scholar], [Publisher]
- [4] Adriani D., Imran Y., Mawi M., Amani P., Ilyas E.I., Effect of brain gym® exercises on cognitive function and brain-derived neurotrophic factor plasma level in elderly: A randomized controlled trial, *Universa Medicina*, 2020, 39:34 [Crossref], [Google Scholar], [Publisher]
- [5] Miranda M., Morici J.F., Zanoni M.B., Bekinschtein P., Brain-derived neurotrophic factor: A key molecule for memory in the healthy and the pathological brain, *Frontiers in Cellular*

- Neuroscience*, 2019, 13:472800 [Crossref], [Google Scholar], [Publisher]
- [6] Imran Y., Adriani D., Amani P., Rachmiyani I., Prawiroharjo P., Association between brain gym and cognitive function in postmenopausal women, *International Journal of Scientific and Technology Research*, 2020, 9:1405 [Crossref], [Google Scholar], [Publisher]
- [7] Alaydrus R., Adolescent metacognitive knowledge during the Quran memorization process, *Journal of Islamic Studies And Culture*, 2019, 7:12 [Crossref], [Google Scholar], [Publisher]
- [8] Slamet S., The effect of memorizing quran on the children cognitive intelligence, *Humanities & Social Sciences Reviews*, 2019, 7:571 [Crossref], [Google Scholar], [Publisher]
- [9] Kirmani M.N., Qur'anic approach to cognitive and behavioral change: psychological perspective, *IAHRW International Journal of Social Sciences*, 2016, 3:257 [Crossref], [Google Scholar], [Publisher]
- [10] Sirin S., Metin B., Tarhan N., The effect of memorizing the quran on cognitive functions, *The Journal of Neurobehavioral Sciences*, 2021, 8:22 [Crossref], [Google Scholar], [Publisher]
- [11] Charsouei S., Mohammad Rahimi M., Determining complications of neurological system in patients after kidney transplantation in northwest iran, *Eurasian Journal of Science and Technology*, 2025, 5:81 [Crossref], [Google Scholar], [Publisher]
- [12] Ghaffari Y.D., Ghorbanian N., The effects of blood sugar, electrolytes, and blood pressure on postoperative cognitive dysfunction in patients candidates for general surgery under general anesthesia: A non-systematic review, *Eurasian Journal of Science and Technology*, 2023, 3:125 [Crossref], [Google Scholar], [Publisher]
- [13] Basir A., Syahbudin A., Yahya M.D., Armizi A., Liriwati F.Y., What does current evidence say about prenatal education to succeed alquran

- hafiz, *Nazhruna: Jurnal Pendidikan Islam*, 2022, 5:229 [Crossref], [Google Scholar], [Publisher]
- [14] Adriani D., Amani P., Putri M.A., Imran Y., Fauzi A., Menghafal Al-quran: Tinjauan fungsi kognitif, *Jurnal Penelitian Dan Karya Ilmiah Lembaga Penelitian Universitas Trisakti*, 2024, 9:147 [Crossref], [Google Scholar], [Publisher]
- [15] Shukri N.H.A., Nasir M.K.M., Razak K.A., Educational strategies on memorizing the Quran: A review of literature, *Development*, 2020, 9:632 [Crossref], [Google Scholar], [Publisher]
- [16] a) Raziani Y., Raziani S. Evaluation of Mental Health of Chemotherapy-Treated Cancer Nurses. *Journal of Medicinal and Chemical Sciences*. 2021,4:351-63. [Crossref], [Google Scholar], [Publisher] b) Arifin Z., Method of memorizing al-qur'an according to baduwailan, *Studia Religia: Jurnal Pemikiran Dan Pendidikan Islam*, 2019, 3 [Crossref], [Google Scholar], [Publisher]
- [17] Fairuzillah M.N., Listiana A., The positive impact of memorizing the qur'an on cognitive intelligence of children, *In 5th International Conference on Early Childhood Education (ICECE 2020) Atlantis Press*, 2021, 334 [Crossref], [Google Scholar], [Publisher]
- [18] Zoladz J.A., Pilc J., The effect of physical activity on the brain derived neurotrophic factor: From animal to human studies, *Journal of Physiology and Pharmacology*, 2010, 61:533 [Crossref], [Google Scholar], [Publisher]
- [19] Irfannuddin M., Huffaz have higher BDNF level and better memory ability than administrative workers in same age and education, 2018 [Crossref], [Google Scholar], [Publisher]
- [20] Hussain M.H., The effect of quran as a stimulus in enhancing working memory and mood, *International Journal of Islamic Psychology*, 2021, 4:1 [Crossref], [Google Scholar], [Publisher]
- [21] Irawati K., Madani F., Durasi membaca Al-qur'an dengan fungsi kognitif pada lansia, *Mutiara Medika: Jurnal Kedokteran Dan Kesehatan*, 2019, 19:17 [Crossref], [Google Scholar], [Publisher]
- [22] Amir S.N., Juliana N., Azmani S., Abu I.F., Talib A.H.Q.A., Abdullah F., Salehuddin I.Z., Teng N.I.M.F., Amin N.A., Azmi N.A.S.M., Aziz N.A.S.A., Impact of religious activities on quality of life and cognitive function among elderly, *Journal of Religion and Health*, 2022, 61:1 [Crossref], [Google Scholar], [Publisher]

HOW TO CITE THIS ARTICLE

Donna Adriani, Patwa Amani, Mustika Anggiane Putri, Yudhisman Imran, Irmiya Rachmiyani, Ahmad Fauzi, Emad Yousif, Memorizing Al-Quran Increases Serum BDNF Levels. *J. Med. Chem. Sci.*, 2025, 8(4) 339-344

DOI: <https://doi.org/10.26655/JMCHMSCI.2025.4.2>

URL: https://www.jmchemsci.com/article_218115.html

Memorizing Al-Quran Increases Serum BDNF Levels

ORIGINALITY REPORT

15%

SIMILARITY INDEX

PRIMARY SOURCES

1	www.nature.com Internet	35 words — 2%
2	Fauzan Azima, Wan Rosli Wan Ishak, Daimon Syukri, Muhammad Iqbal, Rahmayani Rahmayani, Yasmin Azzahra. "Effects of cassiavera extract-cocoa liquor mixture on blood glucose, inflammation, immune response, and histopathological of pancreas in alloxan-treated Wistar rats", Journal of King Saud University – Science, 2025 Crossref	24 words — 1%
3	www.karyailmiah.trisakti.ac.id Internet	23 words — 1%
4	www.mdpi.com Internet	20 words — 1%
5	fliphtml5.com Internet	19 words — 1%
6	www.imsaonline.com Internet	16 words — 1%
7	www.karger.com Internet	16 words — 1%
8	pdfcookie.com Internet	15 words — 1%
9	Mariana Mariana, Irfanuddin Irfanuddin, Fachmi Idris, Iche Andriyani Liberty. "The Effect of Memory Training on Cognitive Function: A Systematic Review", Indonesian Journal of Global Health Research, 2024 Crossref	14 words — 1%
10	lirias.kuleuven.be Internet	14 words — 1%

11	repository.stikesmitrakeluarga.ac.id Internet	14 words — 1%
12	Personnel Review, Volume 42, Issue 2 (2013-05-27) Publications	12 words — 1%
13	Ikrimah Diyan Lestari, Evi Susanti Sinaga. "Sociodemographic determinants and mosquito nest eradication practices of dengue hemorrhagic fever in indonesia: Findings from the Indonesian Health Survey 2023", Malahayati International Journal of Nursing and Health Science, 2026 Crossref	11 words — 1%
14	www.researchgate.net Internet	11 words — 1%
15	skriftserien.oslomet.no Internet	9 words — < 1%
16	thrivethroughtime.com Internet	9 words — < 1%
17	univmed.org Internet	9 words — < 1%
18	Effi Rohani Nuzul Sari, Fasihah Irfani Fitri, Aldy Safruddin Rambe, Taufik Ashar. "Correlation Between Brain-Derived Neurotrophic Factor and Cognitive Function in Older Adults", Medicinski Glasnik, 2025 Crossref	8 words — < 1%
19	Hwayong Sim, Won-Jae Lee, Min Jang, Sungho Yun. "Diagnostic utility of NLR, PLR, and SII for canine mammary gland tumor malignancy", Korean Journal of Veterinary Service, 2026 Crossref	8 words — < 1%
20	e-journal.ikhac.ac.id Internet	8 words — < 1%
21	ir.unisa.ac.za Internet	8 words — < 1%
22	www.jnbs.org Internet	8 words — < 1%

EXCLUDE QUOTES	ON
EXCLUDE BIBLIOGRAPHY	ON

EXCLUDE SOURCES	< 8 WORDS
EXCLUDE MATCHES	OFF