



## INDONESIAN JOURNAL OF PROSTHODONTICS

📍 [INDONESIA PROSTHODONTIC ASSOCIATION](#)

★ [P-ISSN : 27230880](#) < > [E-ISSN : 27230899](#)

 **0**  
Impact

 **0**  
Google Citations

 **Sinta 5**  
Current Accreditation

 [Google Scholar](#)  [Garuda](#)  [Website](#)  [Editor URL](#)

### History Accreditation

2020

2021

2022

2023

2024

[Garuda](#) [Google Scholar](#)

### [Semirigid fixed bridge management with nonvital abutment and narrowed space](#)

[Indonesia Prosthodontic Association](#)  [Indonesian Journal of Prosthodontic Vol 6 No 2 \(2025\): December 2025 86-91](#)

 2025  [DOI: 10.46934/ijp.v6i2.298](#)  [Accred : Unknown](#)

### [Management of bare root complete overdenture in patients with a history of methamphetamine abuse: A case report](#)

[Indonesia Prosthodontic Association](#)  [Indonesian Journal of Prosthodontic Vol 6 No 2 \(2025\): December 2025 92-96](#)

 2025  [DOI: 10.46934/ijp.v6i2.300](#)  [Accred : Unknown](#)

### [Custom ocular prosthetic rehabilitation in patient with Post-enucleation deep eye socket using iris button technique](#)

[Indonesia Prosthodontic Association](#)  [Indonesian Journal of Prosthodontic Vol 6 No 2 \(2025\): December 2025 97-102](#)

 2025  [DOI: 10.46934/ijp.v6i2.302](#)  [Accred : Unknown](#)

### [Prosthetic rehabilitation in a patient with an anophthalmic socket following enucleation for absolute glaucoma](#)

[Indonesia Prosthodontic Association](#)  [Indonesian Journal of Prosthodontic Vol 6 No 2 \(2025\): December 2025 103-106](#)

 2025  [DOI: 10.46934/ijp.v6i2.303](#)  [Accred : Unknown](#)

### [Digitally-Assisted conventional immediate denture in aggressive periodontitis with limited abutments](#)

[Indonesia Prosthodontic Association](#)  [Indonesian Journal of Prosthodontic Vol 6 No 2 \(2025\): December 2025 107-109](#)

 2025  [DOI: 10.46934/ijp.v6i2.305](#)  [Accred : Unknown](#)

### [Management of single complete dentures in parkinsonâs patients](#)

Indonesia Prosthodontic Association [Indonesian Journal of Prosthodontic Vol 6 No 2 \(2025\): December 2025 110-115](#)

2025 [DOI: 10.46934/ijp.v6i2.306](#) [Accred : Unknown](#)

### [Restoring function and quality of life through early interim obturator therapy after left hemimaxillectomy.](#)

Indonesia Prosthodontic Association [Indonesian Journal of Prosthodontic Vol 6 No 2 \(2025\): December 2025 116-119](#)

2025 [DOI: 10.46934/ijp.v6i2.307](#) [Accred : Unknown](#)

### [Inhibitory effect of cinnamomum burmanii extract against Staphylococcus aureus on acrylic resin denture bases](#)

Indonesia Prosthodontic Association [Indonesian Journal of Prosthodontic Vol 6 No 2 \(2025\): December 2025 163-165](#)

2025 [DOI: 10.46934/ijp.v6i2.308](#) [Accred : Unknown](#)

### [Complete denture fractures: Insights into clinical failures and management strategies](#)

Indonesia Prosthodontic Association [Indonesian Journal of Prosthodontic Vol 6 No 2 \(2025\): December 2025 146-151](#)

2025 [DOI: 10.46934/ijp.v6i2.309](#) [Accred : Unknown](#)

### [The perspective of prosthodontic treatment in adolescent](#)

Indonesia Prosthodontic Association [Indonesian Journal of Prosthodontic Vol 6 No 2 \(2025\): December 2025 166-170](#)

2025 [DOI: 10.46934/ijp.v6i2.310](#) [Accred : Unknown](#)

[View more ...](#)

# Indonesian Journal of Prosthodontics

Biannual:  
June and December

Vol. 6 No. 2 – December 2025



Google  
scholar



**Indonesian Prosthodontist Society**



pISSN : 2723-0880

eISSN : 2723-0899

## Indonesian Journal of Prosthodontics

This biannually journal is a official publication of Indonesian Prosthodontist Association/  
*Ikatan Prosthodontis Indonesia (Iprosi)*

### The Central Board of Indonesian Prosthodontist Association 2022-2025 (No:SKEP/336/PB PDGI/2023)

Advisor	:	Chairman of the Indonesian Dental Association
Advisory Board	:	Prof. Laura Susanti Himawan, drg., Sp.Pro.(K) Prof. Ismet Danial Nasution, drg., Ph.D., Sp.Pro.(K) Prof. Dr. Haryo Mustiko Dipoyono, drg., MS., Sp.Pro.(K) Prof. Dr. Bahrudin Thalib, drg., M.Kes., Sp.Pro.(K) Dr. Sherman Salim, drg., MS., Sp.Pro.(K) Taufik Sumarsongko, drg., MS., Sp.Pro.(K)
Supervisory Board	:	Doddy Soemawinata, drg., Sp.Pro. Silwanus Jan Febrianto, drg., Sp.Pro. Herawan Apidana, drg., Sp.Pro.
Chairman	:	Leonard C. Nelwan, drg., Sp.Pro., FISID., FITI
Head of division I	:	Irman Syiarudin, drg., Sp.Pro.
Head of division II	:	Rahardyan Parnaadji, drg., Sp.Pro.
Head of division III	:	Bambang Agustono, drg., M.Kes., Sp.Pro.(K)
Secretary general	:	Irfan Dammam, drg., Sp.Pro.(K)
Secretary 1	:	Eva Jeanne Tj., drg., Sp.Pro.
Secretary 2	:	Fransiscus Wihan Pradana, Sp.Pro.(K)
Treasurer	:	Gabriella Nasser, drg., Sp.Pro.
Vice treasurer	:	Gina Lasiasari, drg., Sp.Pro.
		<b>DIVISION 1 DEVELOPMENT, COMMUNITY SERVICE AND MEMBER WELFARE</b>
<b>Development and training section</b>		
Head	:	Kartika Andari Wulan, drg., Sp.Pro.
Member	:	Putri Welda Utami Ritonga, drg., M.D.Sc., Sp.Pro.(K)
<b>Community service section</b>		
Head	:	Agung Priyambodo, drg., Sp.Pro.
Member	:	Glady Chumaidi, drg., Sp.Pro.
<b>Member welfare section</b>		
Head	:	Diah Andriasti, drg., Sp.Pro.
Member	:	Kadek Asri Asmita Pradnyana Putri, drg., Sp.Pro.
<b>BPJS (JKN) section</b>		
Head	:	Owin Bambang Wijanarko, drg., Sp.Pro., MARS.
Member	:	Rahma Rawadisukma Cono, drg., M.Kes., Sp.Pro.
		<b>DIVISION 2 ORGANIZATION, INTERPROFESSIONAL RELATIONS, AND LAW</b>
<b>Organization section</b>		
Head	:	Muchammad Ardiansyah, drg., Sp.Pro.
Member	:	Rustan Ambo Asse, drg., Sp.Pro.
<b>Public relations section</b>		
Head	:	Riezky Rhamdani, drg., Sp.Pro.
<b>Law section</b>		
Head	:	Bimo Rintoko, drg., Sp.Pro.
<b>Foreign relations section</b>		
Head	:	Ami Amelya, drg., Sp.Pro., Ph.D.
Member	:	Intan Ruspita, drg., M.Kes., Ph.D., Sp.Pro.
		<b>DIVISION 3 SCIENTIFIC</b>
<b>Publication (journal) section</b>	:	Eri Hendra Jubhari, drg., M.Kes, Sp.Pro (K) Prof. Dr. Ira Tanti, drg., Sp.Pro.(K) Seto Pramudita, drg., Sp.Pro.
<b>Seminar section</b>	:	Ariyani, drg., M.D.Sc., Sp.Pro.(K) Ivana, drg., Sp.Pro. Vita Mulya Passa Novianti, drg., Sp.Pro.
		<b>COUNCIL OF DENTAL ETHICS HONOR:</b> Prof. Dr. M. Lindawati S. Kusdhany, drg., Sp.Pro.(K)
		<b>BOARD OF MEMBER DEVELOPMENT AND DEFENSE:</b> Albertus Fredi Susanto, drg., Sp.Pro., M.H.Kes

### The management of Indonesian Journal of Prosthodontics (SK.No: 036/SK/PP-IPROSI/V/2023)

Advisor	:	Leonard C. Nelwan, drg., Sp.Pro.
Editor in Chief	:	Eri Hendra Jubhari, drg., M.Kes, Sp.Pro (K)
Deputy Editor in Chief	:	Seto Pramudita, drg., Sp.Pro.
Editorial Board	:	Prof. Dr. Ira Tanti, drg., Sp.Pro.(K) Prof. Dr. Edy Mahmud, drg., Sp.Pro.(K) Dr. Michael Josef K.K., drg., M.Kes., Sp.Pro.(K)
Managing Editor	:	Eri Hendra Jubhari, drg., M.Kes, Sp.Pro (K) Prof. Dr. Ira Tanti, drg., Sp.Pro.(K) Prof. Haslinda Z. Tamin, drg., M.Kes., Sp.Pro.(K) Dr. Rasmi Rikmasari, drg., Sp.Pro.(K) Dr. Suparyono Saleh, drg., Sp.Pro (K) Dr. Ratna Sari, drg., Sp.Pro.(K) Dr. Ria Rosdiana Jubhari, M.A
IT	:	Yoris Adi Mareta
Secretariat	:	Ketapang Business Centre Blok A7 Jl. KH. Zainul Arifin No. 20, West Jakarta, DKI Jakarta. Web: <a href="https://prosthodontics.or.id/journal">https://prosthodontics.or.id/journal</a> Email: <a href="mailto:indonesianjournalprosthodontic@gmail.com">indonesianjournalprosthodontic@gmail.com</a> CP: Seto Pramudita, drg., Sp.Pro., +62 811164692

## Contents

1. Semirigid fixed bridge management with nonvital abutment and narrowed space - **Delivia, Ira Tanti** 86
2. Management of bare root complete overdenture in patients with a history of methamphetamine abuse: A case report - **Livia IF. Enggarsetia, Muslita Indrasari** 92
3. Custom ocular prosthetic rehabilitation in patient with Post-enucleation deep eye socket using iris button technique - **Nathania, Lisda Damayanti** 97
4. Prosthetic rehabilitation in a patient with an anophthalmic socket following enucleation for absolute glaucoma - **Alyssa Salsabila, Lisda Damayanti, Daisy Wulansari** 103
5. Digitally-Assisted conventional immediate denture in aggressive periodontitis with limited abutments - **Hendri B. Gunawan, Utari Kresnoadi** 107
6. Management of single complete dentures in parkinson's patients - **Rafael Hendarto, Muslita Indrasari** 110
7. Restoring function and quality of life through early interim obturator therapy after left hemimaxillectomy - **Riddo A. Rudhanton, Astila Fitriana, Agus Dahlan** 116
8. Prosthodontic management of angle class III malocclusion with a maxillary single complete denture and mandibular partial denture: A case report - **Meliana, Ahmad Masruri** 120
9. Aesthetic rehabilitation with crowns and laminate veneers on maxillary anterior teeth and altered cast impression technique for mandibular metal framework partial denture - **Andriani T, Mia Syafitri, Meliana, Akmal S. Ikhwan** 125
10. Integration of leaf gauge technique in the digital fabrication of stabilization splint for temporomandibular disorder: A case report - **Alexander Justin, Syafrinani, Ricca Chairunnisa** 130
11. Integrated approach of splint, face and full-body yoga, and smartphonebased cognitive behavioral therapy for temporomandibular disorder: A case report - **Annisa Athirah, Ismet D. Nasution, Ricca Chairunnisa** 136
12. Management of TMD without surgery using prolotherapy with dexamethasone, aquades, and lidocaine hcl for pain and inflammation relief: A case series - **Adhe Ismunandar** 142
13. Complete denture fractures: Insights into clinical failures and management strategies - **Nadia Kartikasari, Annora Ol. Nathaniela, Samuel K. Kurniawan, Fionna A. Putri, Hilaria R. Irawan, Ratri M. Sitalaksmi, Karina Mundiratri, Abil Kurdi** 146
14. Accuracy of intraoral scanning influenced by different scanning distance and ambient light : A systematic literature review - **Brandon Thamran, Haslinda Z. Tamin, Ariyani** 152
15. Stress distribution and flexural strength analysis of anterior ceramic fixed prostheses based on connector designs using finite element analysis - **Rismayasari Uly, Syafrinani, Ariyani** 157
16. Inhibitory effect of cinnamomum burmanii extract against Staphylococcus aureus on acrylic resin denture bases - **Eka SI. Sari, Carolina Marpaung, Thomas Alberto** 163
17. The perspective of prosthodontic treatment in adolescent - **Nadia Kartikasari, Riddo A. Rudhanton, Charlie S. Prajugo, Aisyah RP. Gofur, Ratri M. Sitalaksmi, Karina Mundiratri** 166
18. Differences in milling speed and sintering speed using cad/cam technique on the marginal gap of zirconia dental crown - **Nadya K. Putri, Murti Indrastuti, Sri B. Barunawati** 171

## ORIGINAL ARTICLE

### Inhibitory effect of cinnamomum burmanii extract against *Staphylococcus aureus* on acrylic resin denture bases

Eka Sl. Sari,<sup>1\*</sup> Carolina Marpaung,<sup>1</sup> Thomas Alberto<sup>2</sup>

#### ABSTRACT

**Keywords:** Acrylic resin, Antibacterial, Cinnamomum burmanii, Dentures, *Staphylococcus aureus*

**Background:** Denture base acrylic resin properties is susceptible to bacteria colonization which further induce post insertion problems. **Objectives:** This study aimed to evaluate the antibacterial effect of Cinnamomum burmanii extract against *Staphylococcus aureus* on heat-cured acrylic resin denture base material. **Materials and method:** An in vitro post-test only control group design was used with 28 acrylic resin plates (9x9x3 mm) contaminated with *S. aureus* (0.5 McFarland). Samples were randomly divided into seven groups (n=4): positive control (0.2% chlorhexidine), negative control (aquades), and five treatment groups immersed in *C. burmanii* extract at concentrations of 25%, 12.5%, 6.25%, 3.125%, and 1.56%. Immersion was performed for 8 hours, after which bacterial colony counts were determined using the Total Plate Count method. **Results:** Phytochemical screening of the extract showed the presence of flavonoids, alkaloids, tannins, and triterpenoids. All concentrations of *C. burmanii* extract reduced *S. aureus* colonies compared to the negative control, with a significant overall difference among groups. The 25% concentration demonstrated the lowest mean colony count and showed an antibacterial effect approaching that of 0.2% chlorhexidine. **Conclusion:** These findings suggest that *C. burmanii* extract, particularly at 25% concentration, has potential as a natural denture cleanser alternatives for reducing *S. aureus* colonization on acrylic resin bases. (IJPD 2025;6(2):163-165)

#### Introduction

Acrylic resin-based dentures are widely used in dental practice due to their lightweight, aesthetic properties, and affordable cost. However, the porosity properties of acrylic resin make it susceptible to colonization of bacteria such as *Staphylococcus aureus*, which can lead to denture stomatitis and various oral cavity infections.<sup>1</sup> Several previous studies have shown that bacterial colonization on the surface of acrylic resins may contribute to increased oral and systemic infections.<sup>2</sup>

Efforts to overcome bacterial growth have been carried out with the development of disinfectant materials. The literature shows that the use of chemical cleaners such as chlorhexidine 0.2% is effective in reducing the number of bacteria in dentures.<sup>2</sup> However, long-term use of chlorhexidine can cause side effects, such as discoloration of dentures and mucosal irritation.<sup>3</sup> Therefore, a safer and more effective cleaning alternative is needed. One of the natural ingredients that is known to have antibacterial properties is cinnamon extract (*C. burmanii*).<sup>3</sup> Several studies have proven that *C. burmanii* contains antibacterial compounds such as cinnamaldehyde, flavonoids, and tannins.<sup>3</sup> These compounds are able to inhibit the growth of various pathogenic bacteria.<sup>4,5</sup>

*Staphylococcus aureus* is one of the opportunistic pathogenic bacteria that can colonize the surface of acrylic resin denture base. This is especially evident in users with poor dental hygiene and oral cavities. The formation of *S. aureus* biofilms on acrylic plates has the potential to trigger

denture stomatitis, crown infections, and even systemic infections in individuals with weak systemic conditions. Studies on the effectiveness of *C. burmanii* in inhibiting *S. aureus* on acrylic resin bases are still limited. Therefore, this study aims to evaluate the extent to which *C. burmanii* extract can inhibit the growth of *S. aureus* as a more natural and safe denture cleaner.

#### Material and Methods

This experimental laboratory study used post-test only control group design.<sup>5</sup> The sample sizes used were 28 heat-cured acrylic resin plates, which were divided into seven treatment groups: Positive control in the form of 0.2% chlorhexidine and negative control in the form of aqueduct and treatment with *C. burmanii* extract at concentrations of 25%, 12.5%, 6.25%, 3.125%, and 1.56%. Inclusion criteria of the study were acrylic resin plates with a size of 9x9x3mm that have been exposed only to *S. aureus*. Resin plates that have been physically damaged during treatment including those with other bacterial contamination in the study sample were excluded.<sup>6</sup>

The research procedure was carried out by first sterilizing the acrylic resin plates in an autoclave at 121°C for 15 minutes. Plates were further contaminated with *S. aureus* suspension (McFarland standardization 0.5) and incubated for 24 hours. The samples were then soaked in the test solution for 8 hours according to the treatment

<sup>1</sup>Specialist Program in Prosthodontics, Faculty of Dentistry, Universitas Trisakti, Jakarta, Indonesia  
<sup>2</sup>Department of Prosthodontics, Faculty of Dentistry, Universitas Trisakti, Jakarta, Indonesia

\*Corresponding author: eka.seftiana@trisakti.ac.id

**Table 1. Number of *S. aureus* colonies after soaking procedure**

Group	Mean ± SD
Klorheksidin glukonat 0.2%(+)	1.25±1.893
Akuades (-)	300±40
Ekstrak 25%	1.25±1.893
Ekstrak 12.5%	3.00±1.826
Ekstrak 6.25%	9.75±17.519
Ekstrak 3.125%	23.50±21.111
Ekstrak 1.56%	27.75±6.602

**Table 2. Phytochemical test result of cinnamon extract**

Parameter	Result
Flavonoid	Positif (+)
Alkaloid (Wagner)	Positif (+)
Alkaloid (Meyer)	Positif (+)
Alkaloid (Dragendorf)	Positif (+)
Tanin	Positif (+)
Saponin	Negatif (-)
Quinon	Negatif (-)
Steroid	Negatif (-)
Triterpenoid	Positif (+)

group criteria. After the procedure, the number of *S. aureus* colonies was calculated using the Total Plate Count method.<sup>10</sup> This research has received approval from the Ethics Commission of the Faculty of Dentistry, Trisakti University with the number 837/S1/KEPK/FK-G/7/2024.

**Results**

The results showed that *C. burmanii* extract at all concentrations had an inhibiting effect on the growth of *S. aureus* colonies. The group with a concentration of 25% showed the highest inhibition, approaching the effectiveness of chlorhexidine 0.2% table 1. In addition, phytochemical test showed antibacterial compounds contained in cinnamon extract according to several test parameters table 2.

**Discussion**

The results of this study showed that *C. burmanii* extract has a significant antibacterial effect against *S. aureus* on the acrylic resin. This antibacterial effectiveness increases as the concentration of the extract increases, with a concentration of 25% showing the most optimal results, approaching the effectiveness of 0.2% chlorhexidine as a positive control.<sup>7</sup>

These findings are in line with previous research showing that *C. burmanii* contains active compounds such as cinnamaldehyde, flavonoids, and tannins that have antibacterial effects against various oral pathogens.<sup>7</sup> Further evidence indicates that *C. burmanii* extracts can inhibit the growth of *S. aureus*, *Candida albicans*, and *Streptococcus mutans*, which are important pathogenic microorganisms in the oral cavity.<sup>7</sup> The present study extends this body of evidence by specifically confirming the effectiveness of *C. burmanii* in inhibiting the growth of *S. aureus* on acrylic resin denture base material, a substrate that has been only limitedly investigated to date.<sup>7</sup>

The main limitation of this study is the absence of long-term evaluation of the effectiveness of

*C. burmanii* extract under simulated or actual clinical use conditions. In addition, potential changes in the physical properties of acrylic resin denture bases following immersion in the extract were not assessed. Therefore, further studies are required to evaluate the safety, optimal concentration, and long-term stability of this extract when used as a denture cleansing agent.<sup>9</sup> Despite these limitations, the present findings may serve as a basis for the development of plant-based denture cleansers that are potentially safer than conventional chemical agents such as chlorhexidine.<sup>10</sup> The use of natural ingredients such as *C. burmanii* may provide a more environmentally friendly alternative and reduce adverse effects in denture wearers.<sup>11</sup> Overall, this study contributes preliminary evidence supporting *C. burmanii* extract as a natural alternative for denture hygiene care and highlights the need for further research on its clinical effectiveness and safety in broader applications.<sup>11,12</sup>

**Conclusion**

The results of this study showed that *C. burmanii* extract is effective in inhibiting the growth of *S. aureus* on acrylic resin denture base material. A concentration of 25% yielded the greatest reduction in bacterial colony counts, with an effect comparable to that of 0.2% chlorhexidine. Further studies are needed to evaluate the long-term effectiveness of *C. burmanii* extract and its impact on the physical properties of acrylic resins. In addition, clinical trials are further needed to confirm the safety and clinical applicability of this extract as a more natural and environmentally friendly alternative to conventional denture cleansers.

**References**

1. Ayu ZP, Pintadi H. Daya antibakteri ekstrak jintan hitam dan daun sirih terhadap *Staphylococcus aureus* pada plat gigi tiruan. *Insisiva Dental Journal*. 2020;9(1).
2. Siyulan E, Yuliarsi Y. Pengaruh lama perendaman plat resin akrilik dalam ekstrak sereh wangi (*Cymbopogon nardus*). *Jurnal Kedokteran Gigi Terpadu*. 2022;4(1).
3. Amanda HK, Ferdina R, Iswani R. Uji aktivitas antibakteri ekstrak biji buah naga merah terhadap pertumbuhan *Staphylococcus aureus* ATCC 25923 pada plat resin akrilik: studi eksperimental. *Padjadjaran Journal of Dentistry Research and Student*. 2024;8(1):51.
4. Jayadi NEA, Huda C, Fatimah F. Aktivitas antibakteri fraksinasi daun sirih merah (*Piper crocatum*) terhadap bakteri *Staphylococcus aureus* secara in vitro. *Pharmasipha*. 2023;7(1):34-43.
5. Shu C, dkk. Antibacterial activity of cinnamon essential oil and its main component of cinnamaldehyde and the underlying mechanism. *Frontiers in Pharmacology*. 2024;15.
6. Togatorop RS, Rumampuk JF, Wowor VNS. Pengaruh perendaman plat resin akrilik dalam larutan kopi dengan berbagai kekentalan terhadap perubahan volume larutan kopi. *e-GIGI*. n2017;5(1).
7. Dama C. Pengaruh perendaman plat resin akrilik dalam ekstrak kayu manis (*Cinnamomum burmanii*) terhadap jumlah blastospora *Candida albicans*. *eG*.2013;1(2).
8. Imanudin N, Kurniawan MF, Rohmayanti T. Potensi senyawa aktif ekstrak kayu manis Padang (*Cinnamomum burmanii*) sebagai inhibitor enzim aldose reductase secara molecular docking. *Jurnal Riset dan Sains Teknologi*. 2022;6(2):171.

9. Djarot P, dkk. Bioactivities and chemical compositions of *Cinnamomum burmannii* bark extracts (Lauraceae). *Sustainability*.2023;15(2):1696.
10. Lee HE, et al. Effects of different denture cleaning methods to remove *Candida albicans* from acrylic resin denture based material. *J Dent Sci*. 2011;6(4):216–220.
11. Rahayu DUC, dkk. Indonesian cinnamon (*Cinnamomum burmannii*): extraction, flavonoid content, antioxidant activity, and stability in the presence of ascorbic acid. *Cosmetics*. 2022;9(3):57.
12. Howden BP, dkk. *Staphylococcus aureus* host interactions and adaptation. *Nature Reviews Microbiology*.2023;21(6):380-395.

# Eka Seftiana Indah Sari FKG

## Inhibitory effect of cinnamomum burmanii extract against Staphylococcus aureus on acrylic resin denture bases

Artikel 1

---

### Document Details

Submission ID

trn:oid::3618:128518636

Submission Date

Feb 18, 2026, 9:43 AM GMT+7

Download Date

Feb 18, 2026, 9:44 AM GMT+7

File Name

IJPros Inhibitory Effect 31 Des 25 Gasal 2025 drg Eka.pdf

File Size

1.2 MB

3 Pages

662 Words

10,843 Characters

# 6% Overall Similarity

The combined total of all matches, including overlapping sources, for each database.





## Filtered from the Report

- ▶ Bibliography
- ▶ Quoted Text
- ▶ Small Matches (less than 15 words)




## Exclusions

- ▶ 1 Excluded Source

## Match Groups

-  **1 Not Cited or Quoted 6%**  
Matches with neither in-text citation nor quotation marks
-  **0 Missing Quotations 0%**  
Matches that are still very similar to source material
-  **0 Missing Citation 0%**  
Matches that have quotation marks, but no in-text citation
-  **0 Cited and Quoted 0%**  
Matches with in-text citation present, but no quotation marks

## Top Sources

- 5%  Internet sources
- 0%  Publications
- 6%  Submitted works (Student Papers)





## Integrity Flags

0 Integrity Flags for Review




Our system's algorithms look deeply at a document for any inconsistencies that would set it apart from a normal submission. If we notice something strange, we flag it for you to review.

A Flag is not necessarily an indicator of a problem. However, we'd recommend you focus your attention there for further review.

## Match Groups

-  **1 Not Cited or Quoted 6%**  
Matches with neither in-text citation nor quotation marks
-  **0 Missing Quotations 0%**  
Matches that are still very similar to source material
-  **0 Missing Citation 0%**  
Matches that have quotation marks, but no in-text citation
-  **0 Cited and Quoted 0%**  
Matches with in-text citation present, but no quotation marks

## Top Sources

- 5%  Internet sources
- 0%  Publications
- 6%  Submitted works (Student Papers)

---

## Top Sources

The sources with the highest number of matches within the submission. Overlapping sources will not be displayed.

**1** Student papers

**King Saud bin Abdulaziz University for Health Sciences on 2024-08-25** 6%

## ORIGINAL ARTICLE

### Inhibitory effect of cinnamomum burmanii extract against *Staphylococcus aureus* on acrylic resin denture bases

Eka Sl. Sari,<sup>1\*</sup> Carolina Marpaung,<sup>1</sup> Thomas Alberto<sup>2</sup>

#### ABSTRACT

**Keywords:** Acrylic resin, Antibacterial, Cinnamomum burmanii, Dentures, *Staphylococcus aureus*

**Background:** Denture base acrylic resin properties is susceptible to bacteria colonization which further induce post insertion problems. **Objectives:** This study aimed to evaluate the antibacterial effect of *Cinnamomum burmanii* extract against *Staphylococcus aureus* on heat-cured acrylic resin denture base material. **Materials and method:** An in vitro post-test only control group design was used with 28 acrylic resin plates (9x9x3 mm) contaminated with *S. aureus* (0.5 McFarland). Samples were randomly divided into seven groups (n=4): positive control (0.2% chlorhexidine), negative control (aquades), and five treatment groups immersed in *C. burmanii* extract at concentrations of 25%, 12.5%, 6.25%, 3.125%, and 1.56%. Immersion was performed for 8 hours, after which bacterial colony counts were determined using the Total Plate Count method. **Results:** Phytochemical screening of the extract showed the presence of flavonoids, alkaloids, tannins, and triterpenoids. All concentrations of *C. burmanii* extract reduced *S. aureus* colonies compared to the negative control, with a significant overall difference among groups. The 25% concentration demonstrated the lowest mean colony count and showed an antibacterial effect approaching that of 0.2% chlorhexidine. **Conclusion:** These findings suggest that *C. burmanii* extract, particularly at 25% concentration, has potential as a natural denture cleanser alternatives for reducing *S. aureus* colonization on acrylic resin bases. (IJPD 2025;6(2):163-165)

#### Introduction

Acrylic resin-based dentures are widely used in dental practice due to their lightweight, aesthetic properties, and affordable cost. However, the porosity properties of acrylic resin make it susceptible to colonization of bacteria such as *Staphylococcus aureus*, which can lead to denture stomatitis and various oral cavity infections.<sup>1</sup> Several previous studies have shown that bacterial colonization on the surface of acrylic resins may contribute to increased oral and systemic infections.<sup>2</sup>

Efforts to overcome bacterial growth have been carried out with the development of disinfectant materials. The literature shows that the use of chemical cleaners such as chlorhexidine 0.2% is effective in reducing the number of bacteria in dentures.<sup>2</sup> However, long-term use of chlorhexidine can cause side effects, such as discoloration of dentures and mucosal irritation.<sup>3</sup> Therefore, a safer and more effective cleaning alternative is needed. One of the natural ingredients that is known to have antibacterial properties is cinnamon extract (*C. burmanii*).<sup>3</sup> Several studies have proven that *C. burmanii* contains antibacterial compounds such as cinnamaldehyde, flavonoids, and tannins.<sup>3</sup> These compounds are able to inhibit the growth of various pathogenic bacteria.<sup>4,5</sup>

*Staphylococcus aureus* is one of the opportunistic pathogenic bacteria that can colonize the surface of acrylic resin denture base. This is especially evident in users with poor dental hygiene and oral cavities. The formation of *S. aureus* biofilms on acrylic plates has the potential to trigger

denture stomatitis, crown infections, and even systemic infections in individuals with weak systemic conditions. Studies on the effectiveness of *C. burmanii* in inhibiting *S. aureus* on acrylic resin bases are still limited. Therefore, this study aims to evaluate the extent to which *C. burmanii* extract can inhibit the growth of *S. aureus* as a more natural and safe denture cleaner.

#### Material and Methods

This experimental laboratory study used post-test only control group design.<sup>5</sup> The sample sizes used were 28 heat-cured acrylic resin plates, which were divided into seven treatment groups: Positive control in the form of 0.2% chlorhexidine and negative control in the form of aqueduct and treatment with *C. burmanii* extract at concentrations of 25%, 12.5%, 6.25%, 3.125%, and 1.56%. Inclusion criteria of the study were acrylic resin plates with a size of 9x9x3mm that have been exposed only to *S. aureus*. Resin plates that have been physically damaged during treatment including those with other bacterial contamination in the study sample were excluded.<sup>6</sup>

The research procedure was carried out by first sterilizing the acrylic resin plates in an autoclave at 121°C for 15 minutes. Plates were further contaminated with *S. aureus* suspension (McFarland standardization 0.5) and incubated for 24 hours. The samples were then soaked in the test solution for 8 hours according to the treatment

**Table 1. Number of *S. aureus* colonies after soaking procedure**

Group	Mean ± SD
Klorheksidin glukonat 0.2%(+)	1.25±1.893
Akuades (-)	300±40
Ekstrak 25%	1.25±1.893
Ekstrak 12.5%	3.00±1.826
Ekstrak 6.25%	9.75±17.519
Ekstrak 3.125%	23.50±21.111
Ekstrak 1.56%	27.75±6.602

**Table 2. Phytochemical test result of cinnamon extract**

Parameter	Result
Flavonoid	Positif (+)
Alkaloid (Wagner)	Positif (+)
Alkaloid (Meyer)	Positif (+)
Alkaloid (Dragendorf)	Positif (+)
Tanin	Positif (+)
Saponin	Negatif (-)
Quinon	Negatif (-)
Steroid	Negatif (-)
Triterpenoid	Positif (+)

group criteria. After the procedure, the number of *S. aureus* colonies was calculated using the Total Plate Count method.<sup>10</sup> This research has received approval from the Ethics Commission of the Faculty of Dentistry, Trisakti University with the number 837/S1/KEPK/FK-G/7/2024.

**Results**

The results showed that *C. burmanii* extract at all concentrations had an inhibiting effect on the growth of *S. aureus* colonies. The group with a concentration of 25% showed the highest inhibition, approaching the effectiveness of chlorhexidine 0.2% table 1. In addition, phytochemical test showed antibacterial compounds contained in cinnamon extract according to several test parameters table 2.

**Discussion**

The results of this study showed that *C. burmanii* extract has a significant antibacterial effect against *S. aureus* on the acrylic resin. This antibacterial effectiveness increases as the concentration of the extract increases, with a concentration of 25% showing the most optimal results, approaching the effectiveness of 0.2% chlorhexidine as a positive control.<sup>7</sup>

These findings are in line with previous research showing that *C. burmanii* contains active compounds such as cinnamaldehyde, flavonoids, and tannins that have antibacterial effects against various oral pathogens.<sup>7</sup> Further evidence indicates that *C. burmanii* extracts can inhibit the growth of *S. aureus*, *Candida albicans*, and *Streptococcus mutans*, which are important pathogenic microorganisms in the oral cavity.<sup>7</sup> The present study extends this body of evidence by specifically confirming the effectiveness of *C. burmanii* in inhibiting the growth of *S. aureus* on acrylic resin denture base material, a substrate that has been only limitedly investigated to date.<sup>7</sup>

The main limitation of this study is the absence of long-term evaluation of the effectiveness of

*C. burmanii* extract under simulated or actual clinical use conditions. In addition, potential changes in the physical properties of acrylic resin denture bases following immersion in the extract were not assessed. Therefore, further studies are required to evaluate the safety, optimal concentration, and long-term stability of this extract when used as a denture cleansing agent.<sup>9</sup> Despite these limitations, the present findings may serve as a basis for the development of plant-based denture cleansers that are potentially safer than conventional chemical agents such as chlorhexidine.<sup>10</sup> The use of natural ingredients such as *C. burmanii* may provide a more environmentally friendly alternative and reduce adverse effects in denture wearers.<sup>11</sup> Overall, this study contributes preliminary evidence supporting *C. burmanii* extract as a natural alternative for denture hygiene care and highlights the need for further research on its clinical effectiveness and safety in broader applications.<sup>11,12</sup>

**Conclusion**

The results of this study showed that *C. burmanii* extract is effective in inhibiting the growth of *S. aureus* on acrylic resin denture base material. A concentration of 25% yielded the greatest reduction in bacterial colony counts, with an effect comparable to that of 0.2% chlorhexidine. Further studies are needed to evaluate the long-term effectiveness of *C. burmanii* extract and its impact on the physical properties of acrylic resins. In addition, clinical trials are further needed to confirm the safety and clinical applicability of this extract as a more natural and environmentally friendly alternative to conventional denture cleansers.

**References**

1. Ayu ZP, Pintadi H. Daya antibakteri ekstrak jintan hitam dan daun sirih terhadap *Staphylococcus aureus* pada plat gigi tiruan. *Insisiva Dental Journal*. 2020;9(1).
2. Siyulan E, Yuliarsi Y. Pengaruh lama perendaman plat resin akrilik dalam ekstrak sereh wangi (*Cymbopogon nardus*). *Jurnal Kedokteran Gigi Terpadu*. 2022;4(1).
3. Amanda HK, Ferdina R, Iswani R. Uji aktivitas antibakteri ekstrak biji buah naga merah terhadap pertumbuhan *Staphylococcus aureus* ATCC 25923 pada plat resin akrilik: studi eksperimental. *Padjadjaran Journal of Dentistry Research and Student*. 2024;8(1):51.
4. Jayadi NEA, Huda C, Fatimah F. Aktivitas antibakteri fraksinasi daun sirih merah (*Piper crocatum*) terhadap bakteri *Staphylococcus aureus* secara in vitro. *Pharmasipha*. 2023;7(1):34-43.
5. Shu C, dkk. Antibacterial activity of cinnamon essential oil and its main component of cinnamaldehyde and the underlying mechanism. *Frontiers in Pharmacology*. 2024;15.
6. Togatorop RS, Rumampuk JF, Wowor VNS. Pengaruh perendaman plat resin akrilik dalam larutan kopi dengan berbagai kekentalan terhadap perubahan volume larutan kopi. *e-GIGI*. 2017;5(1).
7. Dama C. Pengaruh perendaman plat resin akrilik dalam ekstrak kayu manis (*Cinnamomum burmanii*) terhadap jumlah blastospora *Candida albicans*. *eG*. 2013;1(2).
8. Imanudin N, Kurniawan MF, Rohmayanti T. Potensi senyawa aktif ekstrak kayu manis Padang (*Cinnamomum burmanii*) sebagai inhibitor enzim aldose reductase secara molecular docking. *Jurnal Riset dan Sains Teknologi*. 2022;6(2):171.

9. Djarot P, dkk. Bioactivities and chemical compositions of *Cinnamomum burmannii* bark extracts (Lauraceae). *Sustainability*.2023;15(2):1696.
10. Lee HE, et al. Effects of different denture cleaning methods to remove *Candida albicans* from acrylic resin denture based material. *J Dent Sci*. 2011;6(4):216–220.
11. Rahayu DUC, dkk. Indonesian cinnamon (*Cinnamomum burmannii*): extraction, flavonoid content, antioxidant activity, and stability in the presence of ascorbic acid. *Cosmetics*. 2022;9(3):57.
12. Howden BP, dkk. *Staphylococcus aureus* host interactions and adaptation. *Nature Reviews Microbiology*.2023;21(6):380-395.