



KEMAS : Jurnal Kesehatan Masyarakat

Published by Universitas Negeri Semarang, Indonesia

✉ kemas@mail.unnes.ac.id



About the Journal

Jurnal Kesehatan Masyarakat starting in 2024 migrates from OJS 2 to OJS 3 to better secure from various unwanted things, including journal hacking and so on. To submit, the author please visit the new website page of our journal at the link <https://journal.unnes.ac.id/journals/kemas>

MIGRATION OFFICIAL STATEMENT [HERE](#)

KEMAS: Jurnal Kesehatan Masyarakat [P-ISSN 1858-1196 | E-ISSN 2355-3596] published by Universitas Negeri Semarang in collaboration with [Ikatan Ahli Kesehatan Masyarakat Indonesia](#) (IAKMI Tingkat Pusat) and [Jejaring Nasional Pendidikan Kesehatan](#) (JNPK). KEMAS publishes the article based on research or equivalent to research results in public health or other disciplines related to public health that has not been loaded/published by other media. The journal contains articles about epidemiology and biostatistics, health policy and administration, public health nutrition, environmental health, occupational health and safety, health promotion, reproductive health, maternal and child health, and other related articles in public health. The journal can be used by health practitioners, health caregivers, teachers, medical students, and people who are interested in public health issues. The journal was first published in July 2005. Since 2022, the journal were published quarterly a year in July, October, January, and April. Starting October 2022, articles in KEMAS Journal have been accepted for indexing to [Scopus](#).

Accreditation Certificate: [2014-2019](#), [2018-2023](#)

Indexing [GARUDA](#) [SINTA](#) [DIMENSIONS](#) [DOAJ](#) [SCOPUS](#) [SCIMAGOJR](#)

Current Issue

Vol. 21 No. 3 (2026)

DOI: <https://doi.org/10.15294/kemas.v21i3>

Published: 2026-01-31

Articles

A Systematic Review Of The Factors Influencing Successful Vaginal Birth After Cesarean

DOI: <https://doi.org/10.15294/kemas.v21i3.22873>

Fatimah Azzahra, Sri Endah Rahayuningsih, Anita Rachmawati, Qorinah Estiningtyas Sakilah Adnani, Victor Abiola Adepoju (Author)

509-518

Article ID 22873



Reducing Anxiety in Pediatric Circumcision Using an Affective-Based Virtual Reality: A Pre-Post Experimental

DOI: <https://doi.org/10.15294/kemas.v21i3.32688>

Zaenal Abidin, Abas Setiawan, Sri Ratna Rahayu, Bertakalswa Hermawati (Author)

519 - 527

Article ID 32688



Mothers' Gratitude and Psychological Well-Being in Raising Children with Autism in Indonesia: A Meta-Analysis

DOI: <https://doi.org/10.15294/kemas.v21i3.33153>

Henny Puji Astuti, Dewi Retno Suminar, Primatia Yogi Wulandari, Pramesti Pradna Paramita, Cholichul Hadi, Nur Ainy Fardana, Nono Hery Yoenanto, Fitri Andriani (Author)

528 - 539

Article ID 33153



Assessing Patient-Centered Care in Indonesia: Patients' Perceptions and Key Factors in Private vs Public Hospitals

DOI: <https://doi.org/10.15294/kemas.v21i3.31086>

Johanes Polla, Haar, Sutoto, Abdinagoro (Author)

540-548

Article ID 31086



Educational Level Differences in Knowledge and Perceptions of Sugar-Sweetened Beverages in Central Semarang

DOI: <https://doi.org/10.15294/kemas.v21i3.32654>

Oktia Woro Kasmini Handayani, Irwan Budiono, Puput Ediyarsari, Vilda Ana Veria Setyawati, Eti Rimawati, Syifa Nasir, Denilay Richardo Rambing (Author)

549 - 554

Article ID 32654



Central Obesity Analysis from the Aspect of Risky Foods and Food Consumption Patterns Related to Cultural Systems: The 2023 SKI Study

DOI: <https://doi.org/10.15294/kemas.v21i3.32829>

Hartono Hadjarati, Nasrun Pakaya, Widy Susanti Abdulkadir, Edy Dharma Putra Duhe, Oktia Woro Kasmini Handayani (Author)

555 - 565

Article ID 32829



Methanol Extract of Rue Leaves on Body Fat Composition, Insulin Resistance, and Leptin Gene Expression

DOI: <https://doi.org/10.15294/kemas.v21i3.29957>

Florensia Syntesa Haryta, Shanti Listyawati, Dono Indarto (Author)

566 - 578

Article ID 29957



Malnutrition Due to Climate Change in West Sumatra using Structural Equation Modeling with Partial Least Square Approach

DOI: <https://doi.org/10.15294/kemas.v21i3.23931>

Defriani Dwiyantri, Eri Barlian, Abdul Razak, Indang Dewata, Nurhasan Syah, Muchsin Riviwanto, Abdi Iswahyudi Yasril (Author)

579-588

Article ID 23931



Quickly Understanding of Hypertension Incident in Rural Populations: A Cross-Sectional Study

DOI: <https://doi.org/10.15294/kemas.v21i3.29683>

Niluh Desy Purnamasari, I Wayan Supetran, Desak Eka Susianawati (Author)

589-597

Article ID 29683



Gender Differences in Biochemical Examination Among Paint Industry Workers

DOI: <https://doi.org/10.15294/kemas.v21i3.30675>

Purwati, Indah Tri Susilowati, Noviana Dewi, Chusnul Chotimah, Ratna Setyaningrum, Tri Harningsih, Dewi Saroh (Author)

598 - 607

Article ID 30675



The Effect of Clinical Supervision by Ophthalmologists on the Severity of Diabetic Retinopathy in Kapuas District

DOI: <https://doi.org/10.15294/kemas.v21i3.34218>

Rosmaryati Manalu, Syamsul Arifin, Dewi Indah Noviana Pratiwi, Muhammad Ali Faisal, Rosihan Adhani, Lenie Marlinae, Herawati, Muhammad Bayu Sasongko (Author)

608 - 615

Article ID 34218



Adsorption of Lead (Pb) Ions from Workshop Wastewater Using a Combined Filter of Coconut Shell Charcoal, Pumice, and Hair Waste

DOI: <https://doi.org/10.15294/kemas.v21i3.32351>

Marlinang Isabella Silalahi, Ermi Girsang, Agung Abadi Kiswandono, Hartono, Putranto Manalu (Author)

616-623

Article ID 32351



Enhancing Digital Health Services in ASEAN Countries: Comparison of Indonesia, Singapore, and Thailand

DOI: <https://doi.org/10.15294/kemas.v21i3.23162>

Milla Herdayati, Popy Yuniar (Author)

624 - 638

Article ID 23162



Integrated Socio Epidemiological Model for Leptospirosis Control in Tidal Flood Prone Areas

DOI: <https://doi.org/10.15294/kemas.v21i3.34323>

Risna Endah Budiati, Suharyo Hadisaputro, Mateus Sakundarno Adi, Rr. Anggun Paramita Djati, Suhartono, Tri Ramadhani (Author)

639-646

Article ID 34323



The Decision-Making Experiences of Early Married Couples during Pregnancy and Childbirth

DOI: <https://doi.org/10.15294/kemas.v21i3.31584>

Siti Fatimah, Andari Wuri Astuti, Wantonoro (Author)

647 - 657

Article ID 31584



Work Productivity through Low Back Pain among Garbage Truck Drivers in Makassar

DOI: <https://doi.org/10.15294/kemas.v21i3.34319>

Lestina Nurjanah, Yahya Thamrin, Syamsiar S. Russeng, Masyita Muis, A. Arsunan Arsin (Author)

658 - 668

Article ID 34319



Patient Satisfaction and Health-Related Quality of Life After Cardiac Catheterization: A Predictive Model

DOI: <https://doi.org/10.15294/kemas.v21i3.31412>

Lely Puspita Candra Dewi, Ferdi Antonio, Dewi Sri Surya Wuisan (Author)

669 - 679

Article ID 31412**Malaria Cases in Jayapura District, Mimika District, and Jayapura City, Papua 2023****DOI:** <https://doi.org/10.15294/kemas.v21i3.18045>

Nisa Fauziah, Leonard H. Jososudarmo, Budi Sujatmiko, Naufal Fakhri Nugraha, Jontari Hutagalung (Author)
680 - 695

Article ID 18045**Nutritional Determinants and Molecular Insights into Anemia among Boarding School Adolescents****DOI:** <https://doi.org/10.15294/kemas.v21i3.35386>

Kiky Martha Ariesaka, Lintang Widya Sishartami, Anditri Weningtyas, Moh. Mirza Nuryady (Author)
696 - 707

Article ID 35386**Smoking Behavior and Workplace Health Promotion Among Municipal Employees: A Study of Greater Amman Municipality Staff in Jordan****DOI:** <https://doi.org/10.15294/kemas.v21i3.36092>

Nour Abdeljawad, Shtoura Aladwan , Yasar Alkhitan (Author)
708-718

Article ID 36092**Custom-Made Foot Insoles on Dynamic Balance in Children with Flexible Flat Feet: A Community-Based Study****DOI:** <https://doi.org/10.15294/kemas.v21i3.39922>

Nur Rachmat, Bambang Kuncoro, Dody Suprayogi, Atika Febri Anggraini, Annisa Dwi Nur Kusumawardani, Indra Yulianti (Author)
719 - 727

Article ID 39922**Hematological Profile and Air Quality: A Case Study in Belendung Subdistrict, Benda, Tangerang****DOI:** <https://doi.org/10.15294/kemas.v21i3.36799>

Siti Mimah Rohimah, Nita Noriko, Firman Alamsyah, Dewi Elfidasari, Rizky Nuur Berlianni Mulyanto, Arief Pambudi (Author)

728 - 739

Article ID 36799



Pharmacists' Knowledge, Attitudes, and Practices Regarding Nano-Pharmaceutical Availability in Hospitals

DOI: <https://doi.org/10.15294/kemas.v21i3.35041>

Abdulrahman Mahmood, Fidan Fikrat Ahmed (Author)

740-751

Article ID 35041



Early Breastfeeding Initiation Among Indonesian Women Aged 15–49: Evidence from the 2023 Health Survey

DOI: <https://doi.org/10.15294/kemas.v21i3.38837>

Ari Andayani, Ari Yuniastuti, Intan Zainafree, Dina Nur Anggraini Ningrum (Author)

752 - 763

Article ID 38837



Natural Disasters and Maternal-Neonatal Health Services: Systematic Review of Services Disruption and Recovery

DOI: <https://doi.org/10.15294/kemas.v21i3.39684>

Efa Nugroho, Budiyo, Yusniar Hanani Darundiati, Cahya Tri Purnami, Ayu Istiada (Author)

764 - 777

Article ID 39684




[View All Issues](#) >

MENU

[SUBMISSION](#)[DOWNLOAD](#)[ABOUT JOURNAL](#)[CONTACT](#)[PRIVACY STATEMENT](#)[REGISTER](#)[LOGIN](#)

PARAMETER INDEXING



ACCREDITATION RANKING



Scopus®



Journal & Publication Development Center
Universitas Negeri Semarang

[Home](#) / Editorial Team

Editorial Team

Editor-in-Chief

- Prof. Dr. dr. Oktia Woro Kasmini Handayani, M.Kes, {SCOPUS ID : 57192428885} {Public Health Nutrition} Universitas Negeri Semarang, Indonesia

Editorial Advisory Regional America

- Dr. Gina Samaan, {SCOPUS ID : 6602382950} {Epidemiology} US. Centers for Disease Control and Prevention, United States

Editorial Advisory Regional Asia

- Prof. Kathirvelu Baskar, {SCOPUS ID : 55092286200} {Entomology} Loyola College India, Entomology Research Institute, India
- Dr. Khalid M. Al Aboud, {SCOPUS ID : 7003345190} {Dermatology} King Faisal Specialist Hospital and Research Centre, Saudi Arabia
- Prof. Dato'. Syed Mohamed Aljunid, {SCOPUS ID : 6504304159} {Health Economics, Policy and Management} Universiti Kebangsaan Malaysia, Malaysia
- Dr. Dina Nur Anggraini Ningrum, {SCOPUS ID : 57195329470} {Health Information System} Taipei Medical University, Taiwan, Province of China
- Dr. Mahalul Azam, {SCOPUS ID: 57194196255} {Medical} Universitas Negeri Semarang, Indonesia
- Dr. Songpol Tornee, {SCOPUS ID : 6506180249} {Health Education} Shrinakharinwirot University, Thailand

Editorial Advisory Regional Australia

- Prof. Doune Macdonald, PhD, {SCOPUS ID : 7401463393} {Health Education} University of Queensland, Australia

Editorial Advisory Regional Africa

- Assoc. Prof. Dr. Henry Odhianosen Imhonde, {SCOPUS ID : 36069265600} {Psychology} Ambrose Alli University, Nigeria

Editorial Board

- Muhammad Azinar, S.K.M, M.Kes, {SCOPUS ID : 57194193079} {Health Promotion} Universitas Negeri Semarang, Indonesia
- Nur Siyam, S.K.M, M.PH, {SCOPUS ID : 57222668801} {Maternal and Child Health} Universitas Negeri Semarang, Indonesia
- Efa Nugroho, S.K.M, M.Kes, {SCOPUS ID : 57192436111} {Reproduction Health} Universitas Negeri Semarang, Indonesia

Administration

- Satria Adi Rachim, Universitas Negeri Semarang, Indonesia
- Widiyanto Widiyanto, Universitas Terbuka, Indonesia

MENU

 SUBMISSION

 DOWNLOAD

 ABOUT JOURNAL


 CONTACT

 PRIVACY STATEMENT

 REGISTER

[➔ LOGIN](#)

PARAMETER INDEXING



ACCREDITATION RANKING



Scopus®



Journal & Publication Development Center
Universitas Negeri Semarang

[Home](#) / [Archives](#) / Vol. 21 No. 1 (2025)

Vol. 21 No. 1 (2025)

DOI: <https://doi.org/10.15294/kemas.v21i1>**Published:** 2025-07-30

Articles

In Silico and In Vitro Approach of Preeclampsia Prophylaxis from Water of Kalianda Kopyor

DOI: <https://doi.org/10.15294/kemas.v21i1.3468>

Fitriana Fitriana, Soetrisno Soetrisno, Sri Sulistyowati, Dono Indarto (Author)

1-11

Article ID 3468

PDF

Demographic Factors and BMI on Declined Lung Function and Vitamin D Levels in Active Smokers

DOI: <https://doi.org/10.15294/kemas.v21i1.4547>

Pandu Laksono, Amelia Lorensia, Heru Wijono (Author)

12-23

Article ID 4547

PDF

Household Wood Fuel Usage and Lung Cancer Predictor Symptoms in Primary Care: A Retrospective Cross-Sectional Study for Lung Cancer Early Detection

DOI: <https://doi.org/10.15294/0c6ksf18>

Adriel Wiemputra Wangsa, Wahyu Pamungkasih (Author)

24-34

Article ID 5184

PDF

The Double Burden: A Bibliometric Analysis on Tuberculosis with Diabetes Mellitus Comorbidity**DOI:** <https://doi.org/10.15294/kemas.v21i1.10742>

Machrumnizar Machrumnizar, Adang Bachtiar, Rina K. Kusumaratna (Author)

35-45

Article ID 10742**Mineral Content and Antioxidant Capacity of Cookies Formulated with Spinach and Pangas Catfish****DOI:** <https://doi.org/10.15294/qh9vdp63>

Harlyanti Muthma'innah Mashar, Lamia Diang Mahalia, Sukmawati Ahmad Damiti (Author)

46-54

Article ID 13408**Infertilization of dengue vector (*Aedes aegypti*) with Bromelin Solution and Extract From Ananas comosus****DOI:** <https://doi.org/10.15294/kemas.v21i1.15261>

Isnawati Isnawati, Muhammad Ir'fai, Ferry Kriswandana, Wanti Wanti, Muhammad Pahrudin, Muhammad Rasyid Ridha (Author)

55-62

Article ID 15261**Identification and Treatment for Depressive Disorder: Descriptive Study from Indonesia****DOI:** <https://doi.org/10.15294/kemas.v21i1.14298>

Dharmady Agus, Nicholas Hardi, Fransisca Theresia, Aila Johanna, Rima Sisca Fanuela, Ika Suswanti (Author)

63-72

Article ID 14298**Preservative Equipment Based on Nitrogen Doping Titanium Dioxide Photocatalyst White Oyster Mushroom In Banyumeneng****DOI:** <https://doi.org/10.15294/kemas.v21i1.32910>

Sri Winarni, Windi Permatasari, D. Dayanti, E. G. Savio, I. Khairunnisa (Author)

73-80

Article ID 32910



PDF

Multifactorial Risk Factors of Hypertension in Patients Aged 45-55 Years in Kota Kotamobagu: A Cross-Sectional Study

DOI: <https://doi.org/10.15294/kemas.v21i1.20561>

Ake Royke Calvin Langingi, Grace Irene Viodyta Watung, Sudirman Sudirman, Mareyke Yolanda Lusiana Sepang, Siska Sibua, Ignatia Yohana Rembet (Author)

81-90

Article ID 20561



PDF

Strategies to Improve the Performance of Medical Record Officers Through Structural Equation Model Analysis

DOI: <https://doi.org/10.15294/kemas.v21i1.21183>

MR Tawil, Anita Anita, Muarif Leo, Kuswinton Kuswinton, Muhammad Tasjedin Teheni, Wilda Fatmala (Author); Niska Salsiani Sinta, Yohanis Rongre (Translator)

91-101

Article ID 21183



PDF

Organizational Factors Affecting Adoption of Electronic Medical Record (EMR) with Moderation of Openness to Experience

DOI: <https://doi.org/10.15294/kemas.v21i1.13796>

Jemimah Kezia Lee, Ferdi Antonio (Author)

102-115

Article ID 13796



PDF

Benzene, Toluene, Xylene Levels and Subjective Complaints in Shoe Workshops

DOI: <https://doi.org/10.15294/kemas.v21i1.14960>

Taufik Ashar, Devi Nuraini Santi, Evi Naria (Author)

116-125

Article ID 14960



PDF

Anemia in Pregnancy Based on Rural and Urban Areas

DOI: <https://doi.org/10.15294/kemas.v21i1.22585>

Catur Wulandari, Pratiwi Hariyani Putri, Anugrah Linda Mutiarani, Farah Nuriannisa, Farda Jamalia Hisbullah, Farah Nur Laily Maburoh, Jauharotul Lu'luah, Miftakhul Solekha (Author)

126-135

Article ID 22585



Sociodemographic Factors and Adolescent Attitudes Towards Family Planning Programs Related to Adolescent Marriage in Bali Province

DOI: <https://doi.org/10.15294/kemas.v21i1.22328>

Luh Seri Ani, Luh Nyoman Sumiati, Ni Kadek Ayu Dwi Utami Ds (Author)

136-146

Article ID 22328



Community Engagement Approach to Successful Malaria Elimination in Kulon Progo District

DOI: <https://doi.org/10.15294/kemas.v21i1.24999>

Heru Subaris Kasjono, Yamtana, Sugianto, Ratna Etika Sintawati (Author)

147-155

Article ID 24999



Strategies for Child Marriage Prevention in Indonesia: A Case Study

DOI: <https://doi.org/10.15294/kemas.v20i3.13732>

Enny Fitriahadi, Thuy Hong Nguyen, Endang Koni Suryaningsih, Evi Wahyuntari, Yekti Satriyandari (Author)

156-165

Article ID 13732



Menopause: Mental Health, Health Issues, and Coping Strategies. A Qualitative Study

DOI: <https://doi.org/10.15294/kemas.v21i1.13733>

Mamnua Mamnua, Wawan Febri Ramdani, Farida Kartini, Dhési Astuti, Dian Retnaningdiah, Wantonoro Wantonoro (Author)

166-173

Article ID 13733



Hypertension in Pregnancy: A Nested Case-Control Study

DOI: <https://doi.org/10.15294/kemas.v21i1.27483>

Noor Hidayah, Oktia Woro Kasmini Handayani, Ari Yuniastuti, Dina Nur Anggraini Ningrum (Author)
174-182

Article ID 27483



PDF

Maternal Characteristics, Malnutrition, and Pregnancy Complications with the Incidence of Low Birth Weight in an Industrial Environment

DOI: <https://doi.org/10.15294/kemas.v21i1.27768>

Yulia Nur Khayati, Tandiyo Rahayu, Oktia Woro Kasmini Handayani, Evi Widowati, Dina Nur Anggraini Ningrum (Author)

183-191

Article ID 27768



PDF

Minimum Initial Service Package Readiness Assessment (MRA) for Reproductive Health in the Disaster Situation of Mount Merapi Eruption in Magelang Regency

DOI: <https://doi.org/10.15294/kemas.v21i1.29491>

Rafidha Nur Alifah, Alfiana Ainun Nisa, Efa Nugroho, Sofwan Indarjo, Evi Widowati (Author)

192-202

Article ID 29491



PDF

Gender-Based Violence against Men and Women

DOI: <https://doi.org/10.15294/kemas.v21i1.13707>

Warsiti Warsiti, Luluk Rosida, Intan Mutiara Putri, Nurbita Fajarini (Author)

203-213

Article ID 13707



PDF

Digital Therapy Versus Traditional Care for Maternal Mental Health: Meta-Analysis of Psychotherapy RCTs

DOI: <https://doi.org/10.15294/kemas.v21i1.14477>

Angelina Audina, Trias Mahmudiono, Siti Rahayu Nadhiroh, Emyr Reisha Isaura (Author)

214-224

Article ID 14477



PDF

Families at Risk of Stunting and the Prevalence of Stunting in Indonesia: An Ecological Study

DOI: <https://doi.org/10.15294/kemas.v21i1.20978>

Rico Kurniawan, Lina Widyastuti, Sudibyo Alimoeso, Siti Fathonah, Meindy Diaini, Muhammad Kodir, Welcy Fine, Okky Assetya Pratiwi, Hafsa Farah Fadhillah (Author)

225-236

Article ID 20978



Building a Culture of Patient-Centered Care and Its Impact on Hospital Performance

DOI: <https://doi.org/10.15294/kemas.v21i1.23396>

Johanes Polla, Harjanto Prabowo, Sutoto Sutoto, Sri Bramantoro Abdinagoro (Author)

237-249

Article ID 23396



Walking Towards Wellness: Exploring Community Views on Urban Walkability for a Healthier Lifestyle in Semarang

DOI: <https://doi.org/10.15294/kemas.v21i1.26750>

Kirana Prasetya Azizah, Bagus H. Setiadji, Haryono S. Huboyo (Author)

250-260

Article ID 26750



MENU

 SUBMISSION


 DOWNLOAD

 ABOUT JOURNAL

 CONTACT

[🔒 PRIVACY STATEMENT](#)[👤 REGISTER](#)[➡ LOGIN](#)

PARAMETER INDEXING



ACCREDITATION RANKING



Scopus®



Journal & Publication Development Center
Universitas Negeri Semarang



The Double Burden: A Bibliometric Analysis on Tuberculosis with Diabetes Mellitus Comorbidity

Machrumnizar Machrumnizar^{1,2✉}, Adang Bachtiar³, Rina K. Kusumaratna⁴

¹Doctoral Program, Faculty of Public Health, Universitas Indonesia, Indonesia

²Department of Parasitology, Faculty of Medicine, Universitas Trisakti, Indonesia

³Department of Health Administration and Policy, Faculty of Public Health, Universitas Indonesia, Indonesia

⁴Department of Public Health, Faculty of Medicine, Universitas Trisakti, Indonesia

Article Info

Article History:

Submitted July 2024

Accepted June 2025

Published July 2025

Keywords:

tuberculosis; diabetes; public health; bidirectional; bibliometric

DOI

<https://doi.org/10.15294/kemas.v21i1.10742>

Abstract

Many studies have been conducted independently and collaboratively to find effective ways to control TB. However, the prevalence of TB continues to increase, especially in low- and middle-income countries. This study highlights the breadth of research conducted worldwide and collaborative networks over the past decade. Between 2003 and 2023, 410 research articles on TB with comorbid diabetes were analyzed using the Scopus database, with an annual growth rate of 7.18%, reaching its peak in 2022. The keywords “tuberculosis” and “diabetes mellitus” were found to have a total link strength of 2895 and 3101, respectively. The most published articles on TB-DM were published in the International Journal of Tuberculosis and Lung Disease (23). Babu, Subash (23) authored the most TB-DM article publications. The National Institute for Research in Tuberculosis is the most productive affiliation (12), making India the country with the most published articles. Still, the Netherlands led in average article citations (32.8%), and the United States has the most collaborative link country (324). Visualization of the co-occurrence and co-authorship networks was conducted using R-Studio and VOS-Viewer. The study highlights the rising tuberculosis and diabetes incidence, identifies research trends, disparities, and bidirectional control innovations, providing valuable insights for policy recommendations.

Introduction

The co-epidemic of diabetes mellitus (DM) and tuberculosis (TB) is a significant worldwide health concern, especially among countries with low to middle incomes where the incidence of both exceeds high (GBD & Diabetes Collaborators, 2023). The number of tuberculosis-related deaths increased dramatically between 2019 and 2021, with 1.6 million tuberculosis-related deaths reported. The WHO End TB Strategy’s first success was a 5.9% decline in infections between 2015 and 2021. 10.6 million cases were reported in 2021, an increase of 4.5% from 2020. The 2% annual decline in incidence was reversed by a reduction

in the incidence of TB by 2%. An increase of 3.6% (WHO, 2022).

The World Health Organization (WHO) has not achieved its target of reducing the death rate by 35% and the TB infection rate by 20% by 2020, despite a decrease in the annual death rate and global incidence rate. The target is to reduce the death rate by 90% or the TB incidence rate by 80% by 2030 (IDE, 2022; WHO, 2022). The endemicity of tuberculosis (TB) in developing countries is expected to increase the number of people with type 2 diabetes by 51% to 700 million in 2045, and the proportion of new TB cases with diabetes mellitus to 33.3% in 2050 (Awad *et al.*, 2019; IDE, 2022; McMurphy *et al.*,

✉ Correspondence Address:

Doctoral Program, Faculty of Public Health, Universitas Indonesia, Indonesia
Email: machrumnizar_md@trisakti.ac.id

2019). Diabetes mellitus ranks fourth among all causes of death, with an estimated 6.7 million cases globally in 2021. Together with HIV and malnutrition, people experiencing DM are more likely to get active TB or have latent TB reactivated, which is one of the main risk factors for TB, worsening treatment outcomes, and premature death. According to the International Diabetes Federation (IDF), roughly 45% of DM sufferers worldwide are undiagnosed, with Type 2 DM causing 90% of all DM cases. In Indonesia, 19.5 million people suffer from DM, and 73% of them are undiagnosed (Eckold *et al.*, 2021; Indonesian Ministry of Health, 2018; Magliano D. J & Boyko E. J, 2021; Ngo *et al.*, 2021; Verma *et al.*, 2021).

Bibliometric analysis is a technique of analyzing published information and associated metadata, which is often used in systematic literature reviews and involves quantitative analysis to describe relationships between published articles (Akmal *et al.*, 2020; Chen *et al.*, 2020; Yang *et al.*, 2021). Bibliometric analysis differs from systematic and scoping reviews in providing additional information about research activities. Bibliometric analysis is a brief overview of both domestic and foreign contributions to the literature. It usually uses a single database to provide background data, pinpoint research gaps, and conduct precise quantitative evaluation of the literature that constitutes the basis for subsequent research and funding (Donthu *et al.*, 2021; Ninkov *et al.*, 2022). However, bibliometric analysis excludes grey literature, which is prevalent in systematic reviews. The strength of this bibliometric approach lies in its comprehensive and detailed coverage (Linnenluecke *et al.*, 2020). Increased development and accessibility of software that utilizes quantitative algorithms and techniques, such as VOSviewer (Center for Science and Technology Studies, Leiden University, Leiden, The Netherlands) and scientific databases (Scopus, PubMed, Web of Science, Crossref, Google Scholar, Semantic Scholar) makes bibliometrics has become very popular in recent years as a form of large-scale data analysis. Official guidelines exist for systematic reviews, but the coverage and depth of bibliometric methods in these guidelines remain inadequate. Bibliometric analysis is

regarded as a scholarly approach for gathering and combining published research on a fixed subject, notwithstanding its drawbacks (Donthu *et al.*, 2021; Passas, 2024). There are many accessible systematic reviews with varying research focuses regarding TB, DM, or TB-DM. However, there are not many systematic reviews that apply bibliometric analysis. In this study, we gathered research articles indexed in the Scopus database between 2013 and 2023 that dealt with the co-morbidity of TB and diabetes and then analyzed and visualized them bibliometrically.

Method

The bibliometric analysis was applied from 2013 to 2023, employing the SciVerse Scopus database, which provides various benefits compared to different databases. Due to its easy-to-use interface, Scopus provides more global coverage than Web of Science and more precise data analysis than Google Scholar or PubMed (Beovich *et al.*, 2021; Keighobadi *et al.*, 2021). Scopus-indexed data collected by over 25,000 active titles and 7,000 publishers, all of which have been extensively verified and approved by a third-party assessment council. Scopus uniquely merges an exhaustive, highly managed abstract and citation database with enhanced data and connected academic literature spanning several fields (<https://elsevier.international/en-gb/solutions/scopus.html>). Scopus was selected due to its all-encompassing perspective on worldwide research productivity in medical science, technology, arts, humanities, and behavioural sciences. It provides tools for tracking research trends, publication year, document type, analysing citations, computing h-index (Hirsh-index), journal name, authors, affiliations, mapping keywords, and collaborating on international research (Sweileh, 2018).

Data collection was carried out on November 16, 2023. A comprehensive search was carried out on Scopus data collection to retrieve data of original research publications on the topic of TB with comorbid DM. This bibliometric study began with identifying sources and establishing inclusion and exclusion criteria. However, the most significant consideration is keyword selection,

since it has a direct effect on the discoveries and outcomes (Sweileh, 2018). In the initial data collection process, according to keywords, 715 articles were collected. Furthermore, data cleaning is required to remove duplicate articles and articles published in the period 2013 to 2023. Only full-text original articles published in English and final stage are considered to meet the inclusion criteria; all other types of documents, articles with unprovided English translations, and unrelated articles are excluded. The results of data extraction produced a total of 505 articles. The data search method in the Scopus database involves combining the terms TITLE (“tuberculosis” OR “lung tuberculosis” OR “pulmonary tuberculosis” AND diabet* AND “diabetes mellitus” OR “diabetes”) AND ABS (“tuberculosis” AND “diabetes mellitus”) AND ALL (“tuberculosis” AND “diabetes mellitus”) AND (LIMIT-TO (DOCTYPE, “ar”)) AND (LIMIT-TO (PUBSTAGE, “final”)) AND (LIMIT-TO (LANGUAGE, “English”)) AND (LIMIT-TO (SRCTYP, “j”).

The data gathered was applied to figure out the number of original research publications by year, subject area, journals, authorship, institutions, countries, research funding, co-occurrence networks, and co-authorship networks. Data from Scopus regarding 15 journals, 15 authors, 15 institutions, and 15 active countries—which are thought to contribute the most scientifically to the literature—are exported into an Excel spreadsheet (Microsoft® Excel® for Microsoft 365 MSO Version 2405). All subsequent data will be analyzed after exporting to “.csv” (comma-separated values) format. The number of articles given to every country may overlap since Scopus determines the entire articles for every country by considering the author institutions, irrespective of the author’s rank on the author roster. Direct assessment or quantification of a publication’s quality is challenging. As an indirect indicator of publication impact or quality, one can look at the overall number of citations obtained, the mean count of articles cited, the Hirsch index (h index), and the proportion of mostly cited articles (Aksnes *et al.*, 2019; Thelwall & Sud, 2022).

A construct and visualized bibliometric

map was produced using Biblioshiny (R studio version 2023.12.0–369) software applied to map country production, article language, and the most cited countries. VOSviewer (version 1.6.20) visualization to showcase the authors who have published the most papers and the collaboration networks between authors. The most popular subjects were found using title analysis and co-occurrence network visualization. The link strength in a map was strongly correlated with the size of the node and the line that connected the authors. Visualized maps were also generated to provide insight into the scope of worldwide collaboration. Based on the thickness of the connecting lines and the quantities of articles, VOSviewer determines the degree of partnership involving two or more countries. The link strength is supplied by the software; hence, the author does not compute it. In terms of the quantity of co-authored articles in comparison to those in other countries, the greater the collaboration between the two countries, the greater the link. VOSviewer is also useful for determining how a scientific area is organized and pinpointing potential avenues for further inquiry.

Result and Discussion

Through bibliometric analysis of research findings, we looked at 410 publications from various viewpoints published in 222 journals and featured 2175 authors. The trend in years of publication of original research articles on TB and DM has increased over the past ten years. A total of 23 research articles published in 2013 were indexed in the Scopus Database. However, from 2014 onwards, there were more than 100 publications. The study has steadily expanded since 2017 (32 documents) until it reached its peak in 2022 (58 documents). Overall, research interest in TB and DM has begun to grow over the last decades with an annual growth rate of 7.18%. Even though the increase in research annually insignificant, the number tends to increase. There has been a drastic spike in the last two years (2021 – 2022). This increase in the number of publications is in line with the increasing prevalence of tuberculosis and diabetes mellitus globally, both in developed and developing countries (IDE, 2022; WHO, 2022).




FIGURE 1. Annual citations of original research articles on TB – DM publications per year.

The average annual citation of documents is displayed in Fig. 1. The graph clearly illustrates an inverse link, where the frequency of citations swings with a high tendency from 2013 to 2018, peaking at 46.48 cited publications in 2013, then declines even further from 2019 to 2023. The average number of citations for published articles is decreasing, with average citations per article of 14.86%, although the number of publications is increasing. It suggests that the influence of publications is waning, even though several research paths are being explored in the field of TB and DM. In addition, there were social and economic difficulties brought on by the COVID-19 pandemic, which struck in 2019 and continued until 2021. Worldwide emphasis was mostly focused on COVID-19 research, which contributed to a decline in the amount of attention devoted to TB research overall (Delardas *et al.*, 2022; Mofijur *et al.*, 2021).

A total of 410 original articles on TB and DM published by authors affiliated in 83 countries; The top 15 countries publishing TB articles with DM comorbidity, including India ($n = 86$, Total citation = 929) taking the top spot, followed by the United State ($n = 78$, Total citation = 893), China ($n = 67$, Total citation = 710), United Kingdom ($n = 39$, Total citation = 118), and Indonesia ($n = 31$, Total citation = 77) in fifth position. The subsequent countries listed in sequence are Mexico ($n = 24$), Netherlands ($n = 21$), South Korea ($n = 20$), Taiwan ($n = 17$), France and South Africa ($n = 16$), Brazil ($n =$

15), Tanzania ($n = 14$), Denmark and Thailand ($n = 12$). The Netherlands led the world in average article citations (32.8%), followed closely by the United States (31.9%), the United Kingdom (23.6%), and Mexico (23.1%). Due to the vast quantity of publications and relatively low quality of those articles, India has substantially lower average article citations, even though overall citations are more than in other countries/regions. Interestingly, the three Asian countries with the highest TB caseloads are included in “The Big Five” (India, Indonesia, and China). It reveals a clear correlation between “high burden TB-DM countries” and research contributions, as evidenced by the most published articles. Research on TB itself is increasing, and controlling its spread has become one of the main health priorities in the world, with the United States, United Kingdom, India, and China dominating research in this field (Abdullah *et al.*, 2022; Garrido-Cardenas *et al.*, 2020). Similar results to the bibliometric analysis of DM (Kong *et al.*, 2023). Bibliometric analyses of TB and DM, although separately, report similar results regarding the most contributing countries.

Fig. 2 depicts the worldwide collaboration cluster network of linked countries and regions. These data were used to create eleven clusters. At least one publication was released by 46 nations or territories, and 32 of those were linked together to create a cooperative network. The United States was the most collaborative




FIGURE 2. Countries' Partnership World Map.

country with the highest total link strength (TLS = 324), followed by the United Kingdom (TLS = 232), the Netherlands (TLS = 94), China (TLS = 78), and India (TLS = 70). Indonesia (TLS = 17), on the other hand, is a member of the red cluster and collaborates with nine other nations/territories, both inside and outside of its cluster. The countries that collaborate with Indonesia the closest include Australia, the Netherlands, New Zealand, South Africa, and the United Kingdom. Thus, Indonesia must strengthen the influence of publications and global collaboration in the areas of diabetes and TB, in light of both quantity and quality.

The original articles gathered for the present research have been published in open-access journals of various categories, including all open-access (n = 302), gold (n = 233), green (n = 149), bronze (n = 28), and hybrid gold (n = 16). Original research articles published in 161 peer-reviewed publications were included, and the top 15 journals are listed in Table 1, along

with their associated 2023 CiteScore, frequency of articles published in each journal, and their citations. CiteScore 2023 is determined by dividing the total number of citations received in 2020–2023 for articles, reviews, conference papers, book chapters, and data papers published in 2020–2023 by the total number of publications created in 2020–2023. The International Journal of Tuberculosis and Lung Disease is the journal with the most published articles (n = 23) related to the topic of TB-DM, while Plos One is in the second place, has the highest number of citations (TC = 653). Meanwhile, the highest 2023 CiteScore is the International Journal of Infectious Diseases (18.9), which reflects the highest annual average number of citations to recent articles published in that journal.

Firstly, the h-index was developed for individual scientists or academics, act as an author-level indicator that assesses the productivity and citation effect of publications.

The most frequently referenced papers and citations from other journals serve as its foundation. It has more recently been used with an academic journal's influence and production. The International Journal of Tuberculosis and Lung Disease has grown since 2021 – source details obtained from Scopus – by releasing 23 of 90 TB-DM related publications in 2023 with 12 citations and an h-index of 12. Among the top 15 journals, Plos One had the most citations (TC = 653) and the highest h-index (15) out of 20 publications about TB-DM. The growing trend of research based on numerous published and cited documents related to TB cases with DM comorbidity draws the international spotlight on the spread and control of TB with DM comorbidity factors in two directions since it can have a significant global impact on public health (Bai & Ameyaw, 2024; Villar-Hernández *et al.*, 2023). Original articles on TB and DM,

written by a total of 2175 authors, co-authors per document 7.37, and international co-authorship of 37.32%. Fig 3. shows a comparison of the number of published articles and the top five authors with most publications were authored by Babu, Subash S. currently affiliated with the National Institute of Allergy and Infectious Diseases, United States (n = 23; h-index = 14; total link strength = 65; total citations = 613). Those reflect the outstanding standard and significant impact of Babu's publications. Second position is Kumar, Nathella P. who is affiliated in Tuberculosis Research Centre, India (n = 20; h-index = 11; total link strength = 48; total citation = 438), then followed by Kornfeld, Hardy with affiliations in University of Massachusetts Chan Medical School, United States (n = 17; h-index = 11; total link strength = 26; total citation = 488). Critchley, Julia A. is in fourth position affiliated in St. George's

TABLE 1. The 15 Leading Journals by Number of Articles in the Field of Tuberculosis with Diabetes.

Journal	Articles	h-index	g-index	CiteScore 2023	Total citation
International Journal of Tuberculosis and Lung Disease	23*	12	19	4.9	389
Plos One	20	15*	20	6.2	653*
BMC Infectious Diseases	17	9	14	6.5	217
Tuberculosis	12	6	12	4.6	280
Scientific Reports	9	6	9	7.5	241
BMJ Open	8	4	5	4.4	36
International Journal of Infectious Diseases	7	5	7	18.9*	62
Infection And Drug Resistance	6	3	6	5.6	45
International Journal of Mycobacteriology	6	4	6	2.2	57
BMC Health Services Research	5	4	5	4.4	60
Frontiers In Public Health	5	3	3	4.8	15
BMC Public Health	4	3	4	6.5	25
Frontiers In Endocrinology	4	1	3	5.7	12
Immunology	4	4	4	11.9	110
Indian Journal of Public Health Research and Development	4	2	2	Covered discontinued in Scopus	




FIGURE 3. Network Visualization Map of Authors' Connections

University of London, United Kingdom ($n = 12$; h -index = 7; total link strength = 29; total citation = 139), and lastly Moideen, Kadar affiliated in Tuberculosis Research Centre, India ($n = 9$; h -index = 8; total link strength = 35; total citation = 145). The item weight determines the size of the item label and circle. The item label and circle are larger, the heavier the object is. Fifteen connected authors are displayed in Fig. 3. The item's color is dictated by the cluster it belongs to. Links are shown by the lines connecting the objects. In terms of co-authorship links, the distance between two writers in the graphic generally represents how linked the authors are to one another. Broadly speaking, the stronger the relatedness of two writers, the closer they are to one another.

The three-field plot diagram shown in Fig. 4, consisting of the author, country, and affiliation of the author, aims to highlight the collaboration network of Indonesian researchers in the field of tuberculosis with diabetes comorbidity. In a collaborative study, three authors—Hill PC, Van Crevel, and Critchley J.—focused on Indonesia. London School of Hygiene and Tropical Medicine, University of London, is the organization working with an Indonesian university, in this instance, Padjadjaran University. The Padjadjaran University collaboration network

is established by South Africa, the Netherlands, Indonesia, and England.

The three-field plot diagram represents the top 15 affiliates based on the highest number of citations. The top five affiliates include National Institute for Research in Tuberculosis, Chennai, India which is the most productive affiliate (articles = 12; citations = 469; total link strength = 21), followed by Government Stanley Medical Hospital, India (articles = 5; citations = 310; total link strength = 8), Department of Medicine, University of Massachusetts Medical School, United States (articles = 6; citations = 287; total link strength = 16), International Union Against Tuberculosis and Lung Diseases, France (articles = 5; citations = 228; total link strength = 13), and Laboratory of Parasitic Diseases, National Institute of Allergy and Infectious Diseases, NIAID, United States (articles = 3; citations = 177; total link strength = 6). Total link strength within institutions with co-authorship shows the total strength of co-authorship links between researchers from a particular institution and researchers from other institutions. This shows the strength of the collaboration network between institutions and countries. The institutions of Asian countries—particularly Taiwan, Indonesia, and India—seem predominant in the list of top 15 institutions, with Indonesia in 13th place.




FIGURE 4. Three fields plot of collaboration of the institutions that publish articles about TB and DM.

The trending topics that shift over a ten-year period (2013-2023) are shown in Fig. 5 to compile statistics on keywords that have observed an enormous rise in TB and DM-related research. By displaying the intensity (frequency) and time length, the graph visualizes problems with hot spots. The 30 most popular keywords in the 2013 research featured are “tumor necrosis factor alpha” and “adaptive immunity”, which were trending topics until 2014 and 2015 with frequencies of 10 and 9, respectively. Research with the trend topic of “pulmonary tuberculosis” started in 2015 to 2019 (freq = 126), “mycobacterium tuberculosis” started in 2016 to 2021 (freq = 131), and the trend topic of “tuberculosis” only started in 2017 to 2022 with the second highest frequency (freq = 490). Meanwhile, the topic trend of “diabetes mellitus”, which also started in 2017 to 2022, has the highest frequency (freq = 504) among the top 30 keywords. Starting from 2022 to 2023, the research trend shifted towards the topics of “metabolomics” (freq = 8), “multivariate logistic regression analysis” (freq = 6), and “bioinformatics” (freq = 5).

Co-occurrence networks visualization and title analysis were performed to reveal the most active topics. To investigate co-occurrence, title keyword analysis was performed. Those terms used at least ten times by the authors within published articles on

TB – DM included, and not a single keyword is isolated in the network visualization—all keywords are interconnected. The title field with the minimum number of occurrences of a term is 10 out of 2377 keywords, only 215 of which meet the threshold. The total strength of each keyword’s relationship with other keywords will be computed every thirty. The thirty keywords with the highest overall strength of connection will be chosen and split into four clusters. The network visualization displays a line linking the keyword “tuberculosis” (occurrences = 240, total link strength = 2895) and “diabetes mellitus” (occurrences = 256, total link strength = 3101), signifying their link connection. The keyword “tuberculosis” has a larger label, indicating frequent co-occurrence compared to “lung tuberculosis” (occurrences = 164, total link strength = 2240) and “pulmonary tuberculosis” (occurrences = 98, total link strength = 1445). Meanwhile, diabetes mellitus type 2 has occurrences 97 with a total link strength of 1355. The keyword diabetes mellitus type 1 label is not displayed on network visualization, possibly due to low occurrence and total link strength despite being included in the trending topics (Yu *et al.*, 2020).




FIGURE 5. Trends Topic on Tuberculosis and Diabetes mellitus.

Conclusion

Research interest in tuberculosis and diabetes mellitus (TB) and DM has grown at an annual rate of 7.18% over the past decades. Beginning in 2014 and peaking in 2022, a batch of studies published and indexed in the Scopus Database has grown rapidly. The average annual citations of documents showed an inverse relationship. The average number of citations per article decreased, but the number of publications increased. Interestingly, authors affiliated with Indonesia are included in the top 15 positions with quite high collaboration link strength. This study provides thorough information to support creative research projects and decision-makers in formulating policy recommendations. The results of this bibliometric analysis will be material for further research entitled “Development of Machine Learning Models to Predict Tuberculosis Disease in Children”.

References

- Abdullah, M., Humayun, A., Imran, M., Bashir, M., & Malik, A., 2022. A Bibliometric Analysis of Global Research Performance on Tuberculosis (2011-2020): Time for a Global Approach to Support High-Burden Countries. *J Family Community Med*, 29(2), pp.117–124.
- Akmal, M., Hasnain, N., Rehan, A., Iqbal, U., Hashmi, S., Fatima, K., Farooq, M.Z., Khosa, F., Siddiqi, J., & Khan, M.K., 2020. Glioblastome Multiforme: A Bibliometric Analysis. *World Neurosurg*, 136, pp.270–282.
- Aksnes, D.W., Langfeldt, L., & Wouters, P., 2019. Citations, Citation Indicators, and Research Quality: An Overview of Basic Concepts and Theories. *Sage Open*, 9(1), pp.1–17.
- Awad, S.F., Huangfu, P., Ayoub, H.H., Pearson, F., Dargham, S.R., Critchley, J.A., & Abu-Raddad, L.J., 2019. Forecasting the Impact of Diabetes Mellitus on Tuberculosis Disease Incidence and Mortality in India. *J Glob Health*, 9(2), pp.020415.
- Bai, W., & Ameyaw, E.K., 2024. Global, Regional and

- National Trends in Tuberculosis Incidence and Main Risk Factors: A Study Using Data from 2000 to 2021. *BMC Public Health*, 24(1), pp. 1–14.
- Beovich, B., Olaussen, A., & Williams, B., 2021. A Bibliometric Analysis of Paramedicine Publications Using the Scopus Database: 2010-2019. *Int Emerg Nurs*, 59, pp.101077.
- Chen, W., Geng, Y., Zhong, S., Zhuang, M., & Pan, H., 2020. A Bibliometric Analysis of Ecosystem Services Evaluation from 1997 to 2016. *Environmental Science and Pollution Research*, 27(19), pp.23503–23513.
- Delardas, O., Kechagias, K.S., Pontikos, P.N., & Giannos, P., 2022. Socio-Economic Impacts and Challenges of the Coronavirus Pandemic (COVID-19): An Updated Review. *Sustainability (Switzerland)*, 14(15), pp.9699.
- Donthu, N., Kumar, S., Mukherjee, D., Pandey, N., & Lim, W.M., 2021. How to Conduct a Bibliometric Analysis: An Overview and Guidelines. *J Bus Res*, 133, pp.285–296.
- Eckold, C., Kumar, V., Weiner, J., Alisjahbana, B., Riza, A.L., Ronacher, K., Coronel, J., Kerry-Barnard, S., Malherbe, S.T., Kleynhans, L., Stanley, K., Ruslami, R., Ioana, M., Ugarte-Gil, C., Walzl, G., Van Crevel, R., Wijmenga, C., Critchley, J.A., Dockrell, H.M., & Cliff, J.M., 2021. Impact of Intermediate Hyperglycemia and Diabetes on Immune Dysfunction in Tuberculosis. *Clinical Infectious Diseases*, 72(1), pp.69–78.
- Garrido-Cardenas, J.A., de Lamo-Sevilla, C., Cabezas-Fernández, M.T., Manzano-Agugliaro, F., & Martínez-Lirola, M., 2020. Global Tuberculosis Research and Its Future Prospects. *Tuberculosis*, 121(101917), pp.101917.
- GBD., & Diabetes Collaborators., 2023. Global, Regional, and National Burden of Diabetes from 1990 to 2021, with Projections of Prevalence to 2050: A Systematic Analysis for the Global Burden of Disease Study 2021. *Lancet*, 402(10397), pp.203–234.
- IDF., 2022. *IDF Diabetes Atlas 10th edition*. Brussels: International Diabetes Federation.
- Indonesian Ministry of Health., 2018. *Riset Kesehatan Dasar*. Kementerian Kesehatan.
- Keighobadi, M., Nakhaei, M., Sharifpour, A., Khasseh, A.A., Safanavaei, S., Tabaripour, R., Aliyali, M., Abedi, S., Mehravaran, H., Banimostafavi, E.S., & Fakhar, M., 2021. A Bibliometric Analysis of Global Research on *Lophomonas* Spp. in Scopus (1933-2019). *Infect Disord Drug Targets*, 21(2), pp.230–237.
- Kong, L., Deng, B., Guo, M., Chen, M., Wang, X., Zhang, M., Tang, H., Wang, Q., Yang, L., & Xiong, Z., 2023. A Systematic Bibliometric Analysis on the Clinical Practice of CGM in Diabetes Mellitus from 2012 to 2022. *Front Endocrinol (Lausanne)*, 14, pp.1229494.
- Linnenluecke, M.K., Marrone, M., & Singh, A.K., 2020. Conducting Systematic Literature Reviews and Bibliometric Analyses. *Australian Journal of Management*, 45(2), pp.175–194.
- Magliano D.J., & Boyko E.J., 2021. *IDF Diabetes Atlas 10th edition scientific committee*. Brussels: International Diabetes Federation.
- McMurry, H.S., Mendenhall, E., Rajendrakumar, A., Nambiar, L., Satyanarayana, S., & Shivashankar, R., 2019. Coprevalence of Type 2 Diabetes Mellitus and Tuberculosis in Low-Income and Middle-Income Countries: A Systematic Review. *Diabetes Metab Res Rev*, 35(1), pp.e3066.
- Mofijur, M., Fattah, I.M.R., Alam, M.A., Islam, A.B.M.S., Ong, H.C., Rahman, S.M.A., Najafi, G., Ahmed, S.F., Uddin, M.A., & Mahlia, T.M.I., 2021. Impact of COVID-19 on the Social, Economic, Environmental and Energy Domains: Lessons Learnt from A Global Pandemic. *Sustain Prod Consum*, 26, pp.343–359.
- Ngo, M.D., Bartlett, S., & Ronacher, K., 2021. Diabetes-Associated Susceptibility to Tuberculosis: Contribution of Hyperglycemia vs. Dyslipidemia. *Microorganisms*, 9(11), pp.2282.
- Ninkov, A., Frank, J.R., & Maggio, L.A. 2022. Bibliometrics: Methods for Studying Academic Publishing. *Perspect Med Educ*, 11(3), pp.173–176.
- Passas, I., 2024. Bibliometric Analysis: The Main Steps. *Encyclopedia*, 4(2), pp.1014–1025.
- Sweileh, W.M. 2018. Research Trends on Human Trafficking: A Bibliometric Analysis Using Scopus database. *Global Health*, 14(1), pp.1–12.
- Thelwall, M., & Sud, P., 2022. Scopus 1900-2020: Growth in Articles, Abstracts, Countries, Fields, and Journals. *Quantitative Science Studies*, 3(1), pp.37–50.
- Verma, A., Kaur, M., Singh, L.V., Aggarwal, D., Verma, I., Radotra, B.D., & Sharma, S., 2021. Reactivation of Latent Tuberculosis Through Modulation of Resuscitation Promoting Factors by Diabetes. *Sci Rep*, 11(1), pp.19700.
- Villar-Hernández, R., Ghodousi, A., Konstantynovska, O., Duarte, R., Lange, C., & Raviglione, M., 2023. Tuberculosis:

- Current Challenges and Beyond. *Breathe*, 19(1), pp.220166.
- WHO., 2022. *Global Tuberculosis report*. Geneva: World Health Organization.
- Yang, Q., Yang, D., Li, P., Liang, S., & Zhang, Z., 2021. A Bibliometric and Visual Analysis of Global Community Resilience Research. *Int J Environ Res Public Health*, 18(20), pp.10857.
- Yu, Y., Li, Y., Zhang, Z., Gu, Z., Zhong, H., Zha, Q., Yang, L., Zhu, C., & Chen, E., 2020. A Bibliometric Analysis Using VOSviewer of Publications on COVID-19. *Ann Transl Med*, 8(13), pp.816.

Machrumnizar FK

KEMAS_The Double Burden_A Bibliometric Analysis on Tuberculosis with Diabetes Mellitus Comorbidity

 NARRAJ

Document Details

Submission ID

trn:oid::3618:143505930

Submission Date

Jun 18, 2026, 6:04 PM GMT+7

Download Date

Jun 18, 2026, 6:15 PM GMT+7

File Name

KEMAS_The Double Burden_A Bibliometric Analysis on Tuberculosis with Diabetes Mellitus Como....pdf

File Size

1.4 MB

11 Pages

5,114 Words

28,523 Characters

9% Overall Similarity

The combined total of all matches, including overlapping sources, for each database.

Filtered from the Report

- Bibliography
- Quoted Text
- Small Matches (less than 8 words)

Match Groups

-  **29 Not Cited or Quoted 7%**
Matches with neither in-text citation nor quotation marks
-  **7 Missing Quotations 2%**
Matches that are still very similar to source material
-  **0 Missing Citation 0%**
Matches that have quotation marks, but no in-text citation
-  **0 Cited and Quoted 0%**
Matches with in-text citation present, but no quotation marks

Top Sources

- 0%  Internet sources
- 9%  Publications
- 0%  Submitted works (Student Papers)

Match Groups

- 29 Not Cited or Quoted 7%**
Matches with neither in-text citation nor quotation marks
- 7 Missing Quotations 2%**
Matches that are still very similar to source material
- 0 Missing Citation 0%**
Matches that have quotation marks, but no in-text citation
- 0 Cited and Quoted 0%**
Matches with in-text citation present, but no quotation marks

Top Sources

- 0% Internet sources
- 9% Publications
- 0% Submitted works (Student Papers)

Top Sources

The sources with the highest number of matches within the submission. Overlapping sources will not be displayed.

- 1** Publication
"Abstracts of the Asian Congress of Nutrition 2019", Annals of Nutrition and Meta... <1%
- 2** Publication
Shaher Zyoud, Sa'ed H. Zyoud. "One Health and planetary health research landsc... <1%
- 3** Publication
Muthmainah, Hanik Badriyah Hidayati, Budi Yanti. "Improving Health for Better F... <1%
- 4** Publication
Waleed Sweileh. "The impact of social determinants of health on international mi... <1%
- 5** Publication
J.A. Garrido-Cardenas, C. de Lamo-Sevilla, M.T. Cabezas-Fernández, F. Manzano-Ag... <1%
- 6** Publication
Vinit Kumar, Gauri Shankar, Yusuf Akhter. "Deciphering drug discovery and micro... <1%
- 7** Publication
Kehinde Kazeem Kanmodi, Jacob Njideka Nwafor, Afeez Abolarinwa Salami, Eyina... <1%
- 8** Publication
Eduardo Fukutani Rocha, Caian Leal Vinhaes, Mariana Araújo-Pereira, Tiago Feito... <1%
- 9** Publication
Kehinde Kazeem Kanmodi, Temitope Oluwabukola Ojo, Lawrence Achilles Nnyan... <1%
- 10** Publication
Mohammad Salem J. Alzahrani, Hamdy M. Youssef, Najat A. Alghamdi. "Quantifyi... <1%

11	Publication	Amairani Flores-Díaz, Jineth A. Arango, Diana C. Calvo, Rene Rangel-Mendez, Aura...	<1%
12	Publication	Iskander R. Sibgatullin, Andrey V. Korzhuev, Elmira R. Khairullina, Albina R. Sadyk...	<1%
13	Publication	Xiaozan Chang, Lei Wang. "Global research trends and emerging hotspots of RNF...	<1%
14	Publication	Sa'ed H. Zyoud, Faris Abushamma, Husam Salameh, Amani S. Abushanab et al. "E...	<1%
15	Publication	Qian Zheng, Kede Liu. "Worldwide rapeseed (Brassica napus L.) research: A biblio...	<1%
16	Publication	Rohan Kar, Anurag Wasnik. "Progress and trends in healthcare marketing strateg...	<1%
17	Publication	Shumin Cheng, Guo-Ping Chang-Chien, Qianli Huang, Yu-Bo Zhang, Ping Yan, Jiale...	<1%
18	Publication	Anudha Lepcha, Manendra Kumar Singh, Abhishek Rai, Prince Buragohain. "Keyw...	<1%
19	Publication	Cristian Morán-Mariños, Fabriccio J. Visconti-Lopez, Carlos Espiche, Felix Llanos-T...	<1%
20	Publication	Cut Suwirda, Radhiah Zakaria, Nurjannah Nurjannah, Meutia Zahara, Hafnidar A. ...	<1%
21	Publication	Dibakar Sahoo, Neelam Singh, Prasanta Moharaj. "Demand for crop insurance to ...	<1%
22	Publication	Manuel Trinidad, Mercedes Ruiz, Alejandro Calderon. "A Bibliometric Analysis of ...	<1%
23	Publication	Subhan Zein, Fuad Abdul Hamied. "The Routledge International Handbook of Eng...	<1%
24	Publication	Vivek P. Chavda, Mahesh T. Chhabria, Divya M. Teli. "Recent Advancements in Tub...	<1%

25

Publication

Ziqi Xu, Rui Zhou, Xinran Zhou, Zhengyan Zhang, Qiong Li, Guodong Wang. "The c...

<1%



KEMAS 21 (1) (2025) 35-45

Jurnal Kesehatan Masyarakat

<http://journal.unnes.ac.id/nju/index.php/kemas>



The Double Burden: A Bibliometric Analysis on Tuberculosis with Diabetes Mellitus Comorbidity

Machrumnizar Machrumnizar^{1,2✉}, Adang Bachtiar³, Rina K. Kusumaratna⁴

¹Doctoral Program, Faculty of Public Health, Universitas Indonesia, Indonesia

²Department of Parasitology, Faculty of Medicine, Universitas Trisakti, Indonesia

³Department of Health Administration and Policy, Faculty of Public Health, Universitas Indonesia, Indonesia

⁴Department of Public Health, Faculty of Medicine, Universitas Trisakti, Indonesia

Article Info

Article History:

Submitted July 2024

Accepted June 2025

Published July 2025

Keywords:

tuberculosis; diabetes; public health; bidirectional; bibliometric

DOI

<https://doi.org/10.15294/kemas.v21i1.10742>

Abstract

Many studies have been conducted independently and collaboratively to find effective ways to control TB. However, the prevalence of TB continues to increase, especially in low- and middle-income countries. This study highlights the breadth of research conducted worldwide and collaborative networks over the past decade. Between 2003 and 2023, 410 research articles on TB with comorbid diabetes were analyzed using the Scopus database, with an annual growth rate of 7.18%, reaching its peak in 2022. The keywords “tuberculosis” and “diabetes mellitus” were found to have a total link strength of 2895 and 3101, respectively. The most published articles on TB-DM were published in the *International Journal of Tuberculosis and Lung Disease* (23). Babu, Subash (23) authored the most TB-DM article publications. The National Institute for Research in Tuberculosis is the most productive affiliation (12), making India the country with the most published articles. Still, the Netherlands led in average article citations (32.8%), and the United States has the most collaborative link country (324). Visualization of the co-occurrence and co-authorship networks was conducted using R-Studio and VOS-Viewer. The study highlights the rising tuberculosis and diabetes incidence, identifies research trends, disparities, and bidirectional control innovations, providing valuable insights for policy recommendations.

Introduction

The co-epidemic of diabetes mellitus (DM) and tuberculosis (TB) is a significant worldwide health concern, especially among countries with low to middle incomes where the incidence of both exceeds high (GBD & Diabetes Collaborators, 2023). The number of tuberculosis-related deaths increased dramatically between 2019 and 2021, with 1.6 million tuberculosis-related deaths reported. The WHO End TB Strategy’s first success was a 5.9% decline in infections between 2015 and 2021. 10.6 million cases were reported in 2021, an increase of 4.5% from 2020. The 2% annual decline in incidence was reversed by a reduction

in the incidence of TB by 2%. An increase of 3.6% (WHO, 2022).

The World Health Organization (WHO) has not achieved its target of reducing the death rate by 35% and the TB infection rate by 20% by 2020, despite a decrease in the annual death rate and global incidence rate. The target is to reduce the death rate by 90% or the TB incidence rate by 80% by 2030 (IDE, 2022; WHO, 2022). The endemicity of tuberculosis (TB) in developing countries is expected to increase the number of people with type 2 diabetes by 51% to 700 million in 2045, and the proportion of new TB cases with diabetes mellitus to 33.3% in 2050 (Awad *et al.*, 2019; IDE, 2022; McMurry *et al.*,

✉ Correspondence Address:

Doctoral Program, Faculty of Public Health, Universitas Indonesia, Indonesia

Email: machrumnizar_md@trisakti.ac.id

2019). Diabetes mellitus ranks fourth among all causes of death, with an estimated 6.7 million cases globally in 2021. Together with HIV and malnutrition, people experiencing DM are more likely to get active TB or have latent TB reactivated, which is one of the main risk factors for TB, worsening treatment outcomes, and premature death. According to the International Diabetes Federation (IDF), roughly 45% of DM sufferers worldwide are undiagnosed, with Type 2 DM causing 90% of all DM cases. In Indonesia, 19.5 million people suffer from DM, and 73% of them are undiagnosed (Eckold *et al.*, 2021; Indonesian Ministry of Health, 2018; Magliano D. J & Boyko E. J, 2021; Ngo *et al.*, 2021; Verma *et al.*, 2021).

Bibliometric analysis is a technique of analyzing published information and associated metadata, which is often used in systematic literature reviews and involves quantitative analysis to describe relationships between published articles (Akmal *et al.*, 2020; Chen *et al.*, 2020; Yang *et al.*, 2021). Bibliometric analysis differs from systematic and scoping reviews in providing additional information about research activities. Bibliometric analysis is a brief overview of both domestic and foreign contributions to the literature. It usually uses a single database to provide background data, pinpoint research gaps, and conduct precise quantitative evaluation of the literature that constitutes the basis for subsequent research and funding (Donthu *et al.*, 2021; Ninkov *et al.*, 2022). However, bibliometric analysis excludes grey literature, which is prevalent in systematic reviews. The strength of this bibliometric approach lies in its comprehensive and detailed coverage (Linnenluecke *et al.*, 2020). Increased development and accessibility of software that utilizes quantitative algorithms and techniques, such as VOSviewer (Center for Science and Technology Studies, Leiden University, Leiden, The Netherlands) and scientific databases (Scopus, PubMed, Web of Science, Crossref, Google Scholar, Semantic Scholar) makes bibliometrics has become very popular in recent years as a form of large-scale data analysis. Official guidelines exist for systematic reviews, but the coverage and depth of bibliometric methods in these guidelines remain inadequate. Bibliometric analysis is

regarded as a scholarly approach for gathering and combining published research on a fixed subject, notwithstanding its drawbacks (Donthu *et al.*, 2021; Passas, 2024). There are many accessible systematic reviews with varying research focuses regarding TB, DM, or TB-DM. However, there are not many systematic reviews that apply bibliometric analysis. In this study, we gathered research articles indexed in the Scopus database between 2013 and 2023 that dealt with the co-morbidity of TB and diabetes and then analyzed and visualized them bibliometrically.

Method

The bibliometric analysis was applied from 2013 to 2023, employing the SciVerse Scopus database, which provides various benefits compared to different databases. Due to its easy-to-use interface, Scopus provides more global coverage than Web of Science and more precise data analysis than Google Scholar or PubMed (Beovich *et al.*, 2021; Keighobadi *et al.*, 2021). Scopus-indexed data collected by over 25,000 active titles and 7,000 publishers, all of which have been extensively verified and approved by a third-party assessment council. Scopus uniquely merges an exhaustive, highly managed abstract and citation database with enhanced data and connected academic literature spanning several fields (<https://elsevier.international/en-gb/solutions/scopus.html>). Scopus was selected due to its all-encompassing perspective on worldwide research productivity in medical science, technology, arts, humanities, and behavioural sciences. It provides tools for tracking research trends, publication year, document type, analysing citations, computing h-index (Hirsh-index), journal name, authors, affiliations, mapping keywords, and collaborating on international research (Sweileh, 2018).

Data collection was carried out on November 16, 2023. A comprehensive search was carried out on Scopus data collection to retrieve data of original research publications on the topic of TB with comorbid DM. This bibliometric study began with identifying sources and establishing inclusion and exclusion criteria. However, the most significant consideration is keyword selection,

since it has a direct effect on the discoveries and outcomes (Sweileh, 2018). In the initial data collection process, according to keywords, 715 articles were collected. Furthermore, data cleaning is required to remove duplicate articles and articles published in the period 2013 to 2023. Only full-text original articles published in English and final stage are considered to meet the inclusion criteria; all other types of documents, articles with unprovided English translations, and unrelated articles are excluded. The results of data extraction produced a total of 505 articles. The data search method in the Scopus database involves combining the terms TITLE ("tuberculosis" OR "lung tuberculosis" OR "pulmonary tuberculosis" AND diabet* AND "diabetes mellitus" OR "diabetes") AND ABS ("tuberculosis" AND "diabetes mellitus") AND ALL ("tuberculosis" AND "diabetes mellitus")) AND (LIMIT-TO (DOCTYPE, "ar")) AND (LIMIT-TO (PUBSTAGE, "final")) AND (LIMIT-TO (LANGUAGE, "English")) AND (LIMIT-TO (SRCTYP, "j")).

The data gathered was applied to figure out the number of original research publications by year, subject area, journals, authorship, institutions, countries, research funding, co-occurrence networks, and co-authorship networks. Data from Scopus regarding 15 journals, 15 authors, 15 institutions, and 15 active countries—which are thought to contribute the most scientifically to the literature—are exported into an Excel spreadsheet (Microsoft Excel for Microsoft 365 MSO Version 2405). All subsequent data will be analyzed after exporting to ".csv" (comma-separated values) format. The number of articles given to every country may overlap since Scopus determines the entire articles for every country by considering the author institutions, irrespective of the author's rank on the author roster. Direct assessment or quantification of a publication's quality is challenging. As an indirect indicator of publication impact or quality, one can look at the overall number of citations obtained, the mean count of articles cited, the Hirsch index (h index), and the proportion of mostly cited articles (Aksnes *et al.*, 2019; Thelwall & Sud, 2022).

A construct and visualized bibliometric

map was produced using Biblioshiny (R studio version 2023.12.0–369) software applied to map country production, article language, and the most cited countries. VOSviewer (version 1.6.20) visualization to showcase the authors who have published the most papers and the collaboration networks between authors. The most popular subjects were found using title analysis and co-occurrence network visualization. The link strength in a map was strongly correlated with the size of the node and the line that connected the authors. Visualized maps were also generated to provide insight into the scope of worldwide collaboration. Based on the thickness of the connecting lines and the quantities of articles, VOSviewer determines the degree of partnership involving two or more countries. The link strength is supplied by the software; hence, the author does not compute it. In terms of the quantity of co-authored articles in comparison to those in other countries, the greater the collaboration between the two countries, the greater the link. VOSviewer is also useful for determining how a scientific area is organized and pinpointing potential avenues for further inquiry.

Result and Discussion

Through bibliometric analysis of research findings, we looked at 410 publications from various viewpoints published in 222 journals and featured 2175 authors. The trend in years of publication of original research articles on TB and DM has increased over the past ten years. A total of 23 research articles published in 2013 were indexed in the Scopus Database. However, from 2014 onwards, there were more than 100 publications. The study has steadily expanded since 2017 (32 documents) until it reached its peak in 2022 (58 documents). Overall, research interest in TB and DM has begun to grow over the last decades with an annual growth rate of 7.18%. Even though the increase in research annually insignificant, the number tends to increase. There has been a drastic spike in the last two years (2021 – 2022). This increase in the number of publications is in line with the increasing prevalence of tuberculosis and diabetes mellitus globally, both in developed and developing countries (IDE, 2022; WHO, 2022).

KEMAS 21 (1) (2025) 35-45




FIGURE 1. Annual citations of original research articles on TB – DM publications per year.

The average annual citation of documents is displayed in Fig. 1. The graph clearly illustrates an inverse link, where the frequency of citations swings with a high tendency from 2013 to 2018, peaking at 46.48 cited publications in 2013, then declines even further from 2019 to 2023. The average number of citations for published articles is decreasing, with average citations per article of 14.86%, although the number of publications is increasing. It suggests that the influence of publications is waning, even though several research paths are being explored in the field of TB and DM. In addition, there were social and economic difficulties brought on by the COVID-19 pandemic, which struck in 2019 and continued until 2021. Worldwide emphasis was mostly focused on COVID-19 research, which contributed to a decline in the amount of attention devoted to TB research overall (Delardas *et al.*, 2022; Mofijur *et al.*, 2021).

A total of 410 original articles on TB and DM published by authors affiliated in 83 countries; The top 15 countries publishing TB articles with DM comorbidity, including India (n = 86, Total citation = 929) taking the top spot, followed by the United State (n = 78, Total citation = 893), China (n = 67, Total citation = 710), United Kingdom (n = 39, Total citation = 118), and Indonesia (n = 31, Total citation = 77) in fifth position. The subsequent countries listed in sequence are Mexico (n = 24), Netherlands (n = 21), South Korea (n = 20), Taiwan (n = 17), France and South Africa (n = 16), Brazil (n =

15), Tanzania (n = 14), Denmark and Thailand (n = 12). The Netherlands led the world in average article citations (32.8%), followed closely by the United States (31.9%), the United Kingdom (23.6%), and Mexico (23.1%). Due to the vast quantity of publications and relatively low quality of those articles, India has substantially lower average article citations, even though overall citations are more than in other countries/regions. Interestingly, the three Asian countries with the highest TB caseloads are included in “The Big Five” (India, Indonesia, and China). It reveals a clear correlation between “high burden TB-DM countries” and research contributions, as evidenced by the most published articles. Research on TB itself is increasing, and controlling its spread has become one of the main health priorities in the world, with the United States, United Kingdom, India, and China dominating research in this field (Abdullah *et al.*, 2022; Garrido-Cardenas *et al.*, 2020). Similar results to the bibliometric analysis of DM (Kong *et al.*, 2023). Bibliometric analyses of TB and DM, although separately, report similar results regarding the most contributing countries.

Fig. 2 depicts the worldwide collaboration cluster network of linked countries and regions. These data were used to create eleven clusters. At least one publication was released by 46 nations or territories, and 32 of those were linked together to create a cooperative network. The United States was the most collaborative




FIGURE 2. Countries' Partnership World Map.

country with the highest total link strength (TLS = 324), followed by the United Kingdom (TLS = 232), the Netherlands (TLS = 94), China (TLS = 78), and India (TLS = 70). Indonesia (TLS = 17), on the other hand, is a member of the red cluster and collaborates with nine other nations/territories, both inside and outside of its cluster. The countries that collaborate with Indonesia the closest include Australia, the Netherlands, New Zealand, South Africa, and the United Kingdom. Thus, Indonesia must strengthen the influence of publications and global collaboration in the areas of diabetes and TB, in light of both quantity and quality.

The original articles gathered for the present research have been published in open-access journals of various categories, including all open-access (n = 302), gold (n = 233), green (n = 149), bronze (n = 28), and hybrid gold (n = 16). Original research articles published in 161 peer-reviewed publications were included, and the top 15 journals are listed in Table 1, along

with their associated 2023 CiteScore, frequency of articles published in each journal, and their citations. CiteScore 2023 is determined by dividing the total number of citations received in 2020–2023 for articles, reviews, conference papers, book chapters, and data papers published in 2020–2023 by the total number of publications created in 2020–2023. The International Journal of Tuberculosis and Lung Disease is the journal with the most published articles (n = 23) related to the topic of TB-DM, while Plos One is in the second place, has the highest number of citations (TC = 653). Meanwhile, the highest 2023 CiteScore is the International Journal of Infectious Diseases (18.9), which reflects the highest annual average number of citations to recent articles published in that journal.

Firstly, the h-index was developed for individual scientists or academics, act as an author-level indicator that assesses the productivity and citation effect of publications.

KEMAS 21 (1) (2025) 35-45

The most frequently referenced papers and citations from other journals serve as its foundation. It has more recently been used with an academic journal's influence and production. The International Journal of Tuberculosis and Lung Disease has grown since 2021 – source details obtained from Scopus – by releasing 23 of 90 TB-DM related publications in 2023 with 12 citations and an h-index of 12. Among the top 15 journals, Plos One had the most citations (TC = 653) and the highest h-index (15) out of 20 publications about TB-DM. The growing trend of research based on numerous published and cited documents related to TB cases with DM comorbidity draws the international spotlight on the spread and control of TB with DM comorbidity factors in two directions since it can have a significant global impact on public health (Bai & Ameyaw, 2024; Villar-Hernández *et al.*, 2023). Original articles on TB and DM,

written by a total of 2175 authors, co-authors per document 7.37, and international co-authorship of 37.32%. Fig 3. shows a comparison of the number of published articles and the top five authors with most publications were authored by Babu, Subash S. currently affiliated with the National Institute of Allergy and Infectious Diseases, United States (n = 23; h-index = 14; total link strength = 65; total citations = 613). Those reflect the outstanding standard and significant impact of Babu's publications. Second position is Kumar, Nathella P. who is affiliated in Tuberculosis Research Centre, India (n = 20; h-index = 11; total link strength = 48; total citation = 438), then followed by Kornfeld, Hardy with affiliations in University of Massachusetts Chan Medical School, United States (n = 17; h-index = 11; total link strength = 26; total citation = 488). Critchley, Julia A. is in fourth position affiliated in St. George's

TABLE 1. The 15 Leading Journals by Number of Articles in the Field of Tuberculosis with Diabetes.

Journal	Articles	h-index	g-index	CiteScore 2023	Total citation
International Journal of Tuberculosis and Lung Disease	23*	12	19	4.9	389
Plos One	20	15*	20	6.2	653*
BMC Infectious Diseases	17	9	14	6.5	217
Tuberculosis	12	6	12	4.6	280
Scientific Reports	9	6	9	7.5	241
BMJ Open	8	4	5	4.4	36
International Journal of Infectious Diseases	7	5	7	18.9*	62
Infection And Drug Resistance	6	3	6	5.6	45
International Journal of Mycobacteriology	6	4	6	2.2	57
BMC Health Services Research	5	4	5	4.4	60
Frontiers In Public Health	5	3	3	4.8	15
BMC Public Health	4	3	4	6.5	25
Frontiers In Endocrinology	4	1	3	5.7	12
Immunology	4	4	4	11.9	110
Indian Journal of Public Health Research and Development	4	2	2	Covered discontinued in Scopus	

Machrumnizar Machrumnizar, et al. / The Double Burden: A Bibliometric Analysis on Tuberculosis with Diabetes Mellitus Comorbidity




FIGURE 3. Network Visualization Map of Authors' Connections

University of London, United Kingdom (n = 12; h-index = 7; total link strength = 29; total citation = 139), and lastly Moideen, Kadar affiliated in Tuberculosis Research Centre, India (n = 9; h-index = 8; total link strength = 35; total citation = 145). The item weight determines the size of the item label and circle. The item label and circle are larger, the heavier the object is. Fifteen connected authors are displayed in Fig. 3. The item's color is dictated by the cluster it belongs to. Links are shown by the lines connecting the objects. In terms of co-authorship links, the distance between two writers in the graphic generally represents how linked the authors are to one another. Broadly speaking, the stronger the relatedness of two writers, the closer they are to one another.

The three-field plot diagram shown in Fig. 4, consisting of the author, country, and affiliation of the author, aims to highlight the collaboration network of Indonesian researchers in the field of tuberculosis with diabetes comorbidity. In a collaborative study, three authors—Hill PC, Van Crevel, and Critchley J.—focused on Indonesia. London School of Hygiene and Tropical Medicine, University of London, is the organization working with an Indonesian university, in this instance, Padjadjaran University. The Padjadjaran University collaboration network

is established by South Africa, the Netherlands, Indonesia, and England.

The three-field plot diagram represents the top 15 affiliates based on the highest number of citations. The top five affiliates include National Institute for Research in Tuberculosis, Chennai, India which is the most productive affiliate (articles = 12; citations = 469; total link strength = 21), followed by Government Stanley Medical Hospital, India (articles = 5; citations = 310; total link strength = 8), Department of Medicine, University of Massachusetts Medical School, United States (articles = 6; citations = 287; total link strength = 16), International Union Against Tuberculosis and Lung Diseases, France (articles = 5; citations = 228; total link strength = 13), and Laboratory of Parasitic Diseases, National Institute of Allergy and Infectious Diseases, NIAID, United States (articles = 3; citations = 177; total link strength = 6). Total link strength within institutions with co-authorship shows the total strength of co-authorship links between researchers from a particular institution and researchers from other institutions. This shows the strength of the collaboration network between institutions and countries. The institutions of Asian countries—particularly Taiwan, Indonesia, and India—seem predominant in the list of top 15 institutions, with Indonesia in 13th place.

KEMAS 21 (1) (2025) 35-45




FIGURE 4. Three fields plot of collaboration of the institutions that publish articles about TB and DM.

The trending topics that shift over a ten-year period (2013-2023) are shown in Fig. 5 to compile statistics on keywords that have observed an enormous rise in TB and DM-related research. By displaying the intensity (frequency) and time length, the graph visualizes problems with hot spots. The 30 most popular keywords in the 2013 research featured are “tumor necrosis factor alpha” and “adaptive immunity”, which were trending topics until 2014 and 2015 with frequencies of 10 and 9, respectively. Research with the trend topic of “pulmonary tuberculosis” started in 2015 to 2019 (freq = 126), “mycobacterium tuberculosis” started in 2016 to 2021 (freq = 131), and the trend topic of “tuberculosis” only started in 2017 to 2022 with the second highest frequency (freq = 490). Meanwhile, the topic trend of “diabetes mellitus”, which also started in 2017 to 2022, has the highest frequency (freq = 504) among the top 30 keywords. Starting from 2022 to 2023, the research trend shifted towards the topics of “metabolomics” (freq = 8), “multivariate logistic regression analysis” (freq = 6), and “bioinformatics” (freq = 5).

Co-occurrence networks visualization and title analysis were performed to reveal the most active topics. To investigate co-occurrence, title keyword analysis was performed. Those terms used at least ten times by the authors within published articles on

TB – DM included, and not a single keyword is isolated in the network visualization—all keywords are interconnected. The title field with the minimum number of occurrences of a term is 10 out of 2377 keywords, only 215 of which meet the threshold. The total strength of each keyword’s relationship with other keywords will be computed every thirty. The thirty keywords with the highest overall strength of connection will be chosen and split into four clusters. The network visualization displays a line linking the keyword “tuberculosis” (occurrences = 240, total link strength = 2895) and “diabetes mellitus” (occurrences = 256, total link strength = 3101), signifying their link connection. The keyword “tuberculosis” has a larger label, indicating frequent co-occurrence compared to “lung tuberculosis” (occurrences = 164, total link strength = 2240) and “pulmonary tuberculosis” (occurrences = 98, total link strength = 1445). Meanwhile, diabetes mellitus type 2 has occurrences 97 with a total link strength of 1355. The keyword diabetes mellitus type 1 label is not displayed on network visualization, possibly due to low occurrence and total link strength despite being included in the trending topics (Yu *et al.*, 2020).

Machrumnizar Machrumnizar, et al. / The Double Burden: A Bibliometric Analysis on Tuberculosis with Diabetes Mellitus Comorbidity




FIGURE 5. Trends Topic on Tuberculosis and Diabetes mellitus.

Conclusion

Research interest in tuberculosis and diabetes mellitus (TB) and DM has grown at an annual rate of 7.18% over the past decades. Beginning in 2014 and peaking in 2022, a batch of studies published and indexed in the Scopus Database has grown rapidly. The average annual citations of documents showed an inverse relationship. The average number of citations per article decreased, but the number of publications increased. Interestingly, authors affiliated with Indonesia are included in the top 15 positions with quite high collaboration link strength. This study provides thorough information to support creative research projects and decision-makers in formulating policy recommendations. The results of this bibliometric analysis will be material for further research entitled “Development of Machine Learning Models to Predict Tuberculosis Disease in Children”.

References

- Abdullah, M., Humayun, A., Imran, M., Bashir, M., & Malik, A., 2022. A Bibliometric Analysis of Global Research Performance on Tuberculosis (2011-2020): Time for a Global Approach to Support High-Burden Countries. *J Family Community Med*, 29(2), pp.117–124.
- Akmal, M., Hasnain, N., Rehan, A., Iqbal, U., Hashmi, S., Fatima, K., Farooq, M.Z., Khosa, F., Siddiqi, J., & Khan, M.K., 2020. Glioblastoma Multiforme: A Bibliometric Analysis. *World Neurosurg*, 136, pp.270–282.
- Aksnes, D.W., Langfeldt, L., & Wouters, P., 2019. Citations, Citation Indicators, and Research Quality: An Overview of Basic Concepts and Theories. *Sage Open*, 9(1), pp.1–17.
- Awad, S.F., Huangfu, P., Ayoub, H.H., Pearson, F., Dargham, S.R., Critchley, J.A., & Abu-Raddad, L.J., 2019. Forecasting the Impact of Diabetes Mellitus on Tuberculosis Disease Incidence and Mortality in India. *J Glob Health*, 9(2), pp.020415.
- Bai, W., & Ameyaw, E.K., 2024. Global, Regional and

KEMAS 21 (1) (2025) 35-45

- National Trends in Tuberculosis Incidence and Main Risk Factors: A Study Using Data from 2000 to 2021. *BMC Public Health*, 24(1), pp. 1–14.
- Beovich, B., Olaussen, A., & Williams, B., 2021. A Bibliometric Analysis of Paramedicine Publications Using the Scopus Database: 2010-2019. *Int Emerg Nurs*, 59, pp.101077.
- Chen, W., Geng, Y., Zhong, S., Zhuang, M., & Pan, H., 2020. A Bibliometric Analysis of Ecosystem Services Evaluation from 1997 to 2016. *Environmental Science and Pollution Research*, 27(19), pp.23503–23513.
- Delardas, O., Kechagias, K.S., Pontikos, P.N., & Giannos, P., 2022. Socio-Economic Impacts and Challenges of the Coronavirus Pandemic (COVID-19): An Updated Review. *Sustainability (Switzerland)*, 14(15), pp.9699.
- Donthu, N., Kumar, S., Mukherjee, D., Pandey, N., & Lim, W.M., 2021. How to Conduct a Bibliometric Analysis: An Overview and Guidelines. *J Bus Res*, 133, pp.285–296.
- Eckold, C., Kumar, V., Weiner, J., Alisjahbana, B., Riza, A.L., Ronacher, K., Coronel, J., Kerry-Barnard, S., Malherbe, S.T., Kleynhans, L., Stanley, K., Ruslami, R., Ioana, M., Ugarte-Gil, C., Walzl, G., Van Crevel, R., Wijmenga, C., Critchley, J.A., Dockrell, H.M., & Cliff, J.M., 2021. Impact of Intermediate Hyperglycemia and Diabetes on Immune Dysfunction in Tuberculosis. *Clinical Infectious Diseases*, 72(1), pp.69–78.
- Garrido-Cardenas, J.A., de Lamo-Sevilla, C., Cabezas-Fernández, M.T., Manzano-Agugliaro, F., & Martínez-Lirola, M., 2020. Global Tuberculosis Research and Its Future Prospects. *Tuberculosis*, 121(101917), pp.101917.
- GBD., & Diabetes Collaborators., 2023. Global, Regional, and National Burden of Diabetes from 1990 to 2021, with Projections of Prevalence to 2050: A Systematic Analysis for the Global Burden of Disease Study 2021. *Lancet*, 402(10397), pp.203–234.
- IDF., 2022. *IDF Diabetes Atlas 10th edition*. Brussels: International Diabetes Federation.
- Indonesian Ministry of Health., 2018. *Riset Kesehatan Dasar*. Kementerian Kesehatan.
- Keighobadi, M., Nakhaei, M., Sharifpour, A., Khasseh, A.A., Safanavaei, S., Tabaripour, R., Aliyali, M., Abedi, S., Mehravaran, H., Banimostafavi, E.S., & Fakhar, M., 2021. A Bibliometric Analysis of Global Research on *Lophomonas* Spp. in Scopus (1933-2019). *Infect Disord Drug Targets*, 21(2), pp.230–237.
- Kong, L., Deng, B., Guo, M., Chen, M., Wang, X., Zhang, M., Tang, H., Wang, Q., Yang, L., & Xiong, Z., 2023. A Systematic Bibliometric Analysis on the Clinical Practice of CGM in Diabetes Mellitus from 2012 to 2022. *Front Endocrinol (Lausanne)*, 14, pp.1229494.
- Linnenluecke, M.K., Marrone, M., & Singh, A.K., 2020. Conducting Systematic Literature Reviews and Bibliometric Analyses. *Australian Journal of Management*, 45(2), pp.175–194.
- Magliano D.J., & Boyko E.J., 2021. *IDF Diabetes Atlas 10th edition scientific committee*. Brussels: International Diabetes Federation.
- McMurry, H.S., Mendenhall, E., Rajendrakumar, A., Nambiar, L., Satyanarayana, S., & Shivashankar, R., 2019. Coprevalence of Type 2 Diabetes Mellitus and Tuberculosis in Low-Income and Middle-Income Countries: A Systematic Review. *Diabetes Metab Res Rev*, 35(1), pp.e3066.
- Mofijur, M., Fattah, I.M.R., Alam, M.A., Islam, A.B.M.S., Ong, H.C., Rahman, S.M.A., Najafi, G., Ahmed, S.F., Uddin, M.A., & Mahlia, T.M.I., 2021. Impact of COVID-19 on the Social, Economic, Environmental and Energy Domains: Lessons Learnt from A Global Pandemic. *Sustain Prod Consum*, 26, pp.343–359.
- Ngo, M.D., Bartlett, S., & Ronacher, K., 2021. Diabetes-Associated Susceptibility to Tuberculosis: Contribution of Hyperglycemia vs. Dyslipidemia. *Microorganisms*, 9(11), pp.2282.
- Ninkov, A., Frank, J.R., & Maggio, L.A. 2022. Bibliometrics: Methods for Studying Academic Publishing. *Perspect Med Educ*, 11(3), pp.173–176.
- Passas, I., 2024. Bibliometric Analysis: The Main Steps. *Encyclopedia*, 4(2), pp.1014–1025.
- Sweileh, W.M. 2018. Research Trends on Human Trafficking: A Bibliometric Analysis Using Scopus database. *Global Health*, 14(1), pp.1–12.
- Thelwall, M., & Sud, P., 2022. Scopus 1900-2020: Growth in Articles, Abstracts, Countries, Fields, and Journals. *Quantitative Science Studies*, 3(1), pp.37–50.
- Verma, A., Kaur, M., Singh, L.V., Aggarwal, D., Verma, I., Radotra, B.D., & Sharma, S., 2021. Reactivation of Latent Tuberculosis Through Modulation of Resuscitation Promoting Factors by Diabetes. *Sci Rep*, 11(1), pp.19700.
- Villar-Hernández, R., Ghodousi, A., Konstantynovska, O., Duarte, R., Lange, C., & Raviglione, M., 2023. Tuberculosis:

Machrumnizar Machrumnizar, et al. / The Double Burden: A Bibliometric Analysis on Tuberculosis with Diabetes Mellitus Comorbidity

- Current Challenges and Beyond. *Breathe*, 19(1), pp.220166.
- WHO., 2022. *Global Tuberculosis report*. Geneva: World Health Organization.
- Yang, Q., Yang, D., Li, P., Liang, S., & Zhang, Z., 2021. A Bibliometric and Visual Analysis of Global Community Resilience Research. *Int J Environ Res Public Health*, 18(20), pp.10857.
- Yu, Y., Li, Y., Zhang, Z., Gu, Z., Zhong, H., Zha, Q., Yang, L., Zhu, C., & Chen, E., 2020. A Bibliometric Analysis Using VOSviewer of Publications on COVID-19. *Ann Transl Med*, 8(13), pp.816.