



# AL-Kitab Journal For Pure Sciences



**Volume : 8 (2024)**

**Issue: 2**

**ISSN: 2617-1260 (print)**

**ISSN: 2617-8141 (online)**

**DOI: <http://10.32441/kjps>**

**Deposit number at the National House of Books and Archives, Iraq, 2271 in 2017**

# Editorial Team

## Editorial Board

Prof. Dr. Ayad Ghany Ismaeel

Prof. Dr. Sameer Saadoon Mustafa

Editor In Chief

Managing Editor

Editor-in-chief

**Ayad Ghany Ismaeel**

Academic degree: Dr.

Title: Professor

Al-Kitab University

**Iraq**

Managing Editor

**Sameer Saadoon Algburi**

Academic degree: Dr.

Title: Professor

Al-Kitab University

**Iraq**

[sameer.algburi@uoalkitab.edu.iq](mailto:sameer.algburi@uoalkitab.edu.iq)

Editor

**Ahmed Rifaat Mohamed Mahmoud Gardouh**

Academic degree: Dr.

Title: Professor

Jadara University

**Jordan**

[Ahmed.ga@jadara.edu.jo](mailto:Ahmed.ga@jadara.edu.jo)

Editor

**Mostafa El-Sheekh**

Academic degree: Dr.

Title: Professor

Tanta University

**Egypt**

[mostafaelsheikh@science.tanta.edu.eg](mailto:mostafaelsheikh@science.tanta.edu.eg)

Editor

**Mohammad A. M. Aljaradin**

Academic degree: Dr.

Title: Professor

Lund University

**Sweden**

[Mohammad.aljaradin@tvrl.se](mailto:Mohammad.aljaradin@tvrl.se)

Editor

**Bilal Abdulla Nasir**

Academic degree: Dr.

Title: Professor

Northern University Technique

**United Kingdom**

[bilal\\_alnasir1958@yahoo.co.uk](mailto:bilal_alnasir1958@yahoo.co.uk)

Editor

**Aziz Ibrahim Abdulla**

Academic degree: Dr.

Title: Professor

Tikrit University

**Iraq**

[a.abdulla@tu.edu.iq](mailto:a.abdulla@tu.edu.iq)

Editor

**Yousif Ismail Mohammed Al Mashhadany**

Academic degree: Dr.

Title: Professor

University of Anbar – College of Engineering

**Iraq**

[yousif.mohammed@uoanbar.edu.iq](mailto:yousif.mohammed@uoanbar.edu.iq)

Editor

**Abdul Haleem Ali Al-Muhyi**

Academic degree: Dr.

Title: Professor

Department of Marine Physics /Marine Science Center  
/University of Basrah

**Iraq**

[abdulhaleem.hussien@uobasrah.edu.iq](mailto:abdulhaleem.hussien@uobasrah.edu.iq)

Editor

**Eda Muftah AbdAlkareem Alshailabi**

Academic degree: Dr.

Title: Professor

Omar Al-Mukhtar University

**Libya**

[eda.muftah@omu.edu.ly](mailto:eda.muftah@omu.edu.ly)

Editor

**Manal Mohamed Adel Ahmed**

Academic degree: Dr.

Title: Professor

National Research Center

**Egypt**

[mm.adel@nrc.sci.eg](mailto:mm.adel@nrc.sci.eg)

Editor

**Hanan Fawzy Aboelela Desokey**

Academic degree: Dr.

Title: Professor

Faculty of Education, Minia University

**Egypt**

[Hanan.Fawzy@minia.edu.eg](mailto:Hanan.Fawzy@minia.edu.eg)

Editor

**Mamdouh Mohamed Salem Serag**

Academic degree: Dr.

Title: Professor

Faculty of Science – Damietta University

**Egypt**

[mserag@du.edu.eg](mailto:mserag@du.edu.eg)

Editor

**Othman Saad Saeed Al-Hawshabi**

Academic degree: Dr.

Title: Professor

University of Aden – Faculty of Science – Department of Life  
Sciences

**Yemen**

[outhman.sad.scie@aden-univ.net](mailto:outhman.sad.scie@aden-univ.net)

Editor

**Zakariya Yahya Algamal**

Academic degree: Dr.

Title: Professor

University of Mosul - Department of Statistics and Informatics

**Iraq**

[Zakariya.algamal@uomosul.edu.iq](mailto:Zakariya.algamal@uomosul.edu.iq)

Editor

**Israa Burhanuddin Abdurrahman**

Academic degree: Dr.

Title: Professor

Tikrit University / College of Education for Girls / Department of English Language

**Iraq**

[israaburhan@tu.edu.iq](mailto:israaburhan@tu.edu.iq)

Editor

**Nouara Emrajae Elazirg Elammari**

Academic degree: Dr.

Title: Professor

University of Benghazi

**Libya**

[nouara.elammari@uob.edu.ly](mailto:nouara.elammari@uob.edu.ly)

Editor

**Mira Ausama Ahmed Al-Katib**

Academic degree: Dr.

Title: Assistant Professor

University of Mosul

**Iraq**

[mirausama@uomosul.edu.iq](mailto:mirausama@uomosul.edu.iq)

Editor

**Omaymah Abdulaal Zarea Alaysuy**

Academic degree: Dr.

Title: Assistant Professor

University of Tabuk

**Saudi Arabia**

[oalaysuy@ut.edu.sa](mailto:oalaysuy@ut.edu.sa)

Editor

**Mohamed Effendi**

Academic degree: Dr.

Title: Assistant Professor

College of Education- Gaziantep University

**Turkey**

[Mohammed.afandi@mail2.gantep.edu.tr](mailto:Mohammed.afandi@mail2.gantep.edu.tr)

Editor

**Yasmina Khane**

Academic degree: Dr.

Title: Assistant Professor

Ghardaia university

**Algeria**

[Khane.yasmina@univ-ghardaia.dz](mailto:Khane.yasmina@univ-ghardaia.dz)

Editor

**Louhichi Nacim**

Academic degree: Dr.

Title: Assistant Professor

Biotechnology Center of Sfax

**Tunisia**

[nacim.louhichi@cbs.rnrt.tn](mailto:nacim.louhichi@cbs.rnrt.tn)

Editor

**Kadry Nabeh El Sayed Abdel Khalik**

Academic degree: Dr.

Title: Assistant Professor

Sohag University Faculty of Science

**Egypt**

[Kalkhalik@science.sohag.edu.eg](mailto:Kalkhalik@science.sohag.edu.eg)

Editor

**Hagar Fathy Saad Abdellatif Mohamed Forsan**

Academic degree: Dr.

Title: Lecturer

Agricultural Research Center

**Egypt**

[hagarfathy@pg.cu.edu.eg](mailto:hagarfathy@pg.cu.edu.eg)

Editor

**Eman Abdelazem Abelrhaman Ahmad**

Academic degree: Dr.

Title: Lecturer

General Organization for Physical Planning; (GOPP) the National Committee for Environmental Issue, the Academy of Scientific Research & Technology (ASRT)

**Egypt**

[eman.abdelazem@gopp.gov.eg](mailto:eman.abdelazem@gopp.gov.eg)

Editor

**Cinaria Tarik Albadri**

Academic degree: Dr.

Title: Lecturer

Trinity College Dublin University

**Ireland**

[albadric@tcd.ie](mailto:albadric@tcd.ie)

Editor

**Dunia Tahseen Nema Al-Aridhi**

Academic degree: Dr.

Title: Lecturer

Al-Nahrain University

**Iraq**

[dunia.t.nema@nahrainuniv.edu.iq](mailto:dunia.t.nema@nahrainuniv.edu.iq)

Editor

**RANDA MOUSSA BORGHOSH**

Academic degree: Dr.

Title: Lecturer

Mansoura University

**Egypt**

[randa.moussa@std.mans.edu.eg](mailto:randa.moussa@std.mans.edu.eg)

# CONTENT

## [Molecular detection of Virulence Factor Genes in Candida albicans Isolated from the Oral Cavity of Local Chicken and Antifungal Susceptibility in Mosul Province](#)

Hawraa F.H. Al-abedi, Israa Ibrahim Khalil, Sema F.H. Al-Abedi  
<https://doi.org/10.32441/kjps.08.02.p1>

## [A study of Some Factors Affecting the Prevalence of Renal Disease in Children](#)

Eman Abbas Muhsin, Shahrazad A. Khalaf, Afrah Fahad Abdulkareem  
<https://doi.org/10.32441/kjps.08.02.p2>

## [Histopathological evaluation of ulcerative colitis induced by white vinegar in albino rats](#)

Hana M. Asrafiel, Eda M. A. Alshailabi, Fatimah A. Mohammed, Ahmed S. H. Ahmeedah  
<https://doi.org/10.32441/kjps.08.02.p3>

## [Simulation of RC5 Algorithm to Provide Security for WLAN, Peer-to-Peer](#)

Naseer Alwan Hussein  
<https://doi.org/10.32441/kjps.08.02.p4>

## [Bioremediation of Liquid Waste of Olive Presses \(Al-Jeft water\) by Using the Biomass of the Local Isolate of The Fungus Helvella bachu](#)

Jehaan Mowafak Al-rawi, Shimal Younis Abdul-hadi

## [An Efficient Image Denoising Approach Using FPGA Type of PYNQ-Z2](#)

Wesam Hujab Saood, Khamees Khalaf Hasan

## [Special Methods Controllability and Observability in Optimal Control Systems](#)

Ali Farhan Hashoosh

## [Brief Review for Multi-Class Brain Tumor Diseases Schemes Using Machine Learning Techniques](#)

Omar Ahmed Mahmood, Ahmed Sabeeh Yousif, Afzan Adam

## [Effect of Some Environmental Factors and Antibiotics on the Growth of Different Species of Rhizobium](#)

Sara Musbah Mohammed, Raad Hassani Sultan

## [Levels Estimation of Iron, Zinc and Copper in the Serum of Children Infected with Giardiasis](#)

Huda Mawlood Taher

## [Benzimidazole and Its Derivatives: Exploring Their Crucial Role in Medicine and Agriculture: A Short Review](#)

Sarah Basil Fawzi Fawzi, Khalid Younis Zainulabdeen, Emad Abdul-Hussain Yousif, Husnun Amalia Enus Yunus, Nany Hairunisa Muhaini Umar

## [The difference in the Physiological response of the wheat plant to the effect of algae extracts and hydrogel](#)

Safaa Younis Mal Allah, Mira Ausama Ahmed Al-Katib

## [A Study on New Roulette and Special Forms of Cycloid and Laitoidal Curves](#)

Laith H. M. Al-ossmi



## Benzimidazole and Its Derivatives: Exploring Their Crucial Role in Medicine and Agriculture: A Short Review

[Sarah Basil Fawzi](#)<sup>1</sup>, [Khalid Younis Zainulabdeen](#)<sup>1</sup>, [Emad Abdul-Hussain Yousif](#)<sup>1</sup>  
[Husnun Amalia Enus Yunus](#)<sup>2</sup>, [Nany Hairunisa Muhaini Umar](#)<sup>3</sup>

<sup>1</sup>Department of Chemistry, College of Science, Al-Nahrain University, Baghdad, Iraq

<sup>2</sup>Department of Ophthalmology, Faculty of Medicine, Universitas Trisakti, Jakarta, Indonesia

<sup>3</sup>Department of Occupational Medicine, Faculty of Medicine, Universitas Trisakti, Jakarta, Indonesia

Corresponding Author: [emad\\_yousif@nahrainuniv.edu.iq](mailto:emad_yousif@nahrainuniv.edu.iq)

**Citation:** Fawzi SBF, Zainulabdeen KY, Yousif EA-H, Yunus HAE, Umar NHM. Benzimidazole and Its Derivatives: Exploring Their Crucial Role in Medicine and Agriculture: A Short Review. Al-Kitab J. Pure Sci. [Internet]. 2024 Jul. 11 [cited 2024 Jul. 11];8(02):125-37. Available from: <https://isnra.net/index.php/kjps/article/view/1160>  
<https://doi.org/10.32441/kjps.08.02.p11>.

**Keywords:** Benzimidazole, Derivatives, Medicine, Agriculture.

### Article History

Received	15 Apr.	2024
Accepted	12 Jun.	2024
Available online	11 July	2024

© 2024. THIS IS AN OPEN-ACCESS ARTICLE UNDER THE CC BY LICENSE  
<http://creativecommons.org/licenses/by/4.0/>



### Abstract:

Benzimidazole and its structural analogues have garnered significant attention across diverse disciplines, including the fields of medicine and agriculture, owing to their remarkable versatility and immense potential. This review article aims to elucidate the multifaceted importance of benzimidazole-based compounds and their derivatives within these spheres. The paper starts by establishing the pivotal role of benzimidazoles in human health and pharmaceutical applications. A comprehensive examination of their therapeutic utility in treating and managing various diseases is undertaken, underscoring the compounds' potent biological activities and clinical relevance. Furthermore, the review focused on the applications of benzimidazole-based compounds as powerful fungicides and pesticides within the agricultural sector. The discussion covers the mechanistic underpinnings of their efficacy, formulation challenges, and regulatory considerations surrounding their deployment in the agrochemical industry. This paper aims to demonstrate the extensive applications of these heterocyclic moieties and their derivatives in medicine and farming. The in-depth analysis presented herein is intended to facilitate a deeper understanding of the versatility and importance of benzimidazole compounds, thus enriching future research and development endeavors within these critical domains.

**Keywords:** Benzimidazole, Derivatives, Medicine, Agriculture.



## استكشاف الدور المهم للبنزيميدازول ومشتقاته: في الطب والزراعة: مراجعة قصيرة

سارة باسل فوزي<sup>1</sup>، خالد يونس زين العابدين<sup>1</sup>، عماد عبد الحسين يوسف<sup>1</sup>، حسنون أماليا اونس يونس<sup>2</sup>، ناتي خير النسا مهيني عمر<sup>3</sup>

<sup>1</sup>قسم الكيمياء، كلية العلوم، جامعة النهريين، بغداد، العراق  
<sup>2</sup>قسم طب العيون، كلية الطب، جامعة تريبسكتي، جاكرتا، إندونيسيا  
<sup>3</sup>قسم طب العمل، كلية الطب، جامعة تريبسكتي، جاكرتا، إندونيسيا

[sarah.mchs24@ced.nahrainuniv.iq](mailto:sarah.mchs24@ced.nahrainuniv.iq), [khalid.waleed21@nahrainuniv.edu.iq](mailto:khalid.waleed21@nahrainuniv.edu.iq), [emad\\_yousif@nahrainuniv.edu.iq](mailto:emad_yousif@nahrainuniv.edu.iq), [husnun\\_a@trisakti.ac.id](mailto:husnun_a@trisakti.ac.id),  
[nanyhairunisa@trisakti.ac.id](mailto:nanyhairunisa@trisakti.ac.id)

### الخلاصة:

البنزيميدازول ومشتقاتها هي مركبات متعددة الاستخدامات تظهر تطوراً كبيراً في العديد من المجالات، بما في ذلك الطب والزراعة. يقدم هذا البحث للقارئ أهمية البنزيميدازولات في مجالات مختلفة. بينما يتم سرد التطبيقات الصحية والصيدلانية لفحص وعلاج الأمراض للتأكيد على أهمية البنزيميدازولات، حيث يتم مناقشة تطبيقاتها في الزراعة كمبيدات فعالة للفطريات والحشرات أيضاً. من خلال تقديم آلية العمل التركيب وتنظيم المركبات المعتمدة على البنزيميدازول. ويهدف التحليل المتعمق المقدم هنا إلى تسهيل فهم أعمق لتنوع وأهمية مركبات البنزيميدازول، وبالتالي إثراء مساعي البحث والتطوير المستقبلية في هذه المجالات الحاسمة.

**الكلمات المفتاحية:** البنزيميدازول، المشتقات، الطب، الزراعة.

## 1. Introduction:

**1.1 Definition and Structure of Benzimidazole:** Benzimidazole is a class of heterocyclic aromatic compounds characterized by the fundamental structural feature of a six-membered benzene ring fused to a five-membered imidazole ring [1]. This unique structure gives benzimidazole compounds various pharmacological properties, making them valuable in biological and clinical applications [1]. Benzimidazoles have shown efficacy as anticancer, antimicrobial, antiparasitic, analgesic, antiviral, and antihistamine agents [1]. They are widely used in the treatment of cardiovascular diseases, neurological disorders, endocrinological conditions, and ophthalmic problems [1-5].

The synthesis of benzimidazoles typically involves the fusion of benzene with an imidazole moiety [1]. The numbering system for benzimidazole according to IUPAC standards is depicted in **Figure 1** [6]. Benzimidazoles with a hydrogen atom attached to nitrogen in the 1-position are easy to tautomerize. This basic "6 + 5" heterocyclic structure is shared by other important molecules found in nature like adenine and guanine, which are essential building blocks for biopolymers [2].







Fig. 1 benzimidazoles structure [6]

The exceptional properties of benzimidazole compounds, such as improved stability, bioavailability, and notable biological activity, have led to their growing attention [7]. Omeprazole, bendamustine, albendazole, and mebendazole are among the benzimidazole drugs of note. Researchers have conducted extensive research on these compounds in recent years, focusing on their synthesis methods, mechanisms of action, structural aspects, and pharmacological applications [8].

The importance of benzimidazole as a pharmacophore in medicinal chemistry and drug discovery has been well established. The benzimidazole moiety is a substructure present in numerous significant compounds that are renowned for their diverse biological activities [7-9]. There are different ways to make different benzimidazole derivatives by adding functional groups to one or more positions on the benzimidazole ring [10]. The administration of an additional quantity of benzimidazole and its derivatives has exhibited a diverse array of biological and pharmacological effects, including antitumor, antiviral, and antiparasitic activities [11]. They play a crucial role in the development of effective pharmaceuticals and insecticides [12]. These derivatives have demonstrated considerable potential in addressing drug-resistant diseases and enhancing crop productivity, rendering them a subject of substantial interest and investigation in both the medical and agricultural domains [13]. This study aims to present an overview of the diverse synthetic methods employed in the synthesis of benzimidazole derivatives. Furthermore, it will emphasize the significance of these methods for tackling drug resistance and enhancing crop productivity. Additionally, the potential applications of benzimidazole and its inorganic derivatives in biomedicine and agriculture will be discussed.

**1.2 Benzimidazole and derivatives:** Benzimidazole and its derivatives, shown in **Figure 2** are classified differently based on their applications [1-5], [7-9]. For example, in pharmacology, the benzimidazole ring system serves as the core for drugs such as albendazole and anesthetics like etomidate [9]. The registration of benzimidazole itself as a new drug laid down specifications for an incredible class of chemical entities [14]. Humankind was fortunate to develop the first drug with an extended spectrum of antibacterial activity, Nizatidine, in 1975

[15]. And from then to now, some benzimidazole and its derivative drugs have developed, and many of them are on the market [13-15]. Also, the benzimidazole ring is present in many fungicides and insecticides, most of which are used in horticulture or viticulture [16]. This class of molecules exhibits antifungal and/or anti-insect properties [16]. On the other hand, heterocyclic molecules have a long history of biological activity, including their use as pesticides in the agricultural industry [17]. These materials are essential in the quest for the development of new products that are biologically active, environmentally acceptable, sustainable, and provide an economic return [18]. These are some of the most important organic building blocks for technological materials, like liquid crystals [18-20]. The Grubbs catalyst is often used for olefin metathesis, and ligands are used in the Heck reaction [21]. These heterocyclic molecules and their derivatives have continued to attract great medicinal chemistry interest since the discovery of the first benzimidazole derivative used as a drug [22]. This chapter provides a crucial and elaborate account to expound on the importance of benzimidazole and its inorganic derivatives in the field of medicinal chemistry and also in the agricultural industry concerning the structural activity relationships, pharmacological studies, and various molecular modeling studies so far reported.



**Fig.2 Benzimidazole derivatives such as**

(i) Benzimidazole, (ii) Fuberidazole, (iii) Carbendazim, (iv) Thiabendazole, (v) Omeprazole, and (vi) Lansoprazole

**1.3 Importance of Benzimidazole in Medicine and Agriculture:** Benzimidazole plays a crucial role in both medicine and agriculture due to its diverse pharmacological properties and applications. Benzimidazole and its derivatives are crucial therapeutic agents in the field of

medicine [23]. They play a vital role as medications that treat ulcers, eliminate parasitic worms, combat microbial and viral infections, fight against cancer, reduce inflammation, and provide pain relief [23-25]. These chemicals are used to treat a variety of ailments, such as hypertension, malaria, cancer, microbial infections, and inflammatory disorders, demonstrating a diverse spectrum of biological actions [26]. In addition, benzimidazole derivatives have been utilized in agriculture, specifically as anthelmintic drugs to combat parasitic illnesses in animals [27]. The ongoing investigation of benzimidazoles and their analogs for their chemical and pharmacological properties highlights their importance in both the medical and agricultural sectors [28]. The antiparasitic activity of benzimidazoles is widely utilized as an anthelmintic drug for the treatment of parasitic infections in both humans and animals [29]. The antiparasitic drugs albendazole and mebendazole are standard treatment options for several parasitic diseases [30]. Since they possess antifungal properties, benzimidazole derivatives are extremely useful in the treatment of fungal infections [3].

Additional research has shown that several benzimidazole compounds possess anti-cancer properties, suggesting their potential as effective choices for cancer treatment [31]. Furthermore, benzimidazoles have demonstrated antiviral activity against specific viruses, which enhances their potential for use in the development of antiviral drugs [32].

Agriculture is the process of cultivating plants and rearing animals for food, fiber, medicinal plants, and other products used to sustain human life [33]. Furthermore, benzimidazole compounds, with their fungicidal properties, are widely used as agricultural fungicides to control fungal infections in crops [34]. They aid in safeguarding crops against several fungal diseases, hence enhancing agricultural productivity and quality [34].

Benzimidazoles exhibit potent nematocidal activity, targeting nematodes and pernicious parasites that inflict harm on plant roots and diminish agricultural yield [35]. Some work studies suggested that benzimidazoles aid in the regulation of nematode populations, hence promoting the overall health of crops [36].


Researchers also discovered the intricate activity of fuberidazole (ii) shown in **Figure 2**, and its wide-ranging uses in both medical and industrial agricultural fields [37]. Fuberidazole demonstrates great potential as an antifungal drug in medicine, namely in fighting a range of fungal diseases [37]. Endophytic fungi contain this substance, which has a role in protecting plants, promoting their growth, and competing with other microorganisms [37]. Its extensive distribution makes it suitable for use in medical applications [38]. Industrial agriculture uses fuberidazole and other fungal species as biofertilizers and biocontrol agents [39]. They can promote plant development and inhibit the growth of soil-borne diseases [39]. Ectomycorrhizae are essential in forestry as they enhance the growth of commercially significant crops and

decrease the need for fertilizers, thereby contributing to environmental sustainability [40]. All of these uses show how flexible and useful fuberidazole and related fungi can be in promoting environmentally friendly practices and improving plant health in a number of areas [40].

Therefore, benzimidazole compounds are essential in medicine and agriculture due to their diverse medicinal and preventive advantages.

**1.4 Benzimidazole Compounds and Proton Pump Inhibitors (PPI) in the Medical and Agricultural Applications:** Proton pump inhibitors (PPIs) are a class of drugs with a common structural foundation of a pyridine and benzimidazole ring as shown in **Figure 3**, differing only in the substituents attached to these rings [41]. Analgesics widely prescribe PPIs like Pantoprazole for conditions like gastritis and gastric irritation [42]. Studies have shown that PPI use is associated with increased risks of certain cancers, like gastric, pancreatic, colorectal, and liver cancer, while potentially decreasing the risk of breast cancer [43]. PPIs may interact with the cancer microbiome and affect the efficacy of antineoplastic agents, although only a few interactions are clinically significant [44]. Deprescribing PPIs when they are not clinically justified is advised to avoid unnecessary drug interactions and adverse effects [45].

The pharmacological relevance of benzimidazole compounds, especially proton pump inhibitors, is well-known [46]. Gastric acid-related illnesses like GERD and peptic ulcer disease are treated.



**Figure 3. Structure of proton pump inhibitors (PPIs) that contain benzimidazole, sulfinyl, and 2-pyridylmethyl groups [41]**

with PPIs [47]. PPIs such as omeprazole, lansoprazole, and pantoprazole are widely used benzimidazole derivatives [43]. These substances permanently block the action of the proton pump ( $H^+/K^+$  ATPase) in the stomach lining cells, which stops gastric acid from entering the inside of the stomach [44]. Proton pump inhibitors (PPIs) alleviate symptoms of acid reflux and promote the healing of ulcers by reducing the production of stomach acid [48]. These proton pump inhibitors (PPIs) contain a benzimidazole molecule that forms covalent bonds with the proton pump enzyme. This stops the production of acid [45]. The correlation between benzimidazole compounds and PPIs underscores their clinical significance in treating acid-related gastrointestinal disorders [42].

The extensive spectrum of pharmacological activity exhibited by benzimidazole and its derivatives has also resulted in its use in the agriculture industry [43]. These chemicals have been used in the creation of proton pump inhibitors (PPIs) [44-45], which have shown associations with many types of cancer [46]. In addition, benzimidazole derivatives have demonstrated antibacterial capabilities, making them highly valuable for managing microbial infections in agricultural environments [47]. Research has been conducted on the manufacturing of benzimidazole PPIs using advanced methods such as catalytic reactions and catalysts utilizing graphene oxide [48]. These methods offer efficient and eco-friendly processes for industrial applications [48]. Benzimidazole compounds possess a diverse range of characteristics, which renders them highly favorable for use in agricultural applications [49]. They can be utilized to create innovative protein-protein interactions (P-PIs) to enhance crop protection and disease control [50].

## 2. Synthesis of Proton Pump Inhibitors

**2.1 Omeprazole:** Omeprazole (v), depicted in Figure 2, is scientifically known as 6-methoxy-2-[(4-methoxy-3,5-dimethylpyridin-2-yl) methylsulfinyl]. The compound -1H-benzimidazole exhibits a unique molecular structure [51]. Omeprazole, a widely used proton pump inhibitor, can be synthesized using various methods outlined in the research papers. One method involves the asymmetric oxidation of omeprazole thioether under specific conditions to generate esomeprazole, a more potent form of the drug [51]. Additionally, the synthesis of omeprazole involves the formation of coordination compounds with metal ions like copper, zinc, cadmium, and mercury, resulting in compounds with tetrahedral structures [52]. The structure and dynamics of omeprazole, particularly its chiral nature and molecular interactions, play a crucial role in its activity and stability, as revealed by NMR experiments [53]. Furthermore, novel synthesis processes have been developed to address impurities in omeprazole, enhancing its purity and efficacy for pharmaceutical use [54]. These diverse approaches contribute to the comprehensive understanding and efficient synthesis of omeprazole for proton pump inhibition.





Fig. 4 Omeprazole functional groups structure

The substituted benzimidazole ring of omeprazole, shown in **Figure 4**, fights gastric acid [55]. Two strategically located nitrogens in this ring structure operate as a proton sponge, blocking H<sup>+</sup>/K<sup>+</sup> ATPase and lowering stomach acid output [54]. The effectiveness of omeprazole relies on stomach acid activation, wherein the benzimidazole ring assumes a prominent role [56].

**2.2 Synthesis and Structure of Omeprazole:** A reaction was carried out with 2-chloro-3,5-dimethyl-4-methoxy pyridine (121 g) to form the sulphide intermediate 3 [57]. Then, 2-(Lithium methyl sulphonyl)-5-methoxy-1H benzimidazole (220 g) was treated with m-CPBA, an oxidizing agent, which resulted in the conversion to omeprazole 4 [58]. After undergoing alkaline hydrolysis, the acetamide-sulfide compound was altered and produced the sulfinyl carboxylate or salts, which were then oxidized to yield the amide

sulfinyl compound [59]. Following decarboxylation, the target compounds were formed [60]. The purification process simply involved washing out the remaining unreacted salt, inorganic byproducts, and other minor byproducts, allowing for the easy purification of either omeprazole or lansoprazole [61-63]. Unlike the sulfides and sulfoxides of previously published techniques, the amide compounds were crystalline solids [64-65] as shown in **Figure 5**.



**Fig. 5** The chemical reaction for preparing Omeprazole [64].

### 3. Conclusions:

In conclusion, benzimidazole and its derivatives are versatile molecules with great potential in medicine and agriculture. This study highlights the significance of benzimidazoles as powerful fungicides and insecticides in human health, pharmacology, disease treatment, and agriculture. This study has shown the importance of benzimidazole-based chemicals in medicinal and agricultural activities by investigating their modes of action, formulation obstacles, and regulatory issues. Further research into benzimidazole applications may lead to breakthroughs in these critical domains.



#### 4. References:

- [1] Jiyaul H, Amit A. Study on Benzimidazole: A Comprehensive Review. *Int J Multidiscip Res.* 2023. doi: 10.36948/ijfmr.2023.v05i02.1931.
- [2] Sharma S, Dangi N, Mittal N, Kalra N. A Critical Analysis of the Modern Synthetic Procedures Used to Produce Benzimidazole Candidates. *Curr Organocatal.* 2023. doi: 10.2174/2213337210666230329103657.
- [3] Rudolph A, Champa KA, Vishnumurthy, Yadav D, Bodke HS, Bhojya Naik, et al. Synthesis, characterization, and biological investigations of potentially bioactive heterocyclic compounds containing benzimidazole nucleus. *Results Chem.* 2023. doi: 10.1016/j.rechem.2023.101018.
- [4] Choudhary A, Viradiya RH, Ghoghari RN, Chikhalia KH. Recent Scenario for the Synthesis of Benzimidazole Moiety (2020–2022). *ChemSelect.* 2023. doi: 10.1002/slct.202204910.
- [5] Sharma S, Gupta MC, Gupta M, Sahu JK. Significance of Benzimidazole analogues for the creation of novel molecules in drug discovery. *Curr Chem Lett.* 2023. doi: 10.5267/j.ccl.2022.9.008.
- [6] Benzimidazole [Internet]. Available from: <https://en.wikipedia.org/wiki/Benzimidazole>.
- [7] Rudolph A, Champa KA, Vishnumurthy, Yadav D, Bodke HS, Bhojya Naik, et al. Synthesis, characterization, and biological investigations of potentially bioactive heterocyclic compounds containing benzimidazole nucleus. *Results Chem.* 2023. doi: 10.1016/j.rechem.2023.101018.
- [8] Aralihalli S, Sudileti M, Aithal SJ. The medicinal panorama of benzimidazoles and their scaffolds as anticancer and antithrombotic agents: A review. *Arch Pharm.* 2023. doi: 10.1002/ardp.202300206.
- [9] Chevallier F, Mongin F. Functionalization of Diazines and Benzo Derivatives Through Deprotonated Intermediates. *ChemInform.* 2008. doi: 10.1002/CHIN.200824242.
- [10] Jeon BH. A Review of Approaches to the Metallic and Non-Metallic Synthesis of Benzimidazole (BnZ) and Their Derivatives for Biological Efficacy. *Molecules.* 2023. doi: 10.3390/molecules28145490.
- [11] Sahu JK, Sharma S, Gupta M, Gupta MC. Impact of Benzimidazole containing scaffolds as Anticancer Agents through diverse modes of action. *Curr Bioact Compd.* 2023. doi: 10.2174/1573407219666230406082148.
- [12] Saini A, Kumar G, Singh GD. A review of Benzimidazole derivatives' potential activities. *Int J Pharm Clin Res.* 2023. doi: 10.33545/26647591.2023.v5.i1a.51.
- [13] Salahuddin, Shabana K, Mazumder A, Kumar R, Datt V, Tyagi S, et al. Review on the discovery of new Benzimidazole derivatives as Anticancer Agents: Synthesis and Structure-Activity Relationship (2010-2022). *Lett Drug Des Discov.* 2022. doi: 10.2174/1570180820666221017155955.



- [14] Singh HP, Kumar R, Tiwari P, Singh A. Recent advances in Synthetic Strategies of Benzimidazole and Its Analogs: A Review. *Curr Org Chem.* 2022. doi: 10.2174/1385272827666221216113723.
- [15] Aminov RI. A brief history of the antibiotic era: lessons learned and challenges for the future. *Front Microbiol.* 2010;1:134.
- [16] Kale PA, Kaduskar SD. A REVIEW ON SYNTHESIS AND CHARACTERISATION OF BENZIMIDAZOLE. 2023.
- [17] Rana NA, Zahraa L, Razzaq WI, Yahya I. Synthesis, Characterization and Studying Biological Activity of Heterocyclic Compounds. *Int J Drug Deliv Technol.* 2023. doi: 10.25258/ijddt.13.1.31.
- [18] Thakur D. A Review on the Medicinal Significance of Heterocyclic Compounds. *Int J Sci Technol Eng.* 2023. doi: 10.22214/ijraset.2023.54569.
- [19] Gulati S, Singh R, Sangwan S. A review on green synthesis and biological activities of medicinally important nitrogen and oxygen containing heterocycles. *Curr Org Chem.* 2022. doi: 10.2174/1385272827666221227114713.
- [20] Sarria JJH. Synthesis of Bioactive Heterocycles Exploiting Modern Continuous Flow Chemistry. 2022. doi: 10.1002/9781119757153.ch12.
- [21] Chérif SE, Ghosh A, Chelli S, Dixon IM, Kraiem J, Lakhdar S. Merging Grubbs second-generation catalyst with photocatalysis enables Z-selective metathesis of olefins: scope, limitations, and mechanism. *Chem Sci.* 2022. doi: 10.1039/d2sc03961c.
- [22] Vasantha TS, Mani S, Pasha TY, Ramesh B. A comprehensive review on 2-substituted benzimidazole derivatives and its biological importance. 2023.
- [23] Hak J, Agrawal A. Study on Benzimidazole: A Comprehensive Review. *Int J Multidiscip Res.* 2023. doi: 10.36948/ijfmr.2023.v05i02.1931.
- [24] Pullagura MKP, Kanvinde A, Raja S. Potent biological agent benzimidazole-a review. *Int J Pharm Pharm Sci.* 2016;8:22-33.
- [25] Sahu JK, Sharma S, Gupta M, Gupta MC. Impact of Benzimidazole containing scaffolds as Anticancer Agents through diverse modes of action. *Curr Bioact Compd.* 2023. doi: 10.2174/1573407219666230406082148.
- [26] Abdullah AM, Dadoosh SA, Thani MZ, Fahad AS. Using Metal Oxide Nanoparticles as Catalyst in Benzimidazoles Synthesis. *Earthline J Chem Sci.* 2023;9(1):63-76.
- [27] Venugopal S, Kaur B, Verma AK, Wadhwa P, Sahu SK. A Review On Modern Approaches To Benzimidazole Synthesis. *Curr Org Synth.* 2022. doi: 10.2174/1570179420666221010091157.
- [28] Fujihara H, Fujii K, Fuchi S, Tanaka R, Akimoto K. Benzimidazole compound or salt thereof, agricultural and horticultural insecticidal and acaricidal agent comprising said compound, and method for using said insecticidal and acaricidal agent. 2021.

- [29] Al Nasr I, Koko WS, Khan T, Schobert R, Biersack B. Antiparasitic Activity of Fluorophenyl-Substituted Pyrimido[1,2-a]benzimidazoles. *Adv Cardiovasc Dis.* 2023. doi: 10.3390/biomedicines11010219.
- [30] Chai JY, Jung BK, Hong SJ. Albendazole and Mebendazole as Anti-Parasitic and Anti-Cancer Agents: an Update. *Korean J Parasitol.* 2021. doi: 10.3347/KJP.2021.59.3.189.
- [31] Conaldnbww. Benzimidazole Zinc Complexes and Their Anticancer Activities. 2023. doi: 10.58830/ozgur.pub132.c673.
- [32] Kotovskaya SK, Baskakova ZM, Charushin VN, Chupakhin ON, Belanov EF, Bormotov NI, Serova OA. Synthesis and antiviral activity of fluorinated pyrido[1,2-a]benzimidazoles. *Pharm Chem J.* 2005;39:574-8.
- [33] Chiebuka P. Impacts of Environmental Challenges on Medicinal Plants and the Possibilities for Increased Sustainable Agriculture. *Covenant J Entrepreneurship.* 2020;4(1).
- [34] Heneberg P, Svoboda J, Pech P. Benzimidazole fungicides are detrimental to common farmland ants. *Biol Conserv.* 2018;221:114-7.
- [35] Agarwal SK. *Pesticide Pollution.* Vol. 3. APH Publishing; 2009.
- [36] Abdel Gawad M, Eissa M, El-Gindi AE, Smart G. Development of plant-parasitic nematode populations on forage crops under field conditions. *Egypt J Agronematol.* 2017;16(2):51-62.
- [37] Karunarathna SC, Ashwath N, Jeewon R. The Potential of Fungi for Enhancing Crops and Forestry Systems. *Front Microbiol.* 2021;12:813051.
- [38] Jampilek J, Kráľová K, Campos EV, Fraceto LF. Bio-based nanoemulsion formulations applicable in agriculture, medicine, and food industry. In: *Nanobiotechnology in bioformulations.* 2019. p. 33-84.
- [39] Dhevagi P, Ramya A, Priyatharshini S, Geetha Thanuja K, Ambreetha S, Nivetha A. Industrially important fungal enzymes: productions and applications. *Recent Trends Mycol Res: Environ Ind Perspect.* 2021;2:263-309.
- [40] Aftab NF, Ahmad KS, Gul MM. Sorptive and degradative assessments of environmentally pestilential Benzimidazole fungicide Fuberidazole in pedosphere. *Int J Environ Anal Chem.* 2023;103(17):6097-114.
- [41] Saïf EC, Ghosh A, Chelli S, Dixon IM, Kraiem J, Lakhdar S. Merging Grubbs second-generation catalyst with photocatalysis enables Z-selective metathesis of olefins: scope, limitations, and mechanism. *Chem Sci.* 2022. doi: 10.1039/d2sc03961c.
- [42] He G, Deng S, Nooh MN, Ahmad BS, Yu R, Abram J, et al. Proton Pump Inhibitors and Cancer Risk. *Am J Clin Oncol.* 2022. doi: 10.1097/coc.0000000000000949.
- [43] Ravindra BN, Sunny DS, Jain D. Study on Drug Utilization and Evaluation of Proton Pump Inhibitors in Surgery Unit of Tertiary Care Teaching Hospital. *Int J Pharm Sci Rev Res.* 2022. doi: 10.47583/ijpsrr.2022.v76i01.011.

- [44] Singh HP, Kumar R, Tiwari P, Singh A. Recent advances in Synthetic Strategies of Benzimidazole and Its Analogs: A Review. *Curr Org Chem.* 2022. doi: 10.2174/1385272827666221216113723.
- [45] He G, Deng S, Nooh MN, Ahmad BS, Yu R, Abram J, et al. Proton Pump Inhibitors and Cancer Risk. *Am J Clin Oncol.* 2022. doi: 10.1097/coc.0000000000000949.
- [46] Patil GD, Nikam AR, Karanke NB, Shaikh AZ. A Short Review On Benzimidazole and Their Derivatives. 2020. doi: 10.46624/AJPHR.2020.V8.I3.002.
- [47] Ahmad N, Azad MI, Khan AR, Azad I. Benzimidazole as a promising antiviral heterocyclic scaffold: a review. 2021. doi: 10.46939/J.SCI.ARTS-21.1-B05.
- [48] Brishty SR, Hossain MJ, Khandaker MU, Faruque MRI, Osman H, Rahman SMA. A Comprehensive Account on Recent Progress in Pharmacological Activities of Benzimidazole Derivatives. *Front Pharmacol.* 2021;12:762807. doi: 10.3389/fphar.2021.762807.
- [49] Bridoux M, Simon N, Turpin A. Proton Pump Inhibitors and Cancer: Current State of Play. *Front Pharmacol.* 2022. doi: 10.3389/fphar.2022.798272.
- [50] Soong JTY. Proton pump inhibitors: When is it too much of a good thing? *Ann Acad Med Singapore.* 2022. doi: 10.47102/annals-acadmedsg.20226.
- [51] Imperato RR, Toma TS. Proton pump inhibitor deprescription: A rapid review. *Braz J Pharm Sci.* 2022. doi: 10.1590/s2175-97902022e19989.
- [52] Orel R, Benninga MA, Broekaert I, Gottrand F, Papadopoulou A, Ribes-Koninckx C, et al. Drugs in Focus: Proton Pump Inhibitors. *J Pediatr Gastroenterol Nutr.* 2021. doi: 10.1097/MPG.0000000000003063.
- [53] Singh L, Kanwar K, Singh AP. Proton pump inhibitors: An incisive review. *Int J Parallel Program.* 2021. doi: 10.18231/J.IJPP.2021.019.
- [54] Perry IE, Sonu I, Scarpignato C, Akiyama J, Hongo M, Vega KJ. Potential proton pump inhibitor-related adverse effects. *Ann N Y Acad Sci.* 2020. doi: 10.1111/NYAS.14428.
- [55] Saini S, Majee C, Chakraborty GS, Salahuddin. Novel Synthesis of Omeprazole and Pharmaceutical Impurities of Proton pump inhibitors: A Review. *Int J PharmTech Res.* 2019. doi: 10.20902/IJPTR.2019.120307.
- [56] Cartee NMP, Wang MM. Binding of omeprazole to protein targets identified by monoclonal antibodies. *PLoS One.* 2020. doi: 10.1371/JOURNAL.PONE.0239464.
- [57] Bruni AT, Ferreira MMC. Theoretical study of omeprazole behavior: Racemization barrier and decomposition reaction. *Int J Quantum Chem.* 2008. doi: 10.1002/QUA.21597.
- [58] Malik S, Das S, Jain B. First-row transition metal complexes of omeprazole as anti-ulcerative drugs. *Indones J Chem.* 2010;10(3):382-9.
- [59] Claramunt RM, López C, Alkorta I, Elguero J, Yang R, Schulman S. The tautomerism of Omeprazole in solution: a <sup>1</sup>H and <sup>13</sup>C NMR study. *Magn Reson Chem.* 2004. doi: 10.1002/MRC.1409.

- [60] Claramunt RM, López C, Elguero J. The structure of Omeprazole in the solid state: a <sup>13</sup>C and <sup>15</sup>N NMR/CPMAS study. *Arkivoc.* 2005. doi: 10.3998/ARK.5550190.0007.502.
- [61] Bruni AT, Ferreira MMC. Theoretical study of omeprazole behavior: Racemization barrier and decomposition reaction. *Int J Quantum Chem.* 2008. doi: 10.1002/QUA.21597.
- [62] Murray IA, Perdew GH. Omeprazole Stimulates the Induction of Human Insulin-Like Growth Factor Binding Protein-1 through Aryl Hydrocarbon Receptor Activation. *J Pharmacol Exp Ther.* 2008. doi: 10.1124/JPET.107.13224.
- [63] Singh SP, Siddiqui MJ, Mukarram D, Kulkarni G, Purohit M. Synthetic procedure for 5-methoxy-2-[(4-methoxy-3,5-dimethyl-2-pyridinyl)-methylthio]-1H-benzimidazole hydrochloride and its conversion to omeprazole. 1999.
- [64] Vora JJ, Trivedi KP, Kshatriya RS. Synthesis and Spectral Studies of 2-mercapto-5-methoxy-1H-benzimidazole: An Imperative Medicinal Intermediate. 2012.
- [65] Nikiforova OV, Chistyakov VV, Shikh EV, Arzamastsev AP. Pharmacokinetics and bioaccessibility of gastrozole. *Pharm Chem J.* 1999. doi: 10.1007/BF02509933.

# Benzimidazole and Its Derivatives: Exploring Their Crucial Role in Medicine and Agriculture: A Short Review

*by FK Husnun Amalia*

---

**Submission date:** 19-Aug-2024 09:52AM (UTC+0700)

**Submission ID:** 2354598520

**File name:** 125-137.pdf (855.87K)

**Word count:** 4724

**Character count:** 28895



## Benzimidazole and Its Derivatives: Exploring Their Crucial Role in Medicine and Agriculture: A Short Review

**Sarah Basil Fawzi<sup>1</sup>, Khalid Younis Zainulabdeen<sup>1</sup>, Emad Abdul-Hussain Yousif<sup>1</sup>**

**Husnun Amalia Enus Yunus<sup>2</sup>, Nany Hairunisa Muhaini Umar<sup>3</sup>**

<sup>1</sup>Department of Chemistry, College of Science, Al-Nahrain University, Baghdad, Iraq

<sup>2</sup>Departement of Ophthalmology, Faculty of Medicine, Universitas Trisakti, Jakarta, Indonesia

<sup>3</sup>Department of Occupational Medicine, Faculty of Medicine, Universitas Trisakti, Jakarta, Indonesia

Corresponding Author: [emad\\_yousif@nahrainuniv.edu.iq](mailto:emad_yousif@nahrainuniv.edu.iq)

**Citation:** Fawzi SBF, Zainulabdeen KY, Yousif EA-H, Yunus HAE, Umar NHM. Benzimidazole and Its Derivatives: Exploring Their Crucial Role in Medicine and Agriculture: A Short Review. Al-Kitab J. Pure Sci. [Internet]. 2024 Jul. 11 [cited 2024 Jul. 11];8(02):125-37. Available from: <https://isnra.net/index.php/kjps/article/view/1160> <https://doi.org/10.32441/kjps.08.02.p11>.

**Keywords:** Benzimidazole, Derivatives, Medicine, Agriculture.

### Article History

Received	15 Apr.	2024
Accepted	12 Jun.	2024
Available online	11 July	2024

© 2024. THIS IS AN OPEN-ACCESS ARTICLE UNDER THE CC BY LICENSE <http://creativecommons.org/licenses/by/4.0/>



### Abstract:

Benzimidazole and its structural analogues have garnered significant attention across diverse disciplines, including the fields of medicine and agriculture, owing to their remarkable versatility and immense potential. This review article aims to elucidate the multifaceted importance of benzimidazole-based compounds and their derivatives within these spheres. The paper starts by establishing the pivotal role of benzimidazoles in human health and pharmaceutical applications. A comprehensive examination of their therapeutic utility in treating and managing various diseases is undertaken, underscoring the compounds' potent biological activities and clinical relevance. Furthermore, the review focused on the applications of benzimidazole-based compounds as powerful fungicides and pesticides within the agricultural sector. The discussion covers the mechanistic underpinnings of their efficacy, formulation challenges, and regulatory considerations surrounding their deployment in the agrochemical industry. This paper aims to demonstrate the extensive applications of these heterocyclic moieties and their derivatives in medicine and farming. The in-depth analysis presented herein is intended to facilitate a deeper understanding of the versatility and importance of benzimidazole compounds, thus enriching future research and development endeavors within these critical domains.

**Keywords:** Benzimidazole, Derivatives, Medicine, Agriculture.

## استكشاف الدور المهم للبنزيميدازول ومشتقاته: في الطب والزراعة: مراجعة قصيرة

سارة باسل فوزي<sup>1</sup>، خالد يونس زين العابدين<sup>1</sup>، عماد عبد الحسين يوسف<sup>1</sup>، حسنون أماليا اونس يونس<sup>2</sup>، ناتي خير النسا مهيني عمر<sup>3</sup>

<sup>17</sup>  
قسم الكيمياء، كلية العلوم، جامعة النهرين، بغداد، العراق  
قسم طب العيون، كلية الطب، جامعة تريساكتي، جاكرتا، إندونيسيا  
قسم طب العمل، كلية الطب، جامعة تريساكتي، جاكرتا، إندونيسيا

sarah.mchs24@ced.nahrainuniv.iq, khalid.waleed21@nahrainuniv.edu.iq, emad\_yousif@nahrainuniv.edu.iq, husnun\_a@trisakti.ac.id, nanyhairunisa@trisakti.ac.id

### الخلاصة:

البنزيميدازول ومشتقاتها هي مركبات متعددة الاستخدامات تظهر تطوراً كبيراً في العديد من المجالات، بما في ذلك الطب والزراعة. يقدم هذا البحث للقارئ أهمية البنزيميدازولات في مجالات مختلفة. بينما يتم سرد التطبيقات الصحية والصيدلانية لفحص وعلاج الأمراض للتأكيد على أهمية البنزيميدازولات، حيث يتم مناقشة تطبيقاتها في الزراعة كمبيدات فعالة للفطريات والحشرات أيضاً. من خلال تقديم آلية العمل التركيب وتنظيم المركبات المعتمدة على البنزيميدازول. ويهدف التحليل المتعمق المقدم هنا إلى تسهيل فهم أعمق لتنوع وأهمية مركبات البنزيميدازول، وبالتالي إثراء مساعي البحث والتطوير المستقبلية في هذه المجالات الحاسمة.

**الكلمات المفتاحية:** البنزيميدازول، المشتقات، الطب، الزراعة.

## 1. Introduction:

**1.1 Definition and Structure of Benzimidazole:** Benzimidazole is a class of heterocyclic aromatic compounds characterized by the fundamental structural feature of a six-membered benzene ring fused to a five-membered imidazole ring [1]. This unique structure gives benzimidazole compounds various pharmacological properties, making them valuable in biological and clinical applications [1]. Benzimidazoles have shown efficacy as anticancer, antimicrobial, antiparasitic, analgesic, antiviral, and antihistamine agents [1]. They are widely used in the treatment of cardiovascular diseases, neurological disorders, endocrinological conditions, and ophthalmic problems [1-5].

The synthesis of benzimidazoles typically involves the fusion of benzene with an imidazole moiety [1]. The numbering system for benzimidazole according to IUPAC standards is depicted in Figure 1 [6]. Benzimidazoles with a hydrogen atom attached to nitrogen in the 1-position are easy to tautomerize. This basic "6 + 5" heterocyclic structure is shared by other important molecules found in nature like adenine and guanine, which are essential building blocks for biopolymers [2].

Web Site: <https://isnra.net/index.php/kjps> E. mail: [kjps@uoalkitab.edu.iq](mailto:kjps@uoalkitab.edu.iq)







Fig. 1 benzimidazoles structure [6]

The exceptional properties of benzimidazole compounds, such as improved stability, bioavailability, and notable biological activity, have led to their growing attention [7]. Omeprazole, bendamustine, albendazole, and mebendazole are among the benzimidazole drugs of note. Researchers have conducted extensive research on these compounds in recent years, focusing on their synthesis methods, mechanisms of action, structural aspects, and pharmacological applications [8].

The importance of benzimidazole as a pharmacophore in medicinal chemistry and drug discovery has been well established. The benzimidazole moiety is a substructure present in numerous significant compounds that are renowned for their diverse biological activities [7-9]. There are different ways to make different benzimidazole derivatives by adding functional groups to one or more positions on the benzimidazole ring [10]. The administration of an additional quantity of benzimidazole and its derivatives has exhibited a diverse array of biological and pharmacological effects, including antitumor, antiviral, and antiparasitic activities [11]. They play a crucial role in the development of effective pharmaceuticals and insecticides [12]. These derivatives have demonstrated considerable potential in addressing drug-resistant diseases and enhancing crop productivity, rendering them a subject of substantial interest and investigation in both the medical and agricultural domains [13]. This study aims to present an overview of the diverse synthetic methods employed in the synthesis of benzimidazole derivatives. Furthermore, it will emphasize the significance of these methods for tackling drug resistance and enhancing crop productivity. Additionally, the potential applications of benzimidazole and its inorganic derivatives in biomedicine and agriculture will be discussed.

**1.2 Benzimidazole and derivatives:** Benzimidazole and its derivatives, shown in Figure 2 are classified differently based on their applications [1-5], [7-9]. For example, in pharmacology, the benzimidazole ring system serves as the core for drugs such as albendazole and anesthetics like etomidate [9]. The registration of benzimidazole itself as a new drug laid down specifications for an incredible class of chemical entities [14]. Humankind was fortunate to develop the first drug with an extended spectrum of antibacterial activity, Nizatidine, in 1975

[15]. And from then to now, some benzimidazole and its derivative drugs have developed, and many of them are on the market [13-15]. Also, the benzimidazole ring is present in many fungicides and insecticides, most of which are used in horticulture or viticulture [16]. This class of molecules exhibits antifungal and/or anti-insect properties [16]. On the other hand, heterocyclic molecules have a long history of biological activity, including their use as pesticides in the agricultural industry [17]. These materials are essential in the quest for the development of new products that are biologically active, environmentally acceptable, sustainable, and provide an economic return [18]. These are some of the most important organic building blocks for technological materials, like liquid crystals [18-20]. The Grubbs catalyst is often used for olefin metathesis, and ligands are used in the Heck reaction [21]. These heterocyclic molecules and their derivatives have continued to attract great medicinal chemistry interest since the discovery of the first benzimidazole derivative used as a drug [22]. This chapter provides a crucial and elaborate account to expound on the importance of benzimidazole and its inorganic derivatives in the field of medicinal chemistry and also in the agricultural industry concerning the structural activity relationships, pharmacological studies, and various molecular modeling studies so far reported.



**Fig.2 Benzimidazole derivatives such as**  
 (i) Benzimidazole, (ii) Fuberidazole, (iii) Carbendazim, (iv) Thiabendazole, (v) Omeprazole, and (vi) Lansoprazole

**1.3 Importance of Benzimidazole in Medicine and Agriculture:** Benzimidazole plays a crucial role in both medicine and agriculture due to its diverse pharmacological properties and applications. Benzimidazole and its derivatives are crucial therapeutic agents in the field of

medicine [23]. They play a vital role as medications that treat ulcers, eliminate parasitic worms, combat microbial and viral infections, fight against cancer, reduce inflammation, and provide pain relief [23-25]. These chemicals are used to treat a variety of ailments, such as hypertension, malaria, cancer, microbial infections, and inflammatory disorders, demonstrating a diverse spectrum of biological actions [26]. In addition, benzimidazole derivatives have been utilized in agriculture, specifically as anthelmintic drugs to combat parasitic illnesses in animals [27]. The ongoing investigation of benzimidazoles and their analogs for their chemical and pharmacological properties highlights their importance in both the medical and agricultural sectors [28]. The antiparasitic activity of benzimidazoles is widely utilized as an anthelmintic drug for the treatment of parasitic infections in both humans and animals [29]. The antiparasitic drugs albendazole and mebendazole are standard treatment options for several parasitic diseases [30]. Since they possess antifungal properties, benzimidazole derivatives are extremely useful in the treatment of fungal infections [3].

Additional research has shown that several benzimidazole compounds possess anti-cancer properties, suggesting their potential as effective choices for cancer treatment [31]. Furthermore, benzimidazoles have demonstrated antiviral activity against specific viruses, which enhances their potential for use in the development of antiviral drugs [32].

Agriculture is the process of cultivating plants and rearing animals for food, fiber, medicinal plants, and other products used to sustain human life [33]. Furthermore, benzimidazole compounds, with their fungicidal properties, are widely used as agricultural fungicides to control fungal infections in crops [34]. They aid in safeguarding crops against several fungal diseases, hence enhancing agricultural productivity and quality [34].

Benzimidazoles exhibit potent nematocidal activity, targeting nematodes and pernicious parasites that inflict harm on plant roots and diminish agricultural yield [35]. Some work studies suggested that benzimidazoles aid in the regulation of nematode populations, hence promoting the overall health of crops [36].

Researchers also discovered the intricate activity of fuberidazole (ii) shown in Figure 2, and its wide-ranging uses in both medical and industrial agricultural fields [37]. Fuberidazole demonstrates great potential as an antifungal drug in medicine, namely in fighting a range of fungal diseases [37]. Endophytic fungi contain this substance, which has a role in protecting plants, promoting their growth, and competing with other microorganisms [37]. Its extensive distribution makes it suitable for use in medical applications [38]. Industrial agriculture uses fuberidazole and other fungal species as biofertilizers and biocontrol agents [39]. They can promote plant development and inhibit the growth of soil-borne diseases [39]. Ectomycorrhizae are essential in forestry as they enhance the growth of commercially significant crops and

decrease the need for fertilizers, thereby contributing to environmental sustainability [40]. All of these uses show how flexible and useful fuberidazole and related fungi can be in promoting environmentally friendly practices and improving plant health in a number of areas [40].

Therefore, benzimidazole compounds are essential in medicine and agriculture due to their diverse medicinal and preventive advantages.

**1.4 Benzimidazole Compounds and Proton Pump Inhibitors (PPI) in the Medical and Agricultural Applications:** Proton pump inhibitors (PPIs) are a class of drugs with a common structural foundation of a pyridine and benzimidazole ring as shown in Figure 3, differing only in the substituents attached to these rings [41]. Analgesics widely prescribe PPIs like Pantoprazole for conditions like gastritis and gastric irritation [42]. Studies have shown that PPI use is associated with increased risks of certain cancers, like gastric, pancreatic, colorectal, and liver cancer, while potentially decreasing the risk of breast cancer [43]. PPIs may interact with the cancer microbiome and affect the efficacy of antineoplastic agents, although only a few interactions are clinically significant [44]. Deprescribing PPIs when they are not clinically justified is advised to avoid unnecessary drug interactions and adverse effects [45].

The pharmacological relevance of benzimidazole compounds, especially proton pump inhibitors, is well-known [46]. Gastric acid-related illnesses like GERD and peptic ulcer disease are treated.




Figure 3. Structure of proton pump inhibitors (PPIs) that contain benzimidazole, sulfinyl, and 2-pyridylmethyl groups [41]

with PPIs [47]. PPIs such as omeprazole, lansoprazole, and pantoprazole are widely used benzimidazole derivatives [43]. These substances permanently block the action of the proton pump (H<sup>+</sup>/K<sup>+</sup> ATPase) in the stomach lining cells, which stops gastric acid from entering the inside of the stomach [44]. Proton pump inhibitors (PPIs) alleviate symptoms of acid reflux and promote the healing of ulcers by reducing the production of stomach acid [48]. These proton pump inhibitors (PPIs) contain a benzimidazole molecule that forms covalent bonds with the proton pump enzyme. This stops the production of acid [45]. The correlation between benzimidazole compounds and PPIs underscores their clinical significance in treating acid-related gastrointestinal disorders [42].

The extensive spectrum of pharmacological activity exhibited by benzimidazole and its derivatives has also resulted in its use in the agriculture industry [43]. These chemicals have been used in the creation of proton pump inhibitors (PPIs) [44-45], which have shown associations with many types of cancer [46]. In addition, benzimidazole derivatives have demonstrated antibacterial capabilities, making them highly valuable for managing microbial infections in agricultural environments [47]. Research has been conducted on the manufacturing of benzimidazole PPIs using advanced methods such as catalytic reactions and catalysts utilizing graphene oxide [48]. These methods offer efficient and eco-friendly processes for industrial applications [48]. Benzimidazole compounds possess a diverse range of characteristics, which renders them highly favorable for use in agricultural applications [49]. They can be utilized to create innovative protein-protein interactions (P-Pis) to enhance crop protection and disease control [50].

## 2. Synthesis of Proton Pump Inhibitors

**2.1 Omeprazole:** Omeprazole (v), depicted in Figure 2, is scientifically known as 6-methoxy-2-[(4-methoxy-3,5-dimethylpyridin-2-yl) methylsulfinyl]. The compound -1H-benzimidazole exhibits a unique molecular structure [51]. Omeprazole, a widely used proton pump inhibitor, can be synthesized using various methods outlined in the research papers. One method involves the asymmetric oxidation of omeprazole thioether under specific conditions to generate esomeprazole, a more potent form of the drug [51]. Additionally, the synthesis of omeprazole involves the formation of coordination compounds with metal ions like copper, zinc, cadmium, and mercury, resulting in compounds with tetrahedral structures [52]. The structure and dynamics of omeprazole, particularly its chiral nature and molecular interactions, play a crucial role in its activity and stability, as revealed by NMR experiments [53]. Furthermore, novel synthesis processes have been developed to address impurities in omeprazole, enhancing its purity and efficacy for pharmaceutical use [54]. These diverse approaches contribute to the comprehensive understanding and efficient synthesis of omeprazole for proton pump inhibition.





Fig. 4 Omeprazole functional groups structure



The substituted benzimidazole ring of omeprazole, shown in **Figure 4**, fights gastric acid [55]. Two strategically located nitrogens in this ring structure operate as a proton sponge, blocking H<sup>+</sup>/K<sup>+</sup> ATPase and lowering stomach acid output [54]. The effectiveness of omeprazole relies on stomach acid activation, wherein the benzimidazole ring assumes a prominent role [56].

**2.2 Synthesis and Structure of Omeprazole:** A reaction was carried out with 2-chloro-3,5-dimethyl-4-methoxy pyridine (121 g) to form the sulphide intermediate **3** [57]. Then, 2-(Lithium methyl sulphanyl)-5-methoxy-1H benzimidazole (220 g) was treated with m-CPBA, an oxidizing agent, which resulted in the conversion to omeprazole **4** [58]. After undergoing alkaline hydrolysis, the acetamide-sulfide compound was altered and produced the sulfinyl carboxylate or salts, which were then oxidized to yield the amide

sulfinyl compound [59]. Following decarboxylation, the target compounds were formed [60]. The purification process simply involved washing out the remaining unreacted salt, inorganic byproducts, and other minor byproducts, allowing for the easy purification of either omeprazole or lansoprazole [61-63]. Unlike the sulfides and sulfoxides of previously published techniques, the amide compounds were crystalline solids [64-65] as shown in **Figure 5**.



**Fig. 5** The chemical reaction for preparing Omeprazole [64].

### 3. Conclusions:

In conclusion, benzimidazole and its derivatives are versatile molecules with great potential in medicine and agriculture. This study highlights the significance of benzimidazoles as powerful fungicides and insecticides in human health, pharmacology, disease treatment, and agriculture. This study has shown the importance of benzimidazole-based chemicals in medicinal and agricultural activities by investigating their modes of action, formulation obstacles, and regulatory issues. Further research into benzimidazole applications may lead to breakthroughs in these critical domains.

#### 4. References:

- [1] Jiyaul H, Amit A. Study on Benzimidazole: A Comprehensive Review. *Int J Multidiscip Res*. 2023. doi: 10.36948/ijfmr.2023.v05i02.1931.
- [2] Sharma S, Dangi N, Mittal N, Kalra N. A Critical Analysis of the Modern Synthetic Procedures Used to Produce Benzimidazole Candidates. *Curr Organocatal*. 2023. doi: 10.2174/2213337210666230329103657.
- [3] Rudolph A, Champa KA, Vishnumurthy, Yadav D, Bodke HS, Bhojya Naik, et al. Synthesis, characterization, and biological investigations of potentially bioactive heterocyclic compounds containing benzimidazole nucleus. *Results Chem*. 2023. doi: 10.1016/j.rechem.2023.101018.
- [4] Choudhary A, Viradiya RH, Ghoghari RN, Chikhalia KH. Recent Scenario for the Synthesis of Benzimidazole Moiety (2020–2022). *ChemSelect*. 2023. doi: 10.1002/slct.202204910.
- [5] Sharma S, Gupta MC, Gupta M, Sahu JK. Significance of Benzimidazole analogues for the creation of novel molecules in drug discovery. *Curr Chem Lett*. 2023. doi: 10.5267/j.ccl.2022.9.008.
- [6] Benzimidazole [Internet]. Available from: <https://en.wikipedia.org/wiki/Benzimidazole>.
- [7] Rudolph A, Champa KA, Vishnumurthy, Yadav D, Bodke HS, Bhojya Naik, et al. Synthesis, characterization, and biological investigations of potentially bioactive heterocyclic compounds containing benzimidazole nucleus. *Results Chem*. 2023. doi: 10.1016/j.rechem.2023.101018.
- [8] Aralihalli S, Sudileti M, Aithal SJ. The medicinal panorama of benzimidazoles and their scaffolds as anticancer and antithrombotic agents: A review. *Arch Pharm*. 2023. doi: 10.1002/ardp.202300206.
- [9] Chevallier F, Mongin F. Functionalization of Diazines and Benzo Derivatives Through Deprotonated Intermediates. *ChemInform*. 2008. doi: 10.1002/CHIN.200824242.
- [10] Jeon BH. A Review of Approaches to the Metallic and Non-Metallic Synthesis of Benzimidazole (BnZ) and Their Derivatives for Biological Efficacy. *Molecules*. 2023. doi: 10.3390/molecules28145490.
- [11] Sahu JK, Sharma S, Gupta M, Gupta MC. Impact of Benzimidazole containing scaffolds as Anticancer Agents through diverse modes of action. *Curr Bioact Compd*. 2023. doi: 10.2174/1573407219666230406082148.
- [12] Saini A, Kumar G, Singh GD. A review of Benzimidazole derivatives' potential activities. *Int J Pharm Clin Res*. 2023. doi: 10.33545/26647591.2023.v5.i1a.51.
- [13] Salahuddin, Shabana K, Mazumder A, Kumar R, Datt V, Tyagi S, et al. Review on the discovery of new Benzimidazole derivatives as Anticancer Agents: Synthesis and Structure-Activity Relationship (2010-2022). *Lett Drug Des Discov*. 2022. doi: 10.2174/1570180820666221017155955.



- [14] Singh HP, Kumar R, Tiwari P, Singh A. Recent advances in Synthetic Strategies of Benzimidazole and Its Analogs: A Review. *Curr Org Chem.* 2022. doi: 10.2174/1385272827666221216113723.
- [15] Aminov RI. A brief history of the antibiotic era: lessons learned and challenges for the future. *Front Microbiol.* 2010;1:134.
- [16] Kale PA, Kaduskar SD. A REVIEW ON SYNTHESIS AND CHARACTERISATION OF BENZIMIDAZOLE. 2023.
- [17] Rana NA, Zahraa L, Razzaq WI, Yahya I. Synthesis, Characterization and Studying Biological Activity of Heterocyclic Compounds. *Int J Drug Deliv Technol.* 2023. doi: 10.25258/ijddt.13.1.31.
- [18] Thakur D. A Review on the Medicinal Significance of Heterocyclic Compounds. *Int J Sci Technol Eng.* 2023. doi: 10.22214/ijraset.2023.54569.
- [19] Gulati S, Singh R, Sangwan S. A review on green synthesis and biological activities of medicinally important nitrogen and oxygen containing heterocycles. *Curr Org Chem.* 2022. doi: 10.2174/1385272827666221227114713.
- [20] Sarria JJH. Synthesis of Bioactive Heterocycles Exploiting Modern Continuous Flow Chemistry. 2022. doi: 10.1002/9781119757153.ch12.
- [21] Chérif SE, Ghosh A, Chelli S, Dixon IM, Kraiem J, Lakhdar S. Merging Grubbs second-generation catalyst with photocatalysis enables Z-selective metathesis of olefins: scope, limitations, and mechanism. *Chem Sci.* 2022. doi: 10.1039/d2sc03961c.
- [22] Vasantha TS, Mani S, Pasha TY, Ramesh B. A comprehensive review on 2-substituted benzimidazole derivatives and its biological importance. 2023.
- [23] Hak J, Agrawal A. Study on Benzimidazole: A Comprehensive Review. *Int J Multidiscip Res.* 2023. doi: 10.36948/ijfmr.2023.v05i02.1931.
- [24] Pullagura MKP, Kanvinde A, Raja S. Potent biological agent benzimidazole-a review. *Int J Pharm Pharm Sci.* 2016;8:22-33.
- [25] Sahu JK, Sharma S, Gupta M, Gupta MC. Impact of Benzimidazole containing scaffolds as Anticancer Agents through diverse modes of action. *Curr Bioact Compd.* 2023. doi: 10.2174/1573407219666230406082148.
- [26] Abdullah AM, Dadoosh SA, Thani MZ, Fahad AS. Using Metal Oxide Nanoparticles as Catalyst in Benzimidazoles Synthesis. *Earthline J Chem Sci.* 2023;9(1):63-76.
- [27] Venugopal S, Kaur B, Verma AK, Wadhwa P, Sahu SK. A Review On Modern Approaches To Benzimidazole Synthesis. *Curr Org Synth.* 2022. doi: 10.2174/1570179420666221010091157.
- [28] Fujihara H, Fujii K, Fuchi S, Tanaka R, Akimoto K. Benzimidazole compound or salt thereof, agricultural and horticultural insecticidal and acaricidal agent comprising said compound, and method for using said insecticidal and acaricidal agent. 2021.

- [29] Al Nasr I, Koko WS, Khan T, Schobert R, Biersack B. Antiparasitic Activity of Fluorophenyl-Substituted Pyrimido[1,2-a]benzimidazoles. *Adv Cardiovasc Dis.* 2023. doi: 10.3390/biomedicines11010219.
- [30] Chai JY, Jung BK, Hong SJ. Albendazole and Mebendazole as Anti-Parasitic and Anti-Cancer Agents: an Update. *Korean J Parasitol.* 2021. doi: 10.3347/KJP.2021.59.3.189.
- [31] Conaldbnw. Benzimidazole Zinc Complexes and Their Anticancer Activities. 2023. doi: 10.58830/ozgur.pub132.c673.
- [32] Kotovskaya SK, Baskakova ZM, Charushin VN, Chupakhin ON, Belanov EF, Bormotov NI, Serova OA. Synthesis and antiviral activity of fluorinated pyrido[1,2-a]benzimidazoles. *Pharm Chem J.* 2005;39:574-8.
- [33] Chiebuka P. Impacts of Environmental Challenges on Medicinal Plants and the Possibilities for Increased Sustainable Agriculture. *Covenant J Entrepreneurship.* 2020;4(1).
- [34] Heneberg P, Svoboda J, Pech P. Benzimidazole fungicides are detrimental to common farmland ants. *Biol Conserv.* 2018;221:114-7.
- [35] Agarwal SK. *Pesticide Pollution.* Vol. 3. APH Publishing; 2009.
- [36] Abdel Gawad M, Eissa M, El-Gindi AE, Smart G. Development of plant-parasitic nematode populations on forage crops under field conditions. *Egypt J Agronematol.* 2017;16(2):51-62.
- [37] Karunarathna SC, Ashwath N, Jeewon R. The Potential of Fungi for Enhancing Crops and Forestry Systems. *Front Microbiol.* 2021;12:813051.
- [38] Jampilek J, Kráľová K, Campos EV, Fraceto LF. Bio-based nanoemulsion formulations applicable in agriculture, medicine, and food industry. In: *Nanobiotechnology in bioformulations.* 2019. p. 33-84.
- [39] Dhevagi P, Ramya A, Priyatharshini S, Geetha Thanuja K, Ambreetha S, Nivetha A. Industrially important fungal enzymes: productions and applications. *Recent Trends Mycol Res: Environ Ind Perspect.* 2021;2:263-309.
- [40] Aftab NF, Ahmad KS, Gul MM. Sorptive and degradative assessments of environmentally pestilential Benzimidazole fungicide Fuberidazole in pedosphere. *Int J Environ Anal Chem.* 2023;103(17):6097-114.
- [41] Saïf EC, Ghosh A, Chelli S, Dixon IM, Kraiem J, Lakhdar S. Merging Grubbs second-generation catalyst with photocatalysis enables Z-selective metathesis of olefins: scope, limitations, and mechanism. *Chem Sci.* 2022. doi: 10.1039/d2sc03961c.
- [42] He G, Deng S, Nooh MN, Ahmad BS, Yu R, Abram J, et al. Proton Pump Inhibitors and Cancer Risk. *Am J Clin Oncol.* 2022. doi: 10.1097/coc.0000000000000949.
- [43] Ravindra BN, Sunny DS, Jain D. Study on Drug Utilization and Evaluation of Proton Pump Inhibitors in Surgery Unit of Tertiary Care Teaching Hospital. *Int J Pharm Sci Rev Res.* 2022. doi: 10.47583/ijpsr.2022.v76i01.011.

- [44] Singh HP, Kumar R, Tiwari P, Singh A. Recent advances in Synthetic Strategies of Benzimidazole and Its Analogs: A Review. *Curr Org Chem.* 2022. doi: 10.2174/1385272827666221216113723.
- [45] He G, Deng S, Nooh MN, Ahmad BS, Yu R, Abram J, et al. Proton Pump Inhibitors and Cancer Risk. *Am J Clin Oncol.* 2022. doi: 10.1097/coc.0000000000000949.
- [46] Patil GD, Nikam AR, Karanke NB, Shaikh AZ. A Short Review On Benzimidazole and Their Derivatives. 2020. doi: 10.46624/AJPHR.2020.V8.I3.002.
- [47] Ahmad N, Azad MI, Khan AR, Azad I. Benzimidazole as a promising antiviral heterocyclic scaffold: a review. 2021. doi: 10.46939/J.SCI.ARTS-21.1-B05.
- [48] Brishty SR, Hossain MJ, Khandaker MU, Faruque MRI, Osman H, Rahman SMA. A Comprehensive Account on Recent Progress in Pharmacological Activities of Benzimidazole Derivatives. *Front Pharmacol.* 2021;12:762807. doi: 10.3389/fphar.2021.762807.
- [49] Bridoux M, Simon N, Turpin A. Proton Pump Inhibitors and Cancer: Current State of Play. *Front Pharmacol.* 2022. doi: 10.3389/fphar.2022.798272.
- [50] Soong JTY. Proton pump inhibitors: When is it too much of a good thing? *Ann Acad Med Singapore.* 2022. doi: 10.47102/annals-acadmedsg.20226.
- [51] Imperato RR, Toma TS. Proton pump inhibitor deprescription: A rapid review. *Braz J Pharm Sci.* 2022. doi: 10.1590/s2175-97902022e19989.
- [52] Orel R, Benninga MA, Broekaert I, Gottrand F, Papadopoulou A, Ribes-Koninckx C, et al. Drugs in Focus: Proton Pump Inhibitors. *J Pediatr Gastroenterol Nutr.* 2021. doi: 10.1097/MPG.0000000000003063.
- [53] Singh L, Kanwar K, Singh AP. Proton pump inhibitors: An incisive review. *Int J Parallel Program.* 2021. doi: 10.18231/J.IJPP.2021.019.
- [54] Perry IE, Sonu I, Scarpignato C, Akiyama J, Hongo M, Vega KJ. Potential proton pump inhibitor-related adverse effects. *Ann N Y Acad Sci.* 2020. doi: 10.1111/NYAS.14428.
- [55] Saini S, Majee C, Chakraborty GS, Salahuddin. Novel Synthesis of Omeprazole and Pharmaceutical Impurities of Proton pump inhibitors: A Review. *Int J PharmTech Res.* 2019. doi: 10.20902/IJPTR.2019.120307.
- [56] Cartee NMP, Wang MM. Binding of omeprazole to protein targets identified by monoclonal antibodies. *PLoS One.* 2020. doi: 10.1371/JOURNAL.PONE.0239464.
- [57] Bruni AT, Ferreira MMC. Theoretical study of omeprazole behavior: Racemization barrier and decomposition reaction. *Int J Quantum Chem.* 2008. doi: 10.1002/QUA.21597.
- [58] Malik S, Das S, Jain B. First-row transition metal complexes of omeprazole as anti-ulcerative drugs. *Indones J Chem.* 2010;10(3):382-9.
- [59] Claramunt RM, López C, Alkorta I, Elguero J, Yang R, Schulman S. The tautomerism of Omeprazole in solution: a <sup>1</sup>H and <sup>13</sup>C NMR study. *Magn Reson Chem.* 2004. doi: 10.1002/MRC.1409.

- [60] Claramunt RM, López C, Elguero J. The structure of Omeprazole in the solid state: a <sup>13</sup>C and <sup>15</sup>N NMR/CPMAS study. *Arkivoc.* 2005. doi: 10.3998/ARK.5550190.0007.502.
- [61] Bruni AT, Ferreira MMC. Theoretical study of omeprazole behavior: Racemization barrier and decomposition reaction. *Int J Quantum Chem.* 2008. doi: 10.1002/QUA.21597.
- [62] Murray IA, Perdew GH. Omeprazole Stimulates the Induction of Human Insulin-Like Growth Factor Binding Protein-1 through Aryl Hydrocarbon Receptor Activation. *J Pharmacol Exp Ther.* 2008. doi: 10.1124/JPET.107.13224.
- [63] Singh SP, Siddiqui MJ, Mukarram D, Kulkarni G, Purohit M. Synthetic procedure for 5-methoxy-2-[(4-methoxy-3,5-dimethyl-2-pyridinyl)-methylthio]-1H-benzimidazole hydrochloride and its conversion to omeprazole. 1999.
- [64] Vora JJ, Trivedi KP, Kshatriya RS. Synthesis and Spectral Studies of 2-mercapto-5-methoxy-1H-benzimidazole: An Imperative Medicinal Intermediate. 2012.
- [65] Nikiforova OV, Chistyakov VV, Shikh EV, Arzamastsev AP. Pharmacokinetics and bioaccessibility of gastrozole. *Pharm Chem J.* 1999. doi: 10.1007/BF02509933.

# Benzimidazole and Its Derivatives: Exploring Their Crucial Role in Medicine and Agriculture: A Short Review

## ORIGINALITY REPORT

15%

SIMILARITY INDEX

9%

INTERNET SOURCES

10%

PUBLICATIONS

5%

STUDENT PAPERS

## PRIMARY SOURCES

1

[www.uoalkitab.edu.iq](http://www.uoalkitab.edu.iq)

Internet Source

2%

2

Aleksandra Rodacka, Joanna Strumillo, Eligiusz Serafin, Mieczyslaw Puchala. " Analysis of Potential Binding Sites of 3,5,4'-Trihydroxystilbene (Resveratrol) and -3,3',5,5'-Tetrahydroxy-4'-methoxystilbene (THMS) to the GAPDH Molecule Using a Computational Ligand-Docking Method: Structural and Functional Changes in GAPDH Induced by the Examined Polyphenols ", The Journal of Physical Chemistry B, 2015

Publication

2%

3

[www.intechopen.com](http://www.intechopen.com)

Internet Source

2%

4

Parween R. Kareem, Sameer Algburi, Husniyah Jasim, Fattah H. Hasan. "Optimal PV array configurations for partial shading conditions", Indonesian Journal of Electrical Engineering and Computer Science, 2023

Publication

1%

---

5	Marie Bridoux, Nicolas Simon, Anthony Turpin. "Proton Pump Inhibitors and Cancer: Current State of Play", <i>Frontiers in Pharmacology</i> , 2022 Publication	1 %
6	<a href="http://www.coursehero.com">www.coursehero.com</a> Internet Source	1 %
7	<a href="http://www.indexbox.io">www.indexbox.io</a> Internet Source	1 %
8	<a href="http://doaj.org">doaj.org</a> Internet Source	1 %
9	<a href="http://www.researchgate.net">www.researchgate.net</a> Internet Source	1 %
10	<a href="http://www.scienceimpactpub.com">www.scienceimpactpub.com</a> Internet Source	1 %
11	<a href="http://www.anjs.edu.iq">www.anjs.edu.iq</a> Internet Source	1 %
12	Linlin Yue, Yifeng Hu, Xiaohua He, Feng Chen. " WO -ZnS Photocatalyzed Synthesis of Some Substituted Benzimidazoles as Effective Agents against Gastrointestinal Cancer ", <i>Polycyclic Aromatic Compounds</i> , 2023 Publication	1 %
13	"Gastroesophageal Reflux in Children", Springer Science and Business Media LLC,	<1 %

---

2022

Publication

14

Submitted to Adtalem Global Education

Student Paper

<1 %

15

www.ijcce.ac.ir

Internet Source

<1 %

16

Man-Li Zhang, Yu-Xin Fan, Rui Meng, Wen-Ke Cai et al. "Proton Pump Inhibitors and Cancer Risk", American Journal of Clinical Oncology, 2022

Publication

<1 %

17

Submitted to Tikrit University

Student Paper

<1 %

18

m.growingscience.com

Internet Source

<1 %

Exclude quotes Off

Exclude matches < 10 words

Exclude bibliography On



# Benzimidazole and Its Derivatives: Exploring Their Crucial Role in Medicine and Agriculture: A Short Review

---

GRADEMARK REPORT

---

FINAL GRADE

GENERAL COMMENTS

**/0**

---

PAGE 1

---

PAGE 2

---

PAGE 3

---

PAGE 4

---

PAGE 5

---

PAGE 6

---

PAGE 7

---

PAGE 8

---

PAGE 9

---

PAGE 10

---

PAGE 11

---

PAGE 12

---

PAGE 13

---