



PAPER • OPEN ACCESS

# The 6<sup>th</sup> International Symposium on Sustainable Urban Development (The 6<sup>th</sup> ISoSUD) 2023

Published under licence by IOP Publishing Ltd

[IOP Conference Series: Earth and Environmental Science, Volume 1263, 6th International Symposium on Sustainable Urban Development 2023 02/08/2023 - 03/08/2023 Jakarta, Indonesia](#)

**Citation** 2023 *IOP Conf. Ser.: Earth Environ. Sci.* **1263** 011001

**DOI** 10.1088/1755-1315/1263/1/011001

[Buy this article in print](#)

 Journal RSS

 Sign up for new issue notifications

## Abstract

The International Symposium on Sustainable Urban Development (ISoSUD) is a series of international activities organized by the Faculty of Landscape Architecture and Environmental Technology, Universitas Trisakti, Jakarta. The event is held once every 3 (three) years with themes related to current issues regarding sustainable urban development, in particular related to urban environmental management and environmental technologies. The activity aims to facilitate academics to publish their research results in order to enhance their scientific expertise as researchers.

The 6<sup>th</sup> ISoSUD in 2023 carried the theme "**From Recovery To Resilience: Building A Sustainable Future For A Better Life**" which means this symposium will focus on how we can recover from the difficult times caused by the COVID-19 pandemic and build a better future and

sustainable. This theme also shows the importance of building resilience in facing future challenges, whether related to climate change, economic policies, or other social problems.

The COVID-19 pandemic that swept the world in the last four years has had a significant impact on human health, the global economy, and the daily lives of people around the world. It will take the concerted efforts of all countries and peoples to overcome this pandemic and rebuild the world after it. This pandemic underscores the need for global efforts to strengthen health systems, enhance societal resilience, strengthen international cooperation, and accelerate action to achieve sustainable development goals and combat climate change. This crisis provides an opportunity to make significant changes in the way we view and manage our economic and social activities and to create a world that is more sustainable and fairer for all people and our planet. Now is the time to make a difference, to make a profound systemic shift towards a more sustainable economy for the benefit of our people and our planet. In other words, now is the right time to undertake significant transformations in existing economic and social systems, which can help sustainably achieve the SDGs and fight climate change to ensure a better future for people and our planet. Overall, post-pandemic recovery must be based on the principles of sustainable development contained in the SDGs. By integrating the SDG goals into our recovery policies and actions, we can create a more sustainable, inclusive, and resilient future for our people and the world.

The 6<sup>th</sup> ISoSUD was held in the hybrid conference:

- a. Day 1, on Wednesday, August 2<sup>nd</sup>, 2023, at Building M, 12<sup>th</sup> floor, Universitas Trisakti, Jakarta, Indonesia. There were 130 participants offline and 170 participants on the Zoom platform in the plenary session.
- b. On day 2, on Thursday, August 3<sup>rd</sup>, 2023, using the Zoom meeting facility, 270 participants attended virtually on Day 2.

In this two-day International Symposium, experts, researchers, and academician shared their valuable insights and research findings. These esteemed presenters hail from 58 universities and institutions in Filipina, India, Indonesia, Iraq, Japan, Malaysia, Netherlands, Singapura, and Taiwan, reflecting the symposium's diverse and inclusive nature. The call paper system that has been used since the first ISoSUD in 2008 succeeded in inviting 165 manuscripts (more than 400 authors) that were presented offline and virtually. Then, 136 from 165 papers were selected further to be published in IOP Proceedings Indexed by Scopus. After another review process,

106 manuscripts were published in IOP EES. To improve the quality of the manuscripts, the organizing committee held a Coaching Clinic for Scientific Paper Writing on June 24<sup>th</sup>, 2023. Prof. Mohamad Ali Fulazzaky, Ph.D, delivered the coaching clinic.

The 6<sup>th</sup> ISoSUD 2023 involved co-host universities consisting of five from within the country and four from abroad: Universitas Jember (UNEJ), Jember, Indonesia; Universitas Islam Indonesia (UII), Yogyakarta, Indonesia; Universitas Pasundan (UNPAS), Bandung, Indonesia; Institut Teknologi Sepuluh November (ITS), Surabaya, Indonesia; Universitas Indonesia (UI), Jakarta, Indonesia; Universiti Teknologi Malaysia (UTM), Malaysia; Universiti Tun Hussein Onn Malaysia (UTHM), Malaysia; The University of Kitakyushu, Japan; Chung Yuan Christian University (CYCU), Taiwan. During the class presentation session, a presentation from the participants representing the 6<sup>th</sup> ISoSUD co-host was carried out. Besides that, The 6<sup>th</sup> ISoSUD 2023 was supported as well by the Indonesian Society of Sanitary and Environment Engineers (IATPI), which has continuously supported our symposium since 2008. And sponsored by PT Enviro Cipta Lestari.

List of International Advisory Board, Scientific Committee, Organizing Committee are available in this pdf.

Export citation and abstract

BibTeX

RIS

**Next** article in issue →



Content from this work may be used under the terms of the [Creative Commons Attribution 3.0 licence](#). Any further distribution of this work must maintain attribution to the author(s) and the title of the work, journal citation and DOI.

---

## You may also like

---

### JOURNAL ARTICLES

---

WSUD Techniques for Urban Development with Focus on Saltwater Intrusion Problem, A Case Study of Kedonganan Village - Bali

---

Preface

---

Preface

---

A Komar-like integral for mass and angular momentum of asymptotically AdS black holes in Einstein gravity

---

Assessment of black rot development on apple surface using laser biospeckle technique

BDS-2/BDS-3 combined precise time-frequency transfer with different inter-system bias estimation strategies and different analysis centres products



## IOPSCIENCE

Journals

Books

IOP Conference Series

About IOPscience

Contact Us

Developing countries access

IOP Publishing open access  
policy

Accessibility

## IOP PUBLISHING

Copyright 2024 IOP  
Publishing

Terms and Conditions

Disclaimer

Privacy and Cookie Policy

Text and Data mining policy

## PUBLISHING SUPPORT

Authors

Reviewers

Conference Organisers



**This site uses cookies.** By continuing to use this site you agree to our use of cookies.



**IOP**

The 6<sup>th</sup> INTERNATIONAL SYMPOSIUM  
ON SUSTAINABLE URBAN DEVELOPMENT  
(The 6<sup>th</sup> ISoSUD) 2023

The International Symposium on Sustainable Urban Development (ISoSUD) is a series of international activities organized by the Faculty of Landscape Architecture and Environmental Technology, Universitas Trisakti, Jakarta. The event is held once every 3 (three) years with themes related to current issues regarding sustainable urban development, in particular related to urban environmental management and environmental technologies. The activity aims to facilitate academics to publish their research results in order to enhance their scientific expertise as researchers.

The 6<sup>th</sup> ISoSUD in 2023 carried the theme "**From Recovery To Resilience: Building A Sustainable Future For A Better Life**" which means this symposium will focus on how we can recover from the difficult times caused by the COVID-19 pandemic and build a better future and sustainable. This theme also shows the importance of building resilience in facing future challenges, whether related to climate change, economic policies, or other social problems.

The COVID-19 pandemic that swept the world in the last four years has had a significant impact on human health, the global economy, and the daily lives of people around the world. It will take the concerted efforts of all countries and peoples to overcome this pandemic and rebuild the world after it. This pandemic underscores the need for global efforts to strengthen health systems, enhance societal resilience, strengthen international cooperation, and accelerate action to achieve sustainable development goals and combat climate change. This crisis provides an opportunity to make significant changes in the way we view and manage our economic and social activities and to create a world that is more sustainable and fairer for all people and our planet. Now is the time to make a difference, to make a profound systemic shift towards a more sustainable economy for the benefit of our people and our planet. In other words, now is the right time to undertake significant transformations in existing economic and social systems, which can help sustainably achieve the SDGs and fight climate change to ensure a better future for people and our planet. Overall, post-pandemic recovery must be based on the principles of sustainable development contained in the SDGs. By integrating the SDG goals into our recovery policies and actions, we can create a more sustainable, inclusive, and resilient future for our people and the world.

The 6<sup>th</sup> ISoSUD was held in the hybrid conference:

- a. Day 1, on Wednesday, August 2<sup>nd</sup>, 2023, at Building M, 12<sup>th</sup> floor, Universitas Trisakti, Jakarta, Indonesia. There were 130 participants offline and 170 participants on the Zoom platform in the plenary session.



- b. On day 2, on Thursday, August 3<sup>rd</sup>, 2023, using the Zoom meeting facility, 270 participants attended virtually on Day 2.

In this two-day International Symposium, experts, researchers, and academician shared their valuable insights and research findings. These esteemed presenters hail from 58 universities and institutions in Filipina, India, Indonesia, Iraq, Japan, Malaysia, Netherlands, Singapura, and Taiwan, reflecting the symposium's diverse and inclusive nature. The call paper system that has been used since the first ISoSUD in 2008 succeeded in inviting 165 manuscripts (more than 400 authors) that were presented offline and virtually. Then, 136 from 165 papers were selected further to be published in IOP Proceedings Indexed by Scopus. After another review process, 106 manuscripts were published in IOP EES. To improve the quality of the manuscripts, the organizing committee held a Coaching Clinic for Scientific Paper Writing on June 24<sup>th</sup>, 2023. Prof. Mohamad Ali Fulazzaky, Ph.D, delivered the coaching clinic.

The 6<sup>th</sup> ISoSUD 2023 involved co-host universities consisting of five from within the country and four from abroad: Universitas Jember (UNEJ), Jember, Indonesia; Universitas Islam Indonesia (UII), Yogyakarta, Indonesia; Universitas Pasundan (UNPAS), Bandung, Indonesia; Institut Teknologi Sepuluh November (ITS), Surabaya, Indonesia; Universitas Indonesia (UI), Jakarta, Indonesia; Universiti Teknologi Malaysia (UTM), Malaysia; Universiti Tun Hussein Onn Malaysia (UTHM), Malaysia; The University of Kitakyushu, Japan; Chung Yuan Christian University (CYCU), Taiwan. During the class presentation session, a presentation from the participants representing the 6<sup>th</sup> ISoSUD co-host was carried out. Besides that, The 6<sup>th</sup> ISoSUD 2023 was supported as well by the Indonesian Society of Sanitary and Environment Engineers (IATPI), which has continuously supported our symposium since 2008. And sponsored by PT Enviro Cipta Lestari.

In the plenary session, some main speakers delivered more focused seminar themes; they were:

**Welcoming Speech:**

Prof. Dr. Kadarsah Suryadi DEA – Rector of Universitas Trisakti

**Opening Speech:**

Ir. Diana Kusumastuti, MT. - Director General of Human Settlements, Ministry of Public Works and Public Housing Indonesia

**Plenary Speakers:**

**Day-1**

1. Prof. Lin Chi Wang - Chung Yuan Christian University (CYCU), Taiwan
2. Prof. Ir. Joni Hermana M.Sc.ES., Ph.D – Institut Teknologi Sepuluh November (ITS), Indonesia

**Day 2**

3. Prof. Ts. Dr. Azmi Bin Aris - Universiti Teknologi Malaysia (UTM), Malaysia
4. Prof. Dr. Eng. Toru Matsumoto - University of Kitakyushu, Japan
5. Associate Prof. Victor R Savage – Nanyang Technological University (NTU), Singapore



We believe that this event will be able to facilitate good networking among researchers, scientists, engineers, and practitioners with common interests, especially in sharing the latest research results, ideas, development, and applications in Sustainable Urban Development. Hopefully, all participants enjoyed the seminar and found this experience inspiring and helpful in their professional field. Thank you for choosing the 6<sup>th</sup> ISoSUD as your symposium reference. Let us embrace the spirit of collaboration and innovation as we strive towards a sustainable future for a better life. We hope to have your pleasant support and participation in the next three years on The 7<sup>th</sup> ISoSUD 2026.

Sincerely,

Assoc. Prof. Ariani Dwi Astuti, ST., MT., PhD

Chairperson of The 6<sup>th</sup> International Symposium on Sustainable Urban Development (ISoSUD) 2023

### INTERNATIONAL ADVISORY BOARD

- Prof. Ir. Dato' Dr. Zainai Mohamed – Universiti Teknologi Malaysia, Malaysia
- Prof. Ts. Dr. Azmi Bin Aris – Universiti Teknologi Malaysia, Malaysia
- Prof. Lin-Chi Wang Chung Yuan Christian University, Taiwan
- Prof. Ts. Dr. Aeslina Binti Abdul Kadir Universiti Tun Hussein Onn Malaysia, Malaysia
- Assoc Prof Ts Dr. Rafidah Hamdan- Universiti Tun Hussein Onn Malaysia, Malaysia
- Prof. Dr. Eng. Toru Matsumoto – University of Kitakyushu, Japan
- LAr. Dr. Rohayah binti Che Amat – Universiti Teknologi Malaysia, Malaysia
- Assoc Prof. Dr. Victor R Savage, Nanyang Technology University, Singapore
- Prof. Dr. Karim Hassan Alwan – University of Baghdad, Iraq
- Dr. Nada Khaleefah Alrikabi – University of Baghdad, Iraq
- Dr. Indriyani Rachman – University of Kitakyushu, Japan
- Prof. Ir. Asri Nugrahanti, MS., PhD, IPU – Universitas Trisakti, Jakarta, Indonesia
- Prof. Dr. Ir. Indra Surjati, MT – Universitas Trisakti, Jakarta, Indonesia
- Assoc. Prof. Dr. Yonik Meilawati Yustiani, ST., MT – Universitas Pasundan, Bandung, Indonesia
- Dr. Ir. Yeny Dhokhikah S.T., M.T. – Universitas Jember, Indonesia
- Prof. Dr-Ing. Ir. Widodo Brontowiyono., M.Sc. – Universitas Islam Indonesia, Yogyakarta, Indonesia
- Prof. Arseto Yekti Bagastyo, ST., MT., MPhil., PhD – Institut Teknologi Sepuluh November, Surabaya, Indonesia

### SCIENTIFIC COMMITTEE

- Prof. Mohamad Ali Fulazzaky, Ph.D– Universitas Djuanda, Bogor, Indonesia
- Dr. Salmiati Yunus – Universiti Teknologi Malaysia, Malaysia
- Prof. Ts. Dr. Aeslina Binti Abdul Kadir Universiti Tun Hussein Onn Malaysia, Malaysia
- Dr. Shamila Arfan – Universiti Teknologi Malaysia, Malaysia
- Prof. Arseto Yekti Bagastyo, ST., MT., MPhil., PhD – Institut Teknologi Sepuluh Nopember, Surabaya, Indonesia
- Prof. IDAA Warmadewanthi ST., MT., PhD PhD – Institut Teknologi Sepuluh Nopember, Surabaya, Indonesia
- Prof. Dr-Ing. Ir. Widodo Brontowiyono., M.Sc. – Universitas Islam Indonesia, Yogyakarta, Indonesia
- Assoc. Prof. Dr. Yonik Meilawati Yustiani, ST., MT – Universitas Pasundan, Bandung, Indonesia
- Dr. Evi Afiatun, ST., MT – Universitas Pasundan, Bandung, Indonesia
- Dr. Anni Rochaeni, ST., MT – Universitas Pasundan, Bandung, Indonesia
- Dr. Fadjar Lucia Nugroho, Msc. DEA – Universitas Pasundan, Bandung, Indonesia
- Dr. Ir. Yeny Dhokhikah S.T., M.T. – Universitas Jember, Jember, Indonesia
- Dr. Indriyani Rachman – University of Kitakyushu, Japan
- Dr-Ing. Sucipta Laksono, ST, MT- Universitas Indonesia, Depok, Indonesia

- Prof. Dr. Ir. Astri Rinanti, S.Si., MT – Universitas Trisakti, Jakarta, Indonesia
- Assoc. Prof. Dr. Melati F Fachrul, MS – Universitas Trisakti, Jakarta, Indonesia
- Assoc. Prof. Dr. Ir. Diana Irvindiaty Hendrawan, MSi – Universitas Trisakti, Jakarta, Indonesia
- Assoc. Prof. Dr. Ir. Rahel Situmorang, M.Plan – Universitas Trisakti, Jakarta, Indonesia
- Dr. Ir. Ratnaningsih Ruhiyat, MT – Universitas Trisakti, Jakarta, Indonesia
- Dr. M M Sintorini Moerdjoko, M.Kes – Universitas Trisakti, Jakarta, Indonesia
- Dr. Ir. Anita Sitawati Wartaman, M.Si – Universitas Trisakti, Jakarta, Indonesia
- Dr. Ir. Endrawati Fatimah, MPSt – Universitas Trisakti, Jakarta, Indonesia
- Dr. Ir. Ramadhani Yanidar, MT – Universitas Trisakti, Jakarta, Indonesia
- Dr. Ir. Hanny Wiranegara, MT – Universitas Trisakti, Jakarta, Indonesia
- Dr. Rositayanti H., ST., MT – Universitas Trisakti, Jakarta, Indonesia
- Herika, S.Si, M.Si, Ph.D-Universitas Trisakti, Jakarta, Indonesia
- Dibyanti Danniswari, S.P, M.Si, M.Agr, Ph.D– Universitas Trisakti, Jakarta, Indonesia

#### **ORGANIZING COMMITTEE**

Chair Person	: Assoc. Prof. Ariani Dwi Astuti, ST., MT., PhD
Co-chair person	: Lutfia Rahmiati, ST., MT
Treasurer	: Sarah Aphirta, ST., MT
Secretary	: Sheilla Megagupita Putri Marendra, ST., MT
Sponsorship	: Pramati Purwaningrum, ST., MT
Event Management	: Astari Minarti ST, MSc
Publication	: Wisely Yahya, ST., M.P.W.K
Food and Beverages	: Ir. Asih Wijayanti, M.Si
Logistic, accommodation and transportation:	Reza Fauzi, ST., M.Ars

# DAFTAR ISI

OPEN ACCESS

011001

The 6<sup>th</sup> International Symposium on Sustainable Urban Development (The 6<sup>th</sup> ISoSUD) 2023

▼ Open abstract

 View article


 PDF

OPEN ACCESS

011002

Peer Review Statement

▼ Open abstract

 View article

 PDF

## Ecological Disaster Mitigation and Adaptation


OPEN ACCESS

012001

Community resilience index in the overflow flood area around Lake Tempe, Wajo District, South Sulawesi

N Albaniah, A Ramadhani and M N Luru

▼ Open abstract

 View article

 PDF

OPEN ACCESS

012002

Landslide disaster mitigation and adaptation strategy in one of the East Java horseshoe areas using geographic information system analysis

J F Irawan, Haeruddin, S Aminah, F A D Suparno and F A Lazuardi

▼ Open abstract

 View article

 PDF

OPEN ACCESS

012003

Health risk analysis of benzene, toluene, ethylbenzene, and xylene (BTEX) in groundwater in Yogyakarta City, Indonesia

A Juliani, S Rahmawati, A Bariroh, G A Dalimunthe, L I Ardhayanti and W P Aprilia

OPEN ACCESS

012004

## Institutional resilience of tourism villages against the Covid-19 pandemic in the Special Region of Yogyakarta

S P Putri and M Permana

▼ Open abstract

 View article

 PDF

---

## Urban Health and Sanitation

OPEN ACCESS

012005

## The factors influencing urban health in Jakarta Province during Covid-19 outbreak

W Yahya, E Fatimah, P R Sihombing and B Adinugroho

▼ Open abstract

 View article

 PDF

OPEN ACCESS

012006

## Sanitation facility mapping at Kalideres District, West Jakarta

A W Ryansa, M M Sintorini and R Hadisoebroto

▼ Open abstract

 View article

 PDF

OPEN ACCESS

012007

## Evaluation of sanitation hygiene implementation at refill drinking water depot in Lembursitu Sub-District, Sukabumi City

E Afiatun, S Wahyuni and N I Supendi

▼ Open abstract

 View article

 PDF

OPEN ACCESS

012008

## Unveiling *Ceratocystis* wilt disease: a review of cocoa's unforgiving foe

R Lloren

OPEN ACCESS

012009

## The presence of signage in the control of visual pollution in urban areas: A case study in the M.T Haryono street corridor, Kendari City, Indonesia

Halim, S Ramadan, A Al-Ikhsan, A J Ladianto, A Faslih and A M Firdausah

[Open abstract](#)

[View article](#)

[PDF](#)

OPEN ACCESS

012010

## Local characters of Chinese ethnic settlements in Chinatown area of Malang and Kembang Jepun area of Surabaya

L D Wulandari, D Asikin and E I Pratiwi

[Open abstract](#)

[View article](#)

[PDF](#)

OPEN ACCESS

012011

## Effect of various housing patterns on social cohesion

P Rahmanita, H W Wiranegara and Y Supriatna

[Open abstract](#)

[View article](#)

[PDF](#)

OPEN ACCESS

012012

## Characteristics of public spaces in BSD City-gated community

F A Alfarizi, H W Wiranegara and Y Supriyatna

[Open abstract](#)

[View article](#)

[PDF](#)

OPEN ACCESS

012013

## Comprehensive assets-based approach for neighborhoods that are under-resourced in Jakarta (case study: Keagungan Sub-district in West Jakarta, Indonesia)

M Ischak, W Seiati, E R Kridarso, D Rosnarti and L H Purwaningsih

**OPEN ACCESS**

012013

### [Comprehensive assets-based approach for neighborhoods that are under-resourced in Jakarta \(case study: Keagungan Sub-district in West Jakarta, Indonesia\)](#)

M Ischak, W Sejati, E R Kridarso, D Rosnarti and L H Purwaningsih

[Open abstract](#)

[View article](#)

[PDF](#)

**OPEN ACCESS**

012014

### [Dynamics of land cover change, regional development, and its local dependence driving factors in Bojonegoro Regency](#)

A Savitri, A E Pravitasari and V B Rosandi

[Open abstract](#)

[View article](#)

[PDF](#)

**OPEN ACCESS**

012015

### [Rural-to-urban reclassification and its impact on urbanization in Indonesia: a case study of West Java Province](#)

L K Katherina

[Open abstract](#)

[View article](#)

[PDF](#)

**OPEN ACCESS**

012016

### [The impact of the operation of the Jatiasih toll gate on economic activities in the Jatiasih Sub-district](#)

W Yahya and A Sitawati

[Open abstract](#)

[View article](#)

[PDF](#)

---

## Tourism and Landscape Management

**OPEN ACCESS**

012017

### [E-administration for collaborative governance body of green tourism villages in realizing smart villages in Bali](#)

D K Halim, D S Pramesti and D N C Permatasari


OPEN ACCESS

012018

## Quaternary Urban Geology and the Foundation of Heritage Building: Notable Historical Cases in Sawahlunto, Indonesia

Mohamad Sapari Dwi Hadian, Bombom Rachmat Suganda, Moch Nursiyam Barkah, Ute Lies Siti Khadijah, Ayu Krishna Yuliawati,  
Suherman Dwi Nuryana and Dewandra Bagus Ekaputra

▼ Open abstract

 View article

 PDF

OPEN ACCESS

012019

## Alternative locations of older people-friendly city park in Bandung City, Indonesia

M F Soltip, A Ramadhani and M N Luru

▼ Open abstract

 View article

 PDF


OPEN ACCESS

012020

## Pedestrian path landscape design concepts on Kyai Tapa Street, Grogol, West Jakarta, through urban landscape design approach

R Fauzi, N I Simangunsong, R Fitri and D Danniswari

▼ Open abstract

 View article

 PDF

## Climate Change and Biodiversity

OPEN ACCESS

012021

## Potential reduction of greenhouse gas emissions from waste banks and 3R waste treatment facilities in Bandung City

P Nursetyowati, S Rachmanissa, S Fairus and A Azizi

▼ Open abstract

 View article

 PDF

OPEN ACCESS

012022

## Analysis of carbondioxide (CO<sub>2</sub>) sequestration capacity in Berambai Cave, Samarinda, East Kalimantan, Indonesia

M D Balfas, D Rahmawati, P I Rindawati and R F Saputra




OPEN ACCESS

012023

## Transformation of land use and land cover and its implication to the local climate in Aceh Besar District, Aceh, Indonesia

I Ramli, A Achmad, N Nizamuddin, A Izzaty and I Irzaidi

▼ Open abstract

 View article

 PDF

---

OPEN ACCESS

012024

## The carbon footprint from ruminant livestock in the breeding-green farm in Jember

N Salsabil, Y Dhokhikah and A Rohman

▼ Open abstract

 View article

 PDF

---

OPEN ACCESS

012025

## Cooling capacity assessment in Karet Tengsin Platinum Integrated Area

L Z Mumtaz, L Atianta and I Kustiwan

▼ Open abstract

 View article

 PDF

---

OPEN ACCESS

012026

## Analysis of the application of technology in reducing carbon dioxide (CO<sub>2</sub>) emissions at two high schools in West Jakarta

I Rattedatu, H Yulinawati and L Rahmiyati

▼ Open abstract

 View article

 PDF

---

## Sustainable Mobility

---

OPEN ACCESS

012027

## Beyond traffic jams: public perceptions of Jabodetabek Commuter Line (KRL) System for sustainable urban development

I Hidayati

▼ Open abstract

 View article

 PDF


OPEN ACCESS

012028

## Allowance allocation and adjustment of factors affecting railway logistics demand

Z Yulfadli, M Z Arifin, L Djakfar, A Wicaksono and M A Nafis

▼ Open abstract

 View article

 PDF

---


OPEN ACCESS

012029

## The walkability concept based on pedestrian perceptions in Bandung City Square, Indonesia

L Dewi, R Situmorang and M C Adriana

▼ Open abstract

 View article

 PDF

---

OPEN ACCESS

012030

## Study of Trans Siginjai shelter coverage on corridor I and II in Jambi City of Indonesia

M A Setiawan, M C Adriana and A Sitawati

▼ Open abstract

 View article

 PDF

---

OPEN ACCESS

012031

## Community perceptions classification towards the development of transportation access at Darmo Corridor Surabaya using SVM and naive bayes methods

A Hapsery and A B Tribhuwaneswari

▼ Open abstract

 View article

 PDF

---

OPEN ACCESS

012032

## Transit Oriented Development (TOD) network arrangement system in the City of Jakarta

H M Taki, R Wicaksono and M A Badawi

▼ Open abstract

 View article

 PDF


OPEN ACCESS

012033

## Assessment of lead heavy metal pollution in Ciliwung River

I Juwana, R Nurjayati, Hidawati, R Maria, H Santoso and D Marganingrum

▼ Open abstract

 View article

 PDF

---

OPEN ACCESS

012034

## Analyzing the primary hydrological components (rainfall and discharge) within the context of Cipunagara Watershed management, West Java

S A Nurhayati, M Marselina and A Z Fuad

▼ Open abstract

 View article

 PDF

---

OPEN ACCESS

012035

## Long-term analysis on determination of deoxygenation rate of urban river water

Y M Yustiani, S Wahyuni, F Nurapriila and M Nurkanti

▼ Open abstract

 View article

 PDF

---


OPEN ACCESS

012036

## Water usage pattern of peri-urban community in the river basin: analyzing crucial variables for human exposure model

R R Utami, G P Yoga, G W Geerling, I R S Salami, S Notodarmojo and A M J Ragas

▼ Open abstract

 View article

 PDF

---

OPEN ACCESS

012037

## Social imaginaries methods and socio-engineering competences in sustainable river management (a case study in the living lab Upper Citarum)

D Roosmini, L Witteveen, I D Mayangsari, A Nastiti and T Botden

OPEN ACCESS

012038

### Water security analysis in Merapi disaster-prone area with the AWDO 2020 method

A Yulianto, N I Wantoputri, S Rahmawati, Y Dasenta and I D Victorina

▼ Open abstract

 View article

 PDF

---

OPEN ACCESS

012039

### Microplastic contamination in the sediment of the Johor Strait Estuary, Malaysia

M M Zin, S Azman, S H Anaziah, N Khalid, S Jumali and N A Umaiban Yusof

▼ Open abstract

 View article

 PDF

---

OPEN ACCESS

012040

### Review of water quality index models as river quality evaluation tool: insight from various rivers in Indonesia

R Utami, A D Imami, R Azhar, R N Azizah and D Awfa

▼ Open abstract

 View article

 PDF

---

OPEN ACCESS

012041

### Analysis of pollutant index in Gunung Putri Pond, West Java Province, Indonesia

M A Siregar, M F Fachrul, S M P Marendra and D I Hendrawan

▼ Open abstract

 View article

 PDF

---

## Pollution Control and Green Technology

---

OPEN ACCESS

012042

### Potential use of indigenous arbuscular mycorrhizal fungi to improve soil productivity in tailing of tin mining: a greenhouse study scale

D Wulandari, A F Maulana and I Fathikasari

OPEN ACCESS

012043

## Identification of microplastics in fish from the local fish market of Yogyakarta Province, Indonesia

S Rahmawati, FF Nuzula, EN Sulistyono and L Hakim

▼ Open abstract

 View article

 PDF

---

OPEN ACCESS

012044

## A preliminary study on the formation of acid mine drainage through rock geochemical test in the coal mining areas

E J Tuheteru, Suhaila, Suliestyah, P N Hartami and R Yulianti

▼ Open abstract

 View article

 PDF

---

OPEN ACCESS

012045

## Economic evaluation of biodiesel plant design in Bontang, East Kalimantan, Indonesia

J R H Panjaitan, D F Nury, V V Suswanto and L D Putri

▼ Open abstract

 View article

 PDF

---


OPEN ACCESS

012046

## Study on peak hours, ventilation, and resident activities towards indoor air quality on PM<sub>2.5</sub> in Surabaya

A D Syafei and N P Kurnianto

▼ Open abstract

 View article

 PDF

---

OPEN ACCESS

012047

## Effect of biochar in soil on microbial diversity: a meta-analysis

B Adirianto and T Bachtiar

▼ Open abstract

 View article

 PDF

OPEN ACCESS

012048

### Wet-dry cycle of expansive soil stabilized with fly ash and waste foundry sand on bearing capacity and swelling potential

A S S Gunarti, Y Zaika, A Munawir, E A Suryo and Harimurti

▼ Open abstract

 View article

 PDF

OPEN ACCESS

012049

### Preliminary phytotoxicity of Mercury in conventional gold mining wastewater on *Typha latifolia* and *Pistia stratiotes*

Y S Nursagita, H S Titah and I F Purwanti

▼ Open abstract

 View article

 PDF

OPEN ACCESS

012050

### Voltage optimization in expansive soil improvement with saline solution on swelling and shear strength

D Darmiyanti, A Rachmansyah, A Munawir, Y Zaika, Ershandy and E A Suryo

▼ Open abstract

 View article

 PDF

---

## Water and Wastewater Treatment and Technology

---

OPEN ACCESS

012051

### Gallery well application as a media for water treatment in flooded areas (case study: Morowudi Village, Gresik Regency)

Pungut, A N Febrianti and A B Tribhuwaneswari

▼ Open abstract

 View article

 PDF

OPEN ACCESS

012052

### Gajah Mada University drinking water supply system TOYAGAMA life cycle inventory

P Hutomo, N N N Marleni and B Kamulyan

## The simple filtration unit in reducing parameters of restaurant wastewater

H Yahya, A Rahman, S R Izarna and N Aida

[Open abstract](#)

[View article](#)

[PDF](#)

## Sustainability assessment of community-based wastewater treatment plant: case study of Semarang District, Indonesia

A Nurmiyanto, P S Ragawidya, N I Wantoputri, J A Fajri and W Brontowiyono

[Open abstract](#)

[View article](#)

[PDF](#)

## Effectiveness of communal wastewater treatment plant in peri-urban Yogyakarta, Indonesia, for *Escherichia coli* removal

A N Lathifah, A C Emeraldine, S A Fatika, A Yulianto and R Isnikarita

[Open abstract](#)

[View article](#)

[PDF](#)

## Implementation of fungal-based desalination through capacitive deionization for urban water provision: a conceptual framework

M R A N Irfani

[Open abstract](#)

[View article](#)

[PDF](#)

## Piezoelectric sensor design of graphite-aluminium with dynamic surface interaction method as an environmental technology

S B Utomo, J F Irawan, G A Hilmi, W Cahyadi and T Suprianto

[Open abstract](#)

[View article](#)

[PDF](#)

OPEN ACCESS

012058

## Comparative analysis of performance and fouling characteristics of microfiltration and ultrafiltration polycarbonate membrane

M R Abror, S Laksono and S Adityosulindro

▼ [Open abstract](#)

 [View article](#)

 [PDF](#)

---

OPEN ACCESS

012059

## Novel adsorbent derived from sludge of paper industry for removal of cesium ion in water

E Siswoyo and S Tanaka

▼ [Open abstract](#)

 [View article](#)

 [PDF](#)

---

OPEN ACCESS

012060

## Performance of trembesi seed (*Samanea saman*) on tempeh wastewater treatment (a case study in Semanan Tempeh Industry), West Jakarta

L A Syerin, S Aphirta and W Astono

▼ [Open abstract](#)

 [View article](#)

 [PDF](#)

---

OPEN ACCESS

012061

## Treatment of palm oil mill effluent using modified rotating biological contactor with organic loading rate variations

M S Adam, A S Nugrohputri, R Rahmadi, A D Astuti and A Kurniawan

▼ [Open abstract](#)

 [View article](#)

 [PDF](#)

---

OPEN ACCESS

012062

## The effect of hydraulic retention time on stabilisation unit in anaerobic – contact stabilisation (A-CST) for treating palm oil mill effluent

Kenannita, O W P Ajie, D Nauval, A D Astuti and A Kurniawan



# Waste management

---

**OPEN ACCESS**

012063

## Modeling of construction and demolition waste management based on the project life cycle in Indonesia

F Susilowati, A Y Adhipradana and J A Prakoso

[▼ Open abstract](#)

[View article](#)

[PDF](#)

---

**OPEN ACCESS**

012064

## SWOT analysis to determine waste management strategy in Tenggilis Mejoyo District, Surabaya City

F Rachmawati and S A Wilujeng

[▼ Open abstract](#)

[View article](#)

[PDF](#)

---

**OPEN ACCESS**

012065

## Municipal solid waste management in regency area in Indonesia: a review of Deli Serdang

R D A Fariz, I Rachman and T Matsumoto

[▼ Open abstract](#)

[View article](#)

[PDF](#)

---

**OPEN ACCESS**

012066

## Evaluation of municipal solid waste transportation and cost analysis: case study in Banyuwangi Regency

A K Dinanti, Y Dhokhikah, R E Badriani and S Z Ishak

[▼ Open abstract](#)

[View article](#)

[PDF](#)

---

**OPEN ACCESS**

012067

## Evaluation of solid waste management effectiveness in Indonesia from 2019-2021: a geographic information system analysis

H Gutama and F M Iresha

[▼ Open abstract](#)

[View article](#)

[PDF](#)

## Characterization and analysis of shopping mall solid waste composition for refuse derived fuel and black soldier fly (case study: X shopping mall in Central Jakarta City)

N Q Nurandi, R Ruhiyat and P Purwaningrum

[Open abstract](#)

[View article](#)

[PDF](#)

## A life cycle assessment of biological treatment scenario of municipal solid waste in developing country (case study: Makassar, Indonesia)

R Muis, I Rachman and T Matsumoto

[Open abstract](#)

[View article](#)

[PDF](#)

## Technical and financial feasibility study of utilization municipal solid waste as Refuse-Derived Fuel (RDF) in Griyo Mulyo landfill

W Ugroseno and I D A A Warmadewanthi

[Open abstract](#)

[View article](#)

[PDF](#)

PAPER • OPEN ACCESS

## Pedestrian path landscape design concepts on Kyai Tapa Street, Grogol, West Jakarta, through urban landscape design approach

To cite this article: R Fauzi *et al* 2023 *IOP Conf. Ser.: Earth Environ. Sci.* **1263** 012020

View the [article online](#) for updates and enhancements.

### You may also like

- [Walkability level study in Kota Tua area of Meulaboh district](#)  
L Juhardi, Izziah and R Anggraini
- [Artificial Lighting Strategies On Campus Pedestrian Path In Increasing The Safety of Walking at Night \(Case Study: University of Bengkulu\)](#)  
Atik Prihatiningrum, Panji Anom Ramawangsa and Debby Seftyarizki
- [Integration of public open space and pedestrian pathway to the Trans Koetaradja shelter in the Masjid Raya Baiturrahman area](#)  
C Zulkarnaen, S Sugiarto and I Caisarina



245th ECS Meeting • May 26-30, 2024 • San Francisco, CA

Submit now!

Don't miss your chance to present!

Connect with the leading electrochemical and solid-state science network!

Deadline Extended: December 15, 2023



# Pedestrian path landscape design concepts on Kyai Tapa Street, Grogol, West Jakarta, through urban landscape design approach

R Fauzi\*, N I Simangunsong, R Fitri and D Danniswari

Department of Landscape Architecture, Faculty of Landscape Architecture and Environmental Technology, Universitas Trisakti, Jakarta, Indonesia 11440

\*reza.fauzi@trisakti.ac.id

**Abstract.** An urban area offers a wide range of indoor and outdoor activities. The pedestrian area on Kyai Tapa Street, Grogol includes a community-used pedestrian path. It can become an open space in the pedestrian area that serves as a means of enhancing and facilitating activities for the community, particularly pedestrians. The phenomenon on the Kyai Tapa Street, Grogol pedestrian path requires a more explicit concept in the design, so the existing pedestrian path cannot improve the visual quality. It cannot be a comfortable place for pedestrians to pass. Therefore, identifying and evaluating the existing pedestrian path design concepts is necessary. This research study aimed to identify and evaluate the concept of pedestrian paths following the existing conditions using primary and secondary data collection methods through observation, surveys, and literature studies. Factors supporting the comfort of pedestrians are related to the suitability of the path's shape, the dimensionally design concept, and the elements built around the pedestrian path. The pedestrian path on Kyai Tapa Street, Grogol becomes a link between several places around the pedestrian path area. Therefore, it is necessary to make a clear design concept for pedestrian paths so that the pedestrian path area can improve visual quality and become a comfortable facility for pedestrians.

## 1. Introduction

Public transportation infrastructure must be able to serve every user. Pedestrian paths as a part of the transportation infrastructure need to be considered because walking is one part of transportation activities [1]. Walking is an easy mode of transportation to meet the needs of community movement, especially pedestrians. By walking, pedestrians have a great opportunity to interact with the community and the surrounding environment. Walking activities can be done by all groups of people from young, elderly, and disabled people.

A pedestrian path is a form of architecture that has a certain shape and provides benefits as space. According to the regulation by The Ministry of Public Works and Housing [2], the minimum effective width of pedestrian space is 60 cm plus 15 cm to sway without carrying goods, so that the minimum total requirement for two pedestrians is 150 cm. The common problems of pedestrian paths that occur nowadays are that they do not accommodate pedestrian activities and cannot improve the visual quality of the surrounding area [3]. Due to these problems, existing pedestrian paths cannot become the image of the city.

Kyai Tapa Street is a major road located in Grogol, West Jakarta. This road is crossed by various public transportation, including inner city buses, such as Trans Jakarta, and inter-provincial buses from Grogol Bus Terminal. Considering the high traffic and large number of users on this road, having a



comfortable pedestrian path becomes essential. Pedestrian path development is needed to increase the potential and reduce existing problems on the pedestrian path so that the pedestrian path on Kyai Tapa Street can be a comfortable and visually good open space for pedestrians. Planned pedestrian paths are formed from pedestrian paths that have been planned to connect one place to another that is needed by pedestrians [4]. Furthermore, it can be an active interaction space for the community, especially pedestrians. Eventually, the road can be a strong image of the city.

The application of Urban Landscape Design on pedestrian paths can improve the visual quality of pedestrian paths. Urban landscapes are currently considered important for creating a sustainable urban environment. Although landscape is often used to describe the natural environment, it can influence people's culture and lifestyle. Therefore, the urban landscape is not only about green spaces but also consists of various land uses, one of which is pedestrian pathways.

The objective of this research is to identify and to evaluate the existing design of the pedestrian path at Kyai Tapa Street. The evaluation result is used to create an appropriate urban landscape design for the pedestrian path at Kyai Tapa Street.

## 2. Methods

### 2.1. Study area

The location of this research is Kyai Tapa Street, Grogol, West Jakarta. Specifically, this research is conducted on two 200-meter-long pedestrian paths of Kyai Tapa Street. The pedestrian paths consist of two sides, which are side A and side B. The study area is shown in Figure 1.



**Figure 1.** Study area [13]  
(Google Earth, 2023)

### 2.2. Data collection and analysis

Primary data, such as field measurements and photos, are collected through field observation. Secondary data, such as study area map and policies related to the study area, are obtained through Google Maps and literature studies, respectively. The data analysis process consists of study area evaluation by comparing the existing condition of the pedestrian paths and the ideal condition based on literature studies.

The most important thing in an urban design is the arrangement and arrangement of circulation paths so that all components can be accessed properly [5]. A study [6] stated we can increase the quantity of active movement by improving access to public transit. Pedestrian path physically is an architectural form that has a certain shape. From the theory of form, space, and architectural arrangement proposed by [7], form (building architecture) is composed of visual characteristics of its shape which can be described as follows.

- a. Form, which is the result of a certain configuration of the surfaces and sides of a shape, is the main characteristic of constructive form.
- b. Dimensions, regarding width, length, and height, where these dimensions also determine proportions.

c. Color, the intensity and tone of the surface of a shape. Color is the most striking attribute that distinguishes a shape from its environment. Color also affects the visual weight of a shape. Based on the literature, the evaluated variables are pedestrian path physical condition and pedestrian path users' mobility. The sub variables and the indicators for evaluation are shown in Table 1.

**Table 1.** Variables for pedestrian path evaluation.

Variable	Sub Variable	Indicator
Pedestrian Path Condition	a. Walkway width	a. Walkway width standards
	b. Walkway pavement elements	b. Walkway floor comfort
	c. Walkway vegetation	c. Function of trees and shrubs
	d. Supporting elements	d. Lights, trash cans, guardrails, planter boxes
Pedestrian Path Users	Pedestrian path user movement	Pedestrian path user activity

### 3. Results and Discussions

The first section of research results describes and discusses the existing condition of the study area. Meanwhile, the second section proposes the landscape design concept for the study area based on the analysis in the first section.

#### 3.1. Existing conditions of the study area

Figure 2 shows the existing condition of side A based on the observation. Based on the current shape and condition, there are several things that meet and do not meet the standard criteria for pedestrian paths. When evaluating the width of the pedestrian path, the minimum effective width of pedestrian space for two pedestrians is 150 cm [7]. Therefore, the pedestrian path on Kyai Tapa Street has met the standard because it has a width of  $\pm 2.5$  m or 250 cm.



**Figure 2.** Existing condition of the study area.



**Figure 3.** Existing condition of the study area.

Figure 3 shows the existing condition of the observation location on side B. The pedestrian path on side B is  $\pm 2$  m wide, which means it meets the pedestrian path standards. However, side A pedestrian paths do not have complementary elements that meet the standards and side B pedestrian paths have complementary elements but do not function properly. Furthermore, the presence of informal sector in this area greatly interferes with the movement of pedestrians. According to the Guidelines for Building Construction Materials and Civil Engineering, Technical Planning of Pedestrian Facilities, by The Ministry of Public Works and Housing in 2018, pedestrian paths must have complementary or supporting equipment, including shelter, lights, safety fences, protective/shading plants, roadside vegetation, seats, trash bins, bollards, and guideways for users with disability.

To form a good pedestrian path that can function optimally for community activities, we must consider social and ecological aspects. According to [8], some of the environmental and ecological benefits of the urban landscape are as follows.

- a. Urban green spaces can provide flora and fauna with a habitat for supportive living
- b. Creating ecological corridors and supporting the movement of living
- c. Vegetation cover helps to improve the microclimate of urban areas
- d. Vegetation cover increases humidity and reduces heat gain
- e. Vegetation helps reduce carbon emission levels in urban areas
- f. Vegetation cover also filters dust in the air
- g. Green spaces absorb and reduce noise caused by urban activities
- h. Green spaces can prevent flooding in urban areas
- i. Vegetation can also function as a wind breaker

In addition, a good pedestrian path also requires good complementary elements to improve the quality of a good urban environment. Figure 4 shows that the existing complementary elements do not function optimally, and the existing vegetation arrangement does not have a clear design concept so that it cannot improve the quality of the environment, both visually and ecologically. The arrangement of existing pavement materials on the pedestrian path on Kyai Tapa Street is also unclear in concept, finishing and the use of material types that are not well organized which then creates an unpleasant atmosphere for the pedestrian path area.



**Figure 4.** Existing condition of the study area.

Pedestrian paths could be a physical element that shape the city image if they are organized and have a good design concept. Physical elements of a city have the potential to add value to the city. Therefore, they need to be carefully designed and improved. Increased community activity should be proportional to the availability of public facilities and infrastructure because it influences people's comfort. Areas with varied land uses, especially those that are connected to main roads and public transportation facilities provide greater opportunities for city residents to live, work, play, exercise, shop, and fulfill other needs on foot [9].

The arrangement of plants on the pedestrian path can also add comfort for pedestrians. However, if the arrangement is not good, it will reduce the visual quality of the pedestrian path. The most interesting compositions in a plant arrangement are generally those that sufficiently combine enough variation of plants to create a harmonious unity [10].

### 3.2. Design recommendation

To maximize the function and aesthetics of pedestrian paths, in addition to meeting standards, pedestrian paths must also have a good landscape arrangement that is in accordance with urban conditions. In today's modern era, pedestrian paths are a very important element in urban planning. Apart from providing dedicated space for pedestrians, pedestrian paths also provide safety and comfort for pedestrians crossing the path. Therefore, pedestrian space plays a major role in creating a humanized environment [11]. The Urban Landscape Design approach needs to be applied in the arrangement of pedestrian paths. A study [12] reveals that urban landscape serves as a picture of the city's socio-cultural environment. Therefore, the arrangement of pedestrian paths needs to go through the Urban Landscape Design approach in order to make the pedestrian path an area that can improve the quality of the urban environment and visuals.


Design adjustments to urban conditions will greatly impact urban conditions. There are aspects that need to be considered in landscaping urban pedestrian paths, which are the following.

- a. Aesthetics: The aesthetics of urban landscapes and people's daily lives are closely intertwined in that they can create imagery for active urban life.
- b. Function: A good landscape arrangement will provide good proportion, accessibility, flexibility, naturalness, and visual aspects to an area.
- c. Identity: The urban landscape can show the lifestyle of the people, their interactions, and their activities. It can also influence the climate, and the economy of the community.




- d. Ecology: From the view of landscape ecology, the city is a set of ecosystems that have structures, functions formed from patches, corridors, and matrix.


Figure 5, 6, and 7 show the design recommendations with considerations of the existing problems and the ideal conditions for pedestrian paths. Considering that the existing bollards placement allow motor vehicles to pass through the path, we recommend a bollard design that prohibits motor vehicles to pass through. We also recommend adding more trees or shelter to give shade to pedestrians. Additionally, using ornamental buffering plants may create a pleasant atmosphere for pedestrians. Adding guiding blocks for people with disabilities is also a must to create an ideal pedestrian path. Other complementary elements, such as benches and trash cans also need to be considered to avoid misusages by people.



**Figure 5.** Typical pedestrian path design.



**Figure 6.** Typical pedestrian path design.



**Figure 7.** Typical pedestrian path design.

A good pedestrian arrangement will improve the quality of the pedestrian path. The function of the pedestrian path will also be maximized as a good plant arrangement will function as a space divider, direction, ameliorate the microclimate, and improve the visual quality of the area. To make a good pedestrian path that functions optimally for the entire community, complementary elements on the pedestrian path are important factors that must be considered in the arrangement of pedestrian paths, including as benches, guideways, trash cans, lights, bollards, and shelters. With a good arrangement, it will also minimize informal sector activities that take place in the pedestrian path area.

#### 4. Conclusion

According to the results of this study, some aspects of the pedestrian path on Kyai Tapa Street, Grogol, West Jakarta, are still not in accordance with the criteria for an ideal pedestrian path. The existence of several things that do not meet the standards and principles of landscape design makes the pedestrian path not maximized both functionally and visually.

The Urban Landscape Design approach is needed in the arrangement of pedestrian paths in urban areas. Aesthetics, function, identity, and ecology are important factors in the development of pedestrian path arrangements in urban areas. The arrangement of softscape and hardscape on the pedestrian path at Kyai Tapa Street is not maximized and rearrangement of existing elements on the pedestrian path is necessary. Recommended designs of pedestrian paths that are comfortable and have aesthetic value according to the design principles are presented in this study.

#### References

- [1] Tamin O Z 2000 *Perencanaan dan Pemodelan Transportasi* (Bandung: Penerbit ITB)
- [2] PUPR 2018 *Pedoman Bahan Konstruksi Bangunan dan Rekayasa Sipil: Perencanaan Teknis Fasilitas Pejalan Kaki*
- [3] Wungo G L, Mussadun, Nathasya A and Manurung M A 2022 Assessing the quality of pedestrian paths related to street vendor activities at Johar Market, Semarang *IOP Conf. Ser. Earth Environ. Sci.* **1015** 012003
- [4] Sowo Y P 2023 Evaluasi Jalur Pedestrian Di Jalan Anggrek Kota Maumere Evaluation of Pedestrian Pathways on Anggrek Street , Maumere City 24–31
- [5] Yin G, Liu T, Chen Y and Hou Y 2022 Disparity and Spatial Heterogeneity of the Correlation

between Street Centrality and Land Use Intensity in Jinan, China *Int. J. Environ. Res. Public Health* **19**

- [6] De Bourdeaudhuij I, Sallis J F and Saelens B E 2003 Environmental Correlates of Physical Activity in a Sample of Belgian Adults *Am. J. Heal. Promot.* **18** 83–92
- [7] Ching F D K 1979 *Arsitektur: Bentuk, Ruang, dan Susunannya* (Jakarta: Penerbit Erlangga)
- [8] Memlük M Z 2012 Urban Landscape Design *Landscape Planning* (InTech)
- [9] Farr D 2008 *Sustainable Urbanism: Urban Design With Nature* (New Jersey: John Wiley & Sons)
- [10] Subadyo A T 2009 Penilaian Estetika Visual Lanskap Koridor Jalan di Kawasan Civic Center Tugu Alun-Alun Bunder Kota Malang *Tesa Arsit. J. Archit. Discourse* **7** 16–25
- [11] Sukmarini H and Bahri S 2021 Kajian Penataan Jalur Pejalan Kaki Koridor Stasiun Tanah Abang Jakarta Pusat *Plano Krisna* **17** 80–103
- [12] Zhang Y 2014 Artistic Vision of the Urban Landscape Design *Appl. Mech. Mater.* **584–586** 625–9
- [13] Google Earth (2023). Date Accessed 05 July 2023 from <https://www.google.com/maps/place/Universitas+Trisakti/@-6.1668288,106.7966245,378m/data=!3m1!1e3!4m6!3m5!1s0x2e69f65cb460416b:0x9e6e30cd9313eeb4!8m2!3d-6.1678122!4d106.7901209!16zL20vMGJmbHF2?entry=ttu>

iop  
*by* Z R

---

**Submission date:** 08-Sep-2023 08:11PM (UTC+0700)

**Submission ID:** 2160703719

**File name:** -\_edit\_Artikel\_IsoSud\_RZ\_INTN\_RNI\_DIB\_English\_230908\_200946.pdf (939.44K)

**Word count:** 2632

**Character count:** 14456

# Pedestrian path landscape design concepts on Jalan Kyai Tapa, Grogol, West Jakarta, through urban landscape design approach

Reza Fauzi<sup>1\*</sup>, Nur Intan Simangunsong<sup>1</sup>, Rini Fitri<sup>1</sup>, Dibyanti Danniswari<sup>1</sup>

<sup>1</sup> Department of Landscape Architecture, Faculty of Landscape Architecture and Environmental Technology, Universitas Trisakti, Jakarta, Indonesia 11440

\*Corresponding author: [reza.fauzi@trisakti.ac.id](mailto:reza.fauzi@trisakti.ac.id)

**Abstract.** An urban area offers a wide range of indoor and outdoor activities. The pedestrian area on Jalan Kyai Tapa Grogol includes a community-used pedestrian path. It can become an open space in the pedestrian area that serves as a means of enhancing and facilitating activities for the community, particularly pedestrians. The phenomenon on the Jalan Kyai Tapa Grogol pedestrian path requires a more explicit concept in the design, so the existing pedestrian path cannot improve the visual quality. It cannot be a comfortable place for pedestrians to pass. Therefore, identifying and evaluating the existing pedestrian path design concepts is necessary. This research study aimed to identify and evaluate the concept of pedestrian paths following the existing conditions using primary and secondary data collection methods through observation, surveys, and literature studies. Factors supporting the comfort of pedestrians are related to the suitability of the path's shape, the dimensionally design concept, and the elements built around the pedestrian path. The pedestrian path on Jalan Kyai Tapa Grogol becomes a link between several places around the pedestrian path area. Therefore, it is necessary to make a clear design concept for pedestrian paths so that the pedestrian path area can improve visual quality and become a comfortable facility for pedestrians.

Keywords: pedestrian path, pedestrians, urban landscape design.

## 1. Introduction

Public transportation infrastructure must be able to serve every user. Pedestrian paths as a part of the transportation infrastructure need to be considered because walking is one part of transportation activities [1]. Walking is an easy mode of transportation to meet the needs of community movement, especially pedestrians. By walking, pedestrians have a great opportunity to interact with the community and the surrounding environment. Walking activities can be done by all groups of people from young, elderly, and disabled people.

A pedestrian path is a form of architecture that has a certain shape and provides benefits as space. According to the regulation by The Ministry of Public Works and Housing [2], the minimum effective width of pedestrian space is 60 cm plus 15 cm to sway without carrying goods, so that the minimum total requirement for two pedestrians is 150 cm. The common problems of pedestrian paths that occur nowadays are that they do not accommodate pedestrian activities and cannot improve the visual quality of the surrounding area [3]. Due to these problems, existing pedestrian paths cannot become the image of the city.


Jalan Kyai Tapa is a major road located in Grogol, West Jakarta. This road is crossed by various public transportation, including inner city buses, such as Trans Jakarta, and inter-provincial buses from Grogol Bus Terminal. Considering the high traffic and large number of users on this road, having a comfortable pedestrian path becomes essential. Pedestrian path development is needed to increase the potential and reduce existing problems on the pedestrian path so that the pedestrian path on Jalan Kyai Tapa can be a comfortable and visually good open space for pedestrians. Planned pedestrian paths are formed from pedestrian paths that have been planned to connect one place to another that is needed by pedestrians [4]. Furthermore, it can be an active interaction space for the community, especially pedestrians. Eventually, the road can be a strong image of the city.

The application of Urban Landscape Design on pedestrian paths can improve the visual quality of pedestrian paths. Urban landscapes are currently considered important for creating a sustainable urban environment. Although landscape is often used to describe the natural environment, it can influence people's culture and lifestyle. Therefore, the urban landscape is not only about green spaces but also consists of various land uses, one of which is pedestrian pathways. The objective of this research is to identify and to evaluate the existing design of the pedestrian path at Jalan Kyai Tapa. The evaluation result is used to create an appropriate urban landscape design for the pedestrian path at Jalan Kyai Tapa.

## 2. Methods

### 2.1. Study area

The location of this research is Jalan Kyai Tapa, Grogol, West Jakarta. Specifically, this research is conducted on two 200-meter-long pedestrian paths of Jalan Kyai Tapa. The pedestrian paths consist of two sides, which are side A and side B. The study area is shown in Figure 1.



**Figure 1.** Study area  
(Google Earth, 2023)

### 2.2. Data collection and analysis

Primary data, such as field measurements and photos, are collected through field observation. Secondary data, such as study area map and policies related to the study area, are obtained through Google Maps and literature studies, respectively. The data analysis process consists of study area evaluation by comparing the existing condition of the pedestrian paths and the ideal condition based on literature studies.

The most important thing in an urban design is the arrangement and arrangement of circulation paths so that all components can be accessed properly [5]. A study [6] stated we can increase the quantity of active movement by improving access to public transit. Pedestrian path physically is an architectural form that has a certain shape. From the theory of form, space, and architectural arrangement proposed by [7], form (building architecture) is composed of visual characteristics of its shape which can be described as follows.

- a. Form, which is the result of a certain configuration of the surfaces and sides of a shape, is the main characteristic of constructive form.
  - b. Dimension, regarding width, length, and height, where these dimensions also determine proportions.
  - c. Color, the intensity and tone of the surface of a shape. Color is the most striking attribute that distinguishes a shape from its environment. Color also affects the visual weight of a shape.
- Based on the literature, the evaluated variables are pedestrian path physical condition and pedestrian path users' mobility. The sub variables and the indicators for evaluation are shown in Table 1.

**Table 1.** Variables for pedestrian path evaluation

Variable	Sub Variable	Indicator
Pedestrian Path Condition	a. Walkway width	a. Walkway width standards
	b. Walkway pavement elements	b. Walkway floor comfort
	c. Walkway vegetation	c. Function of trees and shrubs
	d. Supporting elements	d. Lights, trash cans, guardrails, planter boxes
Pedestrian Path Users	Pedestrian path user movement	Pedestrian path user activity

### 3. Results and Discussion

The first section of research results describes and discusses the existing condition of the study area. Meanwhile, the second section proposes the landscape design concept for the study area based on the analysis in the first section.

#### 3.1. Existing conditions of the study area

Figure 2 shows the existing condition of side A based on the observation. Based on the current shape and condition, there are several things that meet and do not meet the standard criteria for pedestrian paths. When evaluating the width of the pedestrian path, the minimum effective width of pedestrian space for two pedestrians is 150 cm [7]. Therefore, the pedestrian path on Jalan Kyai tapa has met the standard because it has a width of  $\pm 2.5$  m or 250 cm.



**Figure 2.** Existing condition of the study area  
(Documentation 2022)



**Figure 3.** Existing condition of the study area  
(Documentation 2022)

Figure 3 shows the existing condition of the observation location on side B. The pedestrian path on side B is  $\pm 2$  m wide, which means it meets the pedestrian path standards. However, side A pedestrian paths do not have complementary elements that meet the standards and side B pedestrian paths have complementary elements but do not function properly. Furthermore, the presence of informal sector in this area greatly interferes with the movement of pedestrians. According to the Guidelines for Building Construction Materials and Civil Engineering, Technical Planning of Pedestrian Facilities, by The Ministry of Public Works and Housing in 2018, pedestrian paths must have complementary or supporting equipment, including shelter, lights, safety fences, protective/shading plants, roadside vegetation, seats, trash bins, bollards, and guideways for users with disability.

To form a good pedestrian path that can function optimally for community activities, we must consider social and ecological aspects. According to [8], some of the environmental and ecological benefits of the urban landscape are as follows.

- a. Urban green spaces can provide flora and fauna with a habitat for supportive living
- b. Creating ecological corridors and supporting the movement of living
- c. Vegetation cover helps to improve the microclimate of urban areas
- d. Vegetation cover increases humidity and reduces heat gain
- e. Vegetation helps reduce carbon emission levels in urban areas
- f. Vegetation cover also filters dust in the air
- g. Green spaces absorb and reduce noise caused by urban activities
- h. Green spaces can prevent flooding in urban areas
- i. Vegetation can also function as a wind breaker

In addition, a good pedestrian path also requires good complementary elements to improve the quality of a good urban environment. Figure 4 shows that the existing complementary elements do not function optimally, and the existing vegetation arrangement does not have a clear design concept so that it cannot improve the quality of the environment, both visually and ecologically. The arrangement of existing pavement materials on the pedestrian path on Jalan Kyai Tapa is also unclear in concept, finishing and the use of material types that are not well organized which then creates an unpleasant atmosphere for the pedestrian path area.





**Figure 4.** Existing condition of the study area  
(Documentation 2022)

Pedestrian paths could be a physical element that shape the city image if they are organized and have a good design concept. Physical elements of a city have the potential to add value to the city. Therefore, they need to be carefully designed and improved. Increased community activity should be proportional to the availability of public facilities and infrastructure because it influences people's comfort. Areas with varied land uses, especially those that are connected to main roads and public transportation facilities provide greater opportunities for city residents to live, work, play, exercise, shop, and fulfill other needs on foot [9].

The arrangement of plants on the pedestrian path can also add comfort for pedestrians. However, if the arrangement is not good, it will reduce the visual quality of the pedestrian path. The most interesting compositions in a plant arrangement are generally those that sufficiently combine enough variation of plants to create a harmonious unity [10].

### 3.2. Design recommendation


To maximize the function and aesthetics of pedestrian paths, in addition to meeting standards, pedestrian paths must also have a good landscape arrangement that is in accordance with urban conditions. In today's modern era, pedestrian paths are a very important element in urban planning. Apart from providing dedicated space for pedestrians, pedestrian paths also provide safety and comfort for pedestrians crossing the path. Therefore, pedestrian space plays a major role in creating a humanized environment [11]. The Urban Landscape Design approach needs to be applied in the arrangement of pedestrian paths. A study [12] reveals that urban landscape serves as a picture of the city's socio-cultural environment. Therefore, the arrangement of pedestrian paths needs to go through the Urban Landscape Design approach in order to make the pedestrian path an area that can improve the quality of the urban environment and visuals.

Design adjustments to urban conditions will greatly impact urban conditions. There are aspects that need to be considered in landscaping urban pedestrian paths, which are the following.

- a. Aesthetics: The aesthetics of urban landscapes and people's daily lives are closely intertwined in that they can create imagery for active urban life.
- b. Function: A good landscape arrangement will provide good proportion, accessibility, flexibility, naturalness, and visual aspects to an area.
- c. Identity: The urban landscape can show the lifestyle of the people, their interactions, and their activities. It can also influence the climate, and the economy of the community.

d. Ecology: From the view of landscape ecology, the city is a set of ecosystems that have structures, functions formed from patches, corridors, and matrix.


Figure 5, 6, and 7 show the design recommendations with considerations of the existing problems and the ideal conditions for pedestrian paths. Considering that the existing bollards placement allow motor vehicles to pass through the path, we recommend a bollard design that prohibits motor vehicles to pass through. We also recommend adding more trees or shelter to give shade to pedestrians. Additionally, using ornamental buffering plants may create a pleasant atmosphere for pedestrians. Adding guiding blocks for people with disabilities is also a must to create an ideal pedestrian path. Other complementary elements, such as benches and trash cans also need to be considered to avoid misusages by people.



**Figure 5.** Typical pedestrian path design



**Figure 6.** Typical pedestrian path design



**Figure 7.** Typical pedestrian path design

A good pedestrian arrangement will improve the quality of the pedestrian path. The function of the pedestrian path will also be maximized as a good plant arrangement will function as a space divider, direction, ameliorate the microclimate, and improve the visual quality of the area. To make a good pedestrian path that functions optimally for the entire community, complementary elements on the pedestrian path are important factors that must be considered in the arrangement of pedestrian paths, including as benches, guideways, trash cans, lights, bollards, and shelters. With a good arrangement, it will also minimize informal sector activities that take place in the pedestrian path area.

#### 4. Conclusion

According to the results of this study, some aspects of the pedestrian path on Jalan Kyai Tapa, Grogol, West Jakarta, are still not in accordance with the criteria for an ideal pedestrian path. The existence of several things that do not meet the standards and principles of landscape design makes the pedestrian path not maximized both functionally and visually.

The Urban Landscape Design approach is needed in the arrangement of pedestrian paths in urban areas. Aesthetics, function, identity, and ecology are important factors in the development of pedestrian path arrangements in urban areas. The arrangement of softscape and hardscape on the pedestrian path at Jalan Kyai Tapa is not maximized and rearrangement of existing elements on the pedestrian path is necessary. Recommended designs of pedestrian paths that are comfortable and have aesthetic value according to the design principles are presented in this study.

#### 5. References

- [1] Tamin O Z 2000 *Perencanaan dan Pemodelan Transportasi* (Bandung: Penerbit ITB)
- [2] PUPR 2018 *Pedoman Bahan Konstruksi Bangunan dan Rekayasa Sipil: Perencanaan Teknis Fasilitas Pejalan Kaki*
- [3] Wungo G L, Mussadun, Nathasya A and Manurung M A 2022 Assessing the quality of pedestrian paths related to street vendor activities at Johar Market, Semarang *IOP Conf. Ser. Earth Environ. Sci.* **1015** 012003
- [4] Sowo Y P 2023 Evaluasi Jalur Pedestrian Di Jalan Anggrek Kota Maumere Evaluation of Pedestrian Pathways on Anggrek Street , Maumere City 24–31
- [5] Yin G, Liu T, Chen Y and Hou Y 2022 Disparity and Spatial Heterogeneity of the Correlation between Street Centrality and Land Use Intensity in Jinan, China *Int. J. Environ. Res. Public*

*Health* **19**

- [6] De Bourdeaudhuij I, Sallis J F and Saelens B E 2003 Environmental Correlates of Physical Activity in a Sample of Belgian Adults *Am. J. Heal. Promot.* **18** 83–92
- [7] Ching F D K 1979 *Arsitektur: Bentuk, Ruang, dan Susunannya* (Jakarta: Penerbit Erlangga)
- [8] Memlük M Z 2012 Urban Landscape Design *Landscape Planning* (InTech)
- [9] Farr D 2008 *Sustainable Urbanism: Urban Design With Nature* (New Jersey: John Wiley & Sons)
- [10] Subadyo A T 2009 Penilaian Estetika Visual Lansekap Koridor Jalan di Kawasan Civic Center Tugu Alun-Alun Bunder Kota Malang *Tesa Arsit. J. Archit. Discourse* **7** 16–25
- [11] Sukmarini H and Bahri S 2021 Kajian Penataan Jalur Pejalan Kaki Koridor Stasiun Tanah Abang Jakarta Pusat *Plano Krisna* **17** 80–103
- [12] Zhang Y 2014 Artistic Vision of the Urban Landscape Design *Appl. Mech. Mater.* **584–586** 625–9

ORIGINALITY REPORT

---

9%

SIMILARITY INDEX

8%

INTERNET SOURCES

2%

PUBLICATIONS

0%

STUDENT PAPERS

---

PRIMARY SOURCES

---

1

[www.atlantis-press.com](http://www.atlantis-press.com)

Internet Source

7%

---

2

Murat Z.. "Chapter 5 Urban Landscape Design", IntechOpen, 2012

Publication

2%

---

Exclude quotes  On

Exclude matches  < 25 words

Exclude bibliography  On